

Mr Mark Johnston  
Senior Executive Engineer  
Monaghan County Council  
Water Services  
County Offices  
The Glen  
Monaghan

Regional Inspectorate  
McCumiskey House, Richview,  
Clonskeagh Road, Dublin 14, Ireland  
Cigireacht Réigiúnach, Teach Mhic Chumascaigh  
Dea-Radharc, Bóthar Cluain Sceach  
Baile Átha Cliath 14, Éire  
T: +353 1 268 0100  
F: +353 1 268 0199  
E: [info@epa.ie](mailto:info@epa.ie)  
W: [www.epa.ie](http://www.epa.ie)  
LoCall: 1890 33 55 99

01 June 2010

D0347-01

re: Notice in accordance with Regulation 18(3)(b) of the Waste Water Discharge (Authorisation) Regulations 2007

Dear Mr Johnston

I am to refer to the above referenced application for a waste water discharge licence relating to agglomeration named Glaslough. Having examined the documentation submitted, I am to advise that the Agency is of the view that the documentation does not comply with Regulation 16 of the Waste Water Discharge (Authorisation) Regulations 2007.

You are therefore requested, in accordance with Regulation 18(3)(b) of the regulations, to take the steps to supply the information detailed below in addition to the information requested in the notice in accordance with Regulation 18(3)(b), dated the 31/05/2010:

### **REGULATION 16 COMPLIANCE REQUIREMENTS**

- Assess the likelihood of significant effects of the waste water discharges from the agglomeration on the relevant European sites by referring to Circular L8/08 'Water Services Investment and Rural Water Programmes - Protection of Natural Heritage and National Monuments' issued by the Department of Environment, Heritage and Local Government. In particular, the flow diagram in Appendix 1 should be completed and the results of each section recorded. If significant effects are likely then an appropriate assessment must be carried out and a report of this assessment forwarded to the Agency.

You are advised to provide the requested information in accordance with the 'Note on Appropriate Assessments for the purposes of the Waste Water Discharge (Authorisation) Regulations, 2007 (S. I. 684 of 2007)' which is available at [www.epa.ie/downloads/forms/lic/wwda/](http://www.epa.ie/downloads/forms/lic/wwda/)


Your reply to this notice should include a revised non-technical summary which reflects the information you supply in compliance with the notice, insofar as that information impinges on the non-technical summary.

In the case where any drawings already submitted are subject to revision consequent on this request, a revised drawing should be prepared in each case. It is not sufficient to annotate the original drawing with a textual correction. Where such revised drawings are submitted, provide a list of drawing titles, drawing numbers and revision status, which correlates the revised drawings with the superseded versions.

Please supply the information in the form of a one original plus one copy within six weeks of the date of this notice. In addition please submit one copy of the requested information in electronic searchable PDF format on a CD-ROM (no file to exceed 10MB) to the Agency. Please note that all maps/drawings should not exceed A3 in size.

Please note that the application's register number is D0347-01. Please direct all correspondence in relation to this matter to *Administration, Environmental Licensing Programme, Office of Climate, Licensing & Resource Use, Environmental Protection Agency, Headquarters, PO Box 3000, Johnstown Castle Estate, County Wexford* quoting the register number.

Yours sincerely,



**Patrick Byrne**  
**Senior Inspector**  
**Office of Climate, Licensing & Resource Use**