

## Marian Doyle

---

**From:** Marian Doyle  
**Sent:** 07 July 2010 16:39  
**To:** 'Mahon, Joe'  
**Subject:** W0054-02 amendment request

Joe,

Could you forward either by email or by post:

1. A Drawing showing the on-site foul drainage, sources of emissions, DCC Sewer and emission point(s).
2. A copy of the RPII Licence.

Regards,

Marian Doyle  
Inspector  
Office of Climate, Licensing & Resource Use,  
Environmental Protection Agency,  
McCumiskey House,  
Richview,  
Clonskeagh Road,  
Dublin 14.  
Tel: 01-268 0100  
Fax: 01-268 0199  
[marian.doyle@epa.ie](mailto:marian.doyle@epa.ie)

---

**From:** Mahon, Joe [<mailto:jmahon@SRCL.com>]  
**Sent:** 19 November 2009 16:30  
**To:** Marian Doyle  
**Subject:** DCC Letter


Hi Marian,

As requested.

Regards,

**Joe Mahon**  
Eco-Safe Systems  
Unit 1a Allied Ind Estate,  
Kylemore Rd Dublin 10.

Tel: +353-1-6239135  
Mob: +353-87-1228490



**SRCL**<sup>®</sup>  
Protecting People. Reducing Risk.

---

This email has been scanned by the MessageLabs Email Security System.  
For more information please visit <http://www.messagelabs.com/email>

---

[www.srcl.com](http://www.srcl.com)

SRCL<sup>®</sup> – Protecting People. Reducing Risk<sup>™</sup>.