Comhairle Contae Chorcaí Cork County Council

Halla an Chontae, Corcaigh, Éire.

Fón: (021) 4276891 • Faics: (021) 4276321 Suíomh Gréasáin: www.corkcoco.ie

County Hall, Cork, Ireland.

Tel: (021) 4276891 • Fax: (021) 4276321 Web: www.corkcoco.ie



Administration,
Environmental Licensing Programme,
Office of Climate, Licensing & Resource Use,
Environmental Protection Agency,
Regional Inspectorate,
Ininiscarra,
County Cork.

20 December 2010

Re: Ballycotton Agglomeration (Register No. D0516-01) Regulation 18(3)(b) Further Information Response

Dear Sir/Madam,

With reference to your letter of the 20^{th} of August 2010 and our response of the 18^{th} of November, please find the following attached:

- 1 Original of the Ballycotton Regulation 18 Further Information Response Revised Page 20, which includes Bird Count Data for 2005-2009
- 1 Copy of the Ballycotton Regulation 18 Further Information Response Revised Page 20, which includes Bird Count Data for 2005-2009
- 1 CDROM with the Further Information Response in PDF Format

Yours faithfully,

Colm Brennan Executive Engineer



Ballycotton Shanagarry

Species	1% National	1% International	2004/05	2005/06	2006/07	2007/08	2008/09	Mean	Peak
Kittiwake					2			1	2
Canada Goose							12	3	12
Light-bellied Brent Goose		260	38		114	28	162	86	162
Ruddy Shelduck					1			0	1
Shelduck	150	3,000	76		37	38	43	49	76
Wigeon	820	15,000	643		515	542	501	550	643
Gadwall	20	600	2				1	1	2
Teal	450	5.000	454		522	363	417	439	522
Mailerd	380	20,000	131		133	142	95	125	142
Pintail	20	600			1			O	1
Shoveler	25	400			3	1		1	3
Eider	30	12,830			•		1	o o	1
Red-breasted Merganser	35	1,700			1		•	ō	1
Red-throated Diver	20	3,000			,	1	2	1	2
Great Northern Diver	20	50	2		10	4	1	4	10
Little Grebe	25	4.000	-		10	7	1	a	1
Great Crested Grebe	55	3,600			2	1	3	2	3
	140	1,200	18		30	16	16	20	30
Cormorant	140	1,200			30	16	10	20	
Night Heron			1						1
Little Egret		1,300	6		17	14	22	15	22
Grey Heron	30	2,700	13		19	6	12	13	19
Water Rail			_			2		1	2
Moorhen	20		2			1503	4	2	4
Oystercalcher	680	10,200	191		288	307	211	249	307
Ringed Plover	150	730	65		14000	67	112	96	140
Golden Plover	1,700	9,300	2,450	.4	2,530	3,450	5,100	3,388	5.100
Grey Plover	65	2.500	57	ally	W 93	97	55	76	97
Lapwing	2,100	20,000	1,178	35° 50	870	2,208	1,104	1,340	2,208
Knot	190	4,500	78	50° 9'	29	34	43	46	78
Senderling	65	1,200	96	ille	99	37	63	74	99
Little Stint			DUL	000	1			0	1
Pectoral Sandpiper			· 00 26				1	û	1
Curlew Sandpiper		-0	the the		1		6	2	6
Dunlin	880	13,300	327		380	194	132	258	380
Buff-breasted Sandpiper		Jan J					1	0	1
Ruff		105000			10	10	10	8	10
Jack Snipe		1 23	2			1		1	2
Snipe		730 9,300 2,500 20,000 4,500 1,200 13,300 4,500 1,200 4,500 4,500 1,200 2,000 8,500 9,00	58		104	62	50	69	104
Black-tailed Godwit	140	× 0 470	191		217	145	230	196	230
Bar-tailed Godwit	160 .0	1,200	85		129	88	31	83	129
Whimbrel	205	2,000			1	1	1	1	1
Curlew	550	8.500	530		404	311	414	415	530
Spotted Redshank		900	2		1	2		1	2
Greenshank	20	2.300	13		15	13	13	14	15
Redshank	310	3.900	125		116	80	83	101	125
Turnstone	120	1,500	113		153	123	78	117	153
Mediterranean Gull	120	1,300	1		2	10	1	4	10
Black-headed Gull		20,000	1.319		226	628	1,620	948	1,620
Common Guli		16,000	603		456	1,077	496	658	1,077
Lesser Black-backed Gull		4.500	509		151	1,200	6,697	2,139	6,697
Herring Gull		13,000	132		209	709	365	354	709
-		13,000	132			709	303		
Ideland Gulf		4 900	330		1 108	405	150	0 248	1 495
Great Black-backed Gull		4.800			108				
Sandwich Tern			108			2	10	30	108
Kingfisher						1	2	1	2

The counts presented in the table refer to the peak counts of species in each I-WeBS season.

Site peak and mean are calculated as the peak and mean of peak counts respectively over the seasons specified Blank cells within columns which contain positive values for one or more species constitute zero for those species.



Ballycotton Shanagarry

Species	1% National	1% International	2004/05	2005/06	2006/07	2007/08	2008/09	Mear	Peak
Kittiwake					2			1	2
Canada Goose							12	3	12
Light belied Brent Goose		260	38		114	28	162	86	162
Ruddy Shelduck					1			0	1
Shelduck	150	3,000	76		37	38	43	49	76
Wigeon	820	15,000	643		515	542	501	550	643
Gadwall	20	600	2				1	1	2
Teal	450	5,000	454		522	363	417	439	522
Mallard	380	20 000	131		133	142	95	125	142
Pintail	20	600			1			0	1
Shoveler	25	400			3	1		1	3
Eider	30	12.830			-	•	1	ė.	1
Red-breasted Merganser	35	1,700			1		'	ŏ	1
Red-throated Diver	20	3.000				1	2	1	2
Great Northern Diver	20	50	2		10	4	1	4	10
Little Grebe	25	4,000	-		10	•	1	0	1
Great Crested Grebe	55	3,600			2	1	3	2	3
Cormorant	140	1,200	18		30	16	3 16	20	30
Night Heron	140	1,200	10		30	16	16		
-		4 200	-					0	1
Little Egret	20	1,300	6		17	14	22	15	22
Grey Heron	30	2,700	13		19	6	12	13	19
Water Ra⊪			_			2 2		1	2
Moorhen	20		2			1503	4	2	4
Oystercatcher	680	10,200	191		288	307	211	249	307
Ringed Plover	150	730	65		288 1400er 2550 2550 270	67	112	96	140
Golden Plover	1,700	9,300	2,450	.4.	2,550	3,450	5,100	3,388	5.100
Grey Plover	65	2,500	57	all,	№ 93	97	55	76	97
Lapwing	2,100	20,000	1,178	30, 60	870	2,208	1,104	1,340	2,208
Knot	190	4,500	78	30° 90°	29	34	43	46	78
Sanderling	65	1,200	96	ille	99	37	63	74	99
Little Stint			Div.e	%	1			0	1
Pectoral Sanapiper			on at				1	Ü	1
Curlew Sandpiper		ج ک	Trans.		1		6	2	6
Duntin	980	13,300	327		380	194	132	258	380
Buff-breasted Sandpiper		730 9,300 2,500 20,000 4,500 1,200					1	0	1
Ruff		12 500			10	10	10	8	10
Jack Snipe		1 202	2			1		1	2
Snipe		26.000	58		104	62	50	69	104
Black-tailed Godwit	140	¥ 470	191		217	145	230	196	230
Bar-tailed Godwit	160	1,200	85		129	88	31	83	129
Whimbrei	160 S	2,000			1	1	1	1	1
Curlew	550	8,500	530		404	311	414	415	530
Spotted Redshank		900	2		1	2		1	2
Greenshank	20	2,300	13		15	13	13	14	15
Redshank	310	3,900	125		116	80	83	101	125
Turnstone	120	1,500	113		153	123	78	117	153
Mediterranean Gull	120	1,000	1		2	10	1	4	10
Black-headed Gull		20,000	1.319		226	628	1620	948	1,620
Dommon Gull		16 000	603		456	1,077	496	658	1,620
Lesser Black-backed Guli			509						
		4.500			151	1,200	6 697	2,139	6,697
Herring Gull		13.000	132		209	709	365	354	709
celand Gull		4.000	200		1	405	450	0	1
Great Black-backed Gull		4,800	330		108	405	150	248	405
Sandwich Tern			108			2	10	30	108
Kingfisher						1	2	1	2

The counts presented in the table refer to the peak counts of species in each I-WeBS season.

Site peak and mean are calculated as the peak and mean of peak counts respectively over the seasons specified. Blank cells within columns which contain positive values for one or more species constitute zero for those species.