

Grainne Oglesby

From: Anne Pearson
Sent: 05 January 2011 15:12
To: Grainne Oglesby
Subject: FW: Castleblaney u/s and d/s monitoring results

From: Johnston, Mark [mailto:mjohnston@monaghancoco.ie]
Sent: 19 October 2010 12:46
To: Anne Pearson
Subject: FW: Castleblaney u/s and d/s monitoring results

Hi Anne,
I got your message I am back in office now.
Confirmation that those figures are indeed correct.

Yours,

Mark

Mark Johnston
SENIOR EXECUTIVE ENGINEER,
Water Services,
Monaghan County Council

From: Lambe, Matthew
Sent: 18 October 2010 10:15
To: Johnston, Mark
Subject: RE: Castleblaney u/s and d/s monitoring results

Mark,

This is correct

Regards

Matthew

From: Johnston, Mark
Sent: 18 October 2010 10:08
To: Lambe, Matthew
Subject: FW: Castleblaney u/s and d/s monitoring results

Matthew
Any comment on this?

Mark Johnston
SENIOR EXECUTIVE ENGINEER,
Water Services,
Monaghan County Council

From: Anne Pearson [mailto:a.pearson@epa.ie]
Sent: 14 October 2010 15:06

This email has been scanned by the MessageLabs Email Security System.
For more information please visit <http://www.messagelabs.com/email>

*For inspection purposes only.
Consent of copyright owner required for any other use.*