

Mr. Paddy O'Friel  
S/Senior Engineer  
Cork County Council Northern Division  
Annabella  
Mallow  
Co.Cork

Headquarters, PO Box 3000  
Johnstown Castle Estate  
County Wexford, Ireland  
Ceannteathrú, Bosca Poist 3000  
Láthair: Caisleán Bhaile Sneamh  
Contae Loch Garman, Éire  
T +353 53 916 0600  
F +353 53 916 0599  
E info@epa.ie  
W www.epa.ie  
LoCall: 1800 33 55 99

31 January 2011

re: Notice in accordance with Regulation 25(c)(ii) of the Waste Water Discharge (Authorisation) Regulations 2007

Dear Mr. O'Friel

I am to refer to the applications for a waste water discharge certificate of authorisation relating to the agglomerations named:

Ballyhea & Environs	A0330-01
Kilbrin & Environs	A0340-01
Kiskeam & Environs	A0346-01
Rathcoole & Environs	A0328-01
Bridesbridge & Environs	A0333-01
Rockchapel & Environs	A0335-01
Cecilstown & Environs	A0319-01
Milford & Environs	A0321-01
Shanballymore & Environs	A0331-01
Glantane & Environs	A0325-01
Kilcorney & Environs	A0320-01
Ballydesmond & Environs	A0326-01
Castlemagner & Environs	A0324-01
Dernagree & Environs	A0332-01
Dromina & Environs	A0329-01
Liscarrol & Environs	A0323-01
Ballynoc & Environs	A0343-01
Bartlemy & Environs	A0339-01
Cullen & Environs	A0342-01
Knocknagree & Environs	A0344-01
Lyre & Environs	A0334-01
Meelin & Environs	A0337-01
Nadd & Environs	A0345-01

Having examined the documentation submitted, I am to advise that the Agency is of the view that the documentation does not comply with Regulation 24 of the Waste Water Discharge (Authorisation) Regulations 2007.

You are therefore requested, in accordance with Regulation 25(c)(ii) of the regulations, to take the steps to supply the information detailed below for **each** of the above named agglomerations.

### **REGULATION 24 COMPLIANCE REQUIREMENTS**

1. In the appropriate assessment screening received by the Agency on 31<sup>st</sup> January 2011, it was indicated that further assessment was required. Please complete same and submit to the Agency by **18<sup>th</sup> February 2011**.

You are advised to provide the requested information in accordance with the 'Note on Appropriate Assessments for the purposes of the Waste Water Discharge (Authorisation) Regulations, 2007 (S.I. 684 of 2007)' which is available at [www.epa.ie/downloads/forms/lic/wwda/](http://www.epa.ie/downloads/forms/lic/wwda/).


Your reply to this notice should include a revised non-technical summary which reflects the information you supply in compliance with the notice, insofar as that information impinges on the non-technical summary.

In the case where any drawings already submitted are subject to revision consequent on this request, a revised drawing should be prepared in each case. It is not sufficient to annotate the original drawing with a textual correction. Where such revised drawings are submitted, provide a list of drawing titles, drawing numbers and revision status, which correlates the revised drawings with the superseded versions.

Please supply the information in the form of a one original plus one copy by 18<sup>th</sup> February 2011. In addition please submit one copy of the requested information in electronic searchable PDF format on a CD-ROM (no file to exceed 10MB) to the Agency. Please note that all maps/drawings should not exceed A3 in size.

Please direct all correspondence in relation to this matter to *Administration, Environmental Licensing Programme, Office of Climate, Licensing & Resource Use, Environmental Protection Agency, Headquarters, PO Box 3000, Johnstown Castle Estate, County Wexford* quoting the register number.

Yours sincerely,

  
\_\_\_\_\_

**John Ring**

**Inspector**

**Office of Climate, Licensing & Resource Use**