

Mr. Flor Crowley  
Environmental Health & Safety Officer  
Country Clean Recycling Ltd.  
The Mill  
Castleroche  
Cork

Regional Inspectorate, Inniscarra  
County Cork, Ireland  
Cigireacht Réigiúnach, Inis Cara  
Contae Chorcaí, Éire  
T: +353 21 487 5540  
F: +353 21 487 5545  
E: info@epa.ie  
W: www.epa.ie  
LoCall: 1890 33 55 99

11 April 2011

W0257-01

Re: Notice in accordance with Article 14(2)(b)(ii) of the Waste Management (Licensing) Regulations

Dear Mr. Crowley,

I am to refer to the above referenced application for a waste licence relating to a facility at Country Clean Recycling Ltd, Churchfield Industrial Estate, John F. Connolly Rd, County Cork. Having examined the documentation submitted, I am to advise that the Agency is of the view that the documentation does not comply with Article 12 and Article 13 of the Waste Management (Licensing) Regulations.

You are therefore requested, in accordance with Article 14(2)(b)(ii) of the regulations, to take the steps and supply the information detailed below:

#### **ARTICLE 12 AND ARTICLE 13 COMPLIANCE REQUIREMENTS**

1. Provide a copy of the existing Waste Facility Permit for the facility (referred to as 02/07 in the licence application).
2. Clarify if the proposed hours of operation are from 0700 to 1900 (Monday to Sunday). (The waste licence application and associated EIS refer to hours of operation as 0700 - 0700 (Monday to Sunday)).
3. Provide a revised copy of written notice of the licence application to the relevant planning authority. The notice should include the information specified in Article 6 of the Waste Management (Licensing) Regulations 2004-2008.
4. Describe the methods, processes and operating procedures for handling and processing of municipal waste and pre-treated municipal waste accepted at the facility.
5. Provide details of the number of air changes proposed for the Materials Recovery Building.
6. Provide details of the odour abatement system currently in place within the Material Recovery Building.



7. Provide information in relation to all the vents/extraction points to atmosphere from the existing and proposed Materials Recovery Building.
8. Provide an odour dispersion modelling assessment for the emission from the activity based on the acceptance and handling of the maximum quantity of biodegradable/odorous wastes, as specified in the licence application. The information submitted should include:
  - (i) A printout of the input files and output data for the odour dispersion model.
  - (ii) Electronic copies of the input and output files and a copy of the meteorological data used should also be submitted on CD.
  - (iii) Details of the predicted impact at nearby odour sensitive receptors.
  - (iv) Proposed recommendations to minimise odour emissions, where applicable.
9. In relation to Section L.2, *Fit and Proper Person*, of the licence application, provide information to show that the person is likely to be in a position to meet any financial commitments or liabilities that may have been or will be entered into or incurred in carrying on the activity to which the application relates or in consequence of ceasing to carry out the activity.
10. Identify on a suitably scaled map all yard areas which will discharge storm water to the foul sewer system.
11. Provide details in relation to the noise abatement measures for the Materials Recovery Building and for on-site wood shredding.
12. Provide a copy of attachment D.2 - Facility Operation.
13. Complete *Table H.1(ii) Waste – Other Waste Recovery/Disposal* to include information in relation to all wastes currently and proposed to be sent off-site for disposal or recovery, including the recovery and disposal method, location and undertaker, where applicable. Include mixed/mechanically treated municipal waste and any additional commercial wastes, where applicable.
14. Complete Table G.1 of waste licence application form to include Risk and Safety Phrases, where applicable.

Your reply to this notice should include a revised non-technical summary (Application Form and EIS) which reflects the information you supply in compliance with the notice, insofar as that information impinges on the non-technical summary.

In the case where any drawings already submitted are subject to revision consequent on this request, a revised drawing should be prepared in each case. It is not sufficient to annotate the original drawing with a textual correction. Where such revised drawings are submitted, provide a list of drawing titles, drawing numbers and revision status, which correlates the revised drawings with the superseded versions.

**Please supply the information in the form of a one (1) original plus one (1) copy in hardcopy format by 1<sup>st</sup> June 2011. In addition submit sixteen (16) copies of the requested information to the Agency in electronic searchable PDF format on CD-ROM. Please note that all maps/drawings should not exceed A3 in size.**





Environmental Protection Agency

Please note that the application's register number is **W0257-01**. Please direct all correspondence in relation to this matter to Administration, *Environmental Licensing Programme, Office of Climate, Licensing & Resource Use, Environmental Protection Agency, Headquarters, PO Box 3000, Johnstown Castle Estate, County Wexford* quoting the register number.

Yours sincerely,

A handwritten signature in black ink, appearing to read 'Stuart Huskisson', written over a horizontal line.

**Mr Stuart Huskisson**

Inspector

Office of Climate, Licensing & Resource Use

