

Mr. Michael Cotter,
Senior Executive Engineer,
Cork County Council
Annabella
Mallow
County Cork

Regional Inspectorate, Inniscarra
County Cork, Ireland

Cigireacht Réigiúnach, Inis Cara
Contae Chorcaí, Éire

T: +353 21 487 5540

F: +353 21 487 5545

E: info@epa.ie

W: www.epa.ie

LoCall: 1890 33 55 99

06 July 2011

D0058-01

re: Notice in accordance with Regulation 18(3)(b) of the Waste Water Discharge (Authorisation) Regulations 2007

Dear Mr. Cotter

I am to refer to the above referenced application for a waste water discharge licence relating to agglomeration named **Fermoy**. Having examined the documentation submitted, I am to advise that the Agency is of the view that the documentation does not comply with Regulation 16 of the Waste Water Discharge (Authorisation) Regulations 2007.

You are therefore requested, in accordance with Regulation 18(3) (b) of the regulations, to take the steps to supply the information detailed below:

REGULATION 16 COMPLIANCE REQUIREMENTS

Submit updated monitoring data for the primary discharge (SW1).

Clarify which discharge points are storm water overflows, emergency overflows and which act as both.

Provide a suitably scaled map indicating the location and grid coordinates of the monitoring point and discharge point of the secondary discharge (SW4) and provide information as to the impact of discharge on the River Blackwater from the combined trade effluent. Submit a copy of Section 16 (licensing of discharges to sewer) for Silver Pail Dairy (Fermoy) Ltd. Provide records of the frequency of flows from the secondary discharge point (SW4).

Please provide comprehensive details as to why this secondary discharge (SW4) cannot be forwarded to the WWTP.



Provide a table outlining the existing and maximum PE contributions from domestic sources, commercial sources and trade effluent sources in the agglomeration.


Your reply to this notice should include a revised non-technical summary which reflects the information you supply in compliance with the notice, insofar as that information impinges on the non-technical summary.

In the case where any drawings already submitted are subject to revision consequent on this request, a revised drawing should be prepared in each case. It is not sufficient to annotate the original drawing with a textual correction. Where such revised drawings are submitted, provide a list of drawing titles, drawing numbers and revision status, which correlates the revised drawings with the superseded versions.

Please supply the information in the form of a one original plus one copy within 2 weeks of the date of this notice. In addition please submit one copy of the requested information in electronic searchable PDF format on a CD-ROM (no file to exceed 10MB) to the Agency. Please note that all maps/drawings should not exceed A3 in size.

Please note that the application's register number is D0058-01. Please direct all correspondence in relation to this matter to *Administration, Environmental Licensing Programme, Office of Climate, Licensing & Resource Use, Environmental Protection Agency, Headquarters, PO Box 3000, Johnstown Castle Estate, County Wexford* quoting the register number.

Yours sincerely,



Orla Harrington

Inspector

Office of Climate, Licensing & Resource Use