

LICENCE REG No W0124-01 HAS LAPSED

**Please note that licence Reg. No. W0124-01 lapsed on 2nd
August 2011**

**Amendment Under S42B(1) of the Waste Management Acts 1996 to
2003**

This licence was amended on 18th May 2005 under Section 42B(1) of the Waste Management Acts 1996 to 2003. The details of the amendment must be read in conjunction with this licence and are attached to the end of this licence. The amendment document is entitled 124-1S42B(1)AmendmentA.



Headquarters,
P.O. Box 3000,
Johnstown Castle Estate
County Wexford
Ireland

WASTE LICENCE

Waste Licence

Register Number: 124-1

Licensee: Carbury Mushrooms Limited

Location of Facility: Carbury, County Kildare.

INTRODUCTION

This introduction is not part of the licence and does not purport to be a legal interpretation of the licence.

This licence is for the continued operation of a composting facility at Carbury, County Kildare, for the purposes of the production of compost to be used as a medium for the cultivation of mushrooms.

Carbury Mushrooms Limited will be permitted to accept horse manure and poultry manure at the facility for the production of mushroom compost. This licence requires Carbury Mushrooms Limited to implement a series of odour reduction measures at the facility. In the case where the said measures are not successful in sufficiently reducing odours the licensee will be required to enclose the composting process and to install odour control technologies at the facility over a specific timeframe. The licensee is also required to provide suitable measures at the facility for the control of surface water, foul water and noise emissions from the facility.

This licensee must manage and operate the facility to ensure that the activities do not cause environmental pollution. This licence is required to carry out regular environmental monitoring and submit all monitoring results, and a wide range of reports on the operation and management of the facility to the Agency.

This licence sets out in detail the conditions under which Carbury Mushrooms Limited will operate and manage the facility.

Table of Contents

	Page No.
REASONS FOR THE DECISION	1
<i>PART I ACTIVITIES LICENSED</i>	1
INTERPRETATION	2
<i>PART II CONDITIONS</i>	4
CONDITION 1 SCOPE OF THE LICENCE	4
CONDITION 2 MANAGEMENT OF THE FACILITY	5
CONDITION 3 FACILITY INFRASTRUCTURE	6
CONDITION 4 FACILITY OPERATIONS	11
CONDITION 5 EMISSIONS	13
CONDITION 6 NUISANCES	15
CONDITION 7 MONITORING	15
CONDITION 8 CONTINGENCY ARRANGEMENTS	17
CONDITION 9 RECORDS	18
CONDITION 10 REPORTS AND NOTIFICATIONS	19
CONDITION 11 CHARGES AND FINANCIAL PROVISIONS	20
SCHEDULE A : Waste Types and Quantities	22
SCHEDULE B : Specified Engineering Works	22
SCHEDULE C : Process Control	22
SCHEDULE D : Emission Limits	23
SCHEDULE E : Monitoring	24
SCHEDULE F : Recording and Reporting to the Agency	28
SCHEDULE G : Content of the Annual Environmental Report	29

DECISION & REASONS FOR THE DECISION

Reasons for the Decision

The Agency is satisfied, on the basis of the information available, that the requirements of Section 40(4) of the Waste Management Act, 1996 have been complied with in respect of the application for a waste licence for the activities listed hereunder in Part I.

In reaching this decision the Agency has considered the application and supporting documentation received from the applicant, all submissions and an objection received from other parties and the reports of its inspectors.

Part I Activities Licensed

In pursuance of the powers conferred on it by the Waste Management Act, 1996, the Environmental Protection Agency (the Agency), under Section 40(1) of the said Act hereby grants this Waste Licence to Carbury Mushrooms Limited to carry on the waste activity listed below at Carbury, County Kildare subject to conditions, with the reasons therefor and the associated schedules attached thereto set out in the licence.

Licensed Waste Recovery Activities, in accordance with the Fourth Schedule
of the Waste Management Act 1996

Class 2.	Recycling or reclamation of organic substances which are not used as solvents (including composting and other biological transformation processes) :
-----------------	---

	This activity is limited to the production of mushroom compost at the facility.
--	---

INTERPRETATION

All terms in this licence should be interpreted in accordance with the definitions in the Waste Management Act, (the Act), unless otherwise defined in this section.

Aerosol	A suspension of solid or liquid particles in a gaseous medium.
Adequate lighting	20 lux measured at ground level.
Agreement	Agreement in writing.
Annually	At approximately twelve monthly intervals.
Attachment	Any reference to Attachments in this licence refers to attachments submitted as part of the waste licence application.
Application	The application by the licensee for this waste licence.
Appropriate facility	A waste management facility, duly authorised under relevant law and technically suitable.
Bale dunking tank	Tank within which straw bales are immersed in goodie water.
Bi – Annual	Twice per year at intervals of 6 months.
Clamp	A mixture of the composting raw materials collected in a heap (similar to a windrow) at the start of Phase I composting.
Condition	A condition of this licence.
Containment boom	A boom which can contain spillages and prevent them from entering drains or watercourses.
Daytime	8.00 a.m. to 10.00 p.m.
Documentation	Any report, record, result, data, drawing, proposal, interpretation or other document in written or electronic form which is required by this licence.
Drawing	Any reference to a drawing or drawing number means a drawing or drawing number contained in the application, unless otherwise specified in this licence.
Emergency	Those occurrences defined in Condition 8.4.
Emission Limits	Those limits, including concentration limits and deposition levels established in <i>Schedule D: Emissions Limits</i> , of this licence.
European Waste Catalogue (EWC)	A harmonised, non-exhaustive list of wastes drawn up by the European Commission and published as Commission Decision 94/3/EC and any subsequent amendment published in the Official Journal of the European Community.
Goodie Water / Process Water	Water that has been used in the composting process and for washing or flushing at the facility.
Goodie water storage tank	Tank for the storage of goodie water.

Incident	The following shall constitute an incident for the purposes of this licence. (a) an emergency; (b) any emission which does not comply with the requirements of this licence; (c) any trigger level specified in this licence which is attained or exceeded; and, (d) any indication that environmental pollution has, or may have, taken place.
Intermediate Compost	The compost material formed at the blending line and up to the final product is produced at the end of Phase II.
Licence	A Waste Licence issued in accordance with the Act.
Licensee	Carbury Mushrooms Limited.
Liquid Waste	Any waste in liquid form and containing less than 2% dry matter. Any waste tankered to the facility.
Maintain	Keep in a fit state, including such regular inspection, servicing and repair as may be necessary to adequately perform its function.
Mobile Plant	Self-propelled machinery used for the emplacement of wastes or for the construction of specified engineering works.
Monthly	A minimum of 12 times per year, at approximately monthly intervals.
Night-time	10.00 p.m. to 8.00 a.m.
Phase I Composting	The phase of compost production that commences with the breaking of straw bales through to when the intermediate compost is placed into a pasteurisation tunnel. The pre-wetting of straw bales is not considered part of the Phase I composting process.
Phase II Composting	The phase of compost production that commences when the intermediate compost is placed into a pasteurisation tunnel through to its removal from the pasteurisation tunnel and inoculation with mushroom spawn.
Recyclable Materials	Those waste types, such as cardboard, plastics, batteries, gas cylinders, etc, which may be recycled.
Quarterly	At approximately three monthly intervals.
Sample(s)	Unless the context of this licence indicates to the contrary, samples shall include measurements by electronic instruments.
Sludge	The accumulation of solids resulting from chemical coagulation, flocculation and/or sedimentation after water or wastewater treatment with between 2% and 14% dry matter.
Specified Emissions	Those emissions listed in <i>Schedule D: Emission Limits</i> , of this licence.
Specified Engineering Works	Those engineering works listed in <i>Schedule B: Specified Engineering Works</i> , of this licence.
Trigger Level	A parameter value specified in the licence, the achievement or exceedance of which requires certain actions to be taken by the licensee.
EPA Working Day	Refers to the following hours: 9.00 a.m. to 5.30 p.m. Monday to Friday inclusive.

PART II CONDITIONS

CONDITION 1 SCOPE OF THE LICENCE

- 1.1. Waste activities at the facility shall be restricted to those listed and described in Part I: Activities Licensed and authorised by this licence.
- 1.2. For the purposes of this licence, the facility is the area of land outlined in red on the drawing entitled "Proposed Site Layout Plan" dated 23rd February 1999 as part of the application. Any reference in this licence to "facility" shall mean the area thus outlined in red.
- 1.3. On-site deliveries of wastes and raw materials shall be confined to the hours of 08.00 and 20.00 hours Monday to Saturday. There shall be no on-site delivery of wastes or raw materials on Sundays or Bank Holidays.
- 1.4. This licence is for the purposes of waste licensing under the Waste Management Act 1996 only and nothing in this licence shall be construed as negating the licensee's statutory obligations or requirements under any other enactments or regulations.
- 1.5. Only waste used for the production of Mushroom Compost may be recovered at the facility subject to the maximum quantities and other constraints listed in *Schedule A: Waste Types & Quantities*, of this licence.
- 1.6. Where the Agency considers that a non-compliance with any condition of this licence has occurred, it may serve a notice on the licensee specifying:
 - 1.6.1 That only those wastes as specified, if any, in the notice are to be accepted at the facility after the date set down in the notice.
 - 1.6.2 That the licensee shall undertake the works stipulated in the notice, and/or otherwise comply with the requirements of the notice as set down therein, within the time-scale contained in the notice.
 - 1.6.3 That the licensee shall carry out any other requirement specified in the notice.
 - 1.6.4 When the notice has been complied with, the licensee shall provide written confirmation that the requirements of the notice have been carried out. No waste, other than that which is stipulated in the notice, shall be accepted at the facility until written permission is received from the Agency.
- 1.7. Every plan, programme or proposal submitted to the Agency for its agreement pursuant to any Condition of this licence shall include a proposed timescale for its implementation. The Agency may modify or alter any such plan, programme or proposal in so far as it considers such modification or alteration to be necessary and shall notify the licensee in writing of any such modification or alteration. Every such plan, programme or proposal shall be carried out within the timescale fixed by the Agency but shall not be undertaken without the agreement of the Agency. Every such plan, programme or proposal agreed by the Agency shall be covered by the conditions of this licence.

REASON: To clarify the scope of this licence.

CONDITION 2 MANAGEMENT OF THE FACILITY

2.1 Facility Management

- 2.1.1 The licensee shall employ a suitably qualified facility manager with experience commensurate with the level of expertise required who shall be designated as the person in charge. The facility manager or a nominated, suitably qualified and experienced, deputy shall be present on the facility at all times during its operation.
- 2.1.2 The licensee shall ensure that personnel performing specifically assigned tasks shall be qualified on the basis of appropriate education, training and experience, as required and shall be aware of the requirements of this licence.

2.2 Management Structure

- 2.2.1 Within three months from the date of grant of this licence, the licensee shall submit written details of the management structure of the facility to the Agency. Any proposed replacement in the management structure shall be notified in advance in writing to the Agency. Written details of the management structure shall include the following information.
 - a) the names of all persons who are to provide the management and supervision of the waste activities authorised by the licence, in particular the name of the facility manager and any nominated deputies;
 - b) details of the responsibilities for each individual named under a) above; and
 - c) details of the relevant education, training and experience held by each of the persons nominated under a) above.

2.3 Environmental Management System (EMS)

- 2.3.1 The licensee shall establish and maintain an EMS. Within eighteen months from the date of grant of this licence, the licensee shall submit to the Agency for its agreement a proposal for a documented Environmental Management System (EMS) for the facility. Following the agreement of the Agency, the licensee shall establish and maintain such a system. The EMS shall be updated on an annual basis with amendments being submitted to the Agency for its agreement.

- 2.3.2 The EMS shall include as a minimum the following elements:

2.3.2.1 Schedule of Environmental Objectives and Targets

The objectives should be specific and the targets measurable. The Schedule shall address a five-year period as a minimum. The Schedule shall include a time-scale for achieving the objectives and targets and shall comply with any other written guidance issued by the Agency.

2.3.2.2 Environmental Management Plan (EMP)

The EMP shall include, as a minimum, the following:

- (i) methods by which the objectives and targets will be achieved and the identification of those responsible for achieving those objectives and targets;

- (ii) any other items required by written guidance issued by the Agency.

2.3.2.3 Corrective Action Procedures

The Corrective Action Procedures shall detail the corrective actions to be taken should any of the procedures detailed in the EMS not be followed.

2.3.2.4 Awareness and Training Programme

The Awareness and Training Programme shall identify training needs, for personnel who work in or have responsibility for the licensed facility.

2.4 Communications Programme

- 2.4.1 Within three months of the date of grant of this licence, the licensee shall establish and maintain a Communications Programme to inform and involve the local community and ensure that members of the public can obtain information at the facility, at all reasonable times, concerning the environmental performance of the facility.

REASON: *To make provision for the proper management of the activity on a planned basis having regard to the desirability of ongoing assessment, recording and reporting of matters affecting the environment.*

CONDITION 3 FACILITY INFRASTRUCTURE

- 3.1 The licensee shall establish all infrastructure referred to in this licence as required by the conditions of this licence.

3.2 Specified Engineering Works

- 3.2.1 The licensee shall submit proposals for all Specified Engineering Works, as defined in *Schedule B: Specified Engineering Works*, of this licence to the Agency for its agreement at least one month prior to the intended date of commencement of any such works. No such works shall be carried out without the prior agreement of the Agency.
- 3.2.2 All specified engineering works shall be supervised by a competent person(s) and that person, or persons, shall be present at all times during which relevant works are being undertaken.
- 3.2.3 Following the completion of all specified engineering works, the licensee shall complete a construction quality assurance validation. The validation report shall be made available to the Agency on request. The report shall include the following information;
- a) a description of the works;
 - b) as-built drawings of the works;
 - c) records and results of all tests carried out (including failures);
 - d) drawings and sections showing the location of all samples and tests carried out;
 - e) daily record sheets/diary;
 - f) name(s) of contractor(s)/individual(s) responsible for undertaking the specified engineering works;
 - g) name(s) of individual(s) responsible for supervision of works and for quality assurance validation of works;

- h) records of any problems and the remedial works carried out to resolve those problems; and
- i) any other information requested in writing by the Agency.

3.3 Facility Notice Board

3.3.1 The licensee shall provide and maintain a Facility Notice Board on the facility so that it is legible to persons outside the main entrance to the facility. The minimum dimensions of the board shall be 1200 mm by 750 mm.

3.3.2 The board shall clearly show:

- a) the name and telephone number of the facility;
- b) the name of the licence holder;
- c) an emergency out of hours contact telephone number;
- d) the licence reference number; and
- e) where and when environmental information relating to the facility can be obtained.

3.4 Facility Security

3.4.1 The licensee shall install and maintain stockproof fencing along the boundary of the facility and shall provide security gates at all entrances to the facility.

3.5 Facility Roads/Surfaces

3.5.1 Within three months of the date of grant of this licence the licensee shall arrange for a suitably qualified independent engineer to complete a survey of all road/yard surfaces and drains at the facility and this survey shall include as a minimum the following details:

- (i) The integrity of all road/yard surfaces and drains.
- (ii) The slopes and drainage system for all roads/surfaces, drains and roofed areas.
- (iii) The delineation of road/yard surfaces where contaminated and uncontaminated water arises.
- (iv) The information derived above shall be clearly identified on a site map as per Condition 10.3.
- (v) Recommendations for the repair of yard surfaces to ensure that they are impervious to groundwater infiltration.

3.5.2 Within nine months of the date of grant of this licence, the licensee shall ensure that all surfaced areas where contaminated surface water or goodie water arise are impermeable.

3.5.3 The licensee shall ensure that all drains are suitable for use or decommissioned as soon as is practical.

3.5.4 Within nine months of the date of grant of this licence the licensee shall construct a minimum 150mm high kerb around the areas where contaminated surface water or goodie water arise. The kerb shall be constructed so as to prevent any emissions to ground or surface water.

3.6 Facility Office

3.6.1 The licensee shall provide and maintain an office at the facility. The office shall be constructed and maintained in a manner suitable for the processing and storing of documentation.

- 3.6.2 The licensee shall provide and maintain a working telephone and a method for electronic transfer of information at the facility.
- 3.7 Storage Areas For Horse Manure, Poultry Manure and Gypsum.
- 3.7.1 Within nine months of the date of grant of this licence, the licensee shall provide an enclosed building or structure for the dry storage of horse manure, poultry manure, and gypsum.
- 3.8 Weighbridge
- 3.8.1 The licensee shall maintain the existing weighbridge at the facility.
- 3.9 Wheel Cleaning
- 3.9.1 Within three months of the date of grant of this licence the licensee shall establish and maintain wheel-cleaning facilities at the facility. These facilities shall be used by all vehicles leaving the facility.
- 3.9.2 All water from the wheel cleaning area shall drain to the goodie water system.
- 3.10 Tank and Drum Storage Areas
- 3.10.1 With the exception of clean water storage tanks, all tank and drum storage areas shall be rendered impervious to the materials stored therein.
- 3.10.2 All tank and drum storage areas shall, as a minimum, be bunded, either locally or remotely, to a volume not less than the greater of the following:
- (a) 110% of the capacity of the largest tank or drum within the bunded area; or
 - (b) 25% of the total volume of substance which could be stored within the bunded area.
- 3.10.3 All drainage from bunded areas shall be diverted for collection and safe disposal.
- 3.10.4 All inlets, outlets, vent pipes, valves and gauges must be within the bunded area.
- 3.10.5 The integrity and water tightness of all the storage tanks, sumps and bunds and their resistance to penetration by water or other materials stored therein shall be confirmed by the licensee and shall be reported to the Agency. This confirmation shall be completed within six months of the date of grant of this licence and at least once every three years thereafter and reported to the Agency on each occasion or following the installation of any new bunds and prior to their use as a storage area.
- 3.11 Odour Control Infrastructure
- 3.11.1 The licensee shall ensure that the following programme of works shall be carried out to minimise odour emissions from the facility. The programme of works shall proceed based on the following:
- (i) Within nine months of the date of grant of this licence, the licensee shall provide adequate aerated floor facilities for use in the Phase I and II composting process.
 - (ii) Within twelve months of the date of grant of this licence, the bale breaking line and the blending line shall be enclosed.
 - (iii) Within one month of the date of grant of this licence a system of submerged aerator(s) shall be all installed in each of the goodie/process water storage tanks at the facility.

- (iv) Unless otherwise agreed by the Agency, the licensee shall within twelve months of the date of grant of this licence the licensee shall enclose all goodie water storage tanks and provide appropriate odour filtration systems placed at outlet vents on all goodie/process water storage tanks.

3.11.2 Within eighteen months of the date of grant of this licence the licensee shall submit a report assessing the effectiveness of the odour control measures implemented at the facility.

3.11.3 Unless otherwise agreed by the Agency and taking account of the findings of the report under Condition 3.11.2 the licensee shall ensure that the following programme of works shall be carried out to minimise odour emissions from the facility. The programme of works shall proceed based on the following:

- (i) Within twenty four months of the date of grant of this license all of the Phase I production process shall be carried out in fully enclosed buildings.
- (ii) Within thirty months of the date of grant of this license, the licensee shall provide a system for the collection of all air emissions from the following sources: (i) goodie/process water storage tanks, (ii) bale breaking/blending line, (iii) manure storage and (iv) Phase 1 process. Negative pressure shall be maintained throughout all areas where the compost process occurs to ensure that there is no significant escape of fugitive odours.
- (iii) Within forty two months of the date of grant of this license the licensee shall ensure that all air emissions from the composting process are passed through an appropriate abatement system to be agreed by the Agency.

3.11.4 All structures used for storing raw materials shall be constructed so that all doors shall be close fitting and personnel doors shall be fitted with self-closing mechanisms. Doors other than personnel doors shall have closing mechanisms fitted such that collection/delivery vehicles or personnel cannot over-ride them and leave doors open during these services.

3.11.5 The licensee shall ensure that all doors of buildings/structures on-site remain shut where practically possible.

3.12 Surface Water Management

3.12.1 Within twelve months of the date of grant of this licence effective surface water management infrastructure shall be provided and maintained at the facility. As a minimum, the infrastructure shall consist of the following:

- a) a rainwater collection and drainage system for all buildings on-site and this shall include the diversion of all roof water and run-off from all non-contaminated impervious areas of the site;
- b) the system shall be designed so as no contaminated water may enter the surface water drainage system;
- c) the system may be designed so as rainwater may be diverted to the on-site water storage tanks for use in the process;
- d) all clean surface water collected at the facility shall be discharged to the piped stream at locations to be agreed by the Agency; and
- e) all goodie water not used in the process cannot be discharged or transported off-site without the prior agreement of the Agency.

3.13 Goodie/process Water Management

3.13.1 Effective goodie water management infrastructure shall be provided and maintained at the facility. As a minimum, the infrastructure shall be capable of the following:

- a) the collection of all goodie water and any contaminated water which may arise at the facility and drainage to the on-site storage tanks/sumps;
- b) The screening of all goodie water prior to entering any enclosed drain/pipe;
- c) An effective drainage system so as to prevent the ponding of goodie water on the yard(s) at the facility;
- d) The maintenance of a freeboard of at least 1m on all goodie water storage tanks;
- e) The installation of high level alarms on all of the goodie water storage tanks; and
- f) All yard areas that give rise to goodie/process water shall be cleaned at least twice daily and appropriate records maintained.

3.14 Sewage Treatment

3.14.1 The licensee shall provide and maintain a sewage treatment plant, incorporating phosphorous removal to treat all sewage arising at the facility.

3.14.2 Within three months of the date of grant of this licence, the licensee shall submit to the Agency for its agreement, a report evaluating (i) the suitability of the existing percolation area in accordance with the criteria set out in the Agencies Wastewater Treatment Manual, Treatment Systems for Single Houses and (ii) the suitability of discharging treated effluent into piped stream.

3.15 Noise Control

3.15.1 Unless otherwise agreed by the Agency, the licensee shall ensure that the bagging machine and all air ventilation systems and motors at the facility shall be designed, specified and enclosed, as appropriate, so as to minimise noise emissions.

3.16 Continuous monitoring system

3.16.1 Within twelve months of the date of grant of this licence a continuous monitoring system shall be installed and maintained at the facility. All facility operations to be monitored continuously shall revert to manual monitoring in the event of a break in power supply or during maintenance. As a minimum the system shall record and relay the following information:

- (i) temperature and oxygen content of the compost at all stages during its production;
- (ii) the level of liquid in all of the on-site storage tanks/sumps;
- (iii) dissolved oxygen levels in goodie water storage tanks; and
- (iv) odour abatement control parameters to be agreed by the Agency to be measured following the installation of the odour abatement system.

3.17 Within six months of the date of grant of this licence, the licensee shall carry out an investigation into the extent of contamination in the vicinity of the waste oil store as outlined in Attachment C6 (Phase 1 Hydrogeological Assessment) of the application form. The licensee shall carry out any remedial actions deemed necessary within a timeframe to be agreed by the Agency.

3.18 Monitoring Infrastructure

3.18.1 Surface Water / Groundwater

- (i) Within three months from the date of grant of this licence, the licensee shall install a sampling port to allow for the sampling and analysis of the discharge from the sewage treatment plant at a location to be agreed by the Agency.
- (ii) Within six months from the date of grant of this licence, the licensee shall submit a report that assesses the suitability of the existing groundwater production wells for the sampling and analyses of monitoring of groundwater as set out in *Schedule E: Monitoring*, of this licence. If this assessment proves negative, the licensee shall upgrade/replace these wells within twelve months of the date of grant of this licence such that they are suitable for use.

3.19 Replacement of Infrastructure

- (i) Monitoring infrastructure which is damaged or proves to be unsuitable for its purpose shall be replaced within three months of it being damaged or recognised as being unsuitable.

REASON: *To provide appropriate infrastructure for the protection of the environment.*

CONDITION 4 FACILITY OPERATIONS

4.1 Waste/Raw Material Acceptance

- 4.1.1 All wastes accepted at the facility shall be in fully covered trailers/containers.
- 4.1.2 The licensee shall implement procedures to ensure that waste accepted at the facility is processed as soon as possible after its arrival at the facility.
- 4.1.3 Poultry manure or horse manure with a moisture content of < 35% and < 70% (but not <40%) respectively shall only be accepted at the facility.
- 4.1.4 The source of the gypsum accepted at the facility must be agreed in advance with the Agency.
- 4.1.5 Any waste deemed unsuitable for processing at the facility and/or in contravention of this licence shall be immediately separated and removed from the facility at the earliest possible time to an appropriate facility agreed by the Agency. Temporary storage of such wastes shall be in fully enclosed containers to avoid putrefaction, odour generation, the attraction of vermin and any other nuisance or objectionable condition.
- 4.1.6 All waste imported into/exported from Ireland shall have the appropriate documentation.
- 4.1.7 Waste shall only be accepted at the facility, from customers who are holders of a Waste Permit under the Waste Management (Collection Permit) Regulations 2001 where required.

4.2 Composting Process

- 4.2.1 Within three months of the date of grant of this licence, all pre-wetting of bales shall be by means of dunking into goodie/fresh water.
- 4.2.2 Within nine months of the date of grant of this licence, all Phase I and Phase II composting and intermediate compost storage shall take place on aerated pads/bunkers.

- 4.2.3 Recycled (aerated / oxygenated) goodie water shall not be applied in a fine spray to the straw bales or pre-wet material
- 4.2.4 All bales shall be broken open and material placed on aerated area within 3 days of dunking.
- 4.2.5 All composting processes shall be executed in accordance with the treatment regime outlined in *Schedule C: Process Control*, of this licence.
- 4.2.6 Composting operations, including the storage of any composted material, shall only be undertaken on impervious hardstanding.
- 4.2.7 Any pre-mixing of poultry manure and gypsum shall be carried out in an enclosed building or structure. This mixture must be kept dry prior to its addition to straw.
- 4.2.8 The licensee shall ensure that the moisture content of the compost material at the end of the pre-wetting and/or Phase I stages does not exceed 75%.
- 4.2.9 A minimum oxygen content of 5% shall be maintained in all Phase I and II compost.
- 4.2.10 Poultry manure and/or horse manure shall not be applied as a single application during pre-wetting. No more than 75% of the total poultry or horse manure application (remaining following the substitution of fifteen percent by Urea), shall be applied in any three day period. Records must be kept of the amounts of all animal manure and urea used at this facility.
- 4.2.11 Goodie water may only be added to the on-site dunking water tank for use in the pre-wetting process. Goodie water shall not be added to any other part of the process.
- 4.3 Landscaping
 - 4.3.1 Within twelve months of the date of grant of this licence, the licensee shall submit proposals for the effective screening of the facility. The proposals shall include a detailed plan and timeframes for planting along the boundary of the facility.
 - 4.3.2 The licensee shall assess the need for additional screening around the facility on an annual basis. The assessment shall be completed during the winter period each year.
- 4.4 Facility Controls
 - 4.4.1 Gates shall be locked shut when the facility is unsupervised.
 - 4.4.2 The licensee shall provide and use adequate lighting during the operation of the facility in hours of darkness.
 - 4.4.3 Fuels shall only be stored at appropriately bunded locations on the facility.
 - 4.4.4 All tanks and drums shall be labelled to clearly indicate their contents.
 - 4.4.5 All goodie water storage tanks shall be aerated on a continuous basis following the installation of aerators in the tanks.
- 4.5 Off-site Disposal and Recovery
 - 4.5.1 Waste sent off-site for recovery or disposal shall only be conveyed by a waste contractor agreed by the Agency.
 - 4.5.2 All waste transferred from the facility shall only be transferred to an appropriate facility agreed by the Agency.

- 4.5.3 All wastes removed off-site for recovery or disposal shall be transported from the facility to the consignee in a manner which will not adversely affect the environment.
- 4.6 Maintenance
- 4.6.1 All treatment/abatement and emission control equipment shall be calibrated and maintained, in accordance with the instructions issued by the manufacturer/supplier or installer. Written records of the calibrations and maintenance shall be made and kept by the licensee.
- 4.6.2 Within three months of the date of grant of this licence, the licensee shall maintain and clearly label and name all sampling and monitoring locations.
- 4.6.3 The goodie water and surface drainage systems shall be inspected twice weekly and cleaned as required. Silt, stones and other accumulated material shall be removed as required to ensure the free movement of water in the systems
- 4.7 Goodie Water Storage tank
- 4.7.1 All liquid entering the storage tank shall be screened.
- 4.7.2 The screens shall be cleaned on a daily basis and the material returned to the composting process.
- 4.7.3 All solid matter shall be removed from the storage tank every four months or at such other intervals required by the Agency.
- 4.7.4 Fresh water shall not be used to increase the volume of goodie water in the goodie water storage tank.
- 4.7.5 The volume of water in the goodie water storage tank shall be the minimum that is required for maintaining a consistent throughput of compost.
- 4.8 Urea Substitution Programme
- 4.8.1 The licensee shall introduce a programme for the substitution of poultry manure with urea. The urea should be added to the pre-wet clamps and mixed into the clamps, at the commencement of the composting process.
- 4.8.2 The Urea substitution programme shall achieve
- (i) a 5% reduction in the amount of poultry added within 1 month of the date of grant of this licence; and
 - (ii) a substitution rate of at least 15% within 6 months of date of grant of this licence.

REASON: *To provide for appropriate operation of the facility to ensure protection of the environment.*

CONDITION 5 EMISSIONS

- 5.1. No specified emission from the facility shall exceed the emission limit values set out in *Schedule D: Emission Limits*, of this licence. There shall be no other emissions of environmental significance.

- 5.2. The licensee shall ensure that the activities shall be carried out in a manner such that emissions do not result in significant impairment of, or significant interference with the environment beyond the facility boundary.
- 5.3. Boilers shall be operated on heavy fuel oil (sulphur content < 1%) and so as to give a smoke colour less than or equal to shade number 1 on the Ringelmann chart except during times of start-up. Such start-up periods shall not exceed 30 minutes in any one 24 hour period. Boiler combustion efficiency shall be tested annually and the results reported as part of the AER.
- 5.4. Emission limit values for emissions to atmosphere in this licence shall be interpreted in the following way:-
- 5.4.1 Non-Continuous Monitoring
- (i) For any parameter where, due to sampling/analytical limitations, a 30 minute samples is inappropriate, a suitable sampling period should be employed and the value obtained therein shall not exceed the emission limit value;
 - (ii) For all other parameters, no 30 minute mean value shall exceed the emission limit value;
 - (iii) For flow, no hourly or daily mean value shall exceed the emission limit value; and
 - (iv) The concentration limits for emissions to atmosphere specified in this licence shall be achieved with the introduction of dilution air and shall be based on gas volumes under standard conditions of Temperature 273K, Pressure 101.3kPA, dry gas; 3% oxygen.
- 5.5. Emissions to Surface Water
- 5.5.1 No goodie water or contaminated surface water shall be discharged to surface waters.
- 5.5.2 No substance shall be discharged in a manner, or at a concentration which, following initial dilution causes tainting of fish or shellfish.
- 5.5.3 Fats, oils and grease shall not be present in the treated sewage effluent at levels such as to form visible films on the river bed, benthic biota or food resources.
- 5.5.4 Surface water run-off shall pass through appropriately sized silt traps prior to discharge from the facility.
- 5.5.5 Following the completion of the surface water management infrastructure required by Condition 3.12, there shall only be a maximum of two surface water discharges from the facility, i.e. FMW1, FMW2 to the piped stream, which ultimately discharges to the Cushaling River.
- 5.6. Noise Emissions
- 5.6.1 There shall be no clearly audible tonal or impulsive component in the noise emissions from the facility at any noise sensitive location.
- 5.6.2 The licensee shall ensure that low noise emitting plant be used at the facility where possible and that all plant and machinery shall be maintained so as to minimise noise emissions.
- 5.7. Odour Trigger Levels
- 5.7.1 Within three months of the date of grant of this licence, and based on monitoring information from the facility the licensee shall agree trigger levels for Hydrogen

Sulphide (H₂S) and Dimethyl Sulphide (DMS) levels monitored at the Phase I clamps/bunkers and at the goodie water storage tanks.

5.7.2 In the event that monitoring in accordance with Schedule C: Process Control, of this licence, indicate a breach of the trigger levels as agreed under Condition 5.7.1 the licensee shall take the following remedial measures:

- (a) avoid anaerobic compost conditions by reducing compost moisture, and/or poultry manure additions;
- (b) increase the aeration of the compost by increased airflow and/or more frequent turning of the compost; and
- (c) any other actions as may be deemed necessary by the Agency.

REASON: *To control emissions from the facility and provide for the protection of the environment.*

CONDITION 6 NUISANCES

- 6.1 The licensee shall ensure that vermin, birds, flies, mud, dust, litter noise and odours do not give rise to nuisance at the facility or in the immediate area of the facility. Any method used by the licensee to control any such nuisance shall not cause environmental pollution.
- 6.2 The road network in the vicinity of the facility and all facility roads and surfaces shall be kept free from any debris caused by vehicles entering or leaving the facility. Any such debris or deposited materials shall be removed without delay.
- 6.3 The licensee shall implement a pest control programme at the facility for the control of birds, rats, insects at the facility.
- 6.4 The licensee shall ensure that all vehicles delivering waste to and removing waste and materials from the facility are appropriately covered.
- 6.5 No wastes shall be burnt at the facility.
- 6.6 Dust Control
 - 6.6.1 In dry weather, site roads and any other areas used by vehicles shall be sprayed with clean water as and when required to minimise airborne dust nuisance.

REASON: *To provide for the control of nuisances.*

CONDITION 7 MONITORING

- 7.1. The licensee shall carry out such monitoring and at such locations and frequencies as set out in *Schedule E: Monitoring*, of this licence and as specified in this licence. Unless otherwise specified by this licence, all environmental monitoring shall commence no later than six months after the date of grant of this licence.
- 7.2. The licensee shall amend the frequency, locations, methods and scope of monitoring as required by this licence only upon the written instruction of the Agency and shall provide such information concerning such amendments as may be requested in writing by the Agency. Such alterations shall be carried out within any timescale nominated by the Agency.

- 7.3. Monitoring and analysis equipment shall be operated and maintained in accordance with the manufacturers' instructions (if any) so that all monitoring results accurately reflect any emission, discharge or environmental parameter.
- 7.4. The licensee shall provide safe and permanent access to all on-site sampling and monitoring points and to off-site points as required by the Agency.
- 7.5. Water Monitoring
- 7.5.1 Within three months of the date of grant of this licence, the licensee shall monitor the volume of non-process water (e.g. clean rainwater, mains or abstracted surface/ground water) used on site each day and shall provide a break down of the source of the water used.
- 7.6. Manure Monitoring
- 7.6.1 A monitoring programme to be agreed by the Agency must be put in place to measure the moisture content of animal manure being used at the facility.
- 7.7. Groundwater Monitoring
- 7.7.1 Subject to the agreement of the well owners, all private wells within 250m of the facility shall be included in the monitoring programme set out in *Schedule E: Monitoring*, of this licence.
- 7.8. Meteorological Monitoring
- 7.8.1 Within six months of the date of grant of this licence, the licensee shall provide infrastructure facility capable of monitoring the parameters listed in *Schedule E: Monitoring*, of this licence.
- 7.8.2 Within one month of the date of grant of this licence the licensee shall provide a windsock at the facility for the purpose of indicating wind direction.
- 7.9. Biological Assessment
- 7.9.1 A biological assessment of the stream that flows adjacent to the facility shall be undertaken within six months of the date of grant of this licence and every two years thereafter. This assessment shall use appropriate biological methods such as the EPA Q-rating system for the assessment of rivers and streams. The location of monitoring points shall be agreed by the Agency.
- 7.10. Nuisance Monitoring
- 7.10.1 The licensee shall, during the morning on daily basis, inspect the facility and its immediate surrounds for nuisances caused by litter, vermin, birds, flies, mud, dust and odours. Subjective daily odour assessments shall be carried out by site personnel either prior to, or immediately following their arrival on-site.

REASON: *To ensure compliance with the conditions of this licence by provision of a satisfactory system of monitoring of emissions.*

CONDITION 8 CONTINGENCY ARRANGEMENTS

- 8.1. Unless otherwise notified in writing by the Agency, in the event that any monitoring, sampling or observations indicate that an incident has, or may have, taken place, the licensee shall immediately:
- a) identify the date, time and place of the incident;
 - b) carry out an immediate investigation to identify the nature, source and cause of the incident and any emission arising therefrom;
 - c) isolate the source of any such emission;
 - d) evaluate the environmental pollution, if any, caused by the incident;
 - e) identify and execute measures to minimise the emissions/malfunction and the effects thereof; and
 - f) provide a proposal to the Agency for its agreement within one month of the incident occurring to:
 - i) identify and put in place measures to avoid reoccurrence of the incident.
 - ii) identify and put in place any other appropriate remedial action.
- 8.2. The licensee shall, within twelve months of the date of grant of this licence, submit a written Emergency Response Procedure (ERP) to the Agency for its agreement. The ERP shall address any emergency situations which may originate on the facility and shall include provision for minimising the effects of any emergency on the environment. This shall include a risk assessment to determine the requirements at the facility for fire fighting and fire water retention facilities. The Fire Authority shall be consulted by the licensee during this assessment.
- 8.3. The licensee shall have in storage an adequate supply of containment booms and/or suitable absorbent material to contain and absorb any spillage at the facility. Once used the absorbent material shall be disposed of at an appropriate facility.
- 8.4. Emergencies
- 8.4.1 All significant spillages occurring at the facility shall be treated as an emergency and immediately cleaned up and dealt with so as to alleviate their effects.
- 8.4.2 No waste shall be burnt within the boundaries of the facility. A fire at the facility shall be treated as an emergency and immediate action shall be taken to extinguish it and notify the appropriate authorities.
- 8.4.3 In the event that monitoring of local wells indicates that the facility is having a significant adverse effect on the quantity and/or quality of the water supply this shall be treated as an emergency and the licensee shall provide an alternative supply of water to those affected.

REASON: *To ensure compliance with the conditions of this licence by provision of a satisfactory system of monitoring of emissions.*

CONDITION 9 RECORDS

- 9.1 The licensee shall keep the following documents at the facility office.
- a) the current waste licence relating to the facility;
 - b) the current EMS for the facility;
 - c) the previous year's AER for the facility; and
 - d) all written procedures produced by the licensee which relate to the licensed activities.
- 9.2 The licensee shall maintain a written record for each load (including any contaminated/goodie water removed off-site) of waste arriving at and departing from the facility. The licensee shall record the following:
- a) the date;
 - b) the name of the carrier (including if appropriate, the waste carrier registration details);
 - c) the vehicle registration number;
 - d) the name of the producer(s)/collector(s) of the waste as appropriate;
 - e) a description of the waste including the associated EWC codes;
 - f) the quantity of the waste, recorded in tonnes;
 - g) the name of the person checking the load;
 - h) where loads or wastes are removed or rejected, details of the date of occurrence, the types of waste and the facility to which they were removed; and,
 - i) TFS documentation where relevant.
- 9.3 Written Records
- The following written records shall be maintained by the licensee:
- a) the types and quantities of waste recovered at the facility each year. These records shall include the relevant EWC Codes;
 - b) the quantities of Phase II and Phase III compost produced each year;
 - c) the quantity of manure used at the facility, including details of daily usage amounts;
 - d) records of when yard surfaces at the facility were cleaned;
 - e) copies of compost quality monitoring results for the facility for the preceding twelve months;
 - f) all training undertaken by facility staff;
 - g) results of all integrity tests of bunds and other structures and any maintenance or remedial work arising from them;
 - h) details of all nuisance inspections;
 - i) details of all surface water and goodie water system inspections;
 - j) details of all process control parameters that are routinely monitored;
 - k) details of all waste materials and finished product that are removed off-site; and
 - l) the names and qualifications of all persons who carry out all sampling and monitoring as required by this licence and who carry out the interpretation of the results of such sampling and monitoring.

- 9.4 The licensee shall maintain a written record of all complaints relating to the operation of the activity. Each such record shall give details of the following:
- a) date and time of the complaint;
 - b) the name of the complainant;
 - c) details of the nature of the complaint;
 - d) actions taken on foot of the complaint and the results of such actions; and,
 - e) the response made to each complainant.
- 9.5 A written record shall be kept at the facility of the programme for the control and eradication of vermin at the facility. These records shall include as a minimum the following:
- a) details of the rodenticide(s) used;
 - b) operator training details;
 - c) details of any infestations; and,
 - d) mode, frequency, location and quantity of application.

REASON: *To provide for the keeping of proper records of the operation of the facility.*

CONDITION 10 REPORTS AND NOTIFICATIONS

- 10.1 Unless otherwise agreed by the Agency, all reports and notifications submitted to the Agency shall:
- a) be sent to Administration, Office of Environmental Enforcement at the Agency's headquarters;
 - b) comprise one original and two copies unless additional copies are required;
 - c) be formatted in accordance with any written instruction or guidance issued by the Agency;
 - d) include whatever information as is specified in writing by the Agency;
 - e) be identified by a unique code, indicate any modification or amendment, and be correctly dated to reflect any such modification or amendment;
 - f) be submitted in accordance to the relevant reporting frequencies specified by this licence, such as in *Schedule F: Recording and Reporting*, of this licence;
 - g) be accompanied by a written interpretation setting out their significance in the case of all monitoring data; and
 - h) be transferred electronically to the Agency's computer system if required by the Agency.
- 10.2 In the event of an incident occurring on the facility, the licensee shall:
- a) notify the Agency as soon as practicable and in any case not later than 10.00 am the following working day after the occurrence of any incident;

- b) submit a written record of the incident, including all aspects described in Condition 10.1(a-h), to the Agency as soon as practicable and in any case within five working days after the occurrence of any incident;
 - c) in the event of any incident which relates to discharges to surface water, notify the Southern Regional Fisheries Board as soon as practicable and in any case not later than 10:00am on the following working day after such an incident; and
 - d) Should any further actions be taken as a result of an incident occurring, the licensee shall forward a written report of those actions to the Agency as soon as practicable and no later than ten days after the initiation of those actions.
- 10.3 Within twelve months of the date of grant of the licence the licensee shall submit a map/drawing to the Agency which shall include the following:
- a) details of the layout and slopes and drainage system for all roads/surfaces, drains and roofed areas;
 - b) delineation of road/yard surfaces where contaminated and uncontaminated water arises;
 - c) location of all kerbing as required by Condition 3.5.4; and
 - d) all monitoring locations that are stipulated in this licence including a national grid reference for each monitoring point.
- 10.4 Annual Environmental Report
- a) The licensee shall submit to the Agency for its agreement, within thirteen months from the date of grant of this licence, and within one month of the end of each year thereafter, an Annual Environmental Report (AER).
 - b) The AER shall include as a minimum the information specified in *Schedule G. Content of Annual Environmental Report*, of this licence and shall be prepared in accordance with any relevant written guidance issued by the Agency.
- 10.5 The licensee shall report to the Agency within nine months of the date of grant of this licence on the success in achieving the required level of urea substitution.

REASON: *To provide for proper report to and notification of the Agency.*

CONDITION 11 CHARGES AND FINANCIAL PROVISIONS

11.1 Agency Charges

11.1.1 The licensee shall pay to the Agency an annual contribution of €15,960 or such sum as the Agency from time to time determines, towards the cost of monitoring the activity or otherwise in performing any functions in relation to the activity, as the Agency considers necessary for the performance of its functions under the Waste Management Act, 1996. The licensee shall in 2005 and subsequent years, not later than January 31 of each year, pay to the Agency this amount updated in accordance with changes in the Public Sector Average Earnings Index from the date of the licence to the renewal date. The updated amount shall be notified to the licensee by the Agency. For 2004, the licensee shall pay a pro rata amount from the date of this licence to 31st December. This amount shall be paid to the Agency within one month of the date of grant of this licence.

11.1.2 In the event that the frequency or extent of monitoring or other functions carried out by the Agency needs to be increased the licensee shall contribute such sums as determined by the Agency to defraying its costs.

11.2 Financial Provision for Closure, Restoration and Aftercare

- 11.2.1 Within twelve months of the date of grant of this licence, the licensee shall arrange for an independent third party risk assessment of the facility to be carried out. The risk assessment shall have particular regard to any accidents, emergencies, or other incidents, which might occur at the facility and their effect on the environment. The risk assessment shall include a comprehensive and fully costed Environmental Liabilities Risk Assessment for the facility including the cost of making adequate Financial Provision. The financial provision shall include the costs entered into or incurred in the carrying on of the activities to which this licence relates or will relate including and the decommissioning and closure of the facility.
- 11.2.2 The licensee shall within eighteen months establish and maintain a fund, or provide a written guarantee for the costs determined under Condition 11.2.1. The type of fund established and means of its release/recovery shall be agreed by the Agency prior to its establishment.
- 11.2.3 The amount of financial provision, held under Condition 11.2.2 shall be maintained by the licensee and be reviewed and revised as necessary, but at least annually. Any proposal for such a revision shall be submitted to the Agency for its agreement.
- 11.2.4 The licensee shall within two weeks of purchase, renewal or revision of the financial provision required under Condition 11.2.2, forward to the Agency written proof of such indemnity.
- 11.2.5 Unless otherwise agreed any revision to the fund shall be computed using the following formula:-

$$\text{Cost} = (\text{ECOST} \times \text{WPI}) + \text{CiCC}$$

Where:-

Cost = Revised restoration and aftercare cost

ECOST = Existing restoration and aftercare cost

WPI = Appropriate Wholesale Price Index [Capital Goods, Building & Construction (i.e. Materials & Wages) Index], as published by the Central Statistics Office, for the year since last closure calculation/revision.

CiCC = Change in compliance costs as a result of change in site conditions, changes in law, regulations, regulatory authority charges, or other significant changes.

REASON: *To provide for adequate financing for monitoring and financial provisions for measures to protect the environment.*

SCHEDULE A : Waste Types and Quantities

Waste Type	Maximum (Tonnes per Annum) ^{Note 1}
Horse Manure	41,600
Poultry Manure	15,000

Note 1: The waste quantities may be altered subject to the agreement of the Agency.

SCHEDULE B : Specified Engineering Works

Specified Engineering Works
Installation of Air Extraction and Abatement systems.
Installation of Surface/Goodie Water Management Infrastructure (including provision of 150mm kerb).
Installation of noise control infrastructure.
Installation of odour control infrastructure (aeration, etc).
Any other works notified in writing by the Agency.

SCHEDULE C : Process Control

Monitoring (where relevant):

Control	Frequency	Monitoring Equipment/Method
Goodie Water / Process Water:		
Dissolved Oxygen	Continuous	DO Probe with Recorder
Water Usage ^{Note 1}	Continuous	Flow meter/Pump rate over time
Water Level in Tanks	Continuous	To be Agreed ^{Note 3}
Phase I / II:		
Moisture Content of Compost	Daily	To be agreed by the Agency
Oxygen Content	Continuous ^{Note 2}	Oxygen Probe with recorder
Hydrogen Sulphide	Daily	Gas detector tube
Dimethyl sulphide	Daily	Gas detector tube
Temperature	Continuous ^{Note 2}	Temperature Probe with recorder

Note 1: The quantity of non-goodie water used on-site is to be monitored (e.g. clean rainwater, mains or abstracted surface/ground water).

Note 2: Pending the completion of the infrastructure required under Condition 3.11, the monitoring frequency for Clamps of intermediate compost deposited in open yard areas shall be daily.

Note 3: To be included in the continuous monitoring system required under Condition 3.16.

Equipment:

Control Parameter	Equipment	Back Up Equipment
Goodie Water: Dissolved Oxygen Water Level in Tanks Goodie Water Usage	Aerators Level Switches/Alarms Pumps	Spares held on-site Spares held on-site Standby pumps and spares held on-site
Phase I / II: Oxygen Content	Aeration Pads/Air Fans	Standby Fans and spares held on-site
Temperature	Aeration Pads/Air Fans	Standby Fans and spares held on-site

SCHEDULE D : Emission Limits

D.1 Noise Emissions: (Measured at the noise sensitive location indicated in *Table E.1*).

Day Db(A) L _{Aeq} (30 minutes)	Night Db(A) L _{Aeq} (30 minutes)
55	45

D.2 Dust Deposition Limits: (Measured at the monitoring points indicated in *Table E.1*).

Level (mg/m ² /day) ^{Note 1}
350

Note 1: 30 day composite sample with the results expressed as mg/m²/day.

D.3 Emissions to Air

Emission Point Ref. Nos: A1-1, A1-2, A1-3.

Volume to be emitted: Maximum rate per hour from any stack: 6,000m³

Parameter	Emission Limit Value
Oxides of sulphur	1700 mg/m ³
Nitrogen oxides (as NO ₂)	750 mg/m ³
CO	200 mg/m ³

D.4. Emissions to Water

Location: As discharged from the piped stream to the Cushaling River (SW1)

Parameter (mg/l except for pH, temp)	Emission Limit Value
PH	6-9
BOD	20
SS	30
Total N	15
Orthophosphate (as P)	1
Temperature	23°C

D.5 Emissions to Water (Effluent treatment plant)

Location: ETP-1

Maximum Flow – 21m³ per day

Parameter (mg/l except for pH, temp)	Emission Limit Value
pH	6-9
BOD	20
SS	30
Total Ammonia (as N)	5
Orthophosphate (as P)	1
Total Phosphorus (as P)	2
Oils, Fats, Grease	10

SCHEDULE E : Monitoring

E.1 Monitoring Locations

Monitoring locations shall be those as set out in Table E.1.1

Table E.1.1 Monitoring Locations

DUST	NOISE	SURFACE WATER	GROUND-WATER	BOILER	AIRBORNE MICROBES Note 1
STATIONS Note2	STATION Note 3	STATIONS Note 4	STATIONS Note4	STATIONS	STATIONS Note2
D1 D2 D3 D4	N12	SW-1 RW-1 RW-2 FMW-1 FMW-2 ETP-1	GW-1 GW-2 GW-3 Private Wells Note 5	A1-1 A1-2 A1-3	AB-1 AB-2 AB-3 AB-4

Note 1: Four locations to be selected and three to be used during sampling, one upwind and two downwind.

Note 2: Locations to be agreed by the Agency.

Note 3: Location 2: Cottage as indicated in Attachment C8/H8 of the application form.

Note 4: Locations RW1, RW2 are 30 m downgradient/upgradient of discharge point (SW1) to Cushaling River. ETP-1 is monitoring location at discharge from effluent treatment plant. FMW1 & FMW2 are the monitoring locations for the surface water run-off from the facility.

Note 5: All private wells within 250m of the facility, where relevant, are to be monitored in accordance with Condition 7.7.1.

E.2 Dust

Table E.2.1 Dust Monitoring, Frequency, Parameters and Technique

Parameter	Monitoring Frequency	Analysis Method/Technique
Dust (mg/m ² /day)	Three times a year Note 2	Standard Method Note 1
Odour	Daily	Subjective inspection by operator

Note 1: Standard method VDI2119 (Measurement of Dustfall, Determination of Dustfall using Bergerhoff Instrument (Standard Method) German Engineering Institute). A modification (not included in the standard) which 2 methoxy ethanol may be employed to eliminate interference due to algae growth in the gauge.

Note 2: At least twice between the months of May and September.

E.3 Airborne Microbes

Table E.3.1: Airborne Micro-Organism Monitoring, Frequency, Parameters and Technique

Parameter (cfu/m ³)	Monitoring Frequency	Analysis Method/Technique
Airborne Micro-Organisms	Annual	Standardised Protocol ^{Note 1}

Note 1: Monitoring to be completed as per “The Composting Association” publication “Standardised Protocol for the Sampling and Enumeration of Airborne Micro-Organisms at Composting Facilities”.

E.4 Noise

Table E.4.1 Noise Monitoring, Frequency, Parameters and Technique

Parameter	Monitoring Frequency	Analysis Method/Technique
L_{Aeq}(30 minutes)	Bi-Annual	Standard ^{Note 1}
L_{A10}(30 minutes)	Bi-Annual	Standard ^{Note 1}
L_{A90}(30 minutes)	Bi-Annual	Standard ^{Note 1}
Frequency Analysis (1/3 Octave band analysis)	Bi-Annual	Standard ^{Note 1}

Note 1: “International Standards Organisation. ISO 1996. Acoustics - Description and Measurement of Environmental Noise. Parts 1, 2 and 3.”

E.5 Surface Water

Table E.5.1: Surface Water Monitoring, Frequency, Parameters and Technique

Parameter	Monitoring Frequency	Analysis Method/Technique
Visual Inspection	Weekly	Sample and examine colour and odour of water
PH	Quarterly	PH electrode/meter and recorder
Electrical Conductivity	Quarterly	Conductivity Probe
Dissolved Oxygen	Quarterly	DO meter/recorder
Temperature (°C)	Quarterly	Temperature probe with recorder
Suspended Solids	Quarterly	Standard Methods
Biochemical Oxygen Demand	Quarterly	Standard Methods
Chemical Oxygen Demand	Monthly	Standard Methods ^{Note 2}
Nitrates	Quarterly	Standard Methods
Total Phosphorus (as P)	Quarterly	Standard Methods
Ammonia	Quarterly	Standard Methods
Sulphate (as SO₄)	Quarterly	Standard Methods

E.6 Meteorological Monitoring

Table E.6.1 Meteorological Monitoring:

Data to be obtained from a location on the facility to be agreed in advance by the Agency.

Parameter	Monitoring Frequency	Analysis Method/Technique
Temperature (min/max.)	Daily	To be agreed
Wind Direction	Daily	Windssock
Wind Speed	Daily	To be agreed
Atmospheric Pressure	Daily	To be agreed

E.7 Groundwater Monitoring

Table E.7.1 Groundwater Monitoring, Frequency, Parameters and Technique.

Parameter	Monitoring Frequency	Analysis Method/Technique
Groundwater Level	Bi-Annual	Method to be agreed by the Agency
PH	Bi-Annual	pH Probe
TOC	Bi-Annual	Standard Methods
Ammonia	Bi-Annual	Standard Methods
Nitrates	Bi-Annual	Standard Methods
Sulphate	Bi-Annual	Standard Methods
Conductivity	Bi-Annual	Conductivity Probe
Total Coliforms	Bi-Annual	Method to be agreed by the Agency
Faecal Coliforms	Bi-Annual	Method to be agreed by the Agency

E.8: Effluent Treatment Monitoring

Table E.8.1 Effluent Treatment Monitoring (as measured at ETP-1)

Parameter	Monitoring Frequency	Analysis Method Technique
PH	Bi-Annual	pH Probe
BOD	Bi-Annual	Standard Methods
Suspended Solids	Bi-Annual	Standard Methods
Total Phosphorous (as P)	Bi-Annual	Standard Methods
Ortho-Phosphorous (as P)	Bi-Annual	Standard Methods
Oils fat & grease	Bi-Annual	Standard Methods
Total Ammonia (as N)	Bi-Annual	Standard Methods

E.9 Emissions from Boilers

Table E.9.1 Emissions from Boilers: Monitoring Frequency, Parameters and Technique

Location:

Parameter	Monitoring Frequency	Analysis Method Technique
SOx	Annual	Flue Gas Analyser
NOx	Annual	Flue Gas Analyser
CO	Annual	Flue Gas Analyser
Combustion Efficiency	Annual	Flue Gas Analyser

SCHEDULE F : Recording and Reporting to the Agency

Report	Reporting Frequency ^{Note1}	Report Submission Date
Environmental Management System Updates	Annually	One month after the end of the year reported on.
Annual Environment Report (AER)	Annually	One month after the end of each calendar year.
Record of incidents	As they occur	Within five days of the incident.
Bund, tank and container integrity assessment	Every three years	Six months from the date of grant of licence and one month after the end of the three year period being reported on (or prior to the use of new structures).
Specified Engineering Works reports	As they arise	Prior to the works commencing.
Monitoring of Surface Water Quality	Quarterly	Ten days after end of the period being reported on.
Monitoring of Groundwater Quality/Levels	Bi-annually	Ten days after end of the six-month period being reported on.
Meteorological Monitoring	Annually	One month after end of the year being reported on.
Dust Deposition Monitoring	Three times a year	Ten days after the period being reported on.
Airborne Micro-organisms Monitoring	Annually	One month after end of the year being reported on.
Noise Monitoring	Bi-annually	Ten days after end of the period being reported on.
Treated Sewage Monitoring	Bi-annually	Ten days after end of the period being reported on.
Environmental Liabilities Risk Assessment Report	Once Off	Within six months of the date of grant of the licence.
Facility Yard Integrity Report	Once Off	Within one month of the date of completion of the assessment.
Any other monitoring	As they occur	Within ten days of obtaining results.

SCHEDULE G: Content of the Annual Environmental Report

Annual Environmental Report Content

Reporting Period.

Waste activities carried out at the facility.

Proposal for a decommissioning and aftercare plan for the facility.

Report on the capacity of the facility in terms of compost production and air/water handling infrastructure.

Quantity and Composition of waste received, disposed of and recovered during the reporting period and each previous year.

Report on the quantity of water used at the facility including details of the source of the water used and an assessment of the use of alternative water sources where feasible (e.g. grey water use).

Summary report on emissions.

Summary of results and interpretation of environmental monitoring.

Resource and energy consumption summary.

Proposed development of the facility and timescale of such development.

Report on development works undertaken during the reporting period, and a timescale for those proposed during the coming year.

Report on the progress towards achievement of the Environmental Objectives and Targets contained in previous year's report.

Schedule of Environmental Objectives and Targets for the forthcoming year.

Full title and a written summary of any procedures developed by the licensee in the year which relates to the facility operation.

Tank, pipeline and bund testing and inspection report.

Reported incidents and Complaints summaries.

Energy Audit of the Facility.

Review of Nuisance Controls.

Reports on financial provision made under this licence, management and staffing structure of the facility, and a programme for public information.

Report on training of staff.

Any other items specified by the Agency.

Sealed by the seal of the Agency on this the 20th day of August, 2004

PRESENT when the seal of the Agency
was affixed hereto:

Dara Lynott, **Director/Authorised Person**

