



Environmental Protection Agency  
An Ghníomhaireacht um Chaomhnú Comhshaoil

Mr Paul Lynch  
Consultant  
c/o Murray Waste Recycling Limited  
Coolatore  
Ferns  
Enniscorthy  
Co. Wexford

Headquarters, PO Box 3000  
Johnstown Castle Estate  
County Wexford, Ireland

Ceanncheathrú, Bosca Poist 3000  
Eastát Chaisleán Bhaile Sheáin  
Contae Loch Garman, Éire

T: +353 53 9160600  
F: +353 53 9160699  
E: [info@epa.ie](mailto:info@epa.ie)  
W: [www.epa.ie](http://www.epa.ie)

LoCall: 1890 33 55 99

23 February, 2012

W0258-01

Re: Notification in accordance with Section 42(2) of the Waste Management Acts, of a proposed decision on a waste licence application, in respect of a facility at Murray Waste Recycling Limited, Coolatore, Ferns, Co. Wexford.

Dear Mr Lynch,

Please find enclosed the notification of the Agency's proposed decision on your waste licence application in respect of a facility at Murray Waste Recycling Limited, Coolatore, Ferns, Co. Wexford.

The notification and the accompanying copy of the proposed decision set out the details of the proposed decision, in accordance with Section 42 of the Waste Management Acts and the relevant Waste Management (Licensing) Regulations. The Inspector's Report, Proposed Decision and associated documents are available for inspection on our website at [www.epa.ie](http://www.epa.ie).

It is important to note that any objection to a proposed decision/request for an oral hearing **must be received by the Agency before the expiration of the appropriate period as specified in the accompanying notification.** An objection/request for an oral hearing must be made on-line on the Agency's website at [www.epa.ie](http://www.epa.ie) or by sending the objection or request by prepaid post to the Agency, or by leaving the objection or request with an employee of the Agency at the Headquarters of the Agency in Wexford during office hours, i.e. 9 a.m. to 5 p.m. Monday to Friday.

Yours sincerely,

Ann Kehoe  
Programme Officer  
Office of Climate, Licensing & Resource Use

Encl.

