

Annual Environmental Report 2010

Licence Registration No.: W0198-01

Licencee: Bord na Móna Plc.

Location of Activity: Kilberry, Athy, Co. Kildare.

Attention: Office of Environmental Enforcement
Environmental Protection Agency
P.O. Box 3000
Johnstown Castle
Co. Wexford

CONTENTS

SECTION 1: INTRODUCTION

- 1.1 Introduction
 - 1.1.2 Policy

- 1.2 Site Description
 - 1.2.1 General
 - 1.2.2 Method of Working
 - 1.2.2.1 Composting Process

SECTION 2: DATA

- 2.1 Summary Data
 - 2.1.1 Waste Recovery Data
 - 2.1.2 Summary Reports on Emissions
 - 2.1.3 Summary reports on Environmental Monitoring
 - 2.1.3 (A) Surface Water Analysis Results
 - 2.1.3 (B) Ground Water Analysis Results
 - 2.1.3 (C) Dust Analysis Results
 - 2.1.3 (D) Odour Analysis Results
 - 2.3.1 (E) Noise Emissions
 - 2.1.4 Environmental Incidents and Complaints
 - 2.1.5 Environmental Spending
 - 2.1.6 Resource and Energy Consumption

SECTION 3: ENVIRONMENTAL MANAGEMENT SYSTEM

- Objectives and Targets 2011
- 3.1 Environmental Management Programme Review 2010
- 3.2 Environmental Management Programme Description 2011

SECTION 4: OTHER REPORTS

- Appendix 1 – Monthly Analysis of Windrows**
- Appendix 2 – PRTR Scan**

SECTION 1

INTRODUCTION

1.1 INTRODUCTION

The following document represents the Annual Environmental Report (AER) for Bord na Móna Kilberry Compost facility for the period January 2009-December 2009. Detailed within this report is a summary of all monitoring, and any activities and on-going improvements at the facility during this period that has had an influence on the environmental performance of the company.

Through the continued compliance with the conditions of their Waste licence register No. W0198-01, Bord na Móna continues to express their commitment of environmental improvement through out the site.

An Environmental and Quality Management System is established at the facility, which incorporates procedures of operational activities on site, emergency preparedness and response, reporting, dealing with unacceptable wastes and an public access to the site and site's environmental performance. Through the on-going achievement and reviewing of the objectives and targets, Bord na Móna facilitate on-going environmental improvements.

Bord na Móna's commitment is expressed in the company's Environmental Management policy, as given overleaf.

1.1.2 – Environmental Policy



Environmental Policy



Introduction

A licence from the Environmental Protection Agency (WI 198-1) was granted on the 16th of December 2004. This licence is for the construction and operation of a Composting Facility at Kilberry, Athy, Co. Kildare. The quantity of waste to be accepted is 50,000 tonnes in the first year rising to 96,000 tonnes by the 5th year. Non-hazardous biodegradable wastes (Shredded Green waste, Brewery By-Product, Sawdust, Bark and Cocoa Husk) will be accepted at this facility.

The process leading to the production of usable, composted material will require the completion of a series of stages as follows, acceptance procedures and tipping, mixing and formulation of windrows, turning / composting, screening of stabilised material and shredding and re-use of oversize material. The wastes are combined together to form windrows for composting. The average composting period will be 10 weeks during which time the composting process will stabilise a range of organic waste materials / by-products which will then be incorporated into horticultural growing media produced on the adjoining site.

Policy

Environmental care is a Bord na Móna core value. BnM seeks to be recognised in the compost supply business as a leader in terms of environmental care. Bord na Móna's environmental programmes shall be an integrated approach focused on continuous improvement. The environmental programmes in Bord na Móna will seek to achieve the following:

- Ensure compliance with the requirements of the EPA Waste Licence and National/European legislation.
- Review Environmental performance and establish environmental objectives and targets on an annual basis to improve the environmental performance of our composting facility
- Minimise potential negative environmental impacts through activities that are designed for the prevention of pollution
- Encourage the involvement of employees through training and awareness programmes to promote and ensure an environmentally friendly workplace.
- Audit practices and programmes to help ensure continuous improvement

The company values and promotes environmental leadership, responsibility and innovation in the management of all company facilities and operations. Management team are expected to provide sound environmental leadership, to maintain appropriate records and demonstrate compliance with programmes and practices.

Authorised as of November 25th 2009

Michael Delaney
General Manager

1.2 SITE DESCRIPTION

1.2.1 Site Location

The proposed development is located on the eastern portion of Kilberry townland, approximately 4 km north of Athy, Co. Kildare. It is located along the R417 between Athy and Monasterevin.



Regional Location of Bord na Mona Kilberry Compost Site

The total area the site occupies is ca. 2.5 hectares. The topography of the area is flat peat land and agricultural land with a gradual rise to the north. The land on the site is relatively level with a fall of 1:200 over the total site from south to north. The surrounding land is a mixture of agricultural, forestry and peat land with the southern boundary adjoining the Bord na Móna Moss Peat production site.

1.2.1 General

A licence from the Environmental Protection Agency (W0198-01) was granted on the 16th of December 2004. This licence was for the construction and operation of a Composting Facility at Kilberry, Athy, Co. Kildare. The quantity of waste to be accepted was 50,000 tonnes in the first year rising to 96,000 tonnes by the 5th year. Non-hazardous biodegradable wastes (Shredded Green waste, Brewery By-Product, Sawdust, Bark and Cocoa Husk) were the initial waste types accepted at this facility. In the intervening five years a number of additional waste streams have been identified and added to the waste licence with agreement from the EPA. The current waste list is as follows:

- Shredded / Unshredded Green Waste
- Brewery By-Product
- Sawdust
- Bark
- Cocoa Husk
- Spent Mushroom Compost
- Christmas Trees
- Wood Pulp Sludge
- Fruit and Vegetables
- Dairy Products Sludge

1.2.2 Method of Working

1.2.2.1 Composting Process

The process leading to the production of usable, composted material requires the completion of a series of stages as follows:

1. Acceptance procedures and tipping
2. Mixing and formulation of windrows
3. Turning / Composting
4. Screening of stabilised material
5. Shredding and re-use of oversize material

1. Acceptance Procedures:

All vehicles entering the site firstly report to compost coordinator. A delivery note will accompany each vehicle detailing:

- Vehicle registration number
- Driver / Company
- Material type and origin
- Quantity of waste

These details will be entered on to the Bord na Móna MRP system along with the recorded weight of the vehicle. A hard copy of this information will be issued to the driver as a POD (Proof of Delivery).

2. Discharge/Mixing and formation of windrows.

On completion of acceptance procedures vehicles will be directed to a specific tipping area in the composting facility. Where they will tip the feedstock in such a fashion as to provide a linear strip of material. Unshredded material is directed to the shredder in phase 2.

3. Turning / Composting

The current average composting period is 12 weeks, during which time the piles are turned approximately 20 times as follows:

Week 1 - 2	4 times per week
Week 3 – 6	2 times per week
Week 7-10	1 turn per week

A series of parameters are monitored during the composting cycle as follows:

- Temperature (using deep probes)
- CO₂ evolution (an index of microbial activity)
- Moisture content

The results of ongoing monitoring can trigger a number of interactions such as:

- Increased turning frequency
- Addition of water. Lagoon water is used as the source of this water.

4. Screening

Following the completion of composting the material is transported from the stockpile to the screening area, which is located in Phase 2 using the Volvo loader.

The composted material is screened, material below 10mm will be stockpiled for use in growing media plants, whilst material over this size will be set aside for shredding and composting.

5. Shredding:

Oversized material is collected at the screening plant and is reincorporated into the new windrows.

Working Hours

Composting activities (Turning / Screening) will normally be undertaken during the hours of 08:00 and 18:00; Monday to Friday inclusive.

Delivery hours are confined to the hours of 08:00 to 18:00; Monday to Friday inclusive.

Reduced site activities such as maintenance and cleaning proceed until 22:00 Monday to Friday inclusive.

.

SECTION 2

DATA

2.1 SUMMARY DATA**2.1.1 Waste Recovery Data:**

Waste Type	EWC Code	Annual Intake (Tonnes)
Greenwaste	20 02 01	9917
Bark	03 03 01	1455
Brewery by-Product	02 07 01	18185
Fruit and Vegetables	02 01 03	1655
Dairy Sludge	02 05 02	4694
Brewery Sludge	02 07 05	1532

2.1.2 Summary Report on Emissions:

There are no emission points within the facility.

2.1.3 Summary Reports on Environmental Monitoring:

2.1.3 (A) Surface Water Analysis Results – Tables A.1 – A.4 below show results of 2010 Surface water analysis.

Table A.1 - Surface Water Q1 2010					
Parameter	SW1	SW2	SW3	SW4	SW5
pH	7.7	7.4	6.9	7.5	7.9
Suspended Solids (mg/l)	7	144	93	8	5
DRO (mg/l)	<10	11	249	<10	<10
Mineral Oil (mg/l)	<10	<10	<10	<10	<10

Table A.2 - Surface Water Q2 2010					
Parameter	SW1	SW2	SW3	SW4	SW5
pH	7.7	7.7	7.8	7.9	8.2
Suspended Solids (mg/l)	24	8	11	15	<5
BOD (mg/l)	4	3	2	<2	<2
DRO (mg/l)	<10	<10	<10	<10	<10
Mineral Oil (mg/l)	<10	<10	<10	<10	<10

Table A.3 - Surface Water Q3 2010					
Parameter	SW1	SW2	SW3	SW4	SW5
pH	7.4	7.4	7.5	7.3	8.0
Suspended Solids (mg/l)	6	5	<5	<5	<5
BOD (mg/l)	3	<2	<2	<2	<2
DRO (mg/l)	<10	<10	<10	<10	<10
Mineral Oil (mg/l)	<10	<10	<10	<10	<10

Table A.4 - Surface Water Q4 2010					
Parameter	SW1	SW2	SW3	SW4	SW5
pH	7.4	7.2	7.3	7.3	7.7
Suspended Solids (mg/l)	<5	<5	<5	<5	7
BOD (mg/l)	5	2	2	<2	<2
DRO (mg/l)	<10	<10	<10	<10	<10
Mineral Oil (mg/l)	<10	<10	<10	<10	<10

2.1.3 (B) Ground Water Analysis Results

Groundwater Results Q1 2010					
Laboratory ID.	MW1	MW2	MW3	MW4	MW5
pH	7.4	7.2	7.3	7.0	6.9
Conductivity $\mu\text{S/cm}$	481	578	665	1571	1860
Ammonia as N mg/l	2.0	5.9	6.1	18	18
Chloride mg/l	18.27	17.71	15.85	10.39	24.13
Sulphate mg/l	0.52	<0.5	<0.5	<0.5	<0.5
Nickel ug/l	6	6	17	34	12
Manganese ug/l	487	161	155	890	812

Groundwater Results Q2 2010					
Laboratory ID.	MW1	MW2	MW3	MW4	MW5
pH	7.5	7.1	7.0	7.1	7.0
Conductivity $\mu\text{S/cm l}$	519	590	676	1672	1393
Ammonia as N mg/l	1.94	5.90	6.10	24.00	15.00
Chloride mg/l	19.27	18.21	16.39	11.96	14.94
Sulphate mg/l	8.27	<0.50	<0.50	<0.50	<0.50
Nickel ug/l	7	7	19	46	23
Manganese ug/l	543	185	174	1245	699

Groundwater Results Q3 2010					
Laboratory ID.	MW1	MW2	MW3	MW4	MW5
pH	7.4	7.2	7.1	6.7	6.7
Conductivity $\mu\text{S/cm l}$	601	619	663	1971	1056
Ammonia as N mg/l	1.87	6.3	6.2	24.0	11.0
Chloride mg/l	23.05	18.65	16.74	40.01	24.78
Sulphate mg/l	43.42	4.93	<0.50	<0.50	<0.50
Nickel ug/l	8	7	18	59	25
Manganese ug/l	563	202	224	1235	744

Groundwater Q4 2010					
Parameter	MW-01	MW-02	MW-03	MW-04	MW-05
pH	7.4	7.2	7.2	6.9	6.8
Ammonia as N mg/l	1.87	7.60	6.1	26	18
Chloride mg/l	19.62	17.96	17.70	31.35	79.13
Orthophosphate mg/l	<0.16	<0.16	<0.16	<0.16	17.74
Nitrate as N mg/l	0.05	<0.05	0.05	0.05	<0.05
Total Phosphorous mg/l	0.24	0.15	0.14	2.7	19.96
Antimony µg/l	<2	<2	<2	<2	<2
Arsenic µg/l	43	84	90	12	3
Aluminium µg/l	14	<2	2	37	47
Beryllium µg/l	<2	<2	<2	<2	<2
Barium µg/l	462	369	484	466	185
Calcium mg/l	80	94	112	286	233
Chromium µg/l	<2	<2	<2	<2	<2
Cadmium µg/l	<2	<2	<2	<2	<2
Cobalt µg/l	3	2	2	<2	<2
Copper µg/l	<2	<2	<2	<2	<2
Iron mg/l	9.9	5.4	6.4	39	6.7
Potassium mg/l	1.1	1.3	1	47	171
Manganese µg/l	518	93	151	1135	868
Silver µg/l	<2	<2	<2	<2	<2
Sodium mg/l	8	7	7	18	37
Nickel µg/l	7	8	17	49	9
Lead µg/l	<2	<2	<2	<2	<2
Selenium µg/l	<2	<2	<2	<2	<2
Tin µg/l	<2	<2	<2	<2	<2
Zinc µg/l	13	31	11	16	26
Mercury µg/l	<1	<1	<1	<1	<1
Total Coliforms cfu/100mls	2	40	<1	35	1
E.Coli cfu/100mls	<1	<1	<1	30	<1

Groundwater Q4 2008-VOC Analysis					
VOC's (µg/l)	MW-01	MW-02	MW-03	MW-04	MW-05
Dichlorodifluoromethane	<10	<10	<10	<10	<10
Chloromethane	<10	<10	<10	<10	<10
Vinyl chloride	<10	<10	<10	<10	<10
Bromomethane	<10	<10	<10	<10	<10
Chloroethane	<10	<10	<10	<10	<10
Trichlorofluoromethane	<10	<10	<10	<10	<10
1,1-Dichloroethene	<10	<10	<10	<10	<10
Dichloromethane	<10	<10	<10	<10	<10
trans-1,2-Dichloroethene	<10	<10	<10	<10	<10
1,1-Dichloroethane	<10	<10	<10	<10	<10
2,2-Dichloropropane	<10	<10	<10	<10	<10
cis-1,2-Dichloroethene	<10	<10	<10	<10	<10
Bromochloromethane	<10	<10	<10	<10	<10
Chloroform	<10	<10	<10	<10	<10
1,1,1-Trichloroethane	<10	<10	<10	<10	<10
Carbon Tetrachloride	<10	<10	<10	<10	<10
1,1-Dichloropropene	<10	<10	<10	<10	<10
Benzene	<10	<10	<10	<10	<10
1,2-Dichloroethane	<10	<10	<10	<10	<10
Trichloroethene	<10	<10	<10	<10	<10
1,2-Dichloropropane	<10	<10	<10	<10	<10
Dibromomethane	<10	<10	<10	<10	<10
Bromodichloromethane	<10	<10	<10	<10	<10
Toluene	<10	<10	<10	<10	<10
1,1,2-Trichloroethane	<10	<10	<10	<10	<10
1,1,1,2-Tetrachloroethane	<10	<10	<10	<10	<10
m,p-Xylene	<10	<10	<10	<10	<10
Styrene	<10	<10	<10	<10	<10
Isopropylbenzene	<10	<10	<10	<10	<10
n-propylbenzene	<10	<10	<10	<10	<10

Groundwater Q4 2008 - Cont'd VOC Analysis					
VOC's (µg/l)	MW-01	MW-02	MW-03	MW-04	MW-05
2-Chlorotoluene	<10	<10	<10	<10	<10
4-Chlorotoluene	<10	<10	<10	<10	<10
1,2,4-Trimethylbenzene	<10	<10	<10	<10	<10
4-Isopropyltoluene	<10	<10	<10	<10	<10
1,4-Dichlorobenzene	<10	<10	<10	<10	<10
1,2-Dichlorobenzene	<10	<10	<10	<10	<10
Naphthalene	<10	<10	<10	<10	<10
1,3-Dichloropropane	<10	<10	<10	<10	<10
cis-1,3-Dichloropropene	<10	<10	<10	<10	<10
trans-1,3-Dichloropropene	<10	<10	<10	<10	<10
Dibromochloromethane	<10	<10	<10	<10	<10
Chlorobenzene	<10	<10	<10	<10	<10
Ethyl Benzene	<10	<10	<10	<10	<10
o-Xylene	<10	<10	<10	<10	<10
Bromoform	<10	<10	<10	<10	<10
1,2,3-Trichloropropane	<10	<10	<10	<10	<10
Bromobenzene	<10	<10	<10	<10	<10
Tert-Butylbenzene	<10	<10	<10	<10	<10
Sec-Butylbenzene	<10	<10	<10	<10	<10
1,3,5-Trimethylbenzene	<10	<10	<10	<10	<10
1,2- Dibromo-3-chloropropane	<10	<10	<10	<10	<10
Hexachlorobutadiene	<10	<10	<10	<10	<10
1,2,3-Trichlorobenzene	<10	<10	<10	<10	<10
1,3-Dichlorobenzene	<10	<10	<10	<10	<10
Tetrachloroethene	<10	<10	<10	<10	<10
n-butylbenzene	<10	<10	<10	<10	<10
1,2,4-Trichlorobenzene	<10	<10	<10	<10	<10

Groundwater Q4 2008 – SVOC Analysis					
SVOC's (µg/l)	MW-01	MW-02	MW-03	MW-04	MW-05
Phenol	<1	<1	<1	<1	<1
2-Chlorophenol	<1	<1	<1	<1	<1
2-Methylphenol	<1	<1	<1	<1	<1
4-Methylphenol	<1	<1	<1	<1	<1
2-Nitrophenol	<1	<1	<1	<1	<1
4-Nitrophenol	<1	<1	<1	<1	<1
2,4-Dichlorophenol	<1	<1	<1	<1	<1
2,4-Dimethylphenol	<1	<1	<1	<1	<1
4-Chloro-3-methylphenol	<1	<1	<1	<1	<1
2,4,6-Trichlorophenol	<1	<1	<1	<1	<1
2,4,5-Trichlorophenol	<1	<1	<1	<1	<1
Pentachlorophenol	<1	<1	<1	<1	<1
1,3-Dichlorobenzene	<1	<1	<1	<1	<1
1,4-Dichlorobenzene	<1	<1	<1	<1	<1
1,2-Dichlorobenzene	<1	<1	<1	<1	<1
1,2,4-Trichlorobenzene	<1	<1	<1	<1	<1
Nitrobenzene	<1	<1	<1	<1	<1
Azobenzene	<1	<1	<1	<1	<1
Hexachlorobenzene	<1	<1	<1	<1	<1
Naphthalene	<1	<1	<1	<1	<1
Acenaphthalene	<1	<1	<1	<1	<1
Acenaphthene	<1	<1	<1	<1	<1
Flourene	<1	<1	<1	<1	<1
Phenanthrene	<1	<1	<1	<1	<1
Anthracene	<1	<1	<1	<1	<1
Fluoranthrene	<1	<1	<1	<1	<1
Pyrene	<1	<1	<1	<1	<1
Benzo(a)anthracene	<1	<1	<1	<1	<1
Chrysene	<1	<1	<1	<1	<1
Benzo(b)fluoranthrene	<1	<1	<1	<1	<1
Benzo(k)fluoranthrene	<1	<1	<1	<1	<1

Groundwater Q4 2008 - Cont'd SVOC Analysis					
SVOC's (µg/l)	MW1	MW2	MW3	MW4	MW-05
Benzo(a)pyrene	<1	<1	<1	<1	<1
Indenol(1,2,3-cd)pyrene	<1	<1	<1	<1	<1
Dibenzo(a,h)anthracene	<1	<1	<1	<1	<1
Benzo(ghi)perylene	<1	<1	<1	<1	<1
2-Chloronaphthalene	<1	<1	<1	<1	<1
Carbazole	<1	<1	<1	<1	<1
2-Methylnaphthalene	<1	<1	<1	<1	<1
Isophorone	<1	<1	<1	<1	<1
Dibenzofuran	<1	<1	<1	<1	<1
Dimethyl phthalate	<1	<1	<1	<1	<1
Diethyl phthalate	<1	<1	<1	<1	<1
Di-butylphthalate	<1	<1	<1	<1	<1
Di-octylphthalate	<1	<1	<1	<1	<1
Bis(2-ethylhexyl)phthalate	<1	<1	<1	<1	<1
Butylbenzylphthalate	<1	<1	<1	<1	<1
4-Chloroaniline	<1	<1	<1	<1	<1
2-Nitroaniline	<1	<1	<1	<1	<1
3-Nitroaniline	<1	<1	<1	<1	<1
4-Nitroaniline	<1	<1	<1	<1	<1
2,4-Dinitroaniline	<1	<1	<1	<1	<1
2,6-Dinitroaniline	<1	<1	<1	<1	<1
Bis(2-Chloroethyl)ether	<1	<1	<1	<1	<1
4-Bromophenylphenylether	<1	<1	<1	<1	<1
4-Chlorophenylphenylether	<1	<1	<1	<1	<1
Hexachloroethane	<1	<1	<1	<1	<1
Hexachlorobutadiene	<1	<1	<1	<1	<1
Hexachlorocyclopentadiene	<1	<1	<1	<1	<1
Bis(2-chloroethoxy)methane	<1	<1	<1	<1	<1
N-nitrosodi-n-propylamine	<1	<1	<1	<1	<1

Groundwater Q4 2007 – Pesticide Suite					
Pesticides (µg/l)	MW-01	MW-02	MW-03	MW-04	MW-05
Dichlorvos	<0.01	<0.01	<0.01	<0.01	<0.01
Mevinphos	<0.01	<0.01	<0.01	<0.01	<0.01
Alpha - BHC	<0.01	<0.01	<0.01	<0.01	<0.01
Gamma - BHC	<0.01	<0.01	<0.01	<0.01	<0.01
Diazinon	<0.01	<0.01	<0.01	<0.01	<0.01
Delta - BHC	<0.01	<0.01	<0.01	<0.01	<0.01
Ethyl Parathion	<0.01	<0.01	<0.01	<0.01	<0.01
Heptachlor	<0.01	<0.01	<0.01	<0.01	<0.01
Fenitrothion	<0.01	<0.01	<0.01	<0.01	<0.01
Aldrin	<0.01	<0.01	<0.01	<0.01	<0.01
Malathion	<0.01	<0.01	<0.01	<0.01	<0.01
Heptachlor Epoxide	<0.01	<0.01	<0.01	<0.01	<0.01
Endosulphan I	<0.01	<0.01	<0.01	<0.01	<0.01
Dieldrin	<0.01	<0.01	<0.01	<0.01	<0.01
4, 4' - DDE	<0.01	<0.01	<0.01	<0.01	<0.01
Endosulphan II	<0.01	<0.01	<0.01	<0.01	<0.01
4, 4' - DDD	<0.01	<0.01	<0.01	<0.01	<0.01
Ethion	<0.01	<0.01	<0.01	<0.01	<0.01
Endrin	<0.01	<0.01	<0.01	<0.01	<0.01
Endosulfan Sulphate	<0.01	<0.01	<0.01	<0.01	<0.01
4, 4' - DDT	<0.01	<0.01	<0.01	<0.01	<0.01
Methoxychlor	<0.01	<0.01	<0.01	<0.01	<0.01
Azinphos Methyl	<0.01	<0.01	<0.01	<0.01	<0.01

2.1.3 (C) Dust Analysis Results

2010 Dust Results				
Location	Q1 Dust (mg/m²/day)	Q2 Dust (mg/m²/day)	Q3 Dust (mg/m²/day)	Q4 Dust (mg/m²/day)
AM-01	200	488	282	1735*
AM-02	35	312	59	102
AM-03	112	449	154	23
AM-04	364	477	65	96

* - These dust bottles were all heavily contaminated with bird droppings and the result is therefore not considered to be representative of the dust generation at the site.

2.1.3 (D) Odour Analysis Results

Odour Sampling Results Q1 - 9th March 2010			
Locations	On site observations	Results	
OD 1 (Upwind)	No smell detected	<60	ou _E /m ³
OD 2 (Sensitive Receptor)	No smell detected	<60	ou _E /m ³
OD 3 (Downwind)	No smell detected	<60	ou _E /m ³

Odour Sampling Results Q2 – 24th May 2010			
Locations	On site observations	Results	
OD 1 (Upwind)	No smell detected	<60	ou _E /m ³
OD 2 (Sensitive Receptor)	No smell detected	<60	ou _E /m ³
OD 3 (Downwind)	No smell detected	149	ou _E /m ³

Odour Sampling Results Q3 – 29th July 2010			
Locations	On site observations	Results	
OD 1 (Downwind)	Strong Odour noticeable	814	ou _E /m ³
OD 2 (Sensitive Receptor)	Medium Odour noticeable	465	ou _E /m ³
OD 3 (Upwind)	No smell detected	<60	ou _E /m ³

Odour Sampling Results Q4 – 24 th Novemeber 2010			
Locations	On site observations	Results	
OD 1 (Downwind)	No smell detected	<60	ou _E /m ³
OD 2 (Sensitive Receptor)	No smell detected	<60	ou _E /m ³
OD 3 (Upwind)	Slight odour	<60	ou _E /m ³

2.1.4 (E) Air Emissions Results

Air Analysis Q1 2010				
Location	Amines (ppm)	Ammonia (ppm)	Hydrogen Sulphide (ppm)	Mercaptens (ppm)
Centre of Site	<2	<5	<0.2	<0.5

Air Analysis Q2 2010				
Location	Amines (ppm)	Ammonia (ppm)	Hydrogen Sulphide (ppm)	Mercaptens (ppm)
Centre of Site	<2	<5	<0.2	<0.5

Air Analysis Q3 2010				
Location	Amines (ppm)	Ammonia (ppm)	Hydrogen Sulphide (ppm)	Mercaptens (ppm)
Centre of Site	<2	<5	<0.2	<0.5

Air Analysis Q4 2010				
Location	Amines (ppm)	Ammonia (ppm)	Hydrogen Sulphide (ppm)	Mercaptens (ppm)
Centre of Site	<2	<5	<0.2	<0.5

2.3.1 (E) Noise Emissions**Noise:**

The annual noise-monitoring programme was carried out on the 1st and 2nd December 2009. The results of same are presented in Table E.1 and E.2.

TABLE E.1: NOISE MEASUREMENT RESULTS (DAYTIME) 24th May 2010

Location No.	Measurement Period (minutes)	Time	L _{eq} dB(A)	L ₁₀ dB(A)	L ₉₀ dB(A)	L _{AFMax} dB(A)
N1	30	09:58 – 10:28	60	60	53	78
N2	30	10:54 – 11:24	51	55	41	63
N3	30	11:29 – 11:59	59	63	46	83
N4	30	12:37 – 13:07	47	50	42	62
NSL 1	30	12:04 – 12:34	59	59	48	84

TABLE E.2: NOISE MEASUREMENT RESULTS (NIGHT TIME) 25th May 2010

Location No.	Measurement Period (minutes)	Time	L _{eq} dB(A)	L ₁₀ dB(A)	L ₉₀ dB(A)	L _{AFMax} dB(A)
N1	10	06:54 – 07:04	59	62	37	72
N2	10	07:07 – 07:17	44	47	36	66
N3	10	07:20 – 07:30	66	70	54	83
N4	10	07:44 – 07:54	47	49	41	61
NSL 1	10	07:32 – 07:42	53	54	46	77

2.1.4 Environmental Incidents & Complaints

All environmental incidents and complaints are recorded and actioned upon in accordance with the specific procedures as outlined in the Bord na Móna Kilberry Compost facility documented environmental management system.

Environmental Complaints	Number of complaints
Complaints received	Two
Complaints requiring corrective action	None - New Odour Management Plan commenced August 2010
Categories of complaint	
Odour	Two
Noise	
Water	
Air	
Procedural	
Miscellaneous	

2.1.5 Environmental Spending

The itemised spend on environmental issues at Bord na Móna Kilberry are listed below.

January 2010 to December 2010	
	€
EPA Fees	11,037
Consultancy & Monitoring	33,000
Equipment	350
Total Cost	

2.1.6 Resource and Energy Consumption

Fuel Usage 2010 – See table below

Machine Type	Engine Type	Total (L)
Komptech Topturn X67 Turner	Cat C9	84,822
Komptech Crambo 6000 Shredder	Cat C16	
Komptech L3 Multistar Screen	Dieselelectric 44KVA	
L110E Volvo Front Loader	Volvo D7D LB E2	
L110E Volvo Front Loader 2	Volvo D7D LB E2	

Electricity Usage 2010 – recorded at compost site metre.

28/01/2010	192676
22/03/2010	210484
13/04/2010	218329
04/06/2010	227098
21/07/2010	234587
30/09/2010	243592
04/01/2011	257988

SECTION 3

ENVIRONMENTAL MANAGEMENT

BORD NA MÓNA KILBERRY COMPOST FACILITY ENVIRONMENTAL OBJECTIVES AND TARGETS 2011

Item No	Objective	Target	Responsible Function
1	Meet Operating Capacity Requirements.	<ul style="list-style-type: none"> • Increase tonnage entering site – investigate new waste types. • Implement new marketing strategies to increase customer base 	Horticulture (Newbridge)
2	Improve efficiency of site operations	<ul style="list-style-type: none"> • Ensure pumps remain clear to increase drainage of site. • Install ‘units’ at each pump station within P1 to improve access to pumps. 	Environmental (Kilberry)
3	Water Management	<ul style="list-style-type: none"> • Apply to Kildare County Council for planning permission to change site boundary • Undertake licence review to include excess water disposal within new site boundary 	Environmental (Kilberry)
4	Once off Projects	<ul style="list-style-type: none"> • Assess potential for local farmers to use excess water as a fertiliser substitute • BnM Environmental to assess sewage treatment plants onsite and adjacent to site. • Finalise Ammonia in GW assessment 	Environmental. (Kilberry)
5	Carry out monitoring as per Licence 198-1	<ul style="list-style-type: none"> • Noise – Once per annum • Bioaerosols – Once per annum • Dust – four times per annum • SW - Quarterly • GW – Quarterly 	Environmental (Newbridge / Kilberry)

3.1 Environmental Management Programme for 2011.

Review of Objectives and Targets for the period January to December 2010

Tables EMP 1.1 to 1.5 reviews the Objectives and Targets set for 2010. A number of the listed Objectives and their subsequent targets are cyclical as the company attempts to achieve continuous environmental improvement.

Tables EMP 2.1 to 2.5 set out the Objectives and Targets for 2011. A number of the listed Objectives and their subsequent targets are cyclical as the company attempts to achieve continuous environmental improvement.

Site Infrastructure**EOT 1.1**

Objective	Target	Target Date	2010 Review	Dept Responsible
Meet Operating Capacity Requirements.	Site operational for 5 years – capacity now 96,000 tonnes per annum	2010	Tonnage increased by 2 % in 2010	Kilberry (Environmental)
	Increase tonnage entering site – investigate new waste types.	Continuous 2010	One new waste type added 2010	Horticulture (Newbridge)

Site Management**EOT 1.2**

Objective	Target	Target Date	2010 Review	Dept Responsible
Improve efficiency of site operations	Install Stockpiler in phase 2 to reduce front-end loader movements.	Q2/Q3 2010	Complete Q4 2010. Stockpiler now used to transfer finished product to tippler.	Kilberry (Environmental)
	Install 'units' at each pump station within P1 and P2 to improve access to pumps.	2010	Complete for P2. All pumps on P2 have the units installed	Kilberry (Engineering)

Waste Management**EOT 1.3**

Objective	Target	Target Date	2010 Review	Dept Responsible
Water Management	Apply to Kildare County Council for planning permission to change site boundary	Q2 2010	This project was postponed until Q1 2011	Kilberry (Environmental)
	Undertake licence review to include excess water disposal within new site boundary	2010	Licence Review postponed till 2011	Kilberry (Environmental)

EPA Compliance**EOT 1.4**

Objective	Target	Target Date	2010 Review	Dept Responsible
Once off Projects	Carry out review of Environmental monitoring requirements.	Q2 2010	Complete. Licence review due in 2011 will request reduction in SW monitoring	Kilberry (Environmental)
	Investigate elevated ammonia in GW	Continuous 2010	Additional temporary GW wells installed in July.	Kilberry (Environmental)
	Install windsock or weather station.	Q3/Q4 2010	Windsock installed @ lagoons - Q3 2010	Kilberry (Environmental)

Licence Compliance**EOT 1.5**

Objective	Target	Target Date	2010 Review	Person Responsible
Carry out monitoring as per Licence W0198-1	Noise – Once per annum	2010	Complete	Newbridge (Environmental)
	Bioaerosols – Annually	2010	Complete	Newbridge (Environmental)
	Dust - Quarterly	2010	Complete	Kilberry (Environmental)
	Groundwater – Quarterly	2010	Complete	Kilberry (Environmental)
	Surface Water - Quarterly	2010	Complete	Kilberry (Environmental)

Operating Requirements**EOT 2.1**

Objective	Target	Target Date	Person Responsible
Meet Operating Capacity Requirements.	Increase tonnage entering site – investigate new waste types	Continuous 2011	Newbridge (Horticulture)
	Implement new marketing strategies to increase customer base	Q2 2011	Kilberry (Environmental)

Energy Management**EOT 2.2**

Objective	Target	Target Date	Person Responsible
Improve efficiency of site operations	Ensure pumps remain clear to increase drainage of site.	Continuous 2011	Kilberry (Environmental)
	Install 'units' at each pump station within P1 to improve access to pumps.	Q2/Q3 2011	Kilberry (Engineering)

Water Management**EOT 2.3**

Objective	Target	Target Date	Person Responsible
Water Management	Apply to Kildare County Council for planning permission to change site boundary	January 2011	Kilberry (Environmental)
	Undertake licence review to include excess water disposal within new site boundary	Q2 2011	Kilberry (Environmental)

Once Off Projects**EOT 2.4**

Objective	Target	Target Date	Person Responsible
Once off Projects	Assess potential for local farmers to use excess water as a fertiliser substitute.	Q1 2011	Kilberry (Environmental)
	BnM Environmental to assess sewage treatment plants onsite and adjacent to site.	Q2 2009	Kilberry (Environmental)
	Finalise Ammonia in GW assessment	Q2 2011	Kilberry (Environmental)

Licence Compliance**EOT 2.5**

Objective	Target	Target Date	Person Responsible
Carry out monitoring as per Licence 198-1	Noise – Once per annum	2011	Environmental (Newbridge)
	Bioaerosols – Once per annum	2011	Environmental (Newbridge)
	Dust - Quarterly	2011	Kilberry (Environmental)
	Groundwater – Quarterly	2011	Kilberry (Environmental)
	Surface Water - Quarterly	2011	Kilberry (Environmental)

APPENDIX 1

REPORT NO: **KILBERRY MONTHLY ANALYSIS 2010**

PREPARED BY: Colman Hynes
Bord na Móna ltd.

DATE: 28/02/11

Table of Contents

Introduction.....	3
-------------------	---

Results4

Introduction

Samples are collected monthly for analysis according to the EPA licence 198-1 *Schedule F: Standards for Compost Quality*.

Samples are collected by the Bord na Mona Horticulture lab. Analysis begins on the day of sampling and extracts are held in cold storage (4°C) during analysis.

Compost Testing and Analysis Service

Report ref: KC10

Results

Sample reference: KC10

Sample matrix: Composted greenwaste and GBG/Sludges

pH, EC and CAT soluble nutrients

2010	pH	EC $\mu\text{S.cm}^{-1}$	$\text{NH}_4\text{-N}$ mg.L^{-1}	$\text{NO}_3\text{-N}$ mg.L^{-1}	$\text{PO}_4\text{-P}$ mg.L^{-1}	K mg.L^{-1}	M/C %
Jan	6.93	505	6	29	59	471	72.0
Feb	6.79	576	4	20	32	336	67.8
Mar	6.88	476	104	17	106	393	70.5
Apr	5.91	749	237	4	188	375	70.1
May	6.62	356	75	3	149	362	69.8
Jun	5.76	268	2	5	136	377	69.3
July	6.56	411	38	37	76	484	61.5
Aug	7.47	427	399	83	111	577	67.3
Sep	6.21	361	240	13	185	455	71.2
Oct	6.24	531	5	10	174	681	69.1
Nov	6.88	624	5	2	123	571	61.6
Dec	5.08	1716	287	3	190	880	65

Maturity

Germination of Cress

New Method	% Germination of control	ARL	Control	RI %	MLV
Jan	100	32.5	37.8	86.0	85.9
Feb	100	37.0	42.6	87.2	86.9
Mar	100	47.7	43.3	114.7	110.1
Apr	100	40.3	37.2	108.4	108.2
May	100	32.2	37.2	86.2	86.6
June	100	18.3	37.8	48.3	48.4
July	100	36.5	37.8	97.4	96.6
Aug	100	33.8	37.8	89.6	89.6
Sept	100	31.5	37.8	83.4	83.4
Oct	100	33.0	39.5	84.1	83.5
Nov	100	39.3	39.5	99.8	99.5
Dec**	17	3.5	33.9	60.6	61.3

AGR	Average Germination Rate
CVG	Coefficient of Variation
RL	Root length
ARL	Average Root Length

Sample no (month)	C:N Ratio
Jan	12
Feb	12
Mar	12
Apr	12

May	12
Jun	12
July	12
Aug	11
Sep	13
Oct	13
Nov	11
Dec	14

Foreign Matter

Particle Size Analysis (Dry Wt. Basis)

	<1mm %	1-2mm %	2-4mm %	4-8mm %	8-16.5mm %	16.5-31.5mm %	>31.5mm %
Jan	1.88	2.79	5.40	12.86	25.91	30.22	20.93*
Feb	2.65	7.86	15.73	26.57	26.32	4.14	16.72*
Mar	3.03	7.06	11.39	22.39	19.60	13.18	23.33*
Apr	3.07	8.12	14.98	27.36	27.38	17.63	1.46
May	4.67	10.56	15.79	23.55	25.58	10.73	9.11
Jun	19.90	17.96	12.30	10.88	19.43	15.44	4.09
July	3.68	7.24	10.56	20.61	38.90	17.56	1.45
Aug	4.48	7.59	11.94	19.30	33.85	16.52	6.32
Sep	5.60	5.42	7.08	11.62	25.99	38.98	5.32
Oct	8.13	14.15	15.05	20.35	20.63	19.33	2.36*
Nov	7.69	16.05	16.88	21.17	22.48	12.47	3.26*
Dec	1.43	3.40	10.09	27.61	37.80	19.49	0.20*

*Very wet and formed dry lumps.

Foreign Matter over 2mm

	Foreign Matter > 2mm
Jan	<1%
Feb	<1%
Mar	<1%
Apr	<1%
May	<1%
Jun	<1%
July	<1%
Aug	<1%
Sep	<1%
Oct	<1%
Nov	<1%
Dec	<1%

Trace Elements

Sample no ¹	Cu mg.kg ⁻¹	Zn mg.kg ⁻¹	Pb mg.kg ⁻¹	Cd mg.kg ⁻¹	Hg mg.kg ⁻¹	Ni mg.kg ⁻¹	Cr mg.kg ⁻¹
Standard	100	350	150	1.5	1	50	100
Jan	25.9	130	17.7	0.43	<0.05	12.1	75.8
Feb	28.9	134	15.9	0.285	<0.05	11.2	68.2
Mar	37.9	118	13.7	0.303	<0.05	9.61	29.7
Apr	24.1	106	13.1	0.246	<0.05	6.74	16.5

May	23.1	88.5	9.79	0.236	<0.05	5.81	15.3
Jun	38.8	150	8.62	0.204	<0.05	7.04	25.5
July	28.3	110	11.4	0.214	<0.05	7.57	21.7
Aug	45.7	129	16.5	0.1	<0.05	13.9	25.5
Sep	36.5	101	10.2	<0.01	<0.05	7.9	21.3
Oct	39.3	126	20.9	0.215	<0.05	15	23.6
Nov	27.5	98.4	17.9	0.227	<0.05	14.1	22
Dec	37	143	23	0.493	0.054	8.2	9.69

Pathogens

Sample no	Faecal Coliforms (MPN/g)	Salmonellae (presence or absence)
Standard		
Jan	<10	Not detected
Feb	<10	Not detected
Mar	<10	Not detected
Apr	<10	Not detected
May	<10	Not detected
Jun	<10	Not detected
July	<10	Not detected
Aug	200	Not detected
Sep	10	Not detected
Oct	<10	Not detected
Nov	420	Not detected
Dec	<10	Not detected

- ** The poor germination in December was due to adverse weather conditions leading to anaerobic conditions, this pile was isolated and will be analysed at a later date when weather conditions have improved.

APPENDIX 2

PRTR Scan



| PRTR# : W0198 | Facility Name : Bord na Móna Plc | Filename : W0198_2010.xls
| Return Year : 2010 |

Guidance to completing the PRTR workbook

AER Returns Workbook

Version 1.1.11

REFERENCE YEAR 2010

1. FACILITY IDENTIFICATION

Parent Company Name	Bord Na Mona
Facility Name	Bord na Móna Plc
PRTR Identification Number	W0198
Licence Number	W0198-01

Waste or IPPC Classes of Activity

No.	class_name
4.2	Recycling or reclamation of organic substances which are not used as solvents (including composting and other biological transformation processes).
4.11	Use of waste obtained from any activity referred to in a preceding paragraph of this Schedule.
4.13	Storage of waste intended for submission to any activity referred to in a preceding paragraph of this Schedule, other than temporary storage, pending collection, on the premises where such waste is produced.
Address 1	Kilberry
Address 2	Athy
Address 3	Co. Kildare
Address 4	
Country	Ireland
Coordinates of Location	-7.0108 53.0473
River Basin District	IESE
NACE Code	3832
Main Economic Activity	Recovery of sorted materials
AER Returns Contact Name	Craig Mallinson
AER Returns Contact Email Address	craigmallinson@inbox.com
AER Returns Contact Position	Consultant
AER Returns Contact Telephone Number	059-8631519 /087-2886848
AER Returns Contact Mobile Phone Number	087 2886848
AER Returns Contact Fax Number	
Production Volume	0.0
Production Volume Units	
Number of Installations	0
Number of Operating Hours in Year	0
Number of Employees	0
User Feedback/Comments	
Web Address	

2. PRTR CLASS ACTIVITIES

Activity Number	Activity Name
50.1	General
50.1	General

3. SOLVENTS REGULATIONS (S.I. No. 543 of 2002)

Is it applicable?	
Have you been granted an exemption ?	

If applicable which activity class applies (as per Schedule 2 of the regulations) ?	
Is the reduction scheme compliance route being used ?	

5. ONSITE TREATMENT & OFFSITE TRANSFERS OF WASTE

Please enter all quantities on this sheet in Tonnes

30/03/2011 15:18

Transfer Destination	European Waste Code	Hazardous	Quantity (Tonnes per Year)	Description of Waste	Waste Treatment Operation	Method Used		Location of Treatment	Hazardous Waste Licence/Permit No. of Next Destination Facility (Hazardous Waste Recovery/Disposal)	Hazardous Waste Licence/Permit No. of Next Non-Hazardous Waste Recovery/Disposal	Name and License / Permit No. and Address of Final Receiver / Disposer (HAZARDOUS WASTE ONLY)	Actual Address of Final Destination (e.g. Final Recovery / Disposal Site (HAZARDOUS WASTE ONLY))
						M/C/E	Method Used					
Within the Country	19 05 01	No	20.0	non-composted fraction of municipal and similar wastes	D1	E	Weighted	Offsite in Ireland	Kyvelalessha WTS, W0194-01 Rathoon Farm, W/FP-WWV-05 008-002	Kyvelalessha, Ltd., Rathoon Farm, Change Con. Co. Wicklow, Ireland		
Within the Country	19 05 99	No	1200.0	wastes not otherwise specified	R3	M	Weighted	Offsite in Ireland				

* Select a row by double-clicking the Description of Waste then click the delete button