

Former Gasworks, Dock Road, Limerick

Quarterly Groundwater Monitoring Report – Annual Summary 2011

November 2011

For Bord Gais

For inspection purposes only.
Consent of copyright owner required for any other use.



Rowan House
Lloyd Drive
Ellesmere Port
South Wirral
CH65 9HQ

T 0151 3565555
F 0151 3568960

Document Control Sheet

Project Title Limerick Gasworks
Report Title Quarterly Groundwater Monitoring Report – Annual Summary 2011
Report Reference 1034973/R/04
Version A
Issue Date November 2011

Record of Issue

Version	Status	Author	Checked	Authorised
A	First Issue	Neil Balderstone	Dave Watts	Sarah Dack

Distribution

Organisation	Contact	Format	Copies
Bord Gais	Declan Burke	Electronic Paper	1 1

For inspection purposes only.
Consent of copyright owner required for any other use.

LIMITATIONS

This report is presented to Bord Gais in respect of Limerick Gasworks and may not be used or relied on by any other person or by the client in relation to any other matters not covered specifically by the scope of this Report.

Notwithstanding anything to the contrary contained in the report, Mouchel Limited is obliged to exercise reasonable skill, care and diligence in the performance of the services required by Bord Gais and Mouchel Limited shall not be liable except to the extent that it has failed to exercise reasonable skill, care and diligence, and this report shall be read and construed accordingly.

This report has been prepared by Mouchel Limited. No individual is personally liable in connection with the preparation of this report. By receiving this report and acting on it, the client or any other person accepts that no individual is personally liable whether in contract, tort, for breach of statutory duty or otherwise.

Mouchel has used reasonable skill, care and diligence in the design and interpretation of the ground investigation, however, the inherent variability of ground conditions allows only definition of the actual conditions at the location and depths of exploratory holes and samples/tests therefrom, while at intermediate locations conditions can only be inferred.

New information, changed practices or new legislation may necessitate revised interpretation of the report after the date of its submission

Contents

1	Introduction.....	1
1.1	Terms of Reference.....	1
1.2	Monitoring Visits	1
2	Hydrogeological Site Model.....	2
2.1	Groundwater source and flow direction.....	2
2.2	Groundwater levels.....	2
2.3	Hydraulic gradient estimates.....	4
3	Chemical distribution	5
3.1	Visual, olfactory and DNAPL thickness results.....	5
3.2	Chemical results.....	6
3.3	Temporal Variation	7
4	Conclusions.....	8
4.1	Hydrology	8
4.2	Chemical distribution	8

Drawings

1021927/R02/OD/001 Characterisation Exploratory Hole Location Plan

For inspection purposes only.
Consent of copyright owner required for any other use.

Appendices

Appendix A – Groundwater Contour Plots (visits 6 – 8)

Appendix B - Temporal Variation Graphs

Appendix C – Chemical Test Results (visits 6 – 8)

Appendix D – Chemical Screening Spreadsheets (visits 6 – 8)

1 Introduction

1.1 Terms of Reference

Mouchel were appointed by Bord Gais Eireann, on 31st March 2009, to provide engineering consultancy services for the assessment and remediation of the former gasworks site, on Dock Road, Limerick, Ireland. Mouchel (formerly known as Mouchel Parkman) have had an involvement with the site extending over a period of some nine years having previously undertaken ground investigations at the site.

This report forms part of the larger scheme of works currently being undertaken on the site, Mouchel have been appointed to conduct groundwater quality monitoring programme to establish a baseline data-set for the site prior to the proposed remediation works.

This report presents a comparison of the groundwater quality data from the three monitoring visits undertaken throughout the past year; Visit 6 – 26th to 27th January 2011; Visit 7 – 26th to 27th April 2011; Visit 8 – 24th to 26th October 2011.

1.2 Monitoring Visits

To date, eight groundwater monitoring visits have been undertaken as part of the additional groundwater monitoring programme. This annual report summarises the three visits undertaken in 2011.

For further information on the site characterisation fieldwork, sampling and chemical testing, please refer to the Mouchel Site Characterisation Factual Report, 1021927/R/02 version C dated November 2011.

2 Hydrogeological Site Model

2.1 Groundwater source and flow direction

The site specific hydrogeology is discussed in depth in the 2010 Quantitative Risk Assessment, Options Appraisal and Remediation Report, reference 1021927/R/03 and the subsequent Addendum Report 1021927/R/18. The findings of the QRA report have been reviewed following completion of two years worth of groundwater monitoring.

The results indicate that the flow direction is generally consistent all year round but the groundwater levels are influenced by seasonal rainfall variations. The results to date suggest that there may be two sources of groundwater entering the site.

- Source 1 – Originating from the southern corner of the site from within the rock outcrop (picked up by monitoring well J10).
- Source 2 – Originating from the south east section where water is draining into the site (picked up by monitoring well K5).

These two sources seem to be partially split by the bedrock which is located at the surface around cells I10, J09, K08, K09, K10, L08, L09 and L10.

The water appears to accumulate in the quarry area and flow towards the south west (A11 / corner of Dock Road and St. Alphonsus Street) and to the west (A3 – A4 / Dock Road). Flow is therefore in an approximately westerly direction as would be expected close to the river (the angle of flow will be to the river (west north west) but with a vector in the direction of river flow, i.e. westerly.

2.2 Groundwater levels

The results of the 2011 groundwater monitoring visits are presented overleaf (the DNAPL depths are displayed in brackets). Groundwater contour plots for all three visits undertaken during 2011 are presented as Appendix A.

BH No.	Response zone strata	* Response zone depth m MHD (m Malin Head Datum)	Water level m MHD (DNAPL level m MHD)				
			2010 Annual average	Jan 2011 Visit 6	Apr 2011 Visit 7	October 2011 Visit 8	2011 Annual Average
A3	Limestone bedrock	1.16 – -0.34	2.70	2.76	2.66	2.92	2.78
A4	Limestone bedrock	1.63 – -0.37	2.65	2.64	2.61	lost	2.63
A11	Limestone bedrock	1.84 – 0.84	2.64	2.69	2.70	3.22	2.87
B8	Made ground	4.49 – 0.99	3.65 (2.66)	could not access	could not access	could not access	N/A
C7	Limestone bedrock	-0.45 – -1.95	3.75 (-1.22)	3.75	3.65 (-0.65)	3.92 (-0.60)	3.77
C11	Natural clay	3.36 – 1.86	3.07	3.16	3.11	3.16	3.14
D1	Limestone bedrock	1.06 – -0.44	4.06 (2.16)	4.06 (2.60)	3.93 (2.76)	4.23 (2.11)	4.07
D5	Made ground	5.8 – 3.80	5.17	5.21	5.08	5.37	5.22
E8	Made ground	4.84 – -0.16	4.87	5.01	4.77	5.08	4.95
F11	Limestone bedrock	2.72 – 1.22	5.35	5.06	4.96	5.13	5.05
G2	Limestone bedrock	-2.01 – -3.51	4.85	5.02	4.72	5.19	4.98
G3	Made ground	6.92 – -1.08	4.87	5.06	4.73	5.20	5.00
G4	Limestone bedrock	-2.55 – -4.55	4.86 (-1.92)	5.06	4.72 (-1.64)	5.22 (-2.25)	5.00
G5	Made ground	6.24 – -1.76	4.88	5.06	4.77	5.24	5.02
G8	Limestone bedrock	6.28 – 4.78	6.79	6.87	6.58	6.95	6.80
H12	Limestone bedrock	3.76 – 2.26	5.69	5.66	5.64	5.60	5.63
J10	Limestone bedrock	5.95 – 3.95	6.64	6.85	6.19	6.95	6.66
K1	Made ground	6.96 – 3.46	5.86	5.95	5.83	6.27	6.02
K5	Made ground	7.64 – 2.64	7.74	7.69 (3.64)	7.72 (3.64)	8.31	7.91
L7	Limestone bedrock	6.65 – 5.15	<5.85**	<5.85**	<5.85**	5.97**	5.89
M3	Limestone bedrock	3.23 – 1.73	5.07	5.40	5.01	5.51	5.31
A1	Limestone bedrock	2.27 – 1.27	N/A	N/A	N/A	No DNAPL***	N/A
A9	Made ground	4.64 – 3.09	N/A	N/A	N/A		N/A
C2	Made ground	4.33 - 2.83	N/A	N/A	N/A		N/A

*Depth estimated from installation details from 2010 QRA report (1021927/R/03).

**Installation was dry during monitoring visit; the depth stated is at the base of the monitoring well.

***Groundwater levels measured on completion of drilling without sufficient time to stabilise. They have therefore not been summarised here.

2.3 Hydraulic gradient estimates

The results equate to the following estimates of hydraulic gradient across the site:

2010 annual average for visits 1-5

G8 – E8 (approximately 1.84 / 13.5m) = 0.136

G3 – A3 (approximately 2.17m / 59.9m) = 0.036

F11 – A11 (approximately 2.71m / 47.15m) = 0.057

Average across the three = 0.076

2011 annual average for visits 6-8

G8 – E8 (approximately 1.85m / 13.5m) = 0.137

G3 – A3 (approximately 2.22m / 59.9m) = 0.036

F11 – A11 (approximately 2.18m / 47.15m) = 0.046

Average across the three = 0.073

The average hydraulic gradient is generally consistent with the 2010 average. However, the F11 to A11 gradient has reduced between 2010 and 2011, possibly due to the drier than average year to date in 2011 as indicated by MET Eireann (<http://www.met.ie/climate/monthly-summary.asp>).

3 Chemical distribution

3.1 Visual, olfactory and DNAPL thickness results

Whilst undertaking the groundwater monitoring programme, samples collected were inspected for any visual and olfactory evidence of contamination. This ranged from various odours, hydrocarbon sheens and the presence of DNAPL. These results have been collated for the three visits undertaken during 2011 and have been summarised in the table below:

Visit	DNAPL detected	Hydrocarbon sheen / odour	Anaerobic / hydrogen sulphide odour	No evidence of significant contamination
6	D1, G4, K5	A3, A4, A11, C7, C11, D1, D5, E8, G2, G3, G5, G4, H12, K5, M3	D5	F11, G8, J10, K1, L7
7	C7, D1, G4, K5	A3, A4, C7, C11, D1, E8, F11, G2, G3, G4, G5, G8, H12, J10, K1, K5, M3	For inspection purposes only. Copyright owner required for any other use.	
8	C7, D1, G4, K5	A3, D1, G2, G5, J10, K5, M3	-	A1, A9, A11, C2,C11, D5, E8, F11, G3, G8, H12, K1, L7

An anaerobic odour was previously noted from locations positioned within the former quarry area (D1 and G2), but was not recorded for the two most recent visits.

A hydrocarbon sheen / odour was recorded intermittently along the site boundary, down flow of the predicted groundwater direction (A3, A4 and A11).

A sheen / odour was regularly noted around the former gasholders and the quarry area (C7, D1, G4, G5 and K5). During visits 6, 7 and 8, a yellow/green colour accompanied by a strong organic / ammoniaical odour was recorded in E8.

DNAPL was recorded in D1, G4 and K5 on all visits, and in C7 during visits 7 and 8. DNAPL was generally encountered around the former gasholders and within the deeper parts of the quarry where response zones were placed in the Limestone bedrock.

3.2 Chemical results

The groundwater testing methodology and legislation is discussed in full in the Mouchel Quantitative Risk Assessment, Options Appraisal and Remedial Strategy report reference 1021927/R/03, dated March 2010.

Chemical test results for the three quarterly monitoring visits for 2011 are discussed on a visit by visit basis in the quarterly monitoring reports.

Chemical test results from all three visits are presented as Appendix C. EQS and DWS screening tables for each visit are presented as Appendix D.

Across all three visits during 2011, the chemical test results generally correspond with the visual and olfactory evidence. The locations that appeared to be the most contaminated generally recorded the highest concentrations of contaminants. Concentrations of contaminants varied between visits but generally the following contaminants recorded exceedences:-

Environmental Quality Standards (EQS)

Concentrations commonly exceed the screening values in the majority of samples for selenium, ammonical nitrogen, sulphate, phenols, cyanide, BTEX, total TPH C₅-C₃₅ and most of the speciated PAH's.

Exceedences were also recorded for arsenic, nickel, styrene, zinc, acidic pH, 1,2-dichloroethane and trichloroethene, but only at a few locations.

Drinking Water Standards (DWS)

Concentrations commonly exceed the screening values in the majority of samples for ammonium, sulphate, phenols, cyanide, benzene, total TPH C₅ to C₃₅, fluoranthene and total PAH. GRO and benzo(a)pyrene also recorded exceedences in the majority of samples, but not for each monitoring visit.

Exceedences were also recorded for arsenic, nickel, selenium, ethylbenzene, toluene, xylene, pH, 1,2-dichloroethane, trichloroethene and styrene at a few locations.


3.3 Temporal Variation

The DNAPL thickness and chemical analytical data from the three visits was compared to assess any potential temporal changes and identify any seasonal patterns. Temporal variation plots are presented in Appendix B.

The graphs indicate that although there is some variation in contaminant concentrations, there is no consistent increase or decline in contaminant concentrations over time. However, there are a few exceptions as detailed below:-

Naphthalene – at location C7, significant increase during visit 8 compared to visits 6 and 7; at location D1, significant decrease in visit 8 compared to visits 6 and 7; at location E8, significant decrease in visit 7; at location G2, significant decrease in visits 7 and 8 compared to visit 6. It is possible that the variation at 7 is due to the disappearance of the obstruction, allowing sampling to occur from a greater depth. The other observed variations could be due to the effect of the decreased rainfall during the 2011 monitoring period. However, all the differences are less than one order of magnitude and therefore are not considered to reflect a change in contaminant mobility or migration.

DNAPL was detected at four locations during the 2011 monitoring period. The graph below indicates the variation in the thickness of DNAPL across the three visits. It should be noted that the DNAPL thickness in well C7 during visit 6 is unlikely to be correct due to a blockage.



4 Conclusions

4.1 Hydrology

The results indicate that the groundwater levels and flow direction are generally consistent all year round. The results to date suggest that there may be two sources of groundwater entering the site along the southern boundary.

Groundwater flow appears to be in a westerly direction, as would be expected close to the river. The angle of flow will be to the river (west north west) but with a vector in the direction of river flow, (i.e. westerly).

The average results of the three visits to date this year equate to an estimated hydraulic gradient across the site of 0.073.

4.2 Chemical distribution

4.2.1 Visual, olfactory and DNAPL thickness results

Visual and olfactory evidence of contamination has varied slightly throughout the 2011 monitoring period, with a general decrease in the number of locations where a sheen and / or odour were recorded from visit 6 to visit 8.

The DNAPL thickness in C7 appears to be stable throughout the year at 2m to 2.5m thickness. The DNAPL thickness in G4 has varied considerably between visits ranging from approximately 1m to less than 0.5m. The thickness in K5 remained low in visits 6 and 7, but no DNAPL was recorded in visit 8. Location D1 followed a similar variation trend with the observed thickness reducing in visit 8.

4.2.2 Chemical results


Several contaminants were recorded in concentrations above the EQS and DWS. A Tier 3 Groundwater QRA was undertaken in the QRA report which concluded that although a theoretical risk exists in respect to the River Shannon, this is unlikely to be realised due to the timescales required for contaminants to flow to the receptor and the presence of the wet dock and graving docks (with significant walls) impeding flow. It is also noted that cohesive alluvial deposits may be present in the vicinity of the river further impeding any groundwater flow directly into the river.

It is concluded that the limestone aquifer is not productive due to the brackish nature of the groundwater and the thin water bearing stratum (in the near surface weathered zone). There are also no abstractions within the vicinity of the site.

4.2.3 Seasonal Pattern



The chemical results to date have fluctuated slightly with naphthalene recording the largest variations between visits, but none of the determinands plotted recorded variation in excess of one order of magnitude between visits.

For inspection purposes only.
Consent of copyright owner required for any other use.






Groundwater Level
(m MHD)




These plots have been produced using data obtained from the groundwater monitoring visit undertaken on 26-27/01/2011. Contours were plotted using the Kriging method based upon a 1m x 1m grid.

A	First Issue	DM	DM	DW
Version	Ammendment	Originated	Checked	Approved




mouchel	Client Bord Gais
Purpose	Project Limerick Gasworks
Information	Drawing Title Figure 1) Groundwater levels 26-27/01/2011
Scale	Issuing Office Ellesmere Port
Not to scale	Drawing Number 1034973/R01/OD/001
	Version A



These plots have been produced using data obtained from the groundwater monitoring visit undertaken on 26-27/04/2011. Contours were plotted using the Kriging method based upon a 1m x 1m grid.



A	First Issue	DM	DM	DW
	Ammendment	Originated	Checked	Approved
Version				




mouchel	Client Bord Gais
	Project Limerick Gasworks
Purpose	Drawing Title Figure 1) Groundwater levels 26-27/04/2011
Information	
Scale	Issuing Office Ellesmere Port
Not to scale	Drawing Number 1034973/R02/OD/001
	Version A
Version	Telephone 0151 356 5555




**Groundwater Level
(m MHD)**



These plots have been produced using data obtained from the groundwater monitoring visit undertaken on 24-26/10/2011. Contours were plotted using the Kriging method based upon a 1m x 1m grid.




Apparent GW source





Apparent GW source


mouchel	Client	Bord Gais
	Project	Limerick Gasworks
	Drawing Title	Figure 1) Groundwater Levels 24-26/10/11
Purpose Information		
Scale	Issuing Office	Ellesmere Port
Not to scale	Telephone	0151 356 5555
	Drawing Number	1034973/R03/OD/01
	Version	A


A	First Issue	IW	NB	DW
	Ammendment	Originated	Checked	Approved
Version				





Arsenic



Petroleum Hydrocarbons - Gasoline Range Organics (GRO)

Naphthalene

Phenols (total of 5 speciated)

Petroleum Hydrocarbons - 'Total' Petroleum Hydrocarbons (TPH)

Mouchel
Marina House
2nd Floor
Clarence Street
Dun Laoghaire
Co Dublin

Attention: David Megson

CERTIFICATE OF ANALYSIS

Date: 09 February 2011
Customer: D_MOUCHEL_DLG
Sample Delivery Group (SDG): 110127-70
Your Reference: Limerick Gasworks
Location: Limerick Gasworks
Report No: 114955

We received 19 samples on Thursday January 27, 2011 and 14 of these samples were scheduled for analysis which was completed on Wednesday February 09, 2011. Accredited laboratory tests are defined within the report, but opinions, interpretations and on-site data expressed herein are outside the scope of ISO 17025 accreditation.

Should this report require incorporation into client reports, it must be used in its entirety and not simply with the data sections alone.

All chemical testing (unless subcontracted) is performed at ALcontrol Hawarden Laboratories.

Asbestos testing - we are not accredited for screening soil samples for asbestos fibres. We are only accredited to identify asbestos fibres in bulk material (ACM).

For inspection purposes only
Consent of copyright owner required for any other use

Approved By:



Sonia McWhan

Operations Manager



1291
GROUP

Alcontrol Laboratories is a trading division of ALcontrol UK Limited
Registered Office: Units 7 & 8 Hawarden Business Park, Manor Road, Hawarden, Deeside, CH5 3US. Registered in England and Wales No.

CERTIFICATE OF ANALYSIS

SDG: 110127-70
Job: D_MOUCHEL_DLG-1
Client Reference: Limerick Gasworks

Location: Limerick Gasworks
Customer: Mouchel
Attention: Dave Watts

Order Number: 4500063958
Report Number: 114955
Superseded Report:

Received Sample Overview

Lab Sample No(s)	Customer Sample Ref.	AGS Ref.	Depth (m)	Sampled Date
2759867	A11	EW006	2.00 - 3.00	26/01/2011
2759855	A3	EW006	2.00 - 4.00	26/01/2011
2759856	A4	EW006	2.00 - 4.00	26/01/2011
2759864	C11	EW006	2.00 - 3.00	26/01/2011
2759857	C7	EW006	2.00 - 3.00	26/01/2011
2759872	D1	EW006	3.00 - 4.00	26/01/2011
2759854	D5	EW006	1.50 - 2.50	26/01/2011
2759863	E8	EW006	2.00 - 4.00	26/01/2011
2759866	F11	EW006	3.00 - 4.00	26/01/2011
2759871	G2	EW006	4.00 - 6.00	26/01/2011
2759870	G3	EW006	4.00 - 5.00	26/01/2011
2759869	G4	EW006	4.00 - 5.00	26/01/2011
2759873	G5	EW006	3.00 - 5.00	26/01/2011
2759865	G8	EW006	1.00 - 2.00	26/01/2011
2759861	H12	EW006	2.00 - 3.00	26/01/2011
2759859	J10	EW006	1.00 - 2.00	26/01/2011
2759860	K1	EW006	2.00 - 4.00	26/01/2011
2759858	K5	EW006	1.00 - 3.00	26/01/2011
2759862	M3	EW006	3.00 - 5.00	26/01/2011

Only received samples which have had analysis scheduled will be shown on the following pages.

For inspection purposes only.
Consent of copyright owner required for any other use.

CERTIFICATE OF ANALYSIS

SDG: 110127-70
Job: D_MOUCHEL_DLG-1
Client Reference: Limerick Gasworks

Location: Limerick Gasworks
Customer: Mouchel
Attention: Dave Watts

Order Number: 4500063958
Report Number: 114955
Superseded Report:



CERTIFICATE OF ANALYSIS

SDG: 110127-70
 Job: D_MOUCHEL_DLG-1
 Client Reference: Limerick Gasworks

Location: Limerick Gasworks
 Customer: Mouchel
 Attention: Dave Watts

Order Number: 4500063958
 Report Number: 114955
 Superseded Report:

LIQUID Results Legend	Lab Sample No(s)		Customer Sample Reference	AGS Reference	Depth (m)	Container	2759867	A11	EW006	2.00 - 3.00	Vial	
							2759873	G5	EW006	3.00 - 5.00	1plastic	
							2759869	G4	EW006	4.00 - 5.00	1green glass bottle	
							2759870	G3	EW006	4.00 - 5.00	1green glass bottle	
Ammonium	All	NDPs: 0 Tests: 19					X	X	X	X	X	X
Anions by Kone (w)	All	NDPs: 0 Tests: 19					X	X	X	X	X	X
Cyanide Comp/Free/Total/Thiocyanate	All	NDPs: 0 Tests: 19					X	X	X	X	X	X
Dissolved Metals by ICP-MS	All	NDPs: 0 Tests: 19					X	X	X	X	X	X
EPH CWG (Aliphatic) Aqueous GC (W)	All	NDPs: 0 Tests: 19					X	X	X	X	X	X
EPH CWG (Aromatic) Aqueous GC (W)	All	NDPs: 0 Tests: 19					X	X	X	X	X	X
GRO by GC-FID (W)	All	NDPs: 0 Tests: 19					X	X	X	X	X	X
Hexavalent Chromium (w)	All	NDPs: 0 Tests: 19					X	X	X	X	X	X
Mercury Dissolved	All	NDPs: 0 Tests: 19					X	X	X	X	X	X
PAH Spec MS - Aqueous (W)	All	NDPs: 0 Tests: 19					X	X	X	X	X	X
pH Value	All	NDPs: 0 Tests: 19					X	X	X	X	X	X
Phenols by HPLC (W)	All	NDPs: 0 Tests: 19					X	X	X	X	X	X
Sulphide	All	NDPs: 0 Tests: 19					X	X	X	X	X	X
TPH CWG (W)	All	NDPs: 0 Tests: 19					X	X	X	X	X	X
VOC MS (W)	All	NDPs: 0 Tests: 10					X	X	X	X	X	X

CERTIFICATE OF ANALYSIS

SDG: 110127-70
Job: D_MOUCHEL_DLG-1
Client Reference: Limerick Gasworks

Location: Limerick Gasworks
Customer: Mouchel
Attention: Dave Watts

Order Number: 4500063958
Report Number: 114955
Superseded Report:

CERTIFICATE OF ANALYSIS

SDG: 110127-70
Job: D_MOUCHEL_DLG-1
Client Reference: Limerick Gasworks

Location: Limerick Gasworks
Customer: Mouchel
Attention: Dave Watts

Order Number: 4500063958
Report Number: 114955
Superseded Report:

CERTIFICATE OF ANALYSIS

SDG: 110127-70
Job: D_MOUCHEL_DLG-1
Client Reference: Limerick Gasworks

Location: Limerick Gasworks
Customer: Mouchel
Attention: Dave Watts

Order Number: 4500063958
Report Number: 114955
Superseded Report:

PAH Spec MS - Aqueous (W)

CERTIFICATE OF ANALYSIS

SDG: 110127-70
Job: D_MOUCHEL_DLG-1
Client Reference: Limerick Gasworks

Location: Limerick Gasworks
Customer: Mouchel
Attention: Dave Watts

Order Number: 4500063958
Report Number: 114955
Superseded Report:

PAH Spec MS - Aqueous (W)

CERTIFICATE OF ANALYSIS

SDG: 110127-70
Job: D_MOUCHEL_DLG-1
Client Reference: Limerick Gasworks

Location: Limerick Gasworks
Customer: Mouchel
Attention: Dave Watts

Order Number: 4500063958
Report Number: 114955
Superseded Report:

TPH CWG (W)

Results Legend		Customer Sample R	A3	A4	C7	D1	D5	H12
#	ISO17025 accredited.	Depth (m)			<td><td><td></td></td></td>	<td><td></td></td>	<td></td>	
M	mCERTS accredited.	Sample Type			<td><td><td></td></td></td>	<td><td></td></td>	<td></td>	
§	Non-conforming work.	Date Sampled			<td><td><td></td></td></td>	<td><td></td></td>	<td></td>	
aq	Aqueous / settled sample.	SDG Ref			<td><td><td></td></td></td>	<td><td></td></td>	<td></td>	
diss.filter	Dissolved / filtered sample.	Lab Sample No.(s)			<td><td><td></td></td></td>	<td><td></td></td>	<td></td>	
tot.unfilter	Total / unfiltered sample.	AGS Reference			<td><td><td></td></td></td>	<td><td></td></td>	<td></td>	
*	subcontracted test.							
**	% recovery of the surrogate standard to check the efficiency of the method. The results of the individual compounds within the samples are not corrected for this recovery.							
Component	LOD/Units	Method						
Methyl tertiary butyl ether (MTBE)	<3 µg/l	TM245	<3	<3	<6	<3	<3	<3
Benzene	<7 µg/l	TM245	516	#	4920	746	<7	<7
Toluene	<4 µg/l	TM245	15	#	1870	538	<4	<4
Ethylbenzene	<5 µg/l	TM245	198	#	75	248	<5	<5
m,p-Xylene	<8 µg/l	TM245	53	#	515	856	<8	<8
o-Xylene	<3 µg/l	TM245	55	#	244	422	<3	<3
m,p,o-Xylene	<10 µg/l	TM245	108	<10	759	1280	<10	<10
Total Aliphatics & Aromatics >C12-C35	<10 µg/l	TM174	760	1930	11300		9090	433
BTEX, Total	<10 µg/l	TM245	837	<10	7620	2810	<10	<10
Aliphatics >C5-C6	<10 µg/l	TM245	11	<10	23	15	<10	<10
Aliphatics >C6-C8	<10 µg/l	TM245	78	<10	236	154	<10	<10
Aliphatics >C8-C10	<10 µg/l	TM245	197	<10	588	804	<10	<10
Aliphatics >C10-C12	<10 µg/l	TM245	849	<10	1300	3390	<10	<10
Aliphatics >C12-C16 (aq)	<10 µg/l	TM174	<10	415	40		<50	13
Aliphatics >C16-C21 (aq)	<10 µg/l	TM174	<10	612	109		387	18
Aliphatics >C21-C35 (aq)	<10 µg/l	TM174	<10	352	398		3750	140
Total Aliphatics >C12-C35 (aq)	<10 µg/l	TM174	<10	1380	547		4160	171
Aromatics >EC5-EC7	<10 µg/l	TM245	516	<10	4920	746	<10	<10
Aromatics >EC7-EC8	<10 µg/l	TM245	45	<10	1870	538	<10	<10
Aromatics >EC8-EC10	<10 µg/l	TM245	438	<10	1230	2060	<10	<10
Aromatics >EC10-EC12	<10 µg/l	TM245	566	<10	869	2260	<10	<10
Aromatics >EC12-EC16 (aq)	<10 µg/l	TM174	372	37	6400		<50	<10
Aromatics >EC16-EC21 (aq)	<10 µg/l	TM174	246	156	1540		359	35
Aromatics >EC21-EC35 (aq)	<10 µg/l	TM174	142	356	2820		4550	227
Total Aromatics >EC12-EC35 (aq)	<10 µg/l	TM174	760	549	10800		4930	262
Total Aliphatics & Aromatics >C5-35 (aq)	<10 µg/l	TM174	3430	1930	22300	30100	9090	444
Total Aliphatics >C5-C35 (aq)	<10 µg/l	TM174	1140	1380	2700	6910	4160	178
Total Aromatics >C6-C35 (aq)	<10 µg/l	TM174	2300	551	19600	23200	4930	266
Total Aliphatics >C5-C12	<10 µg/l	TM245	1140	<10	2150	4370	<10	<10
Total Aromatics >EC5-EC12	<10 µg/l	TM245	1540	<10	8880	5610	<10	<10

CERTIFICATE OF ANALYSIS

SDG: 110127-70
Job: D_MOUCHEL_DLG-1
Client Reference: Limerick Gasworks

Location: Limerick Gasworks
Customer: Mouchel
Attention: Dave Watts

Order Number: 4500063958
Report Number: 114955
Superseded Report:

TPH CWG (W)

Results Legend		Customer Sample R	J10	K1	K5	M3	
#	ISO17025 accredited.	Depth (m)			<td><td></td></td>	<td></td>	
M	mCERTS accredited.	Sample Type					
§	Non-conforming work.	Date Sampled					
aq	Aqueous / settled sample.	Date Received					
dissfilt	Dissolved / filtered sample.	SDG Ref					
tot.unfilt	Total / unfiltered sample.	Lab Sample No.(s)					
*	subcontracted test.	AGS Reference					
**	% recovery of the surrogate standard to check the efficiency of the method. The results of the individual compounds within the samples are not corrected for this recovery.						
Component	LOD/Units	Method					
Methyl tertiary butyl ether (MTBE)	<3 µg/l	TM245	<3	<3	<30	<3	
Benzene	<7 µg/l	TM245	<7	#	15300	<7	
Toluene	<4 µg/l	TM245	<4	#	5350	<4	
Ethylbenzene	<5 µg/l	TM245	<5	#	275	<5	
m,p-Xylene	<8 µg/l	TM245	<8	#	1770	<8	
o-Xylene	<3 µg/l	TM245	<3	#	735	<3	
m,p,o-Xylene	<10 µg/l	TM245	<10		2510	<10	
Total Aliphatics & Aromatics >C12-C35	<10 µg/l	TM174	<10	46	52100	<10	
BTEX, Total	<10 µg/l	TM245	<10	<10	23400	<10	
Aliphatics >C5-C6	<10 µg/l	TM245	<10	<10	188	<10	
Aliphatics >C6-C8	<10 µg/l	TM245	<10	<10	1480	<10	
Aliphatics >C8-C10	<10 µg/l	TM245	<10	<10	2410	<10	
Aliphatics >C10-C12	<10 µg/l	TM245	<10	<10	9680	<10	
Aliphatics >C12-C16 (aq)	<10 µg/l	TM174	<10	<10	768	<10	
Aliphatics >C16-C21 (aq)	<10 µg/l	TM174	<10	<10	585	<10	
Aliphatics >C21-C35 (aq)	<10 µg/l	TM174	<10	<10	612	<10	
Total Aliphatics >C12-C35 (aq)	<10 µg/l	TM174	<10	<10	1970	<10	
Aromatics >EC5-EC7	<10 µg/l	TM245	<10	<10	15300	<10	
Aromatics >EC7-EC8	<10 µg/l	TM245	<10	<10	5350	<10	
Aromatics >EC8-EC10	<10 µg/l	TM245	<10	<10	4390	<10	
Aromatics >EC10-EC12	<10 µg/l	TM245	<10	<10	6450	<10	
Aromatics >EC12-EC16 (aq)	<10 µg/l	TM174	<10	<10	40800	<10	
Aromatics >EC16-EC21 (aq)	<10 µg/l	TM174	<10	<10	4610	<10	
Aromatics >EC21-EC35 (aq)	<10 µg/l	TM174	<10	46	4710	<10	
Total Aromatics >EC12-EC35 (aq)	<10 µg/l	TM174	<10	46	50100	<10	
Total Aliphatics & Aromatics >C5-35 (aq)	<10 µg/l	TM174	<10	46	97300	<10	
Total Aliphatics >C5-C35 (aq)	<10 µg/l	TM174	<10	<10	15700	<10	
Total Aromatics >C6-C35 (aq)	<10 µg/l	TM174	<10	46	81600	<10	
Total Aliphatics >C5-C12	<10 µg/l	TM245	<10	<10	13800	<10	
Total Aromatics >EC5-EC12	<10 µg/l	TM245	<10	<10	31500	<10	

CERTIFICATE OF ANALYSIS

SDG: 110127-70
Job: D_MOUCHEL_DLG-1
Client Reference: Limerick Gasworks

Location: Limerick Gasworks
Customer: Mouchel
Attention: Dave Watts

Order Number: 4500063958
Report Number: 114955
Superseded Report:

VOC MS (W)

Results Legend		Customer Sample R	A3	A4	A11	C7	D1	G2
#	ISO17025 accredited.							
M	mcERTS accredited.							
§	Non-conforming work.							
diss,filter	Aqueous / settled sample.							
tot,unfilter	Dissolved / filtered sample.							
*	Total / unfiltered sample.							
**	% recovery of the surrogate standard to check the efficiency of the method. The results of the individual compounds within the samples are not corrected for this recovery.							
Component	LOD/Units	Method						
Dibromofluoromethane**	%	TM208	104	105	105	104	99.6	103
Toluene-d8**	%	TM208	98.6	99.3	98.4	99.1	99.4	98.8
4-Bromofluorobenzene**	%	TM208	99.6	99	98.9	99.4	98.7	102
Dichlorodifluoromethane	<7 µg/l	TM208	<7	<7	<7	<7	<7	<7
Chloromethane	<9 µg/l	TM208	<9	#	<9	#	<9	<9
Vinyl chloride	<1.2 µg/l	TM208	<1.2	#	<1.2	#	<1.2	<1.2
Bromomethane	<2 µg/l	TM208	<2	#	<2	#	<2	<2
Chloroethane	<2.5 µg/l	TM208	<2.5	#	<2.5	#	<2.5	<2.5
Trichlorofluoromethane	<1.3 µg/l	TM208	<1.3	#	<1.3	#	<1.3	<1.3
1,1-Dichloroethene	<1.2 µg/l	TM208	<1.2	#	<1.2	#	<1.2	<1.2
Carbon disulphide	<1.3 µg/l	TM208	<1.3	#	<1.3	#	<1.3	4.78
Dichloromethane	<3.7 µg/l	TM208	<3.7	#	<3.7	#	<3.7	<3.7
Methyl tertiary butyl ether (MTBE)	<1.6 µg/l	TM208	<1.6	#	<1.6	#	<1.6	<1.6
trans-1,2-Dichloroethene	<1.9 µg/l	TM208	<1.9	#	<1.9	#	<1.9	<1.9
1,1-Dichloroethane	<1.2 µg/l	TM208	<1.2	#	<1.2	#	<1.2	<1.2
cis-1,2-Dichloroethene	<2.3 µg/l	TM208	<2.3	#	<2.3	#	<2.3	<2.3
2,2-Dichloropropane	<3.8 µg/l	TM208	<3.8	#	<3.8	#	<3.8	<3.8
Bromochloromethane	<1.9 µg/l	TM208	<1.9	#	<1.9	#	<1.9	<1.9
Chloroform	<1.8 µg/l	TM208	<1.8	#	<1.8	#	<1.8	<1.8
1,1,1-Trichloroethane	<1.3 µg/l	TM208	<1.3	#	<1.3	#	<1.3	<1.3
1,1-Dichloropropene	<1.3 µg/l	TM208	<1.3	#	<1.3	#	<1.3	<1.3
Carbontetrachloride	<1.4 µg/l	TM208	<1.4	#	<1.4	#	<1.4	<1.4
1,2-Dichloroethane	<3.3 µg/l	TM208	<3.3	#	<3.3	#	19.1	<3.3
Benzene	<1.3 µg/l	TM208	511	#	<1.3	13.8	5350	880
Trichloroethene	<2.5 µg/l	TM208	<2.5	#	<2.5	#	<2.5	<2.5
1,2-Dichloropropane	<3 µg/l	TM208	<3	#	<3	#	<3	<3
Dibromomethane	<2.7 µg/l	TM208	<2.7	#	<2.7	#	<2.7	<2.7
Bromodichloromethane	<0.9 µg/l	TM208	<0.9	#	<0.9	#	<0.9	<0.9
cis-1,3-Dichloropropene	<1.9 µg/l	TM208	<1.9	#	<1.9	#	<1.9	<1.9
Toluene	<1.4 µg/l	TM208	16.4	#	<1.4	33.4	1650	326
trans-1,3-Dichloropropene	<3.5 µg/l	TM208	<3.5	#	<3.5	#	<3.5	<3.5
1,1,2-Trichloroethane	<2.2 µg/l	TM208	<2.2	#	<2.2	#	<2.2	211
1,3-Dichloropropane	<2.2 µg/l	TM208	<2.2	#	<2.2	#	<2.2	<2.2
Tetrachloroethene	<1.5 µg/l	TM208	<1.5	#	<1.5	#	<1.5	<1.5
Dibromochloromethane	<1.7 µg/l	TM208	<1.7	#	<1.7	#	<1.7	<1.7

For inspection or copyright owner's purposes only.
Consent of copyright owner required for any other use.

CERTIFICATE OF ANALYSIS

SDG: 110127-70
Job: D_MOUCHEL_DLG-1
Client Reference: Limerick Gasworks

Location: Limerick Gasworks
Customer: Mouchel
Attention: Dave Watts

Order Number: 4500063958
Report Number: 114955
Superseded Report:

VOC MS (W)

Results Legend		Customer Sample R	A3	A4	A11	C7	D1	G2
#	ISO17025 accredited.	Depth (m)	2.00 - 4.00	2.00 - 4.00	2.00 - 3.00	2.00 - 3.00	3.00 - 4.00	4.00 - 6.00
M	mCERTS accredited.	Sample Type	Water(GW/SW)	Water(GW/SW)	Water(GW/SW)	Water(GW/SW)	Water(GW/SW)	Water(GW/SW)
§	Non-conforming work.	Date Sampled	26/01/2011	26/01/2011	26/01/2011	26/01/2011	26/01/2011	26/01/2011
aq	Aqueous / settled sample.	Date Received	27/01/2011	27/01/2011	27/01/2011	27/01/2011	27/01/2011	27/01/2011
diss,fil	Dissolved / filtered sample.	SDG Ref	110127-70	110127-70	110127-70	110127-70	110127-70	110127-70
tot,unfilt	Total / unfiltered sample.	Lab Sample No.(s)	2759855	2759856	2759867	2759857	2759872	2759871
*	subcontracted test.	AGS Reference	EW006	EW006	EW006	EW006	EW006	EW006
**	% recovery of the surrogate standard to check the efficiency of the method. The results of the individual compounds within the samples are not corrected for this recovery.							
Component	LOD/Units	Method						
1,2-Dibromoethane	<2.3 µg/l	TM208	<2.3	#	<2.3	#	<2.3	<2.3
Chlorobenzene	<3.5 µg/l	TM208	<3.5	#	<3.5	#	<3.5	<3.5
1,1,1,2-Tetrachloroethane	<1.3 µg/l	TM208	<1.3	#	<1.3	#	<1.3	<1.3
Ethylbenzene	<2.5 µg/l	TM208	206	#	<2.5	#	68.7	239
m,p-Xylene	<2.5 µg/l	TM208	58.4	#	<2.5	#	475	898
o-Xylene	<1.7 µg/l	TM208	60.7	#	<1.7	#	238	462
Styrene	<1.2 µg/l	TM208	<1.2	#	<1.2	#	89.9	<1.2
Bromoform	<3 µg/l	TM208	<3	#	<3	#	<3	<3
Isopropylbenzene	<1.4 µg/l	TM208	16.3	#	<1.4	#	2.24	23.7
1,1,2,2-Tetrachloroethane	<5.2 µg/l	TM208	<5.2		<5.2		<5.2	<5.2
1,2,3-Trichloropropane	<7.8 µg/l	TM208	<7.8	#	<7.8	#	<7.8	<7.8
Bromobenzene	<2 µg/l	TM208	<2	#	<2	#	<2	<2
Propylbenzene	<2.6 µg/l	TM208	7.48	#	<2.6	#	<2.6	25.1
2-Chlorotoluene	<1.9 µg/l	TM208	<1.9	#	<1.9	#	<1.9	<1.9
1,3,5-Trimethylbenzene	<1.8 µg/l	TM208	6.85	#	<1.8	#	33.2	134
4-Chlorotoluene	<1.9 µg/l	TM208	<1.9	#	<1.9	#	<1.9	<1.9
tert-Butylbenzene	<2 µg/l	TM208	<2	#	<2	#	<2	<2
1,2,4-Trimethylbenzene	<1.7 µg/l	TM208	25.3	#	<1.7	#	73.8	369
sec-Butylbenzene	<1.7 µg/l	TM208	<1.7	#	<1.7	#	<1.7	<1.7
4-iso-Propyltoluene	<2.6 µg/l	TM208	<2.6	#	<2.6	#	15.3	15
1,3-Dichlorobenzene	<2.2 µg/l	TM208	<2.2	#	<2.2	#	<2.2	<2.2
1,4-Dichlorobenzene	<2.7 µg/l	TM208	<2.7	#	<2.7	#	<2.7	<2.7
n-Butylbenzene	<2 µg/l	TM208	<2	#	<2	#	<2	<2
1,2-Dichlorobenzene	<3.7 µg/l	TM208	<3.7		<3.7		<3.7	<3.7
1,2-Dibromo-3-chloropropane	<9.8 µg/l	TM208	<9.8		<9.8		<9.8	<9.8
1,2,4-Trichlorobenzene	<2.3 µg/l	TM208	<2.3	#	<2.3	#	<2.3	<2.3
Hexachlorobutadiene	<2.5 µg/l	TM208	<2.5	#	<2.5	#	<2.5	<2.5
tert-Amyl methyl ether (TAME)	<1 µg/l	TM208	<1	#	<1	#	<1	<1
Naphthalene	<3.5 µg/l	TM208	338	#	<3.5	#	2600	<3.5
1,2,3-Trichlorobenzene	<3.1 µg/l	TM208	<3.1	#	<3.1	#	<3.1	<3.1
1,3,5-Trichlorobenzene	<10 µg/l	TM208	<10		<10		<10	<10

CERTIFICATE OF ANALYSIS

SDG: 110127-70
Job: D_MOUCHEL_DLG-1
Client Reference: Limerick Gasworks

Location: Limerick Gasworks
Customer: Mouchel
Attention: Dave Watts

Order Number: 4500063958
Report Number: 114955
Superseded Report:

VOC MS (W)

Results Legend		Customer Sample R	G4	G5	K5	M3		
#	ISO17025 accredited.		Depth (m)	4.00 - 5.00 Water(GW/SW)	3.00 - 5.00 Water(GW/SW)	1.00 - 3.00 Water(GW/SW)	3.00 - 5.00 Water(GW/SW)	
M	mCERTS accredited.	Sample Type	Date Sampled	Date Received	SDG Ref	Lab Sample No.(s)	AGS Reference	
§	Non-conforming work.							
aq	Aqueous / settled sample.							
dissfilt	Dissolved / filtered sample.							
totunfilt	Total / unfiltered sample.							
*	subcontracted test.							
**	% recovery of the surrogate standard to check the efficiency of the method. The results of the individual compounds within the samples are not corrected for this recovery.							
Component	LOD/Units	Method						
Dibromofluoromethane**	%	TM208	100	105	105	105		
Toluene-d8**	%	TM208	98.8	100	95.2	99.7		
4-Bromofluorobenzene**	%	TM208	101	97.8	80.9	98		
Dichlorodifluoromethane	<7 µg/l	TM208	<7	<7	<7	<7		
Chloromethane	<9 µg/l	TM208	<9	#	<9	<9		
Vinyl chloride	<1.2 µg/l	TM208	<1.2	#	<1.2	<1.2		
Bromomethane	<2 µg/l	TM208	<2	#	<2	<2		
Chloroethane	<2.5 µg/l	TM208	<2.5	#	<2.5	<2.5		
Trichlorofluoromethane	<1.3 µg/l	TM208	<1.3	#	<1.3	1.34		
1,1-Dichloroethene	<1.2 µg/l	TM208	<1.2	#	<1.2	<1.2		
Carbon disulphide	<1.3 µg/l	TM208	<1.3	#	<1.3	<1.3		
Dichloromethane	<3.7 µg/l	TM208	<3.7	#	<3.7	<3.7		
Methyl tertiary butyl ether (MTBE)	<1.6 µg/l	TM208	<1.6	#	<1.6	<1.6		
trans-1,2-Dichloroethene	<1.9 µg/l	TM208	<1.9	#	<1.9	<1.9		
1,1-Dichloroethane	<1.2 µg/l	TM208	<1.2	#	<1.2	<1.2		
cis-1,2-Dichloroethene	<2.3 µg/l	TM208	<2.3	#	<2.3	<2.3		
2,2-Dichloropropane	<3.8 µg/l	TM208	<3.8	#	<3.8	<3.8		
Bromochloromethane	<1.9 µg/l	TM208	<1.9	#	<1.9	<1.9		
Chloroform	<1.8 µg/l	TM208	<1.8	#	<1.8	<1.8		
1,1,1-Trichloroethane	<1.3 µg/l	TM208	<1.3	#	<1.3	6.76		
1,1-Dichloropropene	<1.3 µg/l	TM208	<1.3	#	<1.3	<1.3		
Carbontetrachloride	<1.4 µg/l	TM208	<1.4	#	<1.4	<1.4		
1,2-Dichloroethane	<3.3 µg/l	TM208	<3.3		<3.3	<3.3		
Benzene	<1.3 µg/l	TM208	1840	#	<1.3	17200		
Trichloroethene	<2.5 µg/l	TM208	<2.5	#	<2.5	11		
1,2-Dichloropropane	<3 µg/l	TM208	<3	#	<3	<3		
Dibromomethane	<2.7 µg/l	TM208	<2.7	#	<2.7	<2.7		
Bromodichloromethane	<0.9 µg/l	TM208	<0.9	#	<0.9	<0.9		
cis-1,3-Dichloropropene	<1.9 µg/l	TM208	<1.9	#	<1.9	<1.9		
Toluene	<1.4 µg/l	TM208	1460	#	<1.4	5300		
trans-1,3-Dichloropropene	<3.5 µg/l	TM208	<3.5	#	<3.5	<3.5		
1,1,2-Trichloroethane	<2.2 µg/l	TM208	<2.2	#	<2.2	<2.2		
1,3-Dichloropropane	<2.2 µg/l	TM208	<2.2	#	<2.2	<2.2		
Tetrachloroethene	<1.5 µg/l	TM208	<1.5	#	<1.5	2.57		
Dibromochloromethane	<1.7 µg/l	TM208	<1.7	#	<1.7	<1.7		

CERTIFICATE OF ANALYSIS

SDG: 110127-70
Job: D_MOUCHEL_DLG-1
Client Reference: Limerick Gasworks

Location: Limerick Gasworks
Customer: Mouchel
Attention: Dave Watts

Order Number: 4500063958
Report Number: 114955
Superseded Report:

VOC MS (W)

Results Legend		Customer Sample R	G4	G5	K5	M3		
#	ISO17025 accredited.	Depth (m)	4.00 - 5.00	3.00 - 5.00	1.00 - 3.00	3.00 - 5.00		
M	mCERTS accredited.	Sample Type	Water(GW/SW)	Water(GW/SW)	Water(GW/SW)	Water(GW/SW)		
§	Non-conforming work.	Date Sampled	26/01/2011	26/01/2011	26/01/2011	26/01/2011		
aq	Aqueous / settled sample.	Date Received	27/01/2011	27/01/2011	27/01/2011	27/01/2011		
diss,fil	Dissolved / filtered sample.	SDG Ref	110127-70	110127-70	110127-70	110127-70		
tot,unfilt	Total / unfiltered sample.	Lab Sample No.(s)	2759869	2759873	2759858	2759862		
*	subcontracted test.	AGS Reference	EW006	EW006	EW006	EW006		
**	% recovery of the surrogate standard to check the efficiency of the method. The results of the individual compounds within the samples are not corrected for this recovery.							
Component	LOD/Units	Method						
1,2-Dibromoethane	<2.3 µg/l	TM208	<2.3	#	<2.3	#	<2.3	#
Chlorobenzene	<3.5 µg/l	TM208	<3.5	#	<3.5	#	<3.5	#
1,1,1,2-Tetrachloroethane	<1.3 µg/l	TM208	<1.3	#	<1.3	#	<1.3	#
Ethylbenzene	<2.5 µg/l	TM208	23	#	<2.5	#	<2.5	#
m,p-Xylene	<2.5 µg/l	TM208	1030	#	<2.5	#	<2.5	#
o-Xylene	<1.7 µg/l	TM208	547	#	<1.7	#	<1.7	#
Styrene	<1.2 µg/l	TM208	<1.2	#	<1.2	#	<1.2	#
Bromoform	<3 µg/l	TM208	<3	#	<3	#	<3	#
Isopropylbenzene	<1.4 µg/l	TM208	2.44	#	<1.4	#	<1.4	#
1,1,2,2-Tetrachloroethane	<5.2 µg/l	TM208	<5.2		<5.2		<5.2	
1,2,3-Trichloropropane	<7.8 µg/l	TM208	<7.8	#	<7.8	#	<7.8	#
Bromobenzene	<2 µg/l	TM208	<2	#	<2	#	<2	#
Propylbenzene	<2.6 µg/l	TM208	<2.6	#	<2.6	#	<2.6	#
2-Chlorotoluene	<1.9 µg/l	TM208	<1.9	#	<1.9	#	<1.9	#
1,3,5-Trimethylbenzene	<1.8 µg/l	TM208	127	#	<1.8	#	<1.8	#
4-Chlorotoluene	<1.9 µg/l	TM208	<1.9	#	<1.9	#	<1.9	#
tert-Butylbenzene	<2 µg/l	TM208	<2	#	<2	#	<2	#
1,2,4-Trimethylbenzene	<1.7 µg/l	TM208	241	#	<1.7	#	<1.7	#
sec-Butylbenzene	<1.7 µg/l	TM208	<1.7	#	<1.7	#	<1.7	#
4-iso-Propyltoluene	<2.6 µg/l	TM208	13	#	<2.6	#	<2.6	#
1,3-Dichlorobenzene	<2.2 µg/l	TM208	<2.2	#	<2.2	#	<2.2	#
1,4-Dichlorobenzene	<2.7 µg/l	TM208	<2.7	#	<2.7	#	<2.7	#
n-Butylbenzene	<2 µg/l	TM208	<2	#	<2	#	<2	#
1,2-Dichlorobenzene	<3.7 µg/l	TM208	<3.7		<3.7		<3.7	
1,2-Dibromo-3-chloropropane	<9.8 µg/l	TM208	<9.8		<9.8		<9.8	
1,2,4-Trichlorobenzene	<2.3 µg/l	TM208	<2.3	#	<2.3	#	<2.3	#
Hexachlorobutadiene	<2.5 µg/l	TM208	<2.5	#	<2.5	#	<2.5	#
tert-Amyl methyl ether (TAME)	<1 µg/l	TM208	<1	#	<1	#	<1	#
Naphthalene	<3.5 µg/l	TM208	12.3	#	<3.5	#	<3.5	#
1,2,3-Trichlorobenzene	<3.1 µg/l	TM208	<3.1	#	<3.1	#	<3.1	#
1,3,5-Trichlorobenzene	<10 µg/l	TM208	<10		<10		<10	

CERTIFICATE OF ANALYSIS

SDG: 110127-70
Job: D_MOUCHEL_DLG-1
Client Reference: Limerick Gasworks

Location: Limerick Gasworks
Customer: Mouchel
Attention: Dave Watts

Order Number: 4500063958
Report Number: 114955
Superseded Report:

Table of Results - Appendix

REPORT KEY

Results expressed as (e.g.) 1.03E-07 is equivalent to 1.03x10⁻⁷

NDP	No Determination Possible	#	ISO 17025 Accredited	*	Subcontracted Test	M	MCERTS Accredited
NFD	No Fibres Detected	PFD	Possible Fibres Detected	»	Result previously reported (Incremental reports only)	EC	Equivalent Carbon (Aromatics C8-C35)

Note: Method detection limits are not always achievable due to various circumstances beyond our control

Method No	Reference	Description	Wet/Dry Sample ¹	Surrogate Corrected
TM061	Method for the Determination of EPH, Massachusetts Dept.of EP, 1998	Determination of Extractable Petroleum Hydrocarbons by GC-FID (C10-C40)		
TM099	BS 2690: Part 7:1968 / BS 6068: Part 2.11:1984	Determination of Ammonium in Water Samples using the Kone Analyser		
TM101	Method 4500B & C, AWWA/APHA, 20th Ed., 1999	Determination of Sulphide in soil and water samples using the Kone Analyser		
TM152	Method 3125B, AWWA/APHA, 20th Ed., 1999	Analysis of Aqueous Samples by ICP-MS		
TM174	Analysis of Petroleum Hydrocarbons in Environmental Media – Total Petroleum Hydrocarbon Criteria	Determination of Speciated Extractable Petroleum Hydrocarbons in Waters by GC-FID		
TM178	Modified: US EPA Method 8100	Determination of Polynuclear Aromatic Hydrocarbons (PAH) by GC-MS in Waters		
TM183	BS EN 23506:2002, (BS 6068-2.74:2002) ISBN 0 580 38924 3	Determination of Trace Level Mercury in Waters and Leachates by PSA Cold Vapour Atomic Fluorescence Spectrometry		
TM184	EPA Methods 325.1 & 325.2,	The Determination of Anions in Aqueous Matrices using the Kone Spectrophotometric Analysers		
TM208	Modified: US EPA Method 8260b & 624	Determination of Volatile Organic Compounds by Headspace / GC-MS in Waters		
TM227	Standard methods for the examination of waters and wastewaters 20th Edition, AWWA/APHA Method 4500.	Determination of Total Cyanide, Free (Easily Liberatable) Cyanide and Thiocyanate		
TM241	Methods for the Examination of Waters and Associated Materials; Chromium in Raw and Potable Waters and Sewage Effluents 1980.	The Determination of Hexavalent Chromium in Waters and Leachates using the Kone Analyser		
TM245	By GC-FID	Determination of CrO ₆ ²⁻ by Headspace in waters		
TM256	The measurement of Electrical Conductivity and the Laboratory determination of pH Value of Natural, Treated and Wastewaters. HMSO, 1978. ISBN 011 751428 4.	Determination of pH in Water and Leachate using the GLpH pH Meter		
TM259	by HPLC	Determination of Phenols in Waters and Leachates by HPLC		

¹ Applies to Solid samples only. DRY indicates samples have been dried at 35°C. NA = not applicable.

Consent of copyright owner required for any reuse.

CERTIFICATE OF ANALYSIS

SDG: 110127-70
 Job: D_MOUCHEL_DLG-1
 Client Reference: Limerick Gasworks

Location: Limerick Gasworks
 Customer: Mouchel
 Attention: Dave Watts

Order Number: 4500063958
 Report Number: 114955
 Superseded Report:

Test Completion Dates

Lab Sample No(s) Customer Sample Ref.	2759855	2759856	2759867	2759857	2759872	2759854	2759871	2759869	2759873	2759861
	A3	A4	A11	C7	D1	D5	G2	G4	G5	H12
	AGS Ref.	EW006								
	Depth Type	2.00 - 4.00	2.00 - 4.00	2.00 - 3.00	2.00 - 3.00	3.00 - 4.00	1.50 - 2.50	4.00 - 6.00	4.00 - 5.00	3.00 - 5.00
Ammoniacal Nitrogen	01-Feb-2011	01-Feb-2011		01-Feb-2011		01-Feb-2011				01-Feb-2011
Anions by Kone (w)	28-Jan-2011	28-Jan-2011		28-Jan-2011		28-Jan-2011				31-Jan-2011
Cyanide Comp/Free/Total/Thiocyanate	01-Feb-2011	01-Feb-2011		01-Feb-2011		01-Feb-2011				01-Feb-2011
Dissolved Metals by ICP-MS	31-Jan-2011	31-Jan-2011		31-Jan-2011		31-Jan-2011				28-Jan-2011
EPH CWG (Aliphatic) Aqueous GC (W)	02-Feb-2011	02-Feb-2011		02-Feb-2011		02-Feb-2011				02-Feb-2011
EPH CWG (Aromatic) Aqueous GC (W)	02-Feb-2011	02-Feb-2011		02-Feb-2011		02-Feb-2011				02-Feb-2011
GRO by GC-FID (W)	04-Feb-2011	07-Feb-2011		07-Feb-2011	04-Feb-2011	07-Feb-2011				03-Feb-2011
Hexavalent Chromium (w)	01-Feb-2011	01-Feb-2011		01-Feb-2011		01-Feb-2011				31-Jan-2011
Mercury Dissolved	31-Jan-2011	31-Jan-2011		31-Jan-2011		31-Jan-2011				31-Jan-2011
PAH Spec MS - Aqueous (W)	03-Feb-2011	03-Feb-2011		06-Feb-2011	04-Feb-2011	03-Feb-2011				02-Feb-2011
pH Value	28-Jan-2011	28-Jan-2011		28-Jan-2011		28-Jan-2011				31-Jan-2011
Phenols by HPLC (W)	31-Jan-2011	31-Jan-2011		31-Jan-2011		31-Jan-2011				31-Jan-2011
Sulphide	28-Jan-2011	28-Jan-2011		28-Jan-2011	31-Jan-2011	28-Jan-2011				28-Jan-2011
TPH CWG (W)	04-Feb-2011	07-Feb-2011		07-Feb-2011	04-Feb-2011	07-Feb-2011				03-Feb-2011
VOC MS (W)	07-Feb-2011	07-Feb-2011	07-Feb-2011	09-Feb-2011	09-Feb-2011	09-Feb-2011	09-Feb-2011	09-Feb-2011	09-Feb-2011	07-Feb-2011

Lab Sample No(s) Customer Sample Ref.	2759859	2759860	2759858	2759862
	J10	K1	K5	M3
	AGS Ref.	EW006	EW006	EW006
	Depth Type	1.00 - 2.00	2.00 - 4.00	1.00 - 3.00
Ammoniacal Nitrogen	01-Feb-2011	01-Feb-2011	01-Feb-2011	01-Feb-2011
Anions by Kone (w)	31-Jan-2011	31-Jan-2011	31-Jan-2011	31-Jan-2011
Cyanide Comp/Free/Total/Thiocyanate	01-Feb-2011	01-Feb-2011	01-Feb-2011	01-Feb-2011
Dissolved Metals by ICP-MS	28-Jan-2011	28-Jan-2011	28-Jan-2011	28-Jan-2011
EPH CWG (Aliphatic) Aqueous GC (W)	02-Feb-2011	02-Feb-2011	02-Feb-2011	02-Feb-2011
EPH CWG (Aromatic) Aqueous GC (W)	02-Feb-2011	02-Feb-2011	02-Feb-2011	02-Feb-2011
GRO by GC-FID (W)	03-Feb-2011	03-Feb-2011	07-Feb-2011	03-Feb-2011
Hexavalent Chromium (w)	31-Jan-2011	31-Jan-2011	31-Jan-2011	01-Feb-2011
Mercury Dissolved	31-Jan-2011	31-Jan-2011	31-Jan-2011	31-Jan-2011
PAH Spec MS - Aqueous (W)	03-Feb-2011	02-Feb-2011	06-Feb-2011	02-Feb-2011
pH Value	31-Jan-2011	31-Jan-2011	31-Jan-2011	31-Jan-2011
Phenols by HPLC (W)	31-Jan-2011	31-Jan-2011	31-Jan-2011	31-Jan-2011
Sulphide	28-Jan-2011	28-Jan-2011	28-Jan-2011	28-Jan-2011
TPH CWG (W)	03-Feb-2011	03-Feb-2011	07-Feb-2011	03-Feb-2011
VOC MS (W)			09-Feb-2011	05-Feb-2011

Content of this section is retained for any other use.

CERTIFICATE OF ANALYSIS

SDG: 110127-70
Job: D_MOUCHEL_DLG-1
Client Reference: Limerick Gasworks

Location: Limerick Gasworks
Customer: Mouchel
Attention: Dave Watts

Order Number: 4500063958
Report Number: 114955
Superseded Report:

Appendix

1. Results are expressed on a dry weight basis (dried at 35°C) for all soil analyses except for the following: NRA Leach tests, flash point, ammonium as NH4 by the BRE method, VOC TICS, SVOC TICS, TOF-MS SCAN/SEARCH and TOF-MS TICS.

2. Samples will be run in duplicate upon request, but an additional charge may be incurred.

3. If sufficient sample is received a sub sample will be retained free of charge for 30 days after analysis is completed (e-mailed) for both soil jars, tubs and volatile jars. All waters and vials will be discarded 10 days after the analysis is completed (e-mailed). All material removed during an asbestos containing material screen and analysed for the presence of asbestos will be retained for a period of 6 months after the analysis date. All samples received and not scheduled will be disposed of one month after the date of receipt unless we are instructed to the contrary. Once the initial period has expired, a storage charge will be applied for each month or part thereof until the client cancels the request for sample storage. ALcontrol Laboratories reserve the right to charge for samples received and stored but not analysed.

4. With respect to turnaround, we will always endeavour to meet client requirements wherever possible, but turnaround times cannot be absolutely guaranteed due to so many variables beyond our control.

5. We take responsibility for any test performed by sub-contractors (marked with an asterisk). We endeavour to use UKAS/MCERTS Accredited Laboratories, who either complete a quality questionnaire or are audited by ourselves. For some determinants there are no UKAS/MCERTS Accredited Laboratories, in this instance a laboratory with a known track record will be utilised.

6. When requested, the individual sub sample scheduled will be screened in house for the presence of large asbestos containing material fragments/pieces. If no asbestos containing material is found this will be reported as 'no asbestos containing material detected'. If asbestos containing material is detected it will be removed and analysed by our documented in house method TM048 based on HSG 248 (2005), which is accredited to ISO17025. If asbestos containing material is present no further analysis will be undertaken. At no point is the fibre content of the soil sample determined.

7. If no separate volatile sample is supplied by the client, the integrity of the data may be compromised if the laboratory is required to create a sub-sample from the bulk sample -similarly, if a headspace or sediment is present in the volatile sample. This will be flagged up as an invalid VOC on the test schedule or recorded on the log sheet.

8. If appropriate preserved bottles are not received preservation will take place on receipt. However, the integrity of the data may be compromised.

9. NDP -No determination possible due to insufficient/unsuitable sample.

10. Metals in water are performed on a filtered sample, and therefore represent dissolved metals -total metals must be requested separately.

11. A table containing the date of analysis for each parameter is not routinely included with the report, but is available upon request.

12. Results relate only to the items tested

13. Surrogate recoveries -Most of our organic methods include surrogates, the recovery of which is monitored and reported. For EPH, MO, PAH, GRO and VOCs on soils the result is not surrogate corrected, but a percentage recovery is quoted. Acceptable limits for most organic methods are 70 -130 %.

14. Product analyses -Organic analyses on products can only be semi-quantitative due to the matrix effects and high dilution factors employed.

15. Phenols monohydric by HPLC include phenol, cresols (2-Methylphenol, 3-Methylphenol and 4-Methylphenol) and Xylenols (2,3 Dimethylphenol, 2,4 Dimethylphenol, 2,5 Dimethylphenol, 2,6 Dimethylphenol, 3,4 Dimethylphenol, 3,5 Dimethylphenol).

16. Total of 5 speciated phenols by HPLC includes Phenol, 2,3,5-Trimethyl Phenol, 2-Isopropylphenol, Cresols and Xylenols (as detailed in 14).

17. Stones/debris are not routinely removed. We always endeavour to take a representative sub sample from the received sample.

18. Our MCERTS accreditation for PAHs by GCMS applies to all product types apart from Kerosene, where naphthalene only is not accredited.

19. In certain circumstances the method detection limit may be elevated due to the sample being outside the calibration range. Other factors that may contribute to this include possible interferences. In both cases the sample would be diluted which would cause the method detection limit to be raised.

20. Mercury results quoted on soils will not include volatile mercury as the analysis is performed on a dried and crushed sample.

21. For the BSEN 12457-3 two batch process to allow the cumulative release to be calculated, the volume of the leachate produced is measured and filtered for all tests. We therefore cannot carry out any unfiltered analysis. The tests affected include volatiles GCFID/GCMS and all subcontracted analysis.

22. For all leachate preparations (NRA, DIN, TCLP, BSEN 12457-1, 2, 3) volatile loss may occur, as we do not employ zero headspace extraction.

23. We are accredited to MCERTS for sand, clay and loam/topsoil, or any of these materials -whether these are derived from naturally occurring soil profiles, or from fill/made ground, as long as these materials constitute the major part of the sample. Other coarse granular material such as concrete, gravel and brick are not accredited if they comprise the major part of the sample.

24. Analysis and identification of specific compounds using GCFID is by retention time only, and we routinely calibrate and quantify for benzene, toluene, ethylbenzenes and xylenes (BTEX). For total volatiles in the C4-C10 range, the total area of the chromatogram is integrated and expressed as ug/kg or ug/l. Although this analysis is commonly used for the quantification of gasoline range organics (GRO), the system will also detect other compounds such as chlorinated solvents, and this may lead to a falsely high result with respect to hydrocarbons only. It is not possible to specifically identify these non-hydrocarbons, as standards are not routinely run for any other compounds, and for more definitive identification, volatiles by GCMS should be utilised.

SOLID MATRICES EXTRACTION SUMMARY				
ANALYSIS	D/C OR WET	EXTRACTION SOLVENT	EXTRACTION METHOD	ANALYSIS
SOLVENT EXTRACTABLE MATTER	D&C	DCM	SOXOTHERM	GRAVIMETRIC
CYCLOHEXANE EXT. MATTER	D&C	CYCLOHEXANE	SOXOTHERM	GRAVIMETRIC
THIN LAYER CHROMATOGRAPHY	D&C	DCM	SOXOTHERM	ATROSCAN
ELEMENTAL SULPHUR	D&C	DCM	SOXOTHERM	HPLC
PHENOLS BY GCMS	WET	DCM	SOXOTHERM	GCMS
HERBICIDES	D&C	HBANEACETONE	SOXOTHERM	GCMS
PESTICIDES	D&C	HBANEACETONE	SOXOTHERM	GCMS
EPH (DRO)	D&C	HBANEACETONE	END OVEREND	GCFID
EPH (MINOL)	D&C	HBANEACETONE	END OVEREND	GCFID
EPH (CLEANED UP)	D&C	HBANEACETONE	END OVEREND	GCFID
EPH OAG BY GC	D&C	HBANEACETONE	END OVEREND	GCFID
POB TOT / POB CON	D&C	HBANEACETONE	END OVEREND	GCMS
POLYAROMATIC HYDROCARBONS (MS)	WET	HBANEACETONE	MICROWAVE TM216.	GCMS
C8-C40(C6-C40)EZ FLASH	WET	HBANEACETONE	SHAKER	GCEZ
POLYAROMATIC HYDROCARBONS HARD GC	WET	HBANEACETONE	SHAKER	GCEZ
SEM VOLATILE ORGANIC COMPOUNDS	WET	DCM ACETONE	SONICATE	GCMS

LIQUID MATRICES EXTRACTION SUMMARY			
ANALYSIS	EXTRACTION SOLVENT	EXTRACTION METHOD	ANALYSIS
PAHMS	HEXANE	STIRRED EXTRACTION(STIR-BAR)	GCMS
EPH	HEXANE	STIRRED EXTRACTION(STIR-BAR)	GCFID
EPH OAG	HEXANE	STIRRED EXTRACTION(STIR-BAR)	GCFID
MINERAL OIL	HEXANE	STIRRED EXTRACTION(STIR-BAR)	GCFID
POB 7 CONGENERS	HEXANE	STIRRED EXTRACTION(STIR-BAR)	GCMS
POB TOTAL	HEXANE	STIRRED EXTRACTION(STIR-BAR)	GCMS
SVOC	DCM	Liquid/Liquid Shake	GCMS
FREESULPHUR	DCM	SOLID PHASE EXTRACTION	HPLC
PEST OCP/OPP	DCM	Liquid/Liquid Shake	GCMS
TRIAZINE HERBS	DCM	Liquid/Liquid Shake	GCMS
PHENOLS MS	DCM	SOLID PHASE EXTRACTION	GCMS
THI by INFRARED (R)	TCE	Liquid/Liquid Shake	HPLC
MINERAL OIL by R	TCE	Liquid/Liquid Shake	HPLC
GLYCOLS	NONE	DIRECT INJECTION	GCMS

Identification of Asbestos in Bulk Materials

The results for asbestos identification for soil samples are obtained from possible Asbestos Containing Material, removed during the 'Screening of soils for Asbestos Containing Materials', which have been examined to determine the presence of asbestos fibres using Alcontrol Laboratories (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

Asbestos Type	Common Name
Chrysotile	White Asbestos
Amosite	Brown Asbestos
Crocidolite	Blue Asbestos
Fibrous Asbestite	-
Fibrous Anthophyllite	-
Fibrous Tremolite	-

Visual Estimation Of Fibre Content

Estimation of fibre content is not permitted as part of our UKAS accredited test other than:- Trace -Where only one or two asbestos fibres were identified.

Further guidance on typical asbestos fibre content of manufactured products can be found in MDHS 100.

The identification of asbestos containing materials falls within our schedule of tests for which we hold UKAS accreditation, however opinions, interpretations and all other information contained in the report are outside the scope of UKAS accreditation.

Mouchel
Marina House
2nd Floor
Clarence Street
Dun Laoghaire
Co Dublin

Attention: David Megson

CERTIFICATE OF ANALYSIS

Date: 10 May 2011
Customer: D_MOUCHEL_DLG
Sample Delivery Group (SDG): 110428-57
Your Reference: Limerick Gasworks
Location: Limerick Gasworks
Report No: 128147

We received 19 samples on Thursday April 28, 2011 and 19 of these samples were scheduled for analysis which was completed on Tuesday May 10, 2011. Accredited laboratory tests are defined within the report, but opinions, interpretations and on-site data expressed herein are outside the scope of ISO 17025 accreditation.

Should this report require incorporation into client reports, it must be used in its entirety and not simply with the data sections alone.

All chemical testing (unless subcontracted) is performed at ALcontrol Hawarden Laboratories.

Asbestos testing - we are not accredited for screening soil samples for asbestos fibres. We are only accredited to identify asbestos fibres in bulk material (ACM).

For inspection purposes only
Consent of copyright owner required for any other use

Approved By:



Sonia McWhan

Operations Manager



1291
GROUP

Alcontrol Laboratories is a trading division of ALcontrol UK Limited
Registered Office: Units 7 & 8 Hawarden Business Park, Manor Road, Hawarden, Deeside, CH5 3US. Registered in England and Wales No.

CERTIFICATE OF ANALYSIS

SDG: 110428-57
Job: D_MOUCHEL_DLG-1
Client Reference: Limerick Gasworks

Location: Limerick Gasworks
Customer: Mouchel
Attention: Dave Watts

Order Number: 4500073063
Report Number: 128147
Superseded Report:

Received Sample Overview

Lab Sample No(s)	Customer Sample Ref.	AGS Ref.	Depth (m)	Sampled Date
3376168	A3	EW007	2.00 - 3.00	27/04/2011
3376169	A4	EW007	2.00 - 3.00	27/04/2011
3376178	C11	EW007	1.50 - 2.00	27/04/2011
3376166	D5	EW007	1.80 - 2.40	27/04/2011
3376177	E8	EW007	1.50 - 2.50	27/04/2011
3376181	F11	EW007	4.00 - 5.00	27/04/2011
3376184	G3	EW007	4.00 - 5.00	27/04/2011
3376179	G8	EW007	1.40 - 2.40	27/04/2011
3376175	H12	EW007	3.00 - 4.00	27/04/2011
3376172	J10	EW007	1.00 - 2.00	27/04/2011
3376173	K1	EW007	3.00 - 4.00	27/04/2011
3376176	M3	EW007	3.00 - 5.00	27/04/2011

Only received samples which have had analysis scheduled will be shown on the following pages.

For inspection purposes only.
 Consent of copyright owner required for any other use.



CERTIFICATE OF ANALYSIS

SDG: 110428-57
Job: D_MOUCHEL_DLG-1
Client Reference: Limerick Gasworks

Location: Limerick Gasworks
Customer: Mouchel
Attention: Dave Watts

Order Number: 4500073063
Report Number: 128147
Superseded Report:

LIQUID Results Legend X Test N No Determination Possible	Lab Sample No(s)		Customer Sample Reference	AGS Reference	Depth (m)	Container	3376175	H12	EW007	3.00 - 4.00	Vial					
							3376181	F11	EW007	4.00 - 5.00	1l green glass bottle					
							3376178	C11	EW007	1.50 - 2.00	1plastic Vial					
							3376182	A11	EW007	1.80 - 2.30	1l green glass bottle					
							3376172	J10	EW007	1.00 - 2.00	1plastic Vial					
Ammoniacal Nitrogen	All	NDPs: 0 Tests: 19					3376177	E8	EW007	1.50 - 2.50	1l green glass bottle					
Anions by Kone (w)	All	NDPs: 0 Tests: 19					3376171	K5	EW007	1.00 - 2.00	1plastic Vial					
Cyanide Comp/Free/Total/Thiocyanate	All	NDPs: 0 Tests: 19					3376166	D5	EW007	1.80 - 2.40	1l green glass bottle					
Dissolved Metals by ICP-MS	All	NDPs: 0 Tests: 19					3376169	A4	EW007	2.00 - 3.00	1plastic Vial					
EPH CWG (Aliphatic) Aqueous GC (W)	All	NDPs: 0 Tests: 19					3376176	M3	EW007	3.00 - 5.00	1l green glass bottle					
EPH CWG (Aromatic) Aqueous GC (W)	All	NDPs: 0 Tests: 19					3376168	A3	EW007	2.00 - 3.00	1plastic Vial					
GRO by GC-FID (W)	All	NDPs: 0 Tests: 19					3376173	K1	EW007	3.00 - 4.00	1l green glass bottle					
Hexavalent Chromium (w)	All	NDPs: 0 Tests: 19								1plastic Vial						
Mercury Dissolved	All	NDPs: 0 Tests: 19								1l green glass bottle						
PAH Spec MS - Aqueous (W)	All	NDPs: 0 Tests: 19								1plastic Vial						
pH Value	All	NDPs: 0 Tests: 19								1l green glass bottle						
Phenols by HPLC (W)	All	NDPs: 0 Tests: 19								1plastic Vial						
Sulphide	All	NDPs: 0 Tests: 19								1l green glass bottle						
TPH CWG (W)	All	NDPs: 0 Tests: 19								1plastic Vial						
VOC MS (W)	All	NDPs: 0 Tests: 10								1plastic Vial						



CERTIFICATE OF ANALYSIS

SDG: 110428-57
 Job: D_MOUCHEL_DLG-1
 Client Reference: Limerick Gasworks

Location: Limerick Gasworks
 Customer: Mouchel
 Attention: Dave Watts

Order Number: 4500073063
 Report Number: 128147
 Superseded Report:

LIQUID Results Legend	Lab Sample No(s)		Customer Sample Reference	AGS Reference	Depth (m)	Container	3376182	A11	EW007	1.80 - 2.30	Vial	
							3376190	G5	EW007	5.00 - 6.00	1plastic	
							3376183	G4	EW007	2.80 - 3.00	1green glass bottle	
							3376184	G3	EW007	4.00 - 5.00	1plastic	
Ammoniacal Nitrogen	All	NDPs: 0 Tests: 19					X	X	X	X	X	X
Anions by Kone (w)	All	NDPs: 0 Tests: 19					X	X	X	X	X	X
Cyanide Comp/Free/Total/Thiocyanate	All	NDPs: 0 Tests: 19					X	X	X	X	X	X
Dissolved Metals by ICP-MS	All	NDPs: 0 Tests: 19					X	X	X	X	X	X
EPH CWG (Aliphatic) Aqueous GC (W)	All	NDPs: 0 Tests: 19					X	X	X	X	X	X
EPH CWG (Aromatic) Aqueous GC (W)	All	NDPs: 0 Tests: 19					X	X	X	X	X	X
GRO by GC-FID (W)	All	NDPs: 0 Tests: 19					X	X	X	X	X	X
Hexavalent Chromium (w)	All	NDPs: 0 Tests: 19					X	X	X	X	X	X
Mercury Dissolved	All	NDPs: 0 Tests: 19					X	X	X	X	X	X
PAH Spec MS - Aqueous (W)	All	NDPs: 0 Tests: 19					X	X	X	X	X	X
pH Value	All	NDPs: 0 Tests: 19					X	X	X	X	X	X
Phenols by HPLC (W)	All	NDPs: 0 Tests: 19					X	X	X	X	X	X
Sulphide	All	NDPs: 0 Tests: 19					X	X	X	X	X	X
TPH CWG (W)	All	NDPs: 0 Tests: 19					X	X	X	X	X	X
VOC MS (W)	All	NDPs: 0 Tests: 10					X	X	X	X	X	X

CERTIFICATE OF ANALYSIS

SDG: 110428-57
Job: D_MOUCHEL_DLG-1
Client Reference: Limerick Gasworks

Location: Limerick Gasworks
Customer: Mouchel
Attention: Dave Watts

Order Number: 4500073063
Report Number: 128147
Superseded Report:

CERTIFICATE OF ANALYSIS

SDG: 110428-57
Job: D_MOUCHEL_DLG-1
Client Reference: Limerick Gasworks

Location: Limerick Gasworks
Customer: Mouchel
Attention: Dave Watts

Order Number: 4500073063
Report Number: 128147
Superseded Report:

CERTIFICATE OF ANALYSIS

SDG: 110428-57
Job: D_MOUCHEL_DLG-1
Client Reference: Limerick Gasworks

Location: Limerick Gasworks
Customer: Mouchel
Attention: Dave Watts

Order Number: 4500073063
Report Number: 128147
Superseded Report:

CERTIFICATE OF ANALYSIS

SDG: 110428-57
Job: D_MOUCHEL_DLG-1
Client Reference: Limerick Gasworks

Location: Limerick Gasworks
Customer: Mouchel
Attention: Dave Watts

Order Number: 4500073063
Report Number: 128147
Superseded Report:

CERTIFICATE OF ANALYSIS

SDG: 110428-57
Job: D_MOUCHEL_DLG-1
Client Reference: Limerick Gasworks

Location: Limerick Gasworks
Customer: Mouchel
Attention: Dave Watts

Order Number: 4500073063
Report Number: 128147
Superseded Report:

PAH Spec MS - Aqueous (W)

0.17		0.695	
0.272	#	0.597	#
0.363	#	0.694	#
0.0269	#	0.0788	#
0.0965	#	0.23	#
0.0902	#	0.26	#
5.76		5.49	

CERTIFICATE OF ANALYSIS

SDG: 110428-57
Job: D_MOUCHEL_DLG-1
Client Reference: Limerick Gasworks

Location: Limerick Gasworks
Customer: Mouchel
Attention: Dave Watts

Order Number: 4500073063
Report Number: 128147
Superseded Report:

PAH Spec MS - Aqueous (W)

CERTIFICATE OF ANALYSIS

SDG: 110428-57
Job: D_MOUCHEL_DLG-1
Client Reference: Limerick Gasworks

Location: Limerick Gasworks
Customer: Mouchel
Attention: Dave Watts

Order Number: 4500073063
Report Number: 128147
Superseded Report:

PAH Spec MS - Aqueous (W)

CERTIFICATE OF ANALYSIS

SDG: 110428-57
Job: D_MOUCHEL_DLG-1
Client Reference: Limerick Gasworks

Location: Limerick Gasworks
Customer: Mouchel
Attention: Dave Watts

Order Number: 4500073063
Report Number: 128147
Superseded Report:

PAH Spec MS - Aqueous (W)

#	
1.8	#
1.47	#
1.41	#
0.205	#
0.832	#
0.779	#
10.8	

CERTIFICATE OF ANALYSIS

SDG: 110428-57
Job: D_MOUCHEL_DLG-1
Client Reference: Limerick Gasworks

Location: Limerick Gasworks
Customer: Mouchel
Attention: Dave Watts

Order Number: 4500073063
Report Number: 128147
Superseded Report:

TPH CWG (W)

CERTIFICATE OF ANALYSIS

SDG: 110428-57
Job: D_MOUCHEL_DLG-1
Client Reference: Limerick Gasworks

Location: Limerick Gasworks
Customer: Mouchel
Attention: Dave Watts

Order Number: 4500073063
Report Number: 128147
Superseded Report:

TPH CWG (W)

CERTIFICATE OF ANALYSIS

SDG: 110428-57
Job: D_MOUCHEL_DLG-1
Client Reference: Limerick Gasworks

Location: Limerick Gasworks
Customer: Mouchel
Attention: Dave Watts

Order Number: 4500073063
Report Number: 128147
Superseded Report:

TPH CWG (W)

CERTIFICATE OF ANALYSIS

SDG: 110428-57
Job: D_MOUCHEL_DLG-1
Client Reference: Limerick Gasworks

Location: Limerick Gasworks
Customer: Mouchel
Attention: Dave Watts

Order Number: 4500073063
Report Number: 128147
Superseded Report:

TPH CWG (W)

CERTIFICATE OF ANALYSIS

SDG: 110428-57
Job: D_MOUCHEL_DLG-1
Client Reference: Limerick Gasworks

Location: Limerick Gasworks
Customer: Mouchel
Attention: Dave Watts

Order Number: 4500073063
Report Number: 128147
Superseded Report:

VOC MS (W)

Results Legend		Customer Sample R	A3	A4	A11	C7	D1	G2
#	ISO17025 accredited.							
M	mcERTS accredited.							
§	Non-conforming work.							
diss,fil	Aqueous / settled sample.							
tot,unfil	Dissolved / filtered sample.							
*	Total / unfiltered sample.							
**	% recovery of the surrogate standard to check the efficiency of the method. The results of the individual compounds within the samples are not corrected for this recovery.							
Component	LOD/Units	Method						
Dibromofluoromethane**	%	TM208	105	104	106	103	104	104
Toluene-d8**	%	TM208	97.3	97	98.8	101	96.6	97.1
4-Bromofluorobenzene**	%	TM208	98.7	99.2	99.4	91.9	96.6	97.3
Dichlorodifluoromethane	<7 µg/l	TM208	<7	<7	<7	<7	<7	<7
Chloromethane	<9 µg/l	TM208	<9	#	<9	<9	<9	<9
Vinyl chloride	<1.2 µg/l	TM208	<1.2	#	<1.2	<1.2	<1.2	<1.2
Bromomethane	<2 µg/l	TM208	<2	#	<2	<2	<2	<2
Chloroethane	<2.5 µg/l	TM208	<2.5	#	<2.5	<2.5	<2.5	<2.5
Trichlorofluoromethane	<1.3 µg/l	TM208	<1.3	#	<1.3	<1.3	<1.3	<1.3
1,1-Dichloroethene	<1.2 µg/l	TM208	<1.2	#	<1.2	<1.2	<1.2	<1.2
Carbon disulphide	<1.3 µg/l	TM208	<1.3	#	<1.3	<1.3	<1.3	3.25
Dichloromethane	<3.7 µg/l	TM208	<3.7	#	<3.7	<3.7	<3.7	<3.7
Methyl tertiary butyl ether (MTBE)	<1.6 µg/l	TM208	<1.6	#	<1.6	<1.6	<1.6	<1.6
trans-1,2-Dichloroethene	<1.9 µg/l	TM208	<1.9	#	<1.9	<1.9	<1.9	<1.9
1,1-Dichloroethane	<1.2 µg/l	TM208	<1.2	#	<1.2	<1.2	<1.2	<1.2
cis-1,2-Dichloroethene	<2.3 µg/l	TM208	<2.3	#	<2.3	<2.3	<2.3	<2.3
2,2-Dichloropropane	<3.8 µg/l	TM208	<3.8	#	<3.8	<3.8	<3.8	<3.8
Bromochloromethane	<1.9 µg/l	TM208	<1.9	#	<1.9	<1.9	<1.9	<1.9
Chloroform	<1.8 µg/l	TM208	<1.8	#	<1.8	<1.8	<1.8	<1.8
1,1,1-Trichloroethane	<1.3 µg/l	TM208	<1.3	#	<1.3	<1.3	<1.3	<1.3
1,1-Dichloropropene	<1.3 µg/l	TM208	<1.3	#	<1.3	<1.3	<1.3	<1.3
Carbontetrachloride	<1.4 µg/l	TM208	<1.4	#	<1.4	<1.4	<1.4	<1.4
1,2-Dichloroethane	<3.3 µg/l	TM208	<3.3	#	<3.3	<3.3	<3.3	<3.3
Benzene	<1.3 µg/l	TM208	202	#	<1.3	4.35	16400	919
Trichloroethene	<2.5 µg/l	TM208	<2.5	#	<2.5	<2.5	<2.5	<2.5
1,2-Dichloropropane	<3 µg/l	TM208	<3	#	<3	<3	<3	<3
Dibromomethane	<2.7 µg/l	TM208	<2.7	#	<2.7	<2.7	<2.7	<2.7
Bromodichloromethane	<0.9 µg/l	TM208	<0.9	#	<0.9	<0.9	<0.9	<0.9
cis-1,3-Dichloropropene	<1.9 µg/l	TM208	<1.9	#	<1.9	<1.9	<1.9	<1.9
Toluene	<1.4 µg/l	TM208	3.88	#	<1.4	15.9	5110	217
trans-1,3-Dichloropropene	<3.5 µg/l	TM208	<3.5	#	<3.5	<3.5	<3.5	<3.5
1,1,2-Trichloroethane	<2.2 µg/l	TM208	<2.2	#	<2.2	<2.2	<2.2	<2.2
1,3-Dichloropropane	<2.2 µg/l	TM208	<2.2	#	<2.2	<2.2	<2.2	<2.2
Tetrachloroethene	<1.5 µg/l	TM208	<1.5	#	<1.5	<1.5	<1.5	<1.5
Dibromochloromethane	<1.7 µg/l	TM208	<1.7	#	<1.7	<1.7	<1.7	<1.7

For inspection or copyright owner's purposes only.
Consent of copyright owner required for any other use.

CERTIFICATE OF ANALYSIS

SDG: 110428-57
 Job: D_MOUCHEL_DLG-1
 Client Reference: Limerick Gasworks

Location: Limerick Gasworks
 Customer: Mouchel
 Attention: Dave Watts

Order Number: 4500073063
 Report Number: 128147
 Superseded Report:

VOC MS (W)

Results Legend		Customer Sample R	A3	A4	A11	C7	D1	G2
#	ISO17025 accredited.							
M	mcERTS accredited.							
§	Non-conforming work.							
aq	Aqueous / settled sample.							
diss.fil	Dissolved / filtered sample.							
tot.unfilt	Total / unfiltered sample.							
*	subcontracted test.							
**	% recovery of the surrogate standard to check the efficiency of the method. The results of the individual compounds within the samples are not corrected for this recovery.							
Component	LOD/Units	Method						
1,2-Dibromoethane	<2.3 µg/l	TM208	<2.3	#	<2.3	#	<2.3	#
Chlorobenzene	<3.5 µg/l	TM208	<3.5	#	<3.5	#	<3.5	#
1,1,1,2-Tetrachloroethane	<1.3 µg/l	TM208	<1.3	#	<1.3	#	<1.3	#
Ethylbenzene	<2.5 µg/l	TM208	<2.5	#	<2.5	3.42	151	391
m,p-Xylene	<2.5 µg/l	TM208	40.1	#	<2.5	11.6	1060	681
o-Xylene	<1.7 µg/l	TM208	43	#	<1.7	10.1	482	384
Styrene	<1.2 µg/l	TM208	<1.2	#	<1.2	#	242	<1.2
Bromoform	<3 µg/l	TM208	<3	#	<3	#	<3	<3
Isopropylbenzene	<1.4 µg/l	TM208	2.83	#	<1.4	#	6.42	23.8
1,1,2,2-Tetrachloroethane	<5.2 µg/l	TM208	<5.2		<5.2		<5.2	<5.2
1,2,3-Trichloropropane	<7.8 µg/l	TM208	<7.8	#	<7.8	#	<7.8	<7.8
Bromobenzene	<2 µg/l	TM208	<2	#	<2	#	<2	<2
Propylbenzene	<2.6 µg/l	TM208	<2.6	#	<2.6	<2.6	8.48	29.1
2-Chlorotoluene	<1.9 µg/l	TM208	<1.9	#	<1.9	<1.9	<1.9	<1.9
1,3,5-Trimethylbenzene	<1.8 µg/l	TM208	5.01	#	<1.8	#	55.2	76.3
4-Chlorotoluene	<1.9 µg/l	TM208	<1.9	#	<1.9	<1.9	<1.9	<1.9
tert-Butylbenzene	<2 µg/l	TM208	<2	#	<2	<2	<2	<2
1,2,4-Trimethylbenzene	<1.7 µg/l	TM208	17.6	#	<1.7	4.72	139	268
sec-Butylbenzene	<1.7 µg/l	TM208	<1.7	#	<1.7	#	<1.7	<1.7
4-iso-Propyltoluene	<2.6 µg/l	TM208	<2.6	#	<2.6	<2.6	<2.6	<2.6
1,3-Dichlorobenzene	<2.2 µg/l	TM208	<2.2	#	<2.2	<2.2	<2.2	<2.2
1,4-Dichlorobenzene	<2.7 µg/l	TM208	<2.7	#	<2.7	<2.7	<2.7	<2.7
n-Butylbenzene	<2 µg/l	TM208	<2	#	<2	<2	<2	<2
1,2-Dichlorobenzene	<3.7 µg/l	TM208	<3.7		<3.7	<3.7	<3.7	<3.7
1,2-Dibromo-3-chloropropane	<9.8 µg/l	TM208	<9.8		<9.8	<9.8	<9.8	<9.8
1,2,4-Trichlorobenzene	<2.3 µg/l	TM208	<2.3	#	<2.3	#	<2.3	<2.3
Hexachlorobutadiene	<2.5 µg/l	TM208	<2.5	#	<2.5	<2.5	<2.5	<2.5
tert-Amyl methyl ether (TAME)	<1 µg/l	TM208	<1	#	<1	#	<1	<1
Naphthalene	<3.5 µg/l	TM208	103	#	<3.5	74.3	5370	3450
1,2,3-Trichlorobenzene	<3.1 µg/l	TM208	<3.1	#	<3.1	#	<3.1	<3.1
1,3,5-Trichlorobenzene	<10 µg/l	TM208	<10		<10	<10	<10	<10

Consent of copyright owner required for any other use.

CERTIFICATE OF ANALYSIS

SDG: 110428-57
Job: D_MOUCHEL_DLG-1
Client Reference: Limerick Gasworks

Location: Limerick Gasworks
Customer: Mouchel
Attention: Dave Watts

Order Number: 4500073063
Report Number: 128147
Superseded Report:

VOC MS (W)

Results Legend		Customer Sample R	G4	G5	K5	M3		
#	ISO17025 accredited.		Depth (m)	Sample Type	Water(GW/SW)	Water(GW/SW)	Water(GW/SW)	
M	mCERTS accredited.	Date Sampled	27/04/2011	5.00 - 6.00	27/04/2011	1.00 - 2.00	3.00 - 5.00	
§	Non-conforming work.	Date Received	28/04/2011	Water(GW/SW)	28/04/2011	Water(GW/SW)	Water(GW/SW)	
aq	Aqueous / settled sample.	SDG Ref	110428-57	110428-57	110428-57	110428-57	110428-57	
dissfilt	Dissolved / filtered sample.	Lab Sample No.(s)	3376183	3376190	3376171	3376176	3376176	
totunfilt	Total / unfiltered sample.	AGS Reference	EW007	EW007	EW007	EW007	EW007	
*	subcontracted test.							
**	% recovery of the surrogate standard to check the efficiency of the method. The results of the individual compounds within the samples are not corrected for this recovery.							
Component	LOD/Units	Method						
Dibromofluoromethane**	%	TM208	105	102	103	114		
Toluene-d8**	%	TM208	97.5	96.6	94.3	100		
4-Bromofluorobenzene**	%	TM208	97.5	98.6	72.6	102		
Dichlorodifluoromethane	<7 µg/l	TM208	<7	<7	<7	<7		
Chloromethane	<9 µg/l	TM208	<9	#	<9	<9		
Vinyl chloride	<1.2 µg/l	TM208	<1.2	#	<1.2	<1.2		
Bromomethane	<2 µg/l	TM208	<2	#	<2	<2		
Chloroethane	<2.5 µg/l	TM208	<2.5	#	<2.5	<2.5		
Trichlorofluoromethane	<1.3 µg/l	TM208	<1.3	#	<1.3	<1.3		
1,1-Dichloroethene	<1.2 µg/l	TM208	<1.2	#	<1.2	<1.2		
Carbon disulphide	<1.3 µg/l	TM208	<1.3	#	<1.3	1.38		
Dichloromethane	<3.7 µg/l	TM208	<3.7	#	<3.7	<3.7		
Methyl tertiary butyl ether (MTBE)	<1.6 µg/l	TM208	<1.6	#	<1.6	<1.6		
trans-1,2-Dichloroethene	<1.9 µg/l	TM208	<1.9	#	<1.9	<1.9		
1,1-Dichloroethane	<1.2 µg/l	TM208	<1.2	#	<1.2	<1.2		
cis-1,2-Dichloroethene	<2.3 µg/l	TM208	<2.3	#	<2.3	<2.3		
2,2-Dichloropropane	<3.8 µg/l	TM208	<3.8	#	<3.8	<3.8		
Bromochloromethane	<1.9 µg/l	TM208	<1.9	#	<1.9	<1.9		
Chloroform	<1.8 µg/l	TM208	<1.8	#	<1.8	<1.8		
1,1,1-Trichloroethane	<1.3 µg/l	TM208	<1.3	#	<1.3	5.82		
1,1-Dichloropropene	<1.3 µg/l	TM208	<1.3	#	<1.3	<1.3		
Carbontetrachloride	<1.4 µg/l	TM208	<1.4	#	<1.4	<1.4		
1,2-Dichloroethane	<3.3 µg/l	TM208	<3.3	#	<3.3	<3.3		
Benzene	<1.3 µg/l	TM208	1770	#	24.9	17700		
Trichloroethene	<2.5 µg/l	TM208	<2.5	#	<2.5	<2.5		
1,2-Dichloropropane	<3 µg/l	TM208	<3	#	<3	<3		
Dibromomethane	<2.7 µg/l	TM208	<2.7	#	<2.7	<2.7		
Bromodichloromethane	<0.9 µg/l	TM208	<0.9	#	<0.9	<0.9		
cis-1,3-Dichloropropene	<1.9 µg/l	TM208	<1.9	#	<1.9	<1.9		
Toluene	<1.4 µg/l	TM208	1480	#	<1.4	5260		
trans-1,3-Dichloropropene	<3.5 µg/l	TM208	<3.5	#	<3.5	<3.5		
1,1,2-Trichloroethane	<2.2 µg/l	TM208	<2.2	#	<2.2	<2.2		
1,3-Dichloropropane	<2.2 µg/l	TM208	<2.2	#	<2.2	<2.2		
Tetrachloroethene	<1.5 µg/l	TM208	<1.5	#	<1.5	<1.5		
Dibromochloromethane	<1.7 µg/l	TM208	<1.7	#	<1.7	<1.7		

CERTIFICATE OF ANALYSIS

SDG: 110428-57
Job: D_MOUCHEL_DLG-1
Client Reference: Limerick Gasworks

Location: Limerick Gasworks
Customer: Mouchel
Attention: Dave Watts

Order Number: 4500073063
Report Number: 128147
Superseded Report:

VOC MS (W)

Results Legend		Customer Sample R	G4	G5	K5	M3		
#	ISO17025 accredited.	Depth (m)	2.80 - 3.00	5.00 - 6.00	1.00 - 2.00	3.00 - 5.00		
M	mCERTS accredited.	Sample Type	Water(GW/SW)	Water(GW/SW)	Water(GW/SW)	Water(GW/SW)		
§	Non-conforming work.	Date Sampled	27/04/2011	27/04/2011	27/04/2011	27/04/2011		
aq	Aqueous / settled sample.	Date Received	28/04/2011	28/04/2011	28/04/2011	28/04/2011		
diss,fil	Dissolved / filtered sample.	SDG Ref	110428-57	110428-57	110428-57	110428-57		
tot,unfilt	Total / unfiltered sample.	Lab Sample No.(s)	3376183	3376190	3376171	3376176		
*	subcontracted test.	AGS Reference	EW007	EW007	EW007	EW007		
**	% recovery of the surrogate standard to check the efficiency of the method. The results of the individual compounds within the samples are not corrected for this recovery.							
Component	LOD/Units	Method						
1,2-Dibromoethane	<2.3 µg/l	TM208	<2.3	#	<2.3	#	<2.3	#
Chlorobenzene	<3.5 µg/l	TM208	<3.5	#	<3.5	#	<3.5	#
1,1,1,2-Tetrachloroethane	<1.3 µg/l	TM208	<1.3	#	<1.3	#	<1.3	#
Ethylbenzene	<2.5 µg/l	TM208	182	#	<2.5	#	4.22	#
m,p-Xylene	<2.5 µg/l	TM208	1310	#	5.06	#	<2.5	#
o-Xylene	<1.7 µg/l	TM208	535	#	7.08	#	<1.7	#
Styrene	<1.2 µg/l	TM208	<1.2	#	<1.2	#	3.43	#
Bromoform	<3 µg/l	TM208	<3	#	<3	#	<3	#
Isopropylbenzene	<1.4 µg/l	TM208	14.3	#	<1.4	#	<1.4	#
1,1,2,2-Tetrachloroethane	<5.2 µg/l	TM208	<5.2		<5.2		<5.2	
1,2,3-Trichloropropane	<7.8 µg/l	TM208	<7.8	#	<7.8	#	<7.8	#
Bromobenzene	<2 µg/l	TM208	<2	#	<2	#	<2	#
Propylbenzene	<2.6 µg/l	TM208	13.6	#	<2.6	#	<2.6	#
2-Chlorotoluene	<1.9 µg/l	TM208	<1.9	#	<1.9	#	<1.9	#
1,3,5-Trimethylbenzene	<1.8 µg/l	TM208	113	#	<1.8	#	<1.8	#
4-Chlorotoluene	<1.9 µg/l	TM208	<1.9	#	<1.9	#	<1.9	#
tert-Butylbenzene	<2 µg/l	TM208	<2	#	<2	#	<2	#
1,2,4-Trimethylbenzene	<1.7 µg/l	TM208	294	#	4.94	#	<1.7	#
sec-Butylbenzene	<1.7 µg/l	TM208	<1.7	#	<1.7	#	<1.7	#
4-iso-Propyltoluene	<2.6 µg/l	TM208	<2.6	#	<2.6	#	<2.6	#
1,3-Dichlorobenzene	<2.2 µg/l	TM208	<2.2	#	<2.2	#	<2.2	#
1,4-Dichlorobenzene	<2.7 µg/l	TM208	<2.7	#	<2.7	#	<2.7	#
n-Butylbenzene	<2 µg/l	TM208	<2	#	<2	#	<2	#
1,2-Dichlorobenzene	<3.7 µg/l	TM208	<3.7		<3.7		<3.7	
1,2-Dibromo-3-chloropropane	<9.8 µg/l	TM208	<9.8		<9.8		<9.8	
1,2,4-Trichlorobenzene	<2.3 µg/l	TM208	<2.3	#	<2.3	#	<2.3	#
Hexachlorobutadiene	<2.5 µg/l	TM208	<2.5	#	<2.5	#	<2.5	#
tert-Amyl methyl ether (TAME)	<1 µg/l	TM208	<1	#	<1	#	<1	#
Naphthalene	<3.5 µg/l	TM208	3020	#	<3.5	#	<3.5	#
1,2,3-Trichlorobenzene	<3.1 µg/l	TM208	<3.1	#	<3.1	#	<3.1	#
1,3,5-Trichlorobenzene	<10 µg/l	TM208	<10		<10		<10	

CERTIFICATE OF ANALYSIS

SDG: 110428-57
 Job: D_MOUCHEL_DLG-1
 Client Reference: Limerick Gasworks

Location: Limerick Gasworks
 Customer: Mouchel
 Attention: Dave Watts

Order Number: 4500073063
 Report Number: 128147
 Superseded Report:

Table of Results - Appendix

REPORT KEY

Results expressed as (e.g.) 1.03E-07 is equivalent to 1.03x10⁻⁷

NDP	No Determination Possible	#	ISO 17025 Accredited	*	Subcontracted Test	M	MCERTS Accredited
NFD	No Fibres Detected	PFD	Possible Fibres Detected	»	Result previously reported (Incremental reports only)	EC	Equivalent Carbon (Aromatics C8-C35)

Note: Method detection limits are not always achievable due to various circumstances beyond our control

Method No	Reference	Description	Wet/Dry Sample ¹	Surrogate Corrected
TM061	Method for the Determination of EPH, Massachusetts Dept.of EP, 1998	Determination of Extractable Petroleum Hydrocarbons by GC-FID (C10-C40)		
TM099	BS 2690: Part 7:1968 / BS 6068: Part 2.11:1984	Determination of Ammonium in Water Samples using the Kone Analyser		
TM101	Method 4500B & C, AWWA/APHA, 20th Ed., 1999	Determination of Sulphide in soil and water samples using the Kone Analyser		
TM152	Method 3125B, AWWA/APHA, 20th Ed., 1999	Analysis of Aqueous Samples by ICP-MS		
TM174	Analysis of Petroleum Hydrocarbons in Environmental Media – Total Petroleum Hydrocarbon Criteria	Determination of Speciated Extractable Petroleum Hydrocarbons in Waters by GC-FID		
TM178	Modified: US EPA Method 8100	Determination of Polynuclear Aromatic Hydrocarbons (PAH) by GC-MS in Waters		
TM183	BS EN 23506:2002, (BS 6068-2.74:2002) ISBN 0 580 38924 3	Determination of Trace Level Mercury in Waters and Leachates by PSA Cold Vapour Atomic Fluorescence Spectrometry		
TM184	EPA Methods 325.1 & 325.2,	The Determination of Anions in Aqueous Matrices using the Kone Spectrophotometric Analysers		
TM208	Modified: US EPA Method 8260b & 624	Determination of Volatile Organic Compounds by Headspace / GC-MS in Waters		
TM227	Standard methods for the examination of waters and wastewaters 20th Edition, AWWA/APHA Method 4500.	Determination of Total Cyanide, Free (Easily Liberatable) Cyanide and Thiocyanate		
TM241	Methods for the Examination of Waters and Associated Materials; Chromium in Raw and Potable Waters and Sewage Effluents 1980.	The Determination of Hexavalent Chromium in Waters and Leachates using the Kone Analyser		
TM245	By GC-FID	Determination of CrO ₄ ²⁻ by Headspace in waters		
TM256	The measurement of Electrical Conductivity and the Laboratory determination of pH Value of Natural, Treated and Wastewaters. HMSO, 1978. ISBN 011 751428 4.	Determination of pH in Water and Leachate using the GLpH pH Meter		
TM259	by HPLC	Determination of Phenols in Waters and Leachates by HPLC		

¹ Applies to Solid samples only. DRY indicates samples have been dried at 35°C. NA = not applicable.

Consent of copyright owner required for any reuse.

CERTIFICATE OF ANALYSIS

SDG: 110428-57
Job: D_MOUCHEL_DLG-1
Client Reference: Limerick Gasworks

Location: Limerick Gasworks
Customer: Mouchel
Attention: Dave Watts

Order Number: 4500073063
Report Number: 128147
Superseded Report:

Test Completion Dates

Lab Sample No(s) Customer Sample Ref.	3376168	3376169	3376182	3376170	3376178	3376188	3376166	3376177	3376181	3376186
	A3	A4	A11	C7	C11	D1	D5	E8	F11	G2
	AGS Ref.	EW007								
	Depth Type	2.00 - 3.00	2.00 - 3.00	1.80 - 2.30	4.00 - 6.00	1.50 - 2.00	3.00 - 4.00	1.80 - 2.40	1.50 - 2.50	4.00 - 5.00
Ammoniacal Nitrogen	06-May-2011									
Anions by Kone (w)	09-May-2011	06-May-2011	06-May-2011	09-May-2011	09-May-2011	09-May-2011	09-May-2011	09-May-2011	06-May-2011	06-May-2011
Cyanide Comp/Free/Total/Thiocyanate	03-May-2011	03-May-2011	03-May-2011	03-May-2011	03-May-2011	04-May-2011	03-May-2011	03-May-2011	03-May-2011	03-May-2011
Dissolved Metals by ICP-MS	04-May-2011	05-May-2011	05-May-2011	04-May-2011	05-May-2011	04-May-2011	04-May-2011	05-May-2011	05-May-2011	05-May-2011
EPH CWG (Aliphatic) Aqueous GC (W)	06-May-2011	05-May-2011	05-May-2011	06-May-2011						
EPH CWG (Aromatic) Aqueous GC (W)	06-May-2011	06-May-2011	06-May-2011	06-May-2011	06-May-2011	05-May-2011	06-May-2011	05-May-2011	09-May-2011	06-May-2011
GRO by GC-FID (W)	07-May-2011	07-May-2011	07-May-2011	09-May-2011	07-May-2011	07-May-2011	07-May-2011	07-May-2011	07-May-2011	09-May-2011
Hexavalent Chromium (w)	10-May-2011	05-May-2011	05-May-2011	10-May-2011	06-May-2011	10-May-2011	10-May-2011	06-May-2011	05-May-2011	05-May-2011
Mercury Dissolved	03-May-2011									
PAH Spec MS - Aqueous (W)	06-May-2011									
pH Value	09-May-2011									
Phenols by HPLC (W)	05-May-2011									
Sulphide	05-May-2011									
TPH CWG (W)	07-May-2011	07-May-2011	07-May-2011	09-May-2011	07-May-2011	07-May-2011	07-May-2011	07-May-2011	07-May-2011	09-May-2011
VOC MS (W)	09-May-2011	09-May-2011	10-May-2011	09-May-2011			10-May-2011			10-May-2011
Lab Sample No(s) Customer Sample Ref.	3376184	3376183	3376190	3376179	3376175	3376172	3376173	3376171	3376176	
	G3	G4	G5	G8	H12	J10	K1	K5	M3	
	AGS Ref.	EW007								
	Depth Type	4.00 - 5.00	2.80 - 3.00	5.00 - 6.00	1.40 - 2.40	3.00 - 4.00	1.00 - 2.00	3.00 - 4.00	1.00 - 2.00	3.00 - 5.00
Ammoniacal Nitrogen	06-May-2011	06-May-2011	06-May-2011	06-May-2011	06-May-2011	05-May-2011	06-May-2011	06-May-2011	06-May-2011	06-May-2011
Anions by Kone (w)	09-May-2011	09-May-2011	09-May-2011	09-May-2011	09-May-2011	06-May-2011	09-May-2011	06-May-2011	09-May-2011	06-May-2011
Cyanide Comp/Free/Total/Thiocyanate	03-May-2011	03-May-2011	04-May-2011	03-May-2011						
Dissolved Metals by ICP-MS	04-May-2011	04-May-2011	04-May-2011	05-May-2011	05-May-2011	05-May-2011	05-May-2011	04-May-2011	05-May-2011	05-May-2011
EPH CWG (Aliphatic) Aqueous GC (W)	05-May-2011	09-May-2011	05-May-2011	06-May-2011						
EPH CWG (Aromatic) Aqueous GC (W)	05-May-2011	09-May-2011	05-May-2011	06-May-2011						
GRO by GC-FID (W)	07-May-2011	07-May-2011	07-May-2011	07-May-2011	07-May-2011	07-May-2011	09-May-2011	09-May-2011	08-May-2011	
Hexavalent Chromium (w)	10-May-2011	10-May-2011	10-May-2011	05-May-2011	06-May-2011	05-May-2011	05-May-2011	10-May-2011	05-May-2011	05-May-2011
Mercury Dissolved	03-May-2011									
PAH Spec MS - Aqueous (W)	06-May-2011	10-May-2011	06-May-2011							
pH Value	09-May-2011									
Phenols by HPLC (W)	05-May-2011	05-May-2011	05-May-2011	05-May-2011	05-May-2011	05-May-2011	04-May-2011	04-May-2011	05-May-2011	05-May-2011
Sulphide	05-May-2011									
TPH CWG (W)	07-May-2011	09-May-2011	07-May-2011	07-May-2011	07-May-2011	07-May-2011	07-May-2011	09-May-2011	09-May-2011	08-May-2011
VOC MS (W)		10-May-2011	10-May-2011					09-May-2011	09-May-2011	06-May-2011

CERTIFICATE OF ANALYSIS

SDG: 110428-57
Job: D_MOUCHEL_DLG-1
Client Reference: Limerick Gasworks

Location: Limerick Gasworks
Customer: Mouchel
Attention: Dave Watts

Order Number: 4500073063
Report Number: 128147
Superseded Report:

Appendix

1. Results are expressed on a dry weight basis (dried at 35°C) for all soil analyses except for the following: NRA Leach tests, flash point, ammonium as NH4 by the BRE method, VOC TICS, SVOC TICS, TOF-MS SCAN/SEARCH and TOF-MS TICS.

2. Samples will be run in duplicate upon request, but an additional charge may be incurred.

3. If sufficient sample is received a sub sample will be retained free of charge for 30 days after analysis is completed (e-mailed) for both soil jars, tubs and volatile jars. All waters and vials will be discarded 10 days after the analysis is completed (e-mailed). All material removed during an asbestos containing material screen and analysed for the presence of asbestos will be retained for a period of 6 months after the analysis date. All samples received and not scheduled will be disposed of one month after the date of receipt unless we are instructed to the contrary. Once the initial period has expired, a storage charge will be applied for each month or part thereof until the client cancels the request for sample storage. ALcontrol Laboratories reserve the right to charge for samples received and stored but not analysed.

4. With respect to turnaround, we will always endeavour to meet client requirements wherever possible, but turnaround times cannot be absolutely guaranteed due to so many variables beyond our control.

5. We take responsibility for any test performed by sub-contractors (marked with an asterisk). We endeavour to use UKAS/MCERTS Accredited Laboratories, who either complete a quality questionnaire or are audited by ourselves. For some determinants there are no UKAS/MCERTS Accredited Laboratories, in this instance a laboratory with a known track record will be utilised.

6. When requested, the individual sub sample scheduled will be screened in house for the presence of large asbestos containing material fragments/pieces. If no asbestos containing material is found this will be reported as 'no asbestos containing material detected'. If asbestos containing material is detected it will be removed and analysed by our documented in house method TM048 based on HSG 248 (2005), which is accredited to ISO17025. If asbestos containing material is present no further analysis will be undertaken. At no point is the fibre content of the soil sample determined.

7. If no separate volatile sample is supplied by the client, the integrity of the data may be compromised if the laboratory is required to create a sub-sample from the bulk sample -similarly, if a headspace or sediment is present in the volatile sample. This will be flagged up as an invalid VOC on the test schedule or recorded on the log sheet.

8. If appropriate preserved bottles are not received preservation will take place on receipt. However, the integrity of the data may be compromised.

9. NDP -No determination possible due to insufficient/unsuitable sample.

10. Metals in water are performed on a filtered sample, and therefore represent dissolved metals -total metals must be requested separately.

11. A table containing the date of analysis for each parameter is not routinely included with the report, but is available upon request.

12. Results relate only to the items tested

13. Surrogate recoveries -Most of our organic methods include surrogates, the recovery of which is monitored and reported. For EPH, MO, PAH, GRO and VOCs on soils the result is not surrogate corrected, but a percentage recovery is quoted. Acceptable limits for most organic methods are 70 -130 %.

14. Product analyses -Organic analyses on products can only be semi-quantitative due to the matrix effects and high dilution factors employed.

15. Phenols monohydric by HPLC include phenol, cresols (2-Methylphenol, 3-Methylphenol and 4-Methylphenol) and Xylenols (2,3 Dimethylphenol, 2,4 Dimethylphenol, 2,5 Dimethylphenol, 2,6 Dimethylphenol, 3,4 Dimethylphenol, 3,5 Dimethylphenol).

16. Total of 5 speciated phenols by HPLC includes Phenol, 2,3,5-Trimethyl Phenol, 2-Isopropylphenol, Cresols and Xylenols (as detailed in 14).

17. Stones/debris are not routinely removed. We always endeavour to take a representative sub sample from the received sample.

18. Our MCERTS accreditation for PAHs by GCMS applies to all product types apart from Kerosene, where naphthalene only is not accredited.

19. In certain circumstances the method detection limit may be elevated due to the sample being outside the calibration range. Other factors that may contribute to this include possible interferences. In both cases the sample would be diluted which would cause the method detection limit to be raised.

20. Mercury results quoted on soils will not include volatile mercury as the analysis is performed on a dried and crushed sample.

21. For the BSEN 12457-3 two batch process to allow the cumulative release to be calculated, the volume of the leachate produced is measured and filtered for all tests. We therefore cannot carry out any unfiltered analysis. The tests affected include volatiles GCFID/GCMS and all subcontracted analysis.

22. For all leachate preparations (NRA, DIN, TCLP, BSEN 12457-1, 2, 3) volatile loss may occur, as we do not employ zero headspace extraction.

23. We are accredited to MCERTS for sand, clay and loam/topsoil, or any of these materials -whether these are derived from naturally occurring soil profiles, or from fill/made ground, as long as these materials constitute the major part of the sample. Other coarse granular material such as concrete, gravel and brick are not accredited if they comprise the major part of the sample.

24. Analysis and identification of specific compounds using GCFID is by retention time only, and we routinely calibrate and quantify for benzene, toluene, ethylbenzenes and xylenes (BTEX). For total volatiles in the C4-C10 range, the total area of the chromatogram is integrated and expressed as ug/kg or ug/l. Although this analysis is commonly used for the quantification of gasoline range organics (GRO), the system will also detect other compounds such as chlorinated solvents, and this may lead to a falsely high result with respect to hydrocarbons only. It is not possible to specifically identify these non-hydrocarbons, as standards are not routinely run for any other compounds, and for more definitive identification, volatiles by GCMS should be utilised.

SOLID MATRICES EXTRACTION SUMMARY				
ANALYSIS	D/C OR WET	EXTRACTION SOLVENT	EXTRACTION METHOD	ANALYSIS
SOLVENT EXTRACTABLE MATTER	D&C	DOM	SOXOTHERM	GRAVIMETRIC
CYCLOHEXANE EXT. MATTER	D&C	CYCLOHEXANE	SOXOTHERM	GRAVIMETRIC
THIN LAYER CHROMATOGRAPHY	D&C	DOM	SOXOTHERM	IATROSCAN
ELEMENTAL SULPHUR	D&C	DOM	SOXOTHERM	HPLC
PHENOLS BY GOMS	WET	DOM	SOXOTHERM	GCMS
HERBICIDES	D&C	HEXANE ACETONE	SOXOTHERM	GCMS
PESTICIDES	D&C	HEXANE ACETONE	SOXOTHERM	GCMS
EPH (DRO)	D&C	HEXANE ACETONE	END OVEREND	GCFID
EPH (MINOL)	D&C	HEXANE ACETONE	END OVEREND	GCFID
EPH (CLEANED UP)	D&C	HEXANE ACETONE	END OVEREND	GCFID
EPH ONG BY GC	D&C	HEXANE ACETONE	END OVEREND	GCFID
POB TOT / POB CON	D&C	HEXANE ACETONE	END OVEREND	GCMS
POLYAROMATIC HYDROCARBONS (MS)	WET	HEXANE ACETONE	MOROWAVE TM216.	GCMS
C8-C40(C6-C40)EZ FLASH	WET	HEXANE ACETONE	SHAKER	GCEZ
POLYAROMATIC HYDROCARBONS RARD GC	WET	HEXANE ACETONE	SHAKER	GCEZ
SEM VOLATILE ORGANIC COMPOUNDS	WET	DOM ACETONE	SONICATE	GCMS

LIQUID MATRICES EXTRACTION SUMMARY			
ANALYSIS	EXTRACTION SOLVENT	EXTRACTION METHOD	ANALYSIS
PAHMS	HEXANE	STIRRED EXTRACTION(STIR-BAR)	GCMS
EPH	HEXANE	STIRRED EXTRACTION(STIR-BAR)	GCFID
EPH ONG	HEXANE	STIRRED EXTRACTION(STIR-BAR)	GCFID
MINERAL OIL	HEXANE	STIRRED EXTRACTION(STIR-BAR)	GCFID
POB 7 CONGENERS	HEXANE	STIRRED EXTRACTION(STIR-BAR)	GCMS
POB TOTAL	HEXANE	STIRRED EXTRACTION(STIR-BAR)	GCMS
SVOC	DOM	LIQUID/LIQUID SHAKE	GCMS
FREESULPHUR	DOM	SOLID PHASE EXTRACTION	HPLC
PEST OC/P/OPP	DOM	Liquid/Liquid Shake	GCMS
TRIAZINE HERBS	DOM	Liquid/Liquid Shake	GCMS
PHENOLSMS	DOM	SOLID PHASE EXTRACTION	GCMS
TRH by INFRARED (R)	TCE	Liquid/Liquid Shake	HPLC
MINERAL OIL by R	TCE	Liquid/Liquid Shake	HPLC
GLYCOLS	NONE	DIRECT INJECTION	GCMS

Identification of Asbestos in Bulk Materials

The results for asbestos identification for soil samples are obtained from possible Asbestos Containing Material, removed during the 'Screening of soils for Asbestos Containing Materials', which have been examined to determine the presence of asbestos fibres using Alcontrol Laboratories (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

Asbestos Type	Common Name
Chrysotile	White Asbestos
Amosite	Brown Asbestos
Crocidolite	Blue Asbestos
Fibrous Asbestite	-
Fibrous Anthophyllite	-
Fibrous Tremolite	-

Visual Estimation Of Fibre Content

Estimation of fibre content is not permitted as part of our UKAS accredited test other than:- Trace -Where only one or two asbestos fibres were identified.

Further guidance on typical asbestos fibre content of manufactured products can be found in HSG 264.

The identification of asbestos containing materials falls within our schedule of tests for which we hold UKAS accreditation, however opinions, interpretations and all other information contained in the report are outside the scope of UKAS accreditation.

Mouchel
Ground Engineering
Rowan House
Lloyd Drive
Cheshire
CH65 9HQ

Attention: Neil Balderstone

CERTIFICATE OF ANALYSIS

Date: 04 November 2011
Customer: D_MOUCHEL_ELE
Sample Delivery Group (SDG): 111028-8
Your Reference:
Location: Limerick Gasworks
Report No: 158057

We received 4 samples on Wednesday October 26, 2011 and 4 of these samples were scheduled for analysis which was completed on Friday November 04, 2011. Accredited laboratory tests are defined within the report, but opinions, interpretations and on-site data expressed herein are outside the scope of ISO 17025 accreditation.

Should this report require incorporation into client reports, it must be used in its entirety and not simply with the data sections alone.

All chemical testing (unless subcontracted) is performed at ALcontrol Hawarden Laboratories.

For inspection purposes only.
Consent of copyright owner required for any other use.

Approved By:



Sonia McWhan

Operations Manager



CERTIFICATE OF ANALYSIS

SDG: 111028-8
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158057
Superseded Report:

Received Sample Overview

Lab Sample No(s)	Customer Sample Ref.	AGS Ref.	Depth (m)	Sampled Date
4592745	A11		4.50 - 5.50	25/10/2011
4592747	D1		3.50 - 4.50	25/10/2011
4592744	F11		4.00 - 4.90	25/10/2011
4592746	G2		3.00 - 4.00	25/10/2011

Only received samples which have had analysis scheduled will be shown on the following pages.

For inspection purposes only.
Consent of copyright owner required for any other use.



CERTIFICATE OF ANALYSIS

SDG: 111028-8
 Job: D_MOUCHEL_ELE-1
 Client Reference:

Location: Limerick Gasworks
 Customer: Mouchel
 Attention: Neil Balderstone

Order Number: 4700000740
 Report Number: 158057
 Superseded Report:

LIQUID Results Legend	Lab Sample No(s)	Customer Sample Reference			
		4592744	F11	4.00 - 4.90	PLAS BOT (D)
		4592745	A11	4.50 - 5.50	600 VOC (ALE215) 1l glass bottle (D)
		4592746	G2	3.00 - 4.00	PLAS BOT (D)
Ammoniacal Nitrogen	All	NDPs: 0 Tests: 4			X X X X
Anions by Kone (w)	All	NDPs: 0 Tests: 4			X X X X
Cyanide Comp/Free/Total/Thiocyanate	All	NDPs: 0 Tests: 4	X X X X	X X X X	X X X X
Dissolved Metals by ICP-MS	All	NDPs: 0 Tests: 4	X X X X	X X X X	X X X X
EPH CWG (Aliphatic) Aqueous GC (W)	All	NDPs: 0 Tests: 4	X X X X	X X X X	X X X X
EPH CWG (Aromatic) Aqueous GC (W)	All	NDPs: 0 Tests: 4	X X X X	X X X X	X X X X
GRO by GC-FID (W)	All	NDPs: 0 Tests: 4	X X X X	X X X X	X X X X
Hexavalent Chromium (w)	All	NDPs: 0 Tests: 4	X X X X	X X X X	X X X X
Mercury Dissolved	All	NDPs: 0 Tests: 4	X X X X	X X X X	X X X X
PAH Spec MS - Aqueous (W)	All	NDPs: 0 Tests: 4	X X X X	X X X X	X X X X
pH Value	All	NDPs: 0 Tests: 4	X X X X	X X X X	X X X X
Phenols by HPLC (W)	All	NDPs: 0 Tests: 4	X X X X	X X X X	X X X X
Sulphide	All	NDPs: 0 Tests: 4	X X X X	X X X X	X X X X
TPH CWG (W)	All	NDPs: 0 Tests: 4	X X X X	X X X X	X X X X
VOC MS (W)	All	NDPs: 0 Tests: 3	X X X	X X X	X X X

For inspection purposes only.
Consent of copyright owner required for any other use.

CERTIFICATE OF ANALYSIS

SDG: 111028-8
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158057
Superseded Report:

CERTIFICATE OF ANALYSIS

SDG: 111028-8
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158057
Superseded Report:

PAH Spec MS - Aqueous (W)

81.1		12.9	
76.6	#	9.45	#
95.1	#	13.4	#
18.4	#	1.95	#
59.1	#	6.98	#
53.6	#	6.81	#
759		587	

CERTIFICATE OF ANALYSIS

SDG: 111028-8
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158057
Superseded Report:

TPH CWG (W)

CERTIFICATE OF ANALYSIS

SDG: 111028-8
 Job: D_MOUCHEL_ELE-1
 Client Reference:

Location: Limerick Gasworks
 Customer: Mouchel
 Attention: Neil Balderstone

Order Number: 4700000740
 Report Number: 158057
 Superseded Report:

VOC MS (W)

Results Legend		Customer Sample R	A11	D1	G2			
#	ISO17025 accredited.		Depth (m)	4.50 - 5.50 Water(GW/SW)	3.50 - 4.50 Water(GW/SW)	3.00 - 4.00 Water(GW/SW)		
M	mCERTS accredited.	Sample Type	Date Sampled	Date Received	SDG Ref			
aq	Deviating sample.							
dissfilt	Aqueous / settled sample.							
tot.unfilt	Dissolved / filtered sample.							
*	Total / unfiltered sample.							
**	Subcontracted test.							
(F)	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery							
(F) Trigger breach confirmed								
Component	LOD/Units	Method						
Dibromofluoromethane**	%	TM208	103	103	105	§		
Toluene-d8**	%	TM208	99.5	99.9	100	§		
4-Bromofluorobenzene**	%	TM208	98.2	95.2	95	§		
Dichlorodifluoromethane	<1 µg/l	TM208	<1	<1	<1	§ #		
Chloromethane	<1 µg/l	TM208	<1	<1	<1	§ #		
Vinyl chloride	<1 µg/l	TM208	<1	<1	<1	§ #		
Bromomethane	<1 µg/l	TM208	<1	<1	<1	§ #		
Chloroethane	<1 µg/l	TM208	<1	<1	<1	§ #		
Trichlorofluoromethane	<1 µg/l	TM208	<1	<1	<1	§ #		
1,1-Dichloroethene	<1 µg/l	TM208	<1	<1	<1	§ #		
Carbon disulphide	<1 µg/l	TM208	<1	1.34	3.2	§ #		
Dichloromethane	<3 µg/l	TM208	<3	<3	<3	§ #		
Methyl tertiary butyl ether (MTBE)	<1 µg/l	TM208	<1	<1	<1	§ #		
trans-1,2-Dichloroethene	<1 µg/l	TM208	<1	<1	<1	§ #		
1,1-Dichloroethane	<1 µg/l	TM208	<1	<1	<1	§ #		
cis-1,2-Dichloroethene	<1 µg/l	TM208	<1	<1	<1	§ #		
2,2-Dichloropropane	<1 µg/l	TM208	<1	<1	<1	§ #		
Bromochloromethane	<1 µg/l	TM208	<1	<1	<1	§ #		
Chloroform	<1 µg/l	TM208	<1	<1	<1	§ #		
1,1,1-Trichloroethane	<1 µg/l	TM208	<1	<1	<1	§ #		
1,1-Dichloropropene	<1 µg/l	TM208	<1	<1	<1	§ #		
Carbontetrachloride	<1 µg/l	TM208	<1	<1	<1	§ #		
1,2-Dichloroethane	<1 µg/l	TM208	<1	<1	<1	§ #		
Benzene	<1 µg/l	TM208	8.82	710	3500	#		
Trichloroethene	<1 µg/l	TM208	<1	<1	<1	§ #		
1,2-Dichloropropane	<1 µg/l	TM208	<1	<1	<1	§ #		
Dibromomethane	<1 µg/l	TM208	<1	<1	<1	§ #		
Bromodichloromethane	<1 µg/l	TM208	<1	<1	<1	§ #		
cis-1,3-Dichloropropene	<1 µg/l	TM208	<1	<1	<1	§ #		
Toluene	<1 µg/l	TM208	53.1	478	2690	#		
trans-1,3-Dichloropropene	<1 µg/l	TM208	<1	<1	<1	§ #		
1,1,2-Trichloroethane	<1 µg/l	TM208	1.92	<1	<1	§ #		
1,3-Dichloropropane	<1 µg/l	TM208	<1	<1	<1	§ #		
Tetrachloroethene	<1 µg/l	TM208	<1	<1	<1	§ #		
Dibromochloromethane	<1 µg/l	TM208	<1	<1	<1	§ #		

Consent for inspection purposes only.
Copyright owner required for any other use.

CERTIFICATE OF ANALYSIS

SDG: 111028-8
 Job: D_MOUCHEL_ELE-1
 Client Reference:

Location: Limerick Gasworks
 Customer: Mouchel
 Attention: Neil Balderstone

Order Number: 4700000740
 Report Number: 158057
 Superseded Report:

VOC MS (W)

Results Legend		Customer Sample R	A11	D1	G2			
#	ISO17025 accredited.							
M	mCERTS accredited.							
§	Deviating sample.							
aq	Aqueous / settled sample.							
diss.fil	Dissolved / filtered sample.							
tot.unfilt	Total / unfiltered sample.							
*	Subcontracted test.							
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery							
(F)	Trigger breach confirmed							
Component	LOD/Units	Method						
1,2-Dibromoethane	<1 µg/l	TM208	<1 § #	<1 § #	<1 § #			
Chlorobenzene	<1 µg/l	TM208	<1 § #	<1 § #	<1 § #			
1,1,1,2-Tetrachloroethane	<1 µg/l	TM208	<1 § #	<1 § #	<1 § #			
Ethylbenzene	<1 µg/l	TM208	6.01 § #	192 § #	417 § #			
m,p-Xylene	<1 µg/l	TM208	41.5 § #	582 § #	1290 #			
o-Xylene	<1 µg/l	TM208	21.8 § #	322 § #	735 #			
Styrene	<1 µg/l	TM208	<1 § #	<1 § #	<1 § #			
Bromoform	<1 µg/l	TM208	<1 § #	<1 § #	<1 § #			
Isopropylbenzene	<1 µg/l	TM208	<1 § #	18.8 § #	27.4 § #			
1,1,2,2-Tetrachloroethane	<1 µg/l	TM208	<1 §	<1 §	<1 §			
1,2,3-Trichloropropane	<1 µg/l	TM208	<1 § #	<1 § #	<1 § #			
Bromobenzene	<1 µg/l	TM208	<1 § #	<1 § #	<1 § #			
Propylbenzene	<1 µg/l	TM208	<1 § #	23.9 § #	31.3 § #			
2-Chlorotoluene	<1 µg/l	TM208	<1 § #	<1 § #	<1 § #			
1,3,5-Trimethylbenzene	<1 µg/l	TM208	5.77 § #	65.8 § #	94.3 § #			
4-Chlorotoluene	<1 µg/l	TM208	<1 § #	<1 § #	<1 § #			
tert-Butylbenzene	<1 µg/l	TM208	<1 § #	<1 § #	<1 § #			
1,2,4-Trimethylbenzene	<1 µg/l	TM208	16.7 § #	213 § #	375 § #			
sec-Butylbenzene	<1 µg/l	TM208	<1 § #	1.82 § #	<1 § #			
4-iso-Propyltoluene	<1 µg/l	TM208	<1 § #	<1 § #	<1 § #			
1,3-Dichlorobenzene	<1 µg/l	TM208	<1 § #	<1 § #	<1 § #			
1,4-Dichlorobenzene	<1 µg/l	TM208	<1 § #	<1 § #	<1 § #			
n-Butylbenzene	<1 µg/l	TM208	<1 § #	<1 § #	<1 § #			
1,2-Dichlorobenzene	<1 µg/l	TM208	<1 §	<1 §	<1 §			
1,2-Dibromo-3-chloropropane	<1 µg/l	TM208	<1 §	<1 §	<1 §			
1,2,4-Trichlorobenzene	<1 µg/l	TM208	<1 § #	<1 § #	<1 § #			
Hexachlorobutadiene	<1 µg/l	TM208	<1 § #	<1 § #	<1 § #			
tert-Amyl methyl ether (TAME)	<1 µg/l	TM208	<1 § #	<1 § #	<1 § #			
Naphthalene	<1 µg/l	TM208	121 § #	3680 #	3440 #			
1,2,3-Trichlorobenzene	<1 µg/l	TM208	<1 § #	<1 § #	<1 § #			
1,3,5-Trichlorobenzene	<1 µg/l	TM208	<1 §	<1 §	<1 §			

Consent for inspection owner required for any other use.

CERTIFICATE OF ANALYSIS

SDG: 111028-8
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158057
Superseded Report:

Notification of Deviating Samples

Sample Number	Customer Sample Ref.	Depth (m)	Matrix	Test Name	Component Name	Comment
4598959	F11	4.00 - 4.90	LIQUID	GRO by GC-FID (W)	Aliphatics >C10-C12	Volatile container not received
4598959	F11	4.00 - 4.90	LIQUID	GRO by GC-FID (W)	Aliphatics >C5-C6	Volatile container not received
4598959	F11	4.00 - 4.90	LIQUID	GRO by GC-FID (W)	Aliphatics >C6-C8	Volatile container not received
4598959	F11	4.00 - 4.90	LIQUID	GRO by GC-FID (W)	Aliphatics >C8-C10	Volatile container not received
4598959	F11	4.00 - 4.90	LIQUID	GRO by GC-FID (W)	Aromatics >EC10-EC12	Volatile container not received
4598959	F11	4.00 - 4.90	LIQUID	GRO by GC-FID (W)	Aromatics >EC5-EC7	Volatile container not received
4598959	F11	4.00 - 4.90	LIQUID	GRO by GC-FID (W)	Aromatics >EC7-EC8	Volatile container not received
4598959	F11	4.00 - 4.90	LIQUID	GRO by GC-FID (W)	Aromatics >EC8-EC10	Volatile container not received
4598959	F11	4.00 - 4.90	LIQUID	GRO by GC-FID (W)	Benzene	Volatile container not received
4598959	F11	4.00 - 4.90	LIQUID	GRO by GC-FID (W)	Ethylbenzene	Volatile container not received
4598959	F11	4.00 - 4.90	LIQUID	GRO by GC-FID (W)	GRO >C5-C12	Volatile container not received
4598959	F11	4.00 - 4.90	LIQUID	GRO by GC-FID (W)	GRO Surrogate % recovery**	Volatile container not received
4598959	F11	4.00 - 4.90	LIQUID	GRO by GC-FID (W)	m,p-Xylene	Volatile container not received
4598959	F11	4.00 - 4.90	LIQUID	GRO by GC-FID (W)	Methyl tertiary butyl ether (MTBE)	Volatile container not received
4598959	F11	4.00 - 4.90	LIQUID	GRO by GC-FID (W)	o-Xylene	Volatile container not received
4598959	F11	4.00 - 4.90	LIQUID	GRO by GC-FID (W)	Sum of detected BTEX	Volatile container not received
4598959	F11	4.00 - 4.90	LIQUID	GRO by GC-FID (W)	Sum of detected Xylenes	Volatile container not received
4598959	F11	4.00 - 4.90	LIQUID	GRO by GC-FID (W)	Toluene	Volatile container not received
4598972	A11	4.50 - 5.50	LIQUID	GRO by GC-FID (W)	Aliphatics >C10-C12	Volatile container not received
4598972	A11	4.50 - 5.50	LIQUID	GRO by GC-FID (W)	Aliphatics >C5-C6	Volatile container not received
4598972	A11	4.50 - 5.50	LIQUID	GRO by GC-FID (W)	Aliphatics >C6-C8	Volatile container not received
4598972	A11	4.50 - 5.50	LIQUID	GRO by GC-FID (W)	Aliphatics >C8-C10	Volatile container not received
4598972	A11	4.50 - 5.50	LIQUID	GRO by GC-FID (W)	Aromatics >EC10-EC12	Volatile container not received
4598972	A11	4.50 - 5.50	LIQUID	GRO by GC-FID (W)	Aromatics >EC5-EC7	Volatile container not received
4598972	A11	4.50 - 5.50	LIQUID	GRO by GC-FID (W)	Aromatics >EC7-EC8	Volatile container not received
4598972	A11	4.50 - 5.50	LIQUID	GRO by GC-FID (W)	Aromatics >EC8-EC10	Volatile container not received
4598972	A11	4.50 - 5.50	LIQUID	GRO by GC-FID (W)	Benzene	Volatile container not received
4598972	A11	4.50 - 5.50	LIQUID	GRO by GC-FID (W)	Ethylbenzene	Volatile container not received
4598972	A11	4.50 - 5.50	LIQUID	GRO by GC-FID (W)	GRO >C5-C12	Volatile container not received
4598972	A11	4.50 - 5.50	LIQUID	GRO by GC-FID (W)	GRO Surrogate % recovery**	Volatile container not received
4598972	A11	4.50 - 5.50	LIQUID	GRO by GC-FID (W)	m,p-Xylene	Volatile container not received
4598972	A11	4.50 - 5.50	LIQUID	GRO by GC-FID (W)	Methyl tertiary butyl ether (MTBE)	Volatile container not received
4598972	A11	4.50 - 5.50	LIQUID	GRO by GC-FID (W)	o-Xylene	Volatile container not received
4598972	A11	4.50 - 5.50	LIQUID	GRO by GC-FID (W)	Sum of detected BTEX	Volatile container not received
4598972	A11	4.50 - 5.50	LIQUID	GRO by GC-FID (W)	Sum of detected Xylenes	Volatile container not received
4598972	A11	4.50 - 5.50	LIQUID	GRO by GC-FID (W)	Toluene	Volatile container not received
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	1,1,1,2-Tetrachloroethane	Volatile container not received
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	1,1,1-Trichloroethane	Volatile container not received
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	1,1,2,2-Tetrachloroethane	Volatile container not received
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	1,1,2-Trichloroethane	Volatile container not received
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	1,1-Dichloroethane	Volatile container not received
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	1,1-Dichloroethene	Volatile container not received
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	1,1-Dichloropropene	Volatile container not received
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	1,2,3-Trichlorobenzene	Volatile container not received
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	1,2,3-Trichloropropane	Volatile container not received
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	1,2,4-Trichlorobenzene	Volatile container not received
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	1,2,4-Trimethylbenzene	Volatile container not received
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	1,2-Dibromo-3-chloropropane	Volatile container not received
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	1,2-Dibromoethane	Volatile container not received
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	1,2-Dichlorobenzene	Volatile container not received
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	1,2-Dichloroethane	Volatile container not received
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	1,2-Dichloropropane	Volatile container not received
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	1,3,5-Trichlorobenzene	Volatile container not received
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	1,3,5-Trimethylbenzene	Volatile container not received
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	1,3-Dichlorobenzene	Volatile container not received
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	1,3-Dichloropropane	Volatile container not received
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	1,4-Dichlorobenzene	Volatile container not received
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	2,2-Dichloropropane	Volatile container not received
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	2-Chlorotoluene	Volatile container not received

Consent of recipient for purposes only

CERTIFICATE OF ANALYSIS

SDG:	111028-8	Location:	Limerick Gasworks	Order Number:	4700000740
Job:	D_MOUCHEL_ELE-1	Customer:	Mouchel	Report Number:	158057
Client Reference:		Attention:	Neil Balderstone	Superseded Report:	
Sample Number	Customer Sample Ref.	Depth (m)	Matrix	Test Name	Component Name
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	4-Bromofluorobenzene**
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	4-Chlorotoluene
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	4-iso-Propyltoluene
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	Benzene
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	Bromobenzene
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	Bromoform
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	Bromochloromethane
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	Bromodichloromethane
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	Bromoform
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	Bromomethane
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	Carbon disulphide
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	Carbontetrachloride
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	Chlorobenzene
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	Chloroethane
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	Chloroform
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	Chloromethane
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	cis-1,2-Dichloroethene
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	cis-1,3-Dichloropropene
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	Dibromochloromethane
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	Dibromofluoromethane**
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	Dibromomethane
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	Dichlorodifluoromethane
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	Dichloromethane
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	Ethylbenzene
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	Hexachlorobutadiene
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	Isopropylbenzene
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	m,p-Xylene
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	Methyl tertiary butyl ether (MTBE)
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	Naphthalene
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	n-Butylbenzene
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	o-Xylene
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	Propylbenzene
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	sec-Butylbenzene
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	Styrene
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	tert-Amyl methyl ether (TAME)
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	tert-Butylbenzene
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	Tetrachloroethene
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	Toluene
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	Toluene-d8**
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	trans-1,2-Dichloroethene
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	trans-1,3-Dichloropropene
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	Trichloroethene
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	Trichlorofluoromethane
4598978	A11	4.50 - 5.50	LIQUID	VOC MS (W)	Vinyl chloride
4598985	G2	3.00 - 4.00	LIQUID	GRO by GC-FID (W)	Aliphatics >C10-C12
4598985	G2	3.00 - 4.00	LIQUID	GRO by GC-FID (W)	Aliphatics >C5-C6
4598985	G2	3.00 - 4.00	LIQUID	GRO by GC-FID (W)	Aliphatics >C6-C8
4598985	G2	3.00 - 4.00	LIQUID	GRO by GC-FID (W)	Aliphatics >C8-C10
4598985	G2	3.00 - 4.00	LIQUID	GRO by GC-FID (W)	Aromatics >EC10-EC12
4598985	G2	3.00 - 4.00	LIQUID	GRO by GC-FID (W)	Aromatics >EC5-EC7
4598985	G2	3.00 - 4.00	LIQUID	GRO by GC-FID (W)	Aromatics >EC7-EC8
4598985	G2	3.00 - 4.00	LIQUID	GRO by GC-FID (W)	Aromatics >EC8-EC10
4598985	G2	3.00 - 4.00	LIQUID	GRO by GC-FID (W)	Benzene
4598985	G2	3.00 - 4.00	LIQUID	GRO by GC-FID (W)	Ethylbenzene
4598985	G2	3.00 - 4.00	LIQUID	GRO by GC-FID (W)	GRO >C5-C12
4598985	G2	3.00 - 4.00	LIQUID	GRO by GC-FID (W)	GRO Surrogate % recovery**
4598985	G2	3.00 - 4.00	LIQUID	GRO by GC-FID (W)	m,p-Xylene
4598985	G2	3.00 - 4.00	LIQUID	GRO by GC-FID (W)	Methyl tertiary butyl ether (MTBE)
4598985	G2	3.00 - 4.00	LIQUID	GRO by GC-FID (W)	o-Xylene
4598985	G2	3.00 - 4.00	LIQUID	GRO by GC-FID (W)	Sum of detected BTEX
4598985	G2	3.00 - 4.00	LIQUID	GRO by GC-FID (W)	Sum of detected Xylenes

Consent of customer required for any other use.

CERTIFICATE OF ANALYSIS

SDG:	111028-8	Location:	Limerick Gasworks	Order Number:	4700000740
Job:	D_MOUCHEL_ELE-1	Customer:	Mouchel	Report Number:	158057
Client Reference:		Attention:	Neil Balderstone	Superseded Report:	
Sample Number	Customer Sample Ref.	Depth (m)	Matrix	Test Name	Component Name
4598985	G2	3.00 - 4.00	LIQUID	GRO by GC-FID (W)	Toluene
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	1,1,1,2-Tetrachloroethane
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	1,1,1-Trichloroethane
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	1,1,2,2-Tetrachloroethane
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	1,1,2-Trichloroethane
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	1,1-Dichloroethane
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	1,1-Dichloroethene
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	1,1-Dichloropropene
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	1,2,3-Trichlorobenzene
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	1,2,3-Trichloropropane
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	1,2,4-Trichlorobenzene
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	1,2,4-Trimethylbenzene
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	1,2-Dibromo-3-chloropropane
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	1,2-Dibromoethane
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	1,2-Dichlorobenzene
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	1,2-Dichloroethane
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	1,2-Dichloropropane
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	1,3,5-Trichlorobenzene
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	1,3,5-Trimethylbenzene
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	1,3-Dichlorobenzene
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	1,3-Dichloropropane
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	1,4-Dichlorobenzene
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	2,2-Dichloropropane
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	2-Chlorotoluene
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	4-Bromofluorobenzene**
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	4-Chlorotoluene
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	4-iso-Propyltoluene
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	Benzene
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	Bromobenzene
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	Bromoform
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	Bromomethane
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	Carbon disulphide
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	Carbontetrachloride
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	Chlorobenzene
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	Chloroethane
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	Chloroform
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	Chloromethane
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	cis-1,2-Dichloroethene
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	cis-1,3-Dichloropropene
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	Dibromochloromethane
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	Dibromofluoromethane**
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	Dibromomethane
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	Dichlorodifluoromethane
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	Dichloromethane
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	Ethylbenzene
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	Hexachlorobutadiene
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	Isopropylbenzene
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	m,p-Xylene
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	Methyl tertiary butyl ether (MTBE)
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	Naphthalene
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	n-Butylbenzene
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	o-Xylene
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	Propylbenzene
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	sec-Butylbenzene
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	Styrene
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	tert-Amyl methyl ether (TAME)
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	tert-Butylbenzene
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	Tetrachloroethene

Consent of customer required for any other use.

CERTIFICATE OF ANALYSIS

SDG: 111028-8 **Location:** Limerick Gasworks
Job: D_MOUCHEL_ELE-1 **Customer:** Mouchel
Client Reference: Neil Balderstone **Order Number:** 4700000740
Report Number: 158057 **Superseded Report:**

Sample Number	Customer Sample Ref.	Depth (m)	Matrix	Test Name	Component Name	Comment
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	Toluene	Volatile container not received
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	Toluene-d8**	Volatile container not received
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	trans-1,2-Dichloroethene	Volatile container not received
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	trans-1,3-Dichloropropene	Volatile container not received
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	Trichloroethene	Volatile container not received
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	Trichlorofluoromethane	Volatile container not received
4598992	G2	3.00 - 4.00	LIQUID	VOC MS (W)	Vinyl chloride	Volatile container not received
4599008	D1	3.50 - 4.50	LIQUID	GRO by GC-FID (W)	Aliphatics >C10-C12	Volatile container not received
4599008	D1	3.50 - 4.50	LIQUID	GRO by GC-FID (W)	Aliphatics >C5-C6	Volatile container not received
4599008	D1	3.50 - 4.50	LIQUID	GRO by GC-FID (W)	Aliphatics >C6-C8	Volatile container not received
4599008	D1	3.50 - 4.50	LIQUID	GRO by GC-FID (W)	Aliphatics >C8-C10	Volatile container not received
4599008	D1	3.50 - 4.50	LIQUID	GRO by GC-FID (W)	Aromatics >EC10-EC12	Volatile container not received
4599008	D1	3.50 - 4.50	LIQUID	GRO by GC-FID (W)	Aromatics >EC5-EC7	Volatile container not received
4599008	D1	3.50 - 4.50	LIQUID	GRO by GC-FID (W)	Aromatics >EC7-EC8	Volatile container not received
4599008	D1	3.50 - 4.50	LIQUID	GRO by GC-FID (W)	Aromatics >EC8-EC10	Volatile container not received
4599008	D1	3.50 - 4.50	LIQUID	GRO by GC-FID (W)	Benzene	Volatile container not received
4599008	D1	3.50 - 4.50	LIQUID	GRO by GC-FID (W)	Ethylbenzene	Volatile container not received
4599008	D1	3.50 - 4.50	LIQUID	GRO by GC-FID (W)	GRO >C5-C12	Volatile container not received
4599008	D1	3.50 - 4.50	LIQUID	GRO by GC-FID (W)	GRO Surrogate % recovery**	Volatile container not received
4599008	D1	3.50 - 4.50	LIQUID	GRO by GC-FID (W)	m,p-Xylene	Volatile container not received
4599008	D1	3.50 - 4.50	LIQUID	GRO by GC-FID (W)	Methyl tertiary butyl ether (MTBE)	Volatile container not received
4599008	D1	3.50 - 4.50	LIQUID	GRO by GC-FID (W)	o-Xylene	Volatile container not received
4599008	D1	3.50 - 4.50	LIQUID	GRO by GC-FID (W)	Sum of detected BTEX	Volatile container not received
4599008	D1	3.50 - 4.50	LIQUID	GRO by GC-FID (W)	Sum of detected Xylenes	Volatile container not received
4599008	D1	3.50 - 4.50	LIQUID	GRO by GC-FID (W)	Toluene	Volatile container not received
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	1,1,1,2-Tetrachloroethane	Volatile container not received
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	1,1,1-Trichloroethane	Volatile container not received
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	1,1,2,2-Tetrachloroethane	Volatile container not received
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	1,1,2-Trichloroethane	Volatile container not received
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	1,1-Dichloroethane	Volatile container not received
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	1,1-Dichloroethene	Volatile container not received
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	1,1-Dichloropropene	Volatile container not received
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	1,2,3-Trichlorobenzene	Volatile container not received
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	1,2,3-Trichloropropane	Volatile container not received
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	1,2,4-Trichlorobenzene	Volatile container not received
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	1,2,4-Trimethylbenzene	Volatile container not received
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	1,2-Dibromo-3-chloropropane	Volatile container not received
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	1,2-Dibromoethane	Volatile container not received
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	1,2-Dichlorobenzene	Volatile container not received
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	1,2-Dichloroethane	Volatile container not received
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	1,2-Dichloropropane	Volatile container not received
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	1,3,5-Trichlorobenzene	Volatile container not received
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	1,3,5-Trimethylbenzene	Volatile container not received
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	1,3-Dichlorobenzene	Volatile container not received
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	1,3-Dichloropropane	Volatile container not received
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	1,4-Dichlorobenzene	Volatile container not received
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	2,2-Dichloropropane	Volatile container not received
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	2-Chlorotoluene	Volatile container not received
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	4-Bromofluorobenzene**	Volatile container not received
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	4-Chlorotoluene	Volatile container not received
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	4-iso-Propyltoluene	Volatile container not received
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	Benzene	Volatile container not received
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	Bromobenzene	Volatile container not received
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	Bromochloromethane	Volatile container not received
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	Bromodichloromethane	Volatile container not received
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	Bromoform	Volatile container not received
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	Bromomethane	Volatile container not received
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	Carbon disulphide	Volatile container not received
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	Carbontetrachloride	Volatile container not received
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	Chlorobenzene	Volatile container not received

Consent of Recipient required for any other use

CERTIFICATE OF ANALYSIS

SDG:	111028-8	Location:	Limerick Gasworks	Order Number:	4700000740
Job:	D_MOUCHEL_ELE-1	Customer:	Mouchel	Report Number:	158057
Client Reference:		Attention:	Neil Balderstone	Superseded Report:	
Sample Number	Customer Sample Ref.	Depth (m)	Matrix	Test Name	Component Name
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	Chloroethane
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	Chloroform
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	Chloromethane
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	cis-1,2-Dichloroethene
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	cis-1,3-Dichloropropene
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	Dibromochloromethane
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	Dibromofluoromethane**
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	Dibromomethane
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	Dichlorodifluoromethane
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	Dichloromethane
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	Ethylbenzene
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	Hexachlorobutadiene
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	Isopropylbenzene
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	m,p-Xylene
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	Methyl tertiary butyl ether (MTBE)
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	Naphthalene
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	n-Butylbenzene
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	o-Xylene
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	Propylbenzene
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	sec-Butylbenzene
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	Styrene
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	tert-Amyl methyl ether (TAME)
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	tert-Butylbenzene
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	Tetrachloroethene
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	Toluene
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	Toluene-d8**
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	trans-1,2-Dichloroethene
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	trans-1,3-Dichloropropene
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	Trichloroethene
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	Trichlorofluoromethane
4599013	D1	3.50 - 4.50	LIQUID	VOC MS (W)	Vinyl chloride

Note : Test results may be compromised

Consent of copyright owner required for any other use.

CERTIFICATE OF ANALYSIS

SDG: 111028-8
 Job: D_MOUCHEL_ELE-1
 Client Reference:

Location: Limerick Gasworks
 Customer: Mouchel
 Attention: Neil Balderstone

Order Number: 4700000740
 Report Number: 158057
 Superseded Report:

Table of Results - Appendix

REPORT KEY

Results expressed as (e.g.) 1.03E-07 is equivalent to 1.03x10⁻⁷

NDP	No Determination Possible	#	ISO 17025 Accredited	*	Subcontracted Test	M	MCERTS Accredited
NFD	No Fibres Detected	PFD	Possible Fibres Detected	»	Result previously reported (Incremental reports only)	EC	Equivalent Carbon (Aromatics C8-C35)

Note: Method detection limits are not always achievable due to various circumstances beyond our control

Method No	Reference	Description	Wet/Dry Sample ¹	Surrogate Corrected
TM061	Method for the Determination of EPH, Massachusetts Dept.of EP, 1998	Determination of Extractable Petroleum Hydrocarbons by GC-FID (C10-C40)		
TM099	BS 2690: Part 7:1968 / BS 6068: Part 2.11:1984	Determination of Ammonium in Water Samples using the Kone Analyser		
TM101	Method 4500B & C, AWWA/APHA, 20th Ed., 1999	Determination of Sulphide in soil and water samples using the Kone Analyser		
TM152	Method 3125B, AWWA/APHA, 20th Ed., 1999	Analysis of Aqueous Samples by ICP-MS		
TM174	Analysis of Petroleum Hydrocarbons in Environmental Media – Total Petroleum Hydrocarbon Criteria	Determination of Speciated Extractable Petroleum Hydrocarbons in Waters by GC-FID		
TM178	Modified: US EPA Method 8100	Determination of Polynuclear Aromatic Hydrocarbons (PAH) by GC-MS in Waters		
TM183	BS EN 23506:2002, (BS 6068-2.74:2002) ISBN 0 580 38924 3	Determination of Trace Level Mercury in Waters and Leachates by PSA Cold Vapour Atomic Fluorescence Spectrometry		
TM184	EPA Methods 325.1 & 325.2,	The Determination of Anions in Aqueous Matrices using the Kone Spectrophotometric Analysers		
TM208	Modified: US EPA Method 8260b & 624	Determination of Volatile Organic Compounds by Headspace / GC-MS in Waters		
TM227	Standard methods for the examination of waters and wastewaters 20th Edition, AWWA/APHA Method 4500.	Determination of Total Cyanide, Free (Easily Liberatable) Cyanide and Thiocyanate		
TM241	Methods for the Examination of Waters and Associated Materials; Chromium in Raw and Potable Waters and Sewage Effluents 1980.	The Determination of Hexavalent Chromium in Waters and Leachates using the Kone Analyser		
TM245	By GC-FID	Determination of CrO ₆ ²⁻ by Headspace in waters		
TM256	The measurement of Electrical Conductivity and the Laboratory determination of pH Value of Natural, Treated and Wastewaters. HMSO, 1978. ISBN 011 751428 4.	Determination of pH in Water and Leachate using the GLpH pH Meter		
TM259	by HPLC	Determination of Phenols in Waters and Leachates by HPLC		

¹ Applies to Solid samples only. DRY indicates samples have been dried at 35°C. NA = not applicable.

Consent of copyright owner required for any reuse.

CERTIFICATE OF ANALYSIS

SDG: 111028-8
 Job: D_MOUCHEL_ELE-1
 Client Reference:

Location: Limerick Gasworks
 Customer: Mouchel
 Attention: Neil Balderstone

Order Number: 4700000740
 Report Number: 158057
 Superseded Report:

Test Completion Dates

Lab Sample No(s)	4592745	4592747	4592744	4592746
Customer Sample Ref.	A11	D1	F11	G2
AGS Ref.				
Depth	4.50 - 5.50	3.50 - 4.50	4.00 - 4.90	3.00 - 4.00
Type	LIQUID	LIQUID	LIQUID	LIQUID
Ammoniacal Nitrogen	31-Oct-2011	31-Oct-2011	31-Oct-2011	31-Oct-2011
Anions by Kone (w)	02-Nov-2011	02-Nov-2011	02-Nov-2011	02-Nov-2011
Cyanide Comp/Free/Total/Thiocyanate	31-Oct-2011	31-Oct-2011	31-Oct-2011	31-Oct-2011
Dissolved Metals by ICP-MS	31-Oct-2011	31-Oct-2011	31-Oct-2011	31-Oct-2011
EPH CWG (Aliphatic) Aqueous GC (W)	04-Nov-2011	04-Nov-2011	04-Nov-2011	04-Nov-2011
EPH CWG (Aromatic) Aqueous GC (W)	04-Nov-2011	04-Nov-2011	04-Nov-2011	04-Nov-2011
GRO by GC-FID (W)	30-Oct-2011	30-Oct-2011	30-Oct-2011	30-Oct-2011
Hexavalent Chromium (w)	01-Nov-2011	01-Nov-2011	01-Nov-2011	01-Nov-2011
Mercury Dissolved	31-Oct-2011	31-Oct-2011	31-Oct-2011	31-Oct-2011
PAH Spec MS - Aqueous (W)	04-Nov-2011	04-Nov-2011	04-Nov-2011	04-Nov-2011
pH Value	31-Oct-2011	31-Oct-2011	31-Oct-2011	31-Oct-2011
Phenols by HPLC (W)	01-Nov-2011	01-Nov-2011	01-Nov-2011	01-Nov-2011
Sulphide	02-Nov-2011	01-Nov-2011	02-Nov-2011	01-Nov-2011
TPH CWG (W)	04-Nov-2011	04-Nov-2011	04-Nov-2011	04-Nov-2011
VOC MS (W)	29-Oct-2011	31-Oct-2011		31-Oct-2011

For inspection purposes only.
 Consent of copyright owner required for any other use.

CERTIFICATE OF ANALYSIS

SDG: 111028-8
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158057
Superseded Report:

Chromatogram


Analysis: EPH CWG (Aliphatic) Aqueous GC (W)

Sample No : 4602169
Sample ID : G2

Depth : 3.00 - 4.00

Alcontrol/Geochem Analytical Services
Speciated TPH - SATS (C12 - C40)

Sample Identity: 4552851-4602169
Date Acquired : 04/11/2011 03:41:09 PM
Units : ppb
Dilution :
CF : 1
Multiplier : 0.008



CERTIFICATE OF ANALYSIS

SDG: 111028-8
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158057
Superseded Report:

Chromatogram


Analysis: EPH CWG (Aliphatic) Aqueous GC (W)

Sample No : 4602232
Sample ID : D1

Depth : 3.50 - 4.50

Alcontrol/Geochem Analytical Services
Speciated TPH - SATS (C12 - C40)

Sample Identity: 4552882-4602232
Date Acquired : 04/11/2011 03:08:42 PM
Units : ppb
Dilution :
CF : 1
Multiplier : 0.008





CERTIFICATE OF ANALYSIS

SDG: 111028-8
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158057
Superseded Report:

Chromatogram


Analysis: EPH CWG (Aliphatic) Aqueous GC (W)

Sample No : 4602298
Sample ID : F11

Depth : 4.00 - 4.90

Alcontrol/Geochem Analytical Services
Speciated TPH - SATS (C12 - C40)

Sample Identity: 4552793-4602298
Date Acquired : 04/11/11 01:14:56
Units : ppb
Dilution :
CF : 1
Multiplier : 0.008





CERTIFICATE OF ANALYSIS

SDG: 111028-8
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158057
Superseded Report:

Chromatogram


Analysis: EPH CWG (Aliphatic) Aqueous GC (W)

Sample No : 4602365
Sample ID : A11

Depth : 4.50 - 5.50

Alcontrol/Geochem Analytical Services
Speciated TPH - SATS (C12 - C40)

Sample Identity: 4552829-4602365
Date Acquired : 04/11/11 00:26:47
Units : ppb
Dilution :
CF : 1
Multiplier : 0.008



CERTIFICATE OF ANALYSIS

SDG: 111028-8
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158057
Superseded Report:

Chromatogram


Analysis: EPH CWG (Aromatic) Aqueous GC (W)

Sample No : 4602169
Sample ID : G2

Depth : 3.00 - 4.00

Alcontrol/Geochem Analytical Services
Speciated TPH - AROM (C12 - C40)

Sample Identity: 4552852-4602169
Date Acquired : 04/11/2011 03:41:09 PM
Units : ppb
Dilution :
CF : 1
Multiplier : 0.008



CERTIFICATE OF ANALYSIS

SDG: 111028-8
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158057
Superseded Report:

Chromatogram


Analysis: EPH CWG (Aromatic) Aqueous GC (W)

Sample No : 4602232
Sample ID : D1

Depth : 3.50 - 4.50

Alcontrol/Geochem Analytical Services
Speciated TPH - AROM (C12 - C40)

Sample Identity: 4552883-4602232
Date Acquired : 04/11/2011 03:08:42 PM
Units : ppb
Dilution :
CF : 1
Multiplier : 0.008





CERTIFICATE OF ANALYSIS

SDG: 111028-8
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158057
Superseded Report:

Chromatogram


Analysis: EPH CWG (Aromatic) Aqueous GC (W)

Sample No : 4602298
Sample ID : F11

Depth : 4.00 - 4.90

Alcontrol/Geochem Analytical Services
Speciated TPH - AROM (C12 - C40)

Sample Identity: 4552794-4602298
Date Acquired : 04/11/11 01:14:56
Units : ppb
Dilution :
CF : 1
Multiplier : 0.008





CERTIFICATE OF ANALYSIS

SDG: 111028-8
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158057
Superseded Report:

Chromatogram


Analysis: EPH CWG (Aromatic) Aqueous GC (W)

Sample No : 4602365
Sample ID : A11

Depth : 4.50 - 5.50

Alcontrol/Geochem Analytical Services
Speciated TPH - AROM (C12 - C40)

Sample Identity: 4552830-4602365
Date Acquired : 04/11/11 00:26:47
Units : ppb
Dilution :
CF : 1
Multiplier : 0.008



CERTIFICATE OF ANALYSIS

SDG: 111028-8
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158057
Superseded Report:


Chromatogram

Analysis: GRO by GC-FID (W)

Sample No : 4598959
Sample ID : F11

Depth : 4.00 - 4.90

4598959_GRO_W.DATA - Chem 11 FID



CERTIFICATE OF ANALYSIS

SDG: 111028-8
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158057
Superseded Report:


Chromatogram

Analysis: GRO by GC-FID (W)

Sample No : 4598972
Sample ID : A11

Depth : 4.50 - 5.50

4598972_GRO_W.DATA - Chem 11 FID



CERTIFICATE OF ANALYSIS

SDG: 111028-8
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158057
Superseded Report:


Chromatogram

Analysis: GRO by GC-FID (W)

Sample No : 4598985
Sample ID : G2

Depth : 3.00 - 4.00

4598985_GRO_W.DATA - Chem 11 FID



CERTIFICATE OF ANALYSIS

SDG: 111028-8
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158057
Superseded Report:


Chromatogram

Analysis: GRO by GC-FID (W)

Sample No : 4599008
Sample ID : D1

Depth : 3.50 - 4.50

4599008_GRO_W.DATA - Chem 11 FID





CERTIFICATE OF ANALYSIS

SDG: 111028-8
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158057
Superseded Report:

Appendix

1. Results are expressed on a dry weight basis (dried at 35°C) for all soil analyses except for the following: NRA Leach tests, flash point, ammonium as NH4 by the BRE method, VOC TICS, SVOC TICS, TOF-MS SCAN/SEARCH and TOF-MS TICS.

2. Samples will be run in duplicate upon request, but an additional charge may be incurred.

3. If sufficient sample is received a sub sample will be retained free of charge for 30 days after analysis is completed (e-mailed) for both soil jars, tubs and volatile jars. All waters and vials will be discarded 10 days after the analysis is completed (e-mailed). All material removed during an asbestos containing material screen and analysed for the presence of asbestos will be retained for a period of 6 months after the analysis date. All samples received and not scheduled will be disposed of one month after the date of receipt unless we are instructed to the contrary. Once the initial period has expired, a storage charge will be applied for each month or part thereof until the client cancels the request for sample storage. ALcontrol Laboratories reserve the right to charge for samples received and stored but not analysed.

4. With respect to turnaround, we will always endeavour to meet client requirements wherever possible, but turnaround times cannot be absolutely guaranteed due to so many variables beyond our control.

5. We take responsibility for any test performed by sub-contractors (marked with an asterisk). We endeavour to use UKAS/MCERTS Accredited Laboratories, who either complete a quality questionnaire or are audited by ourselves. For some determinants there are no UKAS/MCERTS Accredited Laboratories, in this instance a laboratory with a known track record will be used.

6. When requested, the individual sub sample scheduled will be screened in house for the presence of asbestos fibres and asbestos containing material by our documented in house method TM048 based on HSG 248 (2005), which is accredited to ISO17025. If a specific asbestos fibre type is not found this will be reported as "Not detected". If no asbestos fibre types are found all will be reported as "Not detected" and the sub sample analysed deemed to be clear of asbestos. Is an asbestos fibre type is found it will be reported as detected (for each fibre type found). If asbestos is present either as asbestos containing material or loose fibres no further analysis will be undertaken. The quantity of asbestos present is not determined unless specifically requested.

7. If no separate volatile sample is supplied by the client, the integrity of the data may be compromised if the laboratory is required to create a sub-sample from the bulk sample -similarly, if a headspace or sediment is present in the volatile sample. This will be flagged up as an invalid VOC on the test schedule or recorded on the log sheet.

8. If appropriate preserved bottles are not received preservation will take place on receipt. However, the integrity of the data may be compromised.

9. NDP -No determination possible due to insufficient/unsuitable sample.

10. Metals in water are performed on a filtered sample, and therefore represent dissolved metals -total metals must be requested separately.

11. Results relate only to the items tested.

12. LODs for wet tests reported on a dry weight basis are not corrected for moisture content.

13. **Surrogate recoveries** -Most of our organic methods include surrogates, the recovery of which is monitored and reported. For EPH, MO, PAH, GRO and VOCs on soils the result is not surrogate corrected, but a percentage recovery is quoted. Acceptable limits for most organic methods are 70-130 %.

14. **Product analyses** -Organic analyses on products can only be semi-quantitative due to the matrix effects and high dilution factors employed.

15. Phenols monohydric by HPLC include phenol, cresols (2-Methylphenol, 3-Methylphenol and 4-Methylphenol) and Xylenols (2,3 Dimethylphenol, 2,4 Dimethylphenol, 2,5 Dimethylphenol, 2,6 Dimethylphenol, 3,4 Dimethylphenol, 3,5 Dimethylphenol).

16. Total of 5 speciated phenols by HPLC includes Phenol, 2,3,5-Trimethyl Phenol, 2-Isopropylphenol, Cresols and Xylenols (as detailed in 15).

17. Stones/debris are not routinely removed. We always endeavour to take a representative sub sample from the received sample.

18. In certain circumstances the method detection limit may be elevated due to the sample being outside the calibration range. Other factors that may contribute to this include possible interferences. In both cases the sample would be diluted which would cause the method detection limit to be raised.

19. Mercury results quoted on soils will not include volatile mercury as the analysis is performed on a dried and crushed sample.

20. For the BSEN 12457-3 two batch process to allow the cumulative release to be calculated, the volume of the leachate produced is measured and filtered for all tests. We therefore cannot carry out any unfiltered analysis. The tests affected include volatiles GCFID/GCMS and all subcontracted analysis.

21. For all leachate preparations (NRA, DIN, TCLP, BSEN 12457-1, 2, 3) volatile loss may occur, as we do not employ zero headspace extraction.

22. We are accredited to MCERTS for sand, clay and loam/topsoil, or any of these materials -whether these are derived from naturally occurring soil profiles, or from fill/made ground, as long as these materials constitute the major part of the sample. Other coarse granular material such as concrete, gravel and brick are not accredited if they comprise the major part of the sample.

23. Analysis and identification of specific compounds using GCFID is by retention time only, and we routinely calibrate and quantify for benzene, toluene, ethylbenzenes and xylenes (BTEX). For total volatiles in the C4-C10 range, the total area of the chromatogram is integrated and expressed as ug/kg or ug/l. Although this analysis is commonly used for the quantification of gasoline range organics (GRO), the system will also detect other compounds such as chlorinated solvents, and this may lead to a falsely high result with respect to hydrocarbons only. It is not possible to specifically identify these non-hydrocarbons, as standards are not routinely run for any other compounds, and for more definitive identification, volatiles by GCMS should be utilised.

SOLID MATRICES EXTRACTION SUMMARY				
ANALYSIS	D/C OR WET	EXTRACTION SOLVENT	EXTRACTION METHOD	ANALYSIS
SOLVENTEXTRACTABLE MATTER	D&C	DOM	SOXOTHERM	GRAVIMETRIC
CYCLOHEXANE EXT. MATTER	D&C	CYCLOHEXANE	SOXOTHERM	GRAVIMETRIC
ELEMENTAL SULPHUR	D&C	DOM	SOXOTHERM	HPLC
PHENOLS BY GCMS	WET	DOM	SOXOTHERM	GC-MS
HERBICIDES	D&C	HEXANE/ACETONE	SOXOTHERM	GC-MS
PESTICIDES	D&C	HEXANE/ACETONE	SOXOTHERM	GC-MS
EPH(DRO)	D&C	HEXANE/ACETONE	END OVER END	GC-FID
EPH(MN OL)	D&C	HEXANE/ACETONE	END OVER END	GC-FID
EPH(CLEANED UP)	D&C	HEXANE/ACETONE	END OVER END	GC-FID
EPH CWGBY GC	D&C	HEXANE/ACETONE	END OVER END	GC-FID
PCBTOT/P/CBCON	D&C	HEXANE/ACETONE	END OVER END	GC-MS
POLYAROMATIC HYDROCARBONS (MS)	WET	HEXANE/ACETONE	MICROWAVE TM218.	GC-MS
CB-C40(C6-C40)EZ FLASH	WET	HEXANE/ACETONE	SHAKER	GC-EZ
POLYAROMATIC HYDROCARBONS RAPID GC	WET	HEXANE/ACETONE	SHAKER	GC-EZ
SEM VOLATILEORGANIC COMPOUNDS	WET	DOM/ACETONE	SONICATE	GC-MS

LIQUID MATRICES EXTRACTION SUMMARY			
ANALYSIS	EXTRACTION SOLVENT	EXTRACTION METHOD	ANALYSIS
PAHMS	HEXANE	STIRRED EXTRACTION(STIR-BAR)	GCMS
EPH	HEXANE	STIRRED EXTRACTION(STIR-BAR)	GC-FID
EPH C/WG	HEXANE	STIRRED EXTRACTION(STIR-BAR)	GC-FID
MINERAL OIL	HEXANE	STIRRED EXTRACTION(STIR-BAR)	GC-FID
PCB 7 CONGENERS	HEXANE	STIRRED EXTRACTION(STIR-BAR)	GCMS
PCB TOTAL	HEXANE	STIRRED EXTRACTION(STIR-BAR)	GCMS
SVOC	DOM	LIQUID/LIQUID SHAKE	GCMS
FREESULPHUR	DOM	SOLID PHASE EXTRACTION	HPLC
PEST OC/P/OPP	DOM	Liquid/Liquid Shake	GCMS
TRIAZINE HERBS	DOM	Liquid/Liquid Shake	GCMS
PHENOLSMS	DOM	SOLID PHASE EXTRACTION	GCMS
THI by INFRARED (IR)	TCE	Liquid/Liquid Shake	HPLC
MINERAL OIL BY R	TCE	Liquid/Liquid Shake	HPLC
GLYCOLS	NONE	DIRECT INJECTION	GCMS

Identification of Asbestos in Bulk Materials & Soils

The results for identification of asbestos in bulk materials are obtained from supplied bulk materials or those identified as potentially asbestos containing during sample description which have been examined to determine the presence of asbestos fibres using Alcontrol Laboratories (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

Asbestos Type	Common Name
Chrysotile	WhiteAsbestos
Amosite	BrownAsbestos
Crocidolite	BlueAsbestos
Fibrous Asbestite	-
Fibrous Anthophyllite	-
Fibrous Tremolite	-

The results for identification of asbestos in soils are obtained from a homogenised sub sample which has been examined to determine the presence of asbestos fibres using Alcontrol Laboratories (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

Visual Estimation Of Fibre Content

Estimation of fibre content is not permitted as part of our UKAS accredited test other than:- Trace -Where only one or two asbestos fibres were identified.

Further guidance on typical asbestos fibre content of manufactured products can be found in HSG 264.

The identification of asbestos containing materials and soils falls within our schedule of tests for which we hold UKAS accreditation, however opinions, interpretations and all other information contained in the report are outside the scope of UKAS accreditation.

Mouchel
Ground Engineering
Rowan House
Lloyd Drive
Cheshire
CH65 9HQ

Attention: Neil Balderstone

CERTIFICATE OF ANALYSIS

Date: 04 November 2011
Customer: D_MOUCHEL_ELE
Sample Delivery Group (SDG): 111028-13
Your Reference:
Location: Limerick Gasworks
Report No: 158059

We received 4 samples on Wednesday October 26, 2011 and 4 of these samples were scheduled for analysis which was completed on Friday November 04, 2011. Accredited laboratory tests are defined within the report, but opinions, interpretations and on-site data expressed herein are outside the scope of ISO 17025 accreditation.

Should this report require incorporation into client reports, it must be used in its entirety and not simply with the data sections alone.

All chemical testing (unless subcontracted) is performed at ALcontrol Hawarden Laboratories.

For inspection purposes only.
Consent of copyright owner required for any other use.

Approved By:



Sonia McWhan

Operations Manager



CERTIFICATE OF ANALYSIS

SDG: 111028-13
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158059
Superseded Report:

Received Sample Overview

Lab Sample No(s)	Customer Sample Ref.	AGS Ref.	Depth (m)	Sampled Date
4593562	C11		1.00 - 2.00	25/10/2011
4593558	G3		2.50 - 3.50	25/10/2011
4593559	G5		2.00 - 3.00	25/10/2011
4593561	G8		1.50 - 2.00	25/10/2011

Only received samples which have had analysis scheduled will be shown on the following pages.

For inspection purposes only.
Consent of copyright owner required for any other use.

CERTIFICATE OF ANALYSIS

SDG: 111028-13
 Job: D_MOUCHEL_ELE-1
 Client Reference:

Location: Limerick Gasworks
 Customer: Mouchel
 Attention: Neil Balderstone

Order Number: 4700000740
 Report Number: 158059
 Superseded Report:

LIQUID Results Legend		Lab Sample No(s)	Customer Sample Reference			
			AGS Reference			
			Depth (m)			
			Container			
Ammoniacal Nitrogen	All	NDPs: 0 Tests: 4	4593562	C11	1.00 - 2.00 PLAS BOT (D) 600 VOC (ALE215) 11 glass bottle (D)	X X X X
Anions by Kone (w)	All	NDPs: 0 Tests: 4	4593561	G8	1.50 - 2.00 PLAS BOT (D) 600 VOC (ALE215) 11 glass bottle (D)	X X X X
Cyanide Comp/Free/Total/Thiocyanate	All	NDPs: 0 Tests: 4	4593559	G5	2.00 - 3.00 PLAS BOT (D) 600 VOC (ALE215) 11 glass bottle (D)	X X X X
Dissolved Metals by ICP-MS	All	NDPs: 0 Tests: 4	4593558	G3	2.50 - 3.50 PLAS BOT (D) 600 VOC (ALE215) 11 glass bottle (D)	X X X X
EPH CWG (Aliphatic) Aqueous GC (W)	All	NDPs: 0 Tests: 4				X X X X
EPH CWG (Aromatic) Aqueous GC (W)	All	NDPs: 0 Tests: 4				X X X X
GRO by GC-FID (W)	All	NDPs: 0 Tests: 4				X X X X
Hexavalent Chromium (w)	All	NDPs: 0 Tests: 4				X X X X
Mercury Dissolved	All	NDPs: 0 Tests: 4				X X X X
PAH Spec MS - Aqueous (W)	All	NDPs: 0 Tests: 4				X X X X
pH Value	All	NDPs: 0 Tests: 4				X X X X
Phenols by HPLC (W)	All	NDPs: 0 Tests: 4				X X X X
Sulphide	All	NDPs: 0 Tests: 4				X X X X
TPH CWG (W)	All	NDPs: 0 Tests: 4				X X X X
VOC MS (W)	All	NDPs: 0 Tests: 1				X

For inspection purposes only.
Consent of copyright owner required for any other use.

CERTIFICATE OF ANALYSIS

SDG: 111028-13
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158059
Superseded Report:

CERTIFICATE OF ANALYSIS

SDG: 111028-13
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158059
Superseded Report:

PAH Spec MS - Aqueous (W)

7.24	#	4.35	#
6.22	#	4.16	#
7.86	#	4.51	#
1.48	#	0.964	#
4.98	#	3.58	#
4.72	#	3.25	#
74.9		37.6	#

CERTIFICATE OF ANALYSIS

SDG: 111028-13
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158059
Superseded Report:

TPH CWG (W)

SDG: 111028-13
 Job: D_MOUCHEL_ELE-1
 Client Reference:

Location: Limerick Gasworks
 Customer: Mouchel
 Attention: Neil Balderstone

Order Number: 4700000740
 Report Number: 158059
 Superseded Report:

VOC MS (W)

Results Legend		Customer Sample R	G5					
#	ISO17025 accredited.	Depth (m)	2.00 - 3.00					
M	mCERTS accredited.	Sample Type	Water(GW/SW)					
§	Deviating sample.	Date Sampled	25/10/2011					
aq	Aqueous / settled sample.	Date Received	26/10/2011					
dissfilt	Dissolved / filtered sample.	SDG Ref	111028-13					
tot.unfilt	Total / unfiltered sample.	Lab Sample No.(s)	4593559					
*	Subcontracted test.	AGS Reference						
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery							
(F)	Trigger breach confirmed							
Component	LOD/Units	Method						
Dibromofluoromethane**	%	TM208	111	§				
Toluene-d8**	%	TM208	99.7	§				
4-Bromofluorobenzene**	%	TM208	95.1	§				
Dichlorodifluoromethane	<1 µg/l	TM208	<1	§ #				
Chloromethane	<1 µg/l	TM208	<1	#				
Vinyl chloride	<1 µg/l	TM208	<1	§ #				
Bromomethane	<1 µg/l	TM208	<1	§ #				
Chloroethane	<1 µg/l	TM208	<1	§ #				
Trichlorofluoromethane	<1 µg/l	TM208	<1	§ #				
1,1-Dichloroethene	<1 µg/l	TM208	<1	§ #				
Carbon disulphide	<1 µg/l	TM208	<1	§ #				
Dichloromethane	<3 µg/l	TM208	<3	§ #				
Methyl tertiary butyl ether (MTBE)	<1 µg/l	TM208	<1	§ #				
trans-1,2-Dichloroethene	<1 µg/l	TM208	<1	§ #				
1,1-Dichloroethane	<1 µg/l	TM208	<1	§ #				
cis-1,2-Dichloroethene	<1 µg/l	TM208	<1	§ #				
2,2-Dichloropropane	<1 µg/l	TM208	<1	§ #				
Bromochloromethane	<1 µg/l	TM208	<1	§ #				
Chloroform	<1 µg/l	TM208	<1	§ #				
1,1,1-Trichloroethane	<1 µg/l	TM208	<1	§ #				
1,1-Dichloropropene	<1 µg/l	TM208	<1	§ #				
Carbontetrachloride	<1 µg/l	TM208	<1	§ #				
1,2-Dichloroethane	<1 µg/l	TM208	<1	§				
Benzene	<1 µg/l	TM208	<1	§ #				
Trichloroethene	<1 µg/l	TM208	<1	§ #				
1,2-Dichloropropane	<1 µg/l	TM208	<1	§ #				
Dibromomethane	<1 µg/l	TM208	<1	§ #				
Bromodichloromethane	<1 µg/l	TM208	<1	§ #				
cis-1,3-Dichloropropene	<1 µg/l	TM208	<1	§ #				
Toluene	<1 µg/l	TM208	<1	§ #				
trans-1,3-Dichloropropene	<1 µg/l	TM208	<1	§ #				
1,1,2-Trichloroethane	<1 µg/l	TM208	<1	§ #				
1,3-Dichloropropane	<1 µg/l	TM208	<1	§ #				
Tetrachloroethene	<1 µg/l	TM208	<1	§ #				
Dibromochloromethane	<1 µg/l	TM208	<1	§ #				

Consent for inspection purposes only.
Copyright owner required for any other use.



CERTIFICATE OF ANALYSIS

SDG: 111028-13
 Job: D_MOUCHEL_ELE-1
 Client Reference:

Location: Limerick Gasworks
 Customer: Mouchel
 Attention: Neil Balderstone

Order Number: 4700000740
 Report Number: 158059
 Superseded Report:

VOC MS (W)

Results Legend		Customer Sample R	G5	2.00 - 3.00 Water(GW/SW) 25/10/2011 26/10/2011 111028-13 4593559				
#	ISO17025 accredited.	Depth (m)	Sample Type	Date Sampled	Date Received	SDG Ref	Lab Sample No.(s)	AGS Reference
M	mCERTS accredited.							
§	Deviating sample.							
aq	Aqueous / settled sample.							
diss.fil	Dissolved / filtered sample.							
tot.unfilt	Total / unfiltered sample.							
*	Subcontracted test.							
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery							
(F)	Trigger breach confirmed							
Component	LOD/Units	Method						
1,2-Dibromoethane	<1 µg/l	TM208	<1	§ #				
Chlorobenzene	<1 µg/l	TM208	<1	§ #				
1,1,1,2-Tetrachloroethane	<1 µg/l	TM208	<1	§ #				
Ethylbenzene	<1 µg/l	TM208	<1	§ #				
m,p-Xylene	<1 µg/l	TM208	<1	§ #				
o-Xylene	<1 µg/l	TM208	<1	§ #				
Styrene	<1 µg/l	TM208	<1	§ #				
Bromoform	<1 µg/l	TM208	<1	§ #				
Isopropylbenzene	<1 µg/l	TM208	<1	§ #				
1,1,2,2-Tetrachloroethane	<1 µg/l	TM208	<1	§				
1,2,3-Trichloropropane	<1 µg/l	TM208	<1	§ #				
Bromobenzene	<1 µg/l	TM208	<1	§ #				
Propylbenzene	<1 µg/l	TM208	<1	§ #				
2-Chlorotoluene	<1 µg/l	TM208	<1	§ #				
1,3,5-Trimethylbenzene	<1 µg/l	TM208	<1	§ #				
4-Chlorotoluene	<1 µg/l	TM208	<1	§ #				
tert-Butylbenzene	<1 µg/l	TM208	<1	§ #				
1,2,4-Trimethylbenzene	<1 µg/l	TM208	<1	§ #				
sec-Butylbenzene	<1 µg/l	TM208	<1	§ #				
4-iso-Propyltoluene	<1 µg/l	TM208	<1	§ #				
1,3-Dichlorobenzene	<1 µg/l	TM208	<1	§ #				
1,4-Dichlorobenzene	<1 µg/l	TM208	<1	§ #				
n-Butylbenzene	<1 µg/l	TM208	<1	§ #				
1,2-Dichlorobenzene	<1 µg/l	TM208	<1	§				
1,2-Dibromo-3-chloropropane	<1 µg/l	TM208	<1	§				
1,2,4-Trichlorobenzene	<1 µg/l	TM208	<1	§ #				
Hexachlorobutadiene	<1 µg/l	TM208	<1	§ #				
tert-Amyl methyl ether (TAME)	<1 µg/l	TM208	<1	§ #				
Naphthalene	<1 µg/l	TM208	<1	§ #				
1,2,3-Trichlorobenzene	<1 µg/l	TM208	<1	§ #				
1,3,5-Trichlorobenzene	<1 µg/l	TM208	<1	§				

Consent is given by copyright owner for inspection purposes only.
Copyright © 2012 ALcontrol Laboratories Ltd.

CERTIFICATE OF ANALYSIS

SDG: 111028-13
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158059
Superseded Report:

Notification of Deviating Samples

Sample Number	Customer Sample Ref.	Depth (m)	Matrix	Test Name	Component Name	Comment
4605768	G3	2.50 - 3.50	LIQUID	GRO by GC-FID (W)	Aliphatics >C10-C12	Volatile container not received
4605768	G3	2.50 - 3.50	LIQUID	GRO by GC-FID (W)	Aliphatics >C5-C6	Volatile container not received
4605768	G3	2.50 - 3.50	LIQUID	GRO by GC-FID (W)	Aliphatics >C6-C8	Volatile container not received
4605768	G3	2.50 - 3.50	LIQUID	GRO by GC-FID (W)	Aliphatics >C8-C10	Volatile container not received
4605768	G3	2.50 - 3.50	LIQUID	GRO by GC-FID (W)	Aromatics >EC10-EC12	Volatile container not received
4605768	G3	2.50 - 3.50	LIQUID	GRO by GC-FID (W)	Aromatics >EC5-EC7	Volatile container not received
4605768	G3	2.50 - 3.50	LIQUID	GRO by GC-FID (W)	Aromatics >EC7-EC8	Volatile container not received
4605768	G3	2.50 - 3.50	LIQUID	GRO by GC-FID (W)	Aromatics >EC8-EC10	Volatile container not received
4605768	G3	2.50 - 3.50	LIQUID	GRO by GC-FID (W)	Benzene	Volatile container not received
4605768	G3	2.50 - 3.50	LIQUID	GRO by GC-FID (W)	Ethylbenzene	Volatile container not received
4605768	G3	2.50 - 3.50	LIQUID	GRO by GC-FID (W)	GRO >C5-C12	Volatile container not received
4605768	G3	2.50 - 3.50	LIQUID	GRO by GC-FID (W)	GRO Surrogate % recovery**	Volatile container not received
4605768	G3	2.50 - 3.50	LIQUID	GRO by GC-FID (W)	m,p-Xylene	Volatile container not received
4605768	G3	2.50 - 3.50	LIQUID	GRO by GC-FID (W)	Methyl tertiary butyl ether (MTBE)	Volatile container not received
4605768	G3	2.50 - 3.50	LIQUID	GRO by GC-FID (W)	o-Xylene	Volatile container not received
4605768	G3	2.50 - 3.50	LIQUID	GRO by GC-FID (W)	Sum of detected BTEX	Volatile container not received
4605768	G3	2.50 - 3.50	LIQUID	GRO by GC-FID (W)	Sum of detected Xylenes	Volatile container not received
4605768	G3	2.50 - 3.50	LIQUID	GRO by GC-FID (W)	Toluene	Volatile container not received
4605780	G5	2.00 - 3.00	LIQUID	GRO by GC-FID (W)	Aliphatics >C10-C12	Volatile container not received
4605780	G5	2.00 - 3.00	LIQUID	GRO by GC-FID (W)	Aliphatics >C5-C6	Volatile container not received
4605780	G5	2.00 - 3.00	LIQUID	GRO by GC-FID (W)	Aliphatics >C6-C8	Volatile container not received
4605780	G5	2.00 - 3.00	LIQUID	GRO by GC-FID (W)	Aliphatics >C8-C10	Volatile container not received
4605780	G5	2.00 - 3.00	LIQUID	GRO by GC-FID (W)	Aromatics >EC10-EC12	Volatile container not received
4605780	G5	2.00 - 3.00	LIQUID	GRO by GC-FID (W)	Aromatics >EC5-EC7	Volatile container not received
4605780	G5	2.00 - 3.00	LIQUID	GRO by GC-FID (W)	Aromatics >EC7-EC8	Volatile container not received
4605780	G5	2.00 - 3.00	LIQUID	GRO by GC-FID (W)	Aromatics >EC8-EC10	Volatile container not received
4605780	G5	2.00 - 3.00	LIQUID	GRO by GC-FID (W)	Benzene	Volatile container not received
4605780	G5	2.00 - 3.00	LIQUID	GRO by GC-FID (W)	Ethylbenzene	Volatile container not received
4605780	G5	2.00 - 3.00	LIQUID	GRO by GC-FID (W)	GRO >C5-C12	Volatile container not received
4605780	G5	2.00 - 3.00	LIQUID	GRO by GC-FID (W)	GRO Surrogate % recovery**	Volatile container not received
4605780	G5	2.00 - 3.00	LIQUID	GRO by GC-FID (W)	m,p-Xylene	Volatile container not received
4605780	G5	2.00 - 3.00	LIQUID	GRO by GC-FID (W)	Methyl tertiary butyl ether (MTBE)	Volatile container not received
4605780	G5	2.00 - 3.00	LIQUID	GRO by GC-FID (W)	o-Xylene	Volatile container not received
4605780	G5	2.00 - 3.00	LIQUID	GRO by GC-FID (W)	Sum of detected BTEX	Volatile container not received
4605780	G5	2.00 - 3.00	LIQUID	GRO by GC-FID (W)	Sum of detected Xylenes	Volatile container not received
4605780	G5	2.00 - 3.00	LIQUID	GRO by GC-FID (W)	Toluene	Volatile container not received
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	1,1,1,2-Tetrachloroethane	Volatile container not received
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	1,1,1-Trichloroethane	Volatile container not received
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	1,1,2,2-Tetrachloroethane	Volatile container not received
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	1,1,2-Trichloroethane	Volatile container not received
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	1,1-Dichloroethane	Volatile container not received
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	1,1-Dichloroethene	Volatile container not received
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	1,1-Dichloropropene	Volatile container not received
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	1,2,3-Trichlorobenzene	Volatile container not received
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	1,2,3-Trichloropropane	Volatile container not received
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	1,2,4-Trichlorobenzene	Volatile container not received
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	1,2,4-Trimethylbenzene	Volatile container not received
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	1,2-Dibromo-3-chloropropane	Volatile container not received
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	1,2-Dibromoethane	Volatile container not received
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	1,2-Dichlorobenzene	Volatile container not received
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	1,2-Dichloroethane	Volatile container not received
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	1,2-Dichloropropane	Volatile container not received
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	1,3,5-Trichlorobenzene	Volatile container not received
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	1,3,5-Trimethylbenzene	Volatile container not received
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	1,3-Dichlorobenzene	Volatile container not received
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	1,3-Dichloropropane	Volatile container not received
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	1,4-Dichlorobenzene	Volatile container not received
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	2,2-Dichloropropane	Volatile container not received
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	2-Chlorotoluene	Volatile container not received

Consent of recipient for purposes only
of distribution required for any other use

CERTIFICATE OF ANALYSIS

SDG:	111028-13	Location:	Limerick Gasworks	Order Number:	4700000740
Job:	D_MOUCHEL_ELE-1	Customer:	Mouchel	Report Number:	158059
Client Reference:		Attention:	Neil Balderstone	Superseded Report:	
Sample Number	Customer Sample Ref.	Depth (m)	Matrix	Test Name	Component Name
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	4-Bromofluorobenzene**
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	4-Chlorotoluene
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	4-iso-Propyltoluene
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	Benzene
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	Bromobenzene
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	Bromoform
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	Bromochloromethane
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	Bromodichloromethane
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	Bromoform
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	Bromomethane
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	Carbon disulphide
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	Carbontetrachloride
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	Chlorobenzene
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	Chloroethane
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	Chloroform
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	Chloromethane
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	cis-1,2-Dichloroethene
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	cis-1,3-Dichloropropene
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	Dibromochloromethane
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	Dibromofluoromethane**
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	Dibromomethane
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	Dichlorodifluoromethane
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	Dichloromethane
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	Ethylbenzene
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	Hexachlorobutadiene
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	Isopropylbenzene
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	m,p-Xylene
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	Methyl tertiary butyl ether (MTBE)
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	Naphthalene
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	n-Butylbenzene
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	o-Xylene
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	Propylbenzene
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	sec-Butylbenzene
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	Styrene
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	tert-Amyl methyl ether (TAME)
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	tert-Butylbenzene
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	Tetrachloroethene
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	Toluene
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	Toluene-d8**
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	trans-1,2-Dichloroethene
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	trans-1,3-Dichloropropene
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	Trichloroethene
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	Trichlorofluoromethane
4605785	G5	2.00 - 3.00	LIQUID	VOC MS (W)	Vinyl chloride
4605788	G8	1.50 - 2.00	LIQUID	GRO by GC-FID (W)	Aliphatics >C10-C12
4605788	G8	1.50 - 2.00	LIQUID	GRO by GC-FID (W)	Aliphatics >C5-C6
4605788	G8	1.50 - 2.00	LIQUID	GRO by GC-FID (W)	Aliphatics >C6-C8
4605788	G8	1.50 - 2.00	LIQUID	GRO by GC-FID (W)	Aliphatics >C8-C10
4605788	G8	1.50 - 2.00	LIQUID	GRO by GC-FID (W)	Aromatics >EC10-EC12
4605788	G8	1.50 - 2.00	LIQUID	GRO by GC-FID (W)	Aromatics >EC5-EC7
4605788	G8	1.50 - 2.00	LIQUID	GRO by GC-FID (W)	Aromatics >EC7-EC8
4605788	G8	1.50 - 2.00	LIQUID	GRO by GC-FID (W)	Aromatics >EC8-EC10
4605788	G8	1.50 - 2.00	LIQUID	GRO by GC-FID (W)	Benzene
4605788	G8	1.50 - 2.00	LIQUID	GRO by GC-FID (W)	Ethylbenzene
4605788	G8	1.50 - 2.00	LIQUID	GRO by GC-FID (W)	GRO >C5-C12
4605788	G8	1.50 - 2.00	LIQUID	GRO by GC-FID (W)	GRO Surrogate % recovery**
4605788	G8	1.50 - 2.00	LIQUID	GRO by GC-FID (W)	m,p-Xylene
4605788	G8	1.50 - 2.00	LIQUID	GRO by GC-FID (W)	Methyl tertiary butyl ether (MTBE)
4605788	G8	1.50 - 2.00	LIQUID	GRO by GC-FID (W)	o-Xylene
4605788	G8	1.50 - 2.00	LIQUID	GRO by GC-FID (W)	Sum of detected BTEX
4605788	G8	1.50 - 2.00	LIQUID	GRO by GC-FID (W)	Sum of detected Xylenes

Consent of Customer required for any other use.

CERTIFICATE OF ANALYSIS

SDG: 111028-13
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158059
Superseded Report:

Sample Number	Customer Sample Ref.	Depth (m)	Matrix	Test Name	Component Name	Comment
4605788	G8	1.50 - 2.00	LIQUID	GRO by GC-FID (W)	Toluene	Volatile container not received
4605801	C11	1.00 - 2.00	LIQUID	GRO by GC-FID (W)	Aliphatics >C10-C12	Volatile container not received
4605801	C11	1.00 - 2.00	LIQUID	GRO by GC-FID (W)	Aliphatics >C5-C6	Volatile container not received
4605801	C11	1.00 - 2.00	LIQUID	GRO by GC-FID (W)	Aliphatics >C6-C8	Volatile container not received
4605801	C11	1.00 - 2.00	LIQUID	GRO by GC-FID (W)	Aliphatics >C8-C10	Volatile container not received
4605801	C11	1.00 - 2.00	LIQUID	GRO by GC-FID (W)	Aromatics >EC10-EC12	Volatile container not received
4605801	C11	1.00 - 2.00	LIQUID	GRO by GC-FID (W)	Aromatics >EC5-EC7	Volatile container not received
4605801	C11	1.00 - 2.00	LIQUID	GRO by GC-FID (W)	Aromatics >EC7-EC8	Volatile container not received
4605801	C11	1.00 - 2.00	LIQUID	GRO by GC-FID (W)	Aromatics >EC8-EC10	Volatile container not received
4605801	C11	1.00 - 2.00	LIQUID	GRO by GC-FID (W)	Benzene	Volatile container not received
4605801	C11	1.00 - 2.00	LIQUID	GRO by GC-FID (W)	Ethylbenzene	Volatile container not received
4605801	C11	1.00 - 2.00	LIQUID	GRO by GC-FID (W)	GRO >C5-C12	Volatile container not received
4605801	C11	1.00 - 2.00	LIQUID	GRO by GC-FID (W)	GRO Surrogate % recovery**	Volatile container not received
4605801	C11	1.00 - 2.00	LIQUID	GRO by GC-FID (W)	m,p-Xylene	Volatile container not received
4605801	C11	1.00 - 2.00	LIQUID	GRO by GC-FID (W)	Methyl tertiary butyl ether (MTBE)	Volatile container not received
4605801	C11	1.00 - 2.00	LIQUID	GRO by GC-FID (W)	o-Xylene	Volatile container not received
4605801	C11	1.00 - 2.00	LIQUID	GRO by GC-FID (W)	Sum of detected BTEX	Volatile container not received
4605801	C11	1.00 - 2.00	LIQUID	GRO by GC-FID (W)	Sum of detected Xylenes	Volatile container not received
4605801	C11	1.00 - 2.00	LIQUID	GRO by GC-FID (W)	Toluene	Volatile container not received

Note : Test results may be compromised

For inspection purposes only.
Consent of copyright owner required for any other use.

CERTIFICATE OF ANALYSIS

SDG: 111028-13
 Job: D_MOUCHEL_ELE-1
 Client Reference:

Location: Limerick Gasworks
 Customer: Mouchel
 Attention: Neil Balderstone

Order Number: 4700000740
 Report Number: 158059
 Superseded Report:

Table of Results - Appendix

REPORT KEY

Results expressed as (e.g.) 1.03E-07 is equivalent to 1.03x10⁻⁷

NDP	No Determination Possible	#	ISO 17025 Accredited	*	Subcontracted Test	M	MCERTS Accredited
NFD	No Fibres Detected	PFD	Possible Fibres Detected	»	Result previously reported (Incremental reports only)	EC	Equivalent Carbon (Aromatics C8-C35)

Note: Method detection limits are not always achievable due to various circumstances beyond our control

Method No	Reference	Description	Wet/Dry Sample ¹	Surrogate Corrected
TM061	Method for the Determination of EPH, Massachusetts Dept.of EP, 1998	Determination of Extractable Petroleum Hydrocarbons by GC-FID (C10-C40)		
TM099	BS 2690: Part 7:1968 / BS 6068: Part 2.11:1984	Determination of Ammonium in Water Samples using the Kone Analyser		
TM101	Method 4500B & C, AWWA/APHA, 20th Ed., 1999	Determination of Sulphide in soil and water samples using the Kone Analyser		
TM152	Method 3125B, AWWA/APHA, 20th Ed., 1999	Analysis of Aqueous Samples by ICP-MS		
TM174	Analysis of Petroleum Hydrocarbons in Environmental Media – Total Petroleum Hydrocarbon Criteria	Determination of Speciated Extractable Petroleum Hydrocarbons in Waters by GC-FID		
TM178	Modified: US EPA Method 8100	Determination of Polynuclear Aromatic Hydrocarbons (PAH) by GC-MS in Waters		
TM183	BS EN 23506:2002, (BS 6068-2.74:2002) ISBN 0 580 38924 3	Determination of Trace Level Mercury in Waters and Leachates by PSA Cold Vapour Atomic Fluorescence Spectrometry		
TM184	EPA Methods 325.1 & 325.2,	The Determination of Anions in Aqueous Matrices using the Kone Spectrophotometric Analysers		
TM208	Modified: US EPA Method 8260b & 624	Determination of Volatile Organic Compounds by Headspace / GC-MS in Waters		
TM227	Standard methods for the examination of waters and wastewaters 20th Edition, AWWA/APHA Method 4500.	Determination of Total Cyanide, Free (Easily Liberatable) Cyanide and Thiocyanate		
TM241	Methods for the Examination of Waters and Associated Materials; Chromium in Raw and Potable Waters and Sewage Effluents 1980.	The Determination of Hexavalent Chromium in Waters and Leachates using the Kone Analyser		
TM245	By GC-FID	Determination of CrO ₆ ²⁻ by Headspace in waters		
TM256	The measurement of Electrical Conductivity and the Laboratory determination of pH Value of Natural, Treated and Wastewaters. HMSO, 1978. ISBN 011 751428 4.	Determination of pH in Water and Leachate using the GLpH pH Meter		
TM259	by HPLC	Determination of Phenols in Waters and Leachates by HPLC		

¹ Applies to Solid samples only. DRY indicates samples have been dried at 35°C. NA = not applicable.

Consent of copyright owner required for any reuse.

SDG: 111028-13
 Job: D_MOUCHEL_ELE-1
 Client Reference:

Location: Limerick Gasworks
 Customer: Mouchel
 Attention: Neil Balderstone

Order Number: 4700000740
 Report Number: 158059
 Superseded Report:

Test Completion Dates

Lab Sample No(s)	4593562	4593558	4593559	4593561
Customer Sample Ref.	C11	G3	G5	G8
AGS Ref.				
Depth	1.00 - 2.00	2.50 - 3.50	2.00 - 3.00	1.50 - 2.00
Type	LIQUID	LIQUID	LIQUID	LIQUID
Ammoniacal Nitrogen	02-Nov-2011	02-Nov-2011	02-Nov-2011	02-Nov-2011
Anions by Kone (w)	02-Nov-2011	02-Nov-2011	02-Nov-2011	02-Nov-2011
Cyanide Comp/Free/Total/Thiocyanate	31-Oct-2011	31-Oct-2011	31-Oct-2011	31-Oct-2011
Dissolved Metals by ICP-MS	02-Nov-2011	02-Nov-2011	02-Nov-2011	02-Nov-2011
EPH CWG (Aliphatic) Aqueous GC (W)	04-Nov-2011	04-Nov-2011	04-Nov-2011	04-Nov-2011
EPH CWG (Aromatic) Aqueous GC (W)	04-Nov-2011	04-Nov-2011	04-Nov-2011	04-Nov-2011
GRO by GC-FID (W)	31-Oct-2011	31-Oct-2011	31-Oct-2011	31-Oct-2011
Hexavalent Chromium (w)	01-Nov-2011	01-Nov-2011	01-Nov-2011	01-Nov-2011
Mercury Dissolved	31-Oct-2011	31-Oct-2011	31-Oct-2011	31-Oct-2011
PAH Spec MS - Aqueous (W)	04-Nov-2011	04-Nov-2011	03-Nov-2011	04-Nov-2011
pH Value	31-Oct-2011	31-Oct-2011	31-Oct-2011	31-Oct-2011
Phenols by HPLC (W)	01-Nov-2011	01-Nov-2011	01-Nov-2011	01-Nov-2011
Sulphide	01-Nov-2011	01-Nov-2011	01-Nov-2011	01-Nov-2011
TPH CWG (W)	04-Nov-2011	04-Nov-2011	04-Nov-2011	04-Nov-2011
VOC MS (W)			02-Nov-2011	

For inspection purposes only.
 Consent of copyright owner required for any other use.

CERTIFICATE OF ANALYSIS

SDG: 111028-13
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158059
Superseded Report:

Chromatogram


Analysis: EPH CWG (Aliphatic) Aqueous GC (W)

Sample No : 4602109
Sample ID : C11

Depth : 1.00 - 2.00

Alcontrol/Geochem Analytical Services
Speciated TPH - SATS (C12 - C40)

Sample Identity: 4553072-4602109
Date Acquired : 04/11/2011 01:00:14 PM
Units : ppb
Dilution :
CF : 1
Multiplier : 0.008



CERTIFICATE OF ANALYSIS

SDG: 111028-13
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158059
Superseded Report:

Chromatogram


Analysis: EPH CWG (Aliphatic) Aqueous GC (W)

Sample No : 4602145
Sample ID : G8

Depth : 1.50 - 2.00

Alcontrol/Geochem Analytical Services
Speciated TPH - SATS (C12 - C40)

Sample Identity: 4553057-4602145
Date Acquired : 04/11/2011 01:32:42 PM
Units : ppb
Dilution :
CF : 1
Multiplier : 0.008





CERTIFICATE OF ANALYSIS

SDG: 111028-13
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158059
Superseded Report:

Chromatogram


Analysis: EPH CWG (Aliphatic) Aqueous GC (W)

Sample No : 4602215
Sample ID : G3

Depth : 2.50 - 3.50

Alcontrol/Geochem Analytical Services
Speciated TPH - SATS (C12 - C40)

Sample Identity: 4553023-4602215
Date Acquired : 03/11/11 23:57:52
Units : ppb
Dilution :
CF : 1
Multiplier : 0.008



CERTIFICATE OF ANALYSIS

SDG: 111028-13
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158059
Superseded Report:

Chromatogram


Analysis: EPH CWG (Aliphatic) Aqueous GC (W)

Sample No : 4602432
Sample ID : G5

Depth : 2.00 - 3.00

Alcontrol/Geochem Analytical Services
Speciated TPH - SATS (C12 - C40)

Sample Identity: 4553041-4602432
Date Acquired : 03/11/2011 22:19:45 PM
Units : ppb
Dilution :
CF : 1
Multiplier : 0.008



CERTIFICATE OF ANALYSIS

SDG: 111028-13
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158059
Superseded Report:

Chromatogram


Analysis: EPH CWG (Aromatic) Aqueous GC (W)

Sample No : 4602109
Sample ID : C11

Depth : 1.00 - 2.00

Alcontrol/Geochem Analytical Services
Speciated TPH - AROM (C12 - C40)

Sample Identity: 4553073-4602109
Date Acquired : 04/11/2011 01:00:14 PM
Units : ppb
Dilution :
CF : 1
Multiplier : 0.008



CERTIFICATE OF ANALYSIS

SDG: 111028-13
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158059
Superseded Report:

Chromatogram


Analysis: EPH CWG (Aromatic) Aqueous GC (W)

Sample No : 4602145
Sample ID : G8

Depth : 1.50 - 2.00

Alcontrol/Geochem Analytical Services
Speciated TPH - AROM (C12 - C40)

Sample Identity: 4553058-4602145
Date Acquired : 04/11/2011 01:32:42 PM
Units : ppb
Dilution :
CF : 1
Multiplier : 0.008





CERTIFICATE OF ANALYSIS

SDG: 111028-13
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158059
Superseded Report:

Chromatogram


Analysis: EPH CWG (Aromatic) Aqueous GC (W)

Sample No : 4602215
Sample ID : G3

Depth : 2.50 - 3.50

Alcontrol/Geochem Analytical Services
Speciated TPH - AROM (C12 - C40)

Sample Identity: 4553024-4602215
Date Acquired : 03/11/11 23:57:52
Units : ppb
Dilution :
CF : 1
Multiplier : 0.008



CERTIFICATE OF ANALYSIS

SDG: 111028-13
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158059
Superseded Report:

Chromatogram


Analysis: EPH CWG (Aromatic) Aqueous GC (W)

Sample No : 4602432
Sample ID : G5

Depth : 2.00 - 3.00

Alcontrol/Geochem Analytical Services
Speciated TPH - AROM (C12 - C40)

Sample Identity: 4553042-4602432
Date Acquired : 03/11/2011 22:19:45 PM
Units : ppb
Dilution :
CF : 1
Multiplier : 0.008



CERTIFICATE OF ANALYSIS

SDG: 111028-13
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158059
Superseded Report:


Chromatogram

Analysis: GRO by GC-FID (W)

Sample No : 4605768
Sample ID : G3

Depth : 2.50 - 3.50

4605768_GRO_W.DATA - Chem 11 FID



CERTIFICATE OF ANALYSIS

SDG: 111028-13
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158059
Superseded Report:


Chromatogram

Analysis: GRO by GC-FID (W)

Sample No : 4605780
Sample ID : G5

Depth : 2.00 - 3.00

4605780_GRO_W.DATA - Chem 11 FID



CERTIFICATE OF ANALYSIS

SDG: 111028-13
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158059
Superseded Report:


Chromatogram

Analysis: GRO by GC-FID (W)

Sample No : 4605788
Sample ID : G8

Depth : 1.50 - 2.00

4605788_GRO_W.DATA - Chem 11 FID



CERTIFICATE OF ANALYSIS

SDG: 111028-13
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158059
Superseded Report:


Chromatogram

Analysis: GRO by GC-FID (W)

Sample No : 4605801
Sample ID : C11

Depth : 1.00 - 2.00

4605801_GRO_W.DATA - Chem 11 FID





CERTIFICATE OF ANALYSIS

SDG: 111028-13
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158059
Superseded Report:

Appendix

1. Results are expressed on a dry weight basis (dried at 35°C) for all soil analyses except for the following: NRA Leach tests, flash point, ammonium as NH4 by the BRE method, VOC TICS, SVOC TICS, TOF-MS SCAN/SEARCH and TOF-MS TICS.

2. Samples will be run in duplicate upon request, but an additional charge may be incurred.

3. If sufficient sample is received a sub sample will be retained free of charge for 30 days after analysis is completed (e-mailed) for both soil jars, tubs and volatile jars. All waters and vials will be discarded 10 days after the analysis is completed (e-mailed). All material removed during an asbestos containing material screen and analysed for the presence of asbestos will be retained for a period of 6 months after the analysis date. All samples received and not scheduled will be disposed of one month after the date of receipt unless we are instructed to the contrary. Once the initial period has expired, a storage charge will be applied for each month or part thereof until the client cancels the request for sample storage. ALcontrol Laboratories reserve the right to charge for samples received and stored but not analysed.

4. With respect to turnaround, we will always endeavour to meet client requirements wherever possible, but turnaround times cannot be absolutely guaranteed due to so many variables beyond our control.

5. We take responsibility for any test performed by sub-contractors (marked with an asterisk). We endeavour to use UKAS/MCERTS Accredited Laboratories, who either complete a quality questionnaire or are audited by ourselves. For some determinants there are no UKAS/MCERTS Accredited Laboratories, in this instance a laboratory with a known track record will be used.

6. When requested, the individual sub sample scheduled will be screened in house for the presence of asbestos fibres and asbestos containing material by our documented in house method TM048 based on HSG 248 (2005), which is accredited to ISO17025. If a specific asbestos fibre type is not found this will be reported as "Not detected". If no asbestos fibre types are found all will be reported as "Not detected" and the sub sample analysed deemed to be clear of asbestos. Is an asbestos fibre type is found it will be reported as detected (for each fibre type found). If asbestos is present either as asbestos containing material or loose fibres no further analysis will be undertaken. The quantity of asbestos present is not determined unless specifically requested.

7. If no separate volatile sample is supplied by the client, the integrity of the data may be compromised if the laboratory is required to create a sub-sample from the bulk sample -similarly, if a headspace or sediment is present in the volatile sample. This will be flagged up as an invalid VOC on the test schedule or recorded on the log sheet.

8. If appropriate preserved bottles are not received preservation will take place on receipt. However, the integrity of the data may be compromised.

9. NDP -No determination possible due to insufficient/unsuitable sample.

10. Metals in water are performed on a filtered sample, and therefore represent dissolved metals -total metals must be requested separately.

11. Results relate only to the items tested.

12. LODs for wet tests reported on a dry weight basis are not corrected for moisture content.

13. **Surrogate recoveries** -Most of our organic methods include surrogates, the recovery of which is monitored and reported. For EPH, MO, PAH, GRO and VOCs on soils the result is not surrogate corrected, but a percentage recovery is quoted. Acceptable limits for most organic methods are 70-130 %.

14. **Product analyses** -Organic analyses on products can only be semi-quantitative due to the matrix effects and high dilution factors employed.

15. Phenols monohydric by HPLC include phenol, cresols (2-Methylphenol, 3-Methylphenol and 4-Methylphenol) and Xylenols (2,3 Dimethylphenol, 2,4 Dimethylphenol, 2,5 Dimethylphenol, 2,6 Dimethylphenol, 3,4 Dimethylphenol, 3,5 Dimethylphenol).

16. Total of 5 speciated phenols by HPLC includes Phenol, 2,3,5-Trimethyl Phenol, 2-Isopropylphenol, Cresols and Xylenols (as detailed in 15).

17. Stones/debris are not routinely removed. We always endeavour to take a representative sub sample from the received sample.

18. In certain circumstances the method detection limit may be elevated due to the sample being outside the calibration range. Other factors that may contribute to this include possible interferences. In both cases the sample would be diluted which would cause the method detection limit to be raised.

19. Mercury results quoted on soils will not include volatile mercury as the analysis is performed on a dried and crushed sample.

20. For the BSEN 12457-3 two batch process to allow the cumulative release to be calculated, the volume of the leachate produced is measured and filtered for all tests. We therefore cannot carry out any unfiltered analysis. The tests affected include volatiles GCFID/GCMS and all subcontracted analysis.

21. For all leachate preparations (NRA, DIN, TCLP, BSEN 12457-1, 2, 3) volatile loss may occur, as we do not employ zero headspace extraction.

22. We are accredited to MCERTS for sand, clay and loam/topsoil, or any of these materials -whether these are derived from naturally occurring soil profiles, or from fill/made ground, as long as these materials constitute the major part of the sample. Other coarse granular material such as concrete, gravel and brick are not accredited if they comprise the major part of the sample.

23. Analysis and identification of specific compounds using GCFID is by retention time only, and we routinely calibrate and quantify for benzene, toluene, ethylbenzenes and xylenes (BTEX). For total volatiles in the C4-C10 range, the total area of the chromatogram is integrated and expressed as ug/kg or ug/l. Although this analysis is commonly used for the quantification of gasoline range organics (GRO), the system will also detect other compounds such as chlorinated solvents, and this may lead to a falsely high result with respect to hydrocarbons only. It is not possible to specifically identify these non-hydrocarbons, as standards are not routinely run for any other compounds, and for more definitive identification, volatiles by GCMS should be utilised.

SOLID MATRICES EXTRACTION SUMMARY				
ANALYSIS	D/C OR WET	EXTRACTION SOLVENT	EXTRACTION METHOD	ANALYSIS
SOLVENTEXTRACTABLE MATTER	D&C	DOM	SOXOTHERM	GRAVIMETRIC
CYCLOHEXANE EXT. MATTER	D&C	CYCLOHEXANE	SOXOTHERM	GRAVIMETRIC
ELEMENTAL SULPHUR	D&C	DOM	SOXOTHERM	HPLC
PHENOLS BY GCMS	WET	DOM	SOXOTHERM	GC-MS
HERBICIDES	D&C	HEXANE/ACETONE	SOXOTHERM	GC-MS
PESTICIDES	D&C	HEXANE/ACETONE	SOXOTHERM	GC-MS
EPH(DRO)	D&C	HEXANE/ACETONE	END OVER END	GC-FID
EPH(MN OL)	D&C	HEXANE/ACETONE	END OVER END	GC-FID
EPH(CLEANED UP)	D&C	HEXANE/ACETONE	END OVER END	GC-FID
EPH CWGBY GC	D&C	HEXANE/ACETONE	END OVER END	GC-FID
PCBTOT/P/CBCON	D&C	HEXANE/ACETONE	END OVER END	GC-MS
POLYAROMATIC HYDROCARBONS (MS)	WET	HEXANE/ACETONE	MICROWAVE TM218.	GC-MS
CB-C40(C6-C40)EZ FLASH	WET	HEXANE/ACETONE	SHAKER	GC-EZ
POLYAROMATIC HYDROCARBONS RAPID GC	WET	HEXANE/ACETONE	SHAKER	GC-EZ
SEM VOLATILEORGANIC COMPOUNDS	WET	DOM/ACETONE	SONICATE	GC-MS

LIQUID MATRICES EXTRACTION SUMMARY			
ANALYSIS	EXTRACTION SOLVENT	EXTRACTION METHOD	ANALYSIS
PAHMS	HEXANE	STIRRED EXTRACTION(STIR-BAR)	GCMS
EPH	HEXANE	STIRRED EXTRACTION(STIR-BAR)	GC-FID
EPH C/WG	HEXANE	STIRRED EXTRACTION(STIR-BAR)	GC-FID
MINERAL OIL	HEXANE	STIRRED EXTRACTION(STIR-BAR)	GC-FID
PCB 7 CONGENERS	HEXANE	STIRRED EXTRACTION(STIR-BAR)	GCMS
PCB TOTAL	HEXANE	STIRRED EXTRACTION(STIR-BAR)	GCMS
SVOC	DOM	LIQUID/LIQUID SHAKE	GCMS
FREESULPHUR	DOM	SOLID PHASE EXTRACTION	HPLC
PEST OC/P/OPP	DOM	Liquid/Liquid Shake	GCMS
TRIAZINE HERBS	DOM	Liquid/Liquid Shake	GCMS
PHENOLSMS	DOM	SOLID PHASE EXTRACTION	GCMS
THI by INFRARED (IR)	TCE	Liquid/Liquid Shake	HPLC
MINERAL OIL BY R	TCE	Liquid/Liquid Shake	HPLC
GLYCOLS	NONE	DIRECT INJECTION	GCMS

Identification of Asbestos in Bulk Materials & Soils

The results for identification of asbestos in bulk materials are obtained from supplied bulk materials or those identified as potentially asbestos containing during sample description which have been examined to determine the presence of asbestos fibres using Alcontrol Laboratories (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

Asbestos Type	Common Name
Chrysotile	WhiteAsbestos
Amosite	BrownAsbestos
Crocidolite	BlueAsbestos
Fibrous Asbestite	-
Fibrous Anthophyllite	-
Fibrous Tremolite	-

The results for identification of asbestos in soils are obtained from a homogenised sub sample which has been examined to determine the presence of asbestos fibres using Alcontrol Laboratories (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

Visual Estimation Of Fibre Content

Estimation of fibre content is not permitted as part of our UKAS accredited test other than:- Trace -Where only one or two asbestos fibres were identified.

Further guidance on typical asbestos fibre content of manufactured products can be found in HSG 264.

The identification of asbestos containing materials and soils falls within our schedule of tests for which we hold UKAS accreditation, however opinions, interpretations and all other information contained in the report are outside the scope of UKAS accreditation.

Mouchel
Ground Engineering
Rowan House
Lloyd Drive
Cheshire
CH65 9HQ

Attention: Neil Balderstone

CERTIFICATE OF ANALYSIS

Date: 04 November 2011
Customer: D_MOUCHEL_ELE
Sample Delivery Group (SDG): 111027-54
Your Reference:
Location: Limerick Gasworks
Report No: 158094

We received 5 samples on Tuesday October 25, 2011 and 5 of these samples were scheduled for analysis which was completed on Friday November 04, 2011. Accredited laboratory tests are defined within the report, but opinions, interpretations and on-site data expressed herein are outside the scope of ISO 17025 accreditation.

Should this report require incorporation into client reports, it must be used in its entirety and not simply with the data sections alone.

All chemical testing (unless subcontracted) is performed at ALcontrol Hawarden Laboratories.

For inspection purposes only.
Consent of copyright owner required for any other use.

Approved By:



Sonia McWhan

Operations Manager



CERTIFICATE OF ANALYSIS

SDG: 111027-54
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158094
Superseded Report:

Received Sample Overview

Lab Sample No(s)	Customer Sample Ref.	AGS Ref.	Depth (m)	Sampled Date
4587709	H12		2.50 - 3.50	25/10/2011
4587707	J10		1.00 - 2.00	25/10/2011
4587704	K1		2.00 - 3.00	25/10/2011
4587706	K5		1.00 - 2.00	25/10/2011
4587705	M3		3.00 - 4.00	25/10/2011

Only received samples which have had analysis scheduled will be shown on the following pages.

For inspection purposes only.
Consent of copyright owner required for any other use.



CERTIFICATE OF ANALYSIS

SDG: 111027-54
 Job: D_MOUCHEL_ELE-1
 Client Reference:

Location: Limerick Gasworks
 Customer: Mouchel
 Attention: Neil Balderstone

Order Number: 4700000740
 Report Number: 158094
 Superseded Report:

LIQUID Results Legend	Lab Sample No(s)	Customer Sample Reference					4587709 4587707 4587706 4587705 4587704	
		AGS Reference						
		Depth (m)						
		Container						
Ammoniacal Nitrogen	All	NDPs: 0 Tests: 5	X	X	X	X	X	
Anions by Kone (w)	All	NDPs: 0 Tests: 5	X	X	X	X	X	
Cyanide Comp/Free/Total/Thiocyanate	All	NDPs: 0 Tests: 5	X	X	X	X	X	
Dissolved Metals by ICP-MS	All	NDPs: 0 Tests: 5	X	X	X	X	X	
EPH CWG (Aliphatic) Aqueous GC (W)	All	NDPs: 0 Tests: 5	X	X	X	X	X	
EPH CWG (Aromatic) Aqueous GC (W)	All	NDPs: 0 Tests: 5	X	X	X	X	X	
GRO by GC-FID (W)	All	NDPs: 0 Tests: 5	X	X	X	X	X	
Hexavalent Chromium (w)	All	NDPs: 0 Tests: 5	X	X	X	X	X	
Mercury Dissolved	All	NDPs: 0 Tests: 5	X	X	X	X	X	
PAH Spec MS - Aqueous (W)	All	NDPs: 0 Tests: 5	X	X	X	X	X	
pH Value	All	NDPs: 0 Tests: 5	X	X	X	X	X	
Phenols by HPLC (W)	All	NDPs: 0 Tests: 5	X	X	X	X	X	
Sulphide	All	NDPs: 0 Tests: 5	X	X	X	X	X	
TPH CWG (W)	All	NDPs: 0 Tests: 5	X	X	X	X	X	
VOC MS (W)	All	NDPs: 0 Tests: 2		X	X			

CERTIFICATE OF ANALYSIS

SDG: 111027-54
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158094
Superseded Report:

CERTIFICATE OF ANALYSIS

SDG: 111027-54
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158094
Superseded Report:

PAH Spec MS - Aqueous (W)

CERTIFICATE OF ANALYSIS

SDG: 111027-54
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158094
Superseded Report:

TPH CWG (W)

CERTIFICATE OF ANALYSIS

SDG: 111027-54
 Job: D_MOUCHEL_ELE-1
 Client Reference:

Location: Limerick Gasworks
 Customer: Mouchel
 Attention: Neil Balderstone

Order Number: 4700000740
 Report Number: 158094
 Superseded Report:

VOC MS (W)

Results Legend		Customer Sample R	K5	M3				
#	ISO17025 accredited.	Depth (m)	1.00 - 2.00	3.00 - 4.00				
M	mCERTS accredited.	Sample Type	Water(GW/SW)	Water(GW/SW)				
§	Deviating sample.	Date Sampled	25/10/2011	25/10/2011				
aq	Aqueous / settled sample.	Date Received	25/10/2011	25/10/2011				
dissfilt	Dissolved / filtered sample.	SDG Ref	111027-54	111027-54				
totunfilt	Total / unfiltered sample.	Lab Sample No.(s)	4587706	4587705				
*	Subcontracted test.	AGS Reference						
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery							
(F)	Trigger breach confirmed							
Component	LOD/Units	Method						
Dibromofluoromethane**	%	TM208	72.1	107				
Toluene-d8**	%	TM208	89.5	99.4				
4-Bromofluorobenzene**	%	TM208	64.4	98.3				
Dichlorodifluoromethane	<1 µg/l	TM208	<1	<1	#	#		
Chloromethane	<1 µg/l	TM208	<1	<1	#	#		
Vinyl chloride	<1 µg/l	TM208	<1	<1	#	#		
Bromomethane	<1 µg/l	TM208	<1	<1	#	#		
Chloroethane	<1 µg/l	TM208	<1	<1	#	#		
Trichlorofluoromethane	<1 µg/l	TM208	<1	<1	#	#		
1,1-Dichloroethene	<1 µg/l	TM208	<1	<1	#	#		
Carbon disulphide	<1 µg/l	TM208	<1	<1	#	#		
Dichloromethane	<3 µg/l	TM208	<3	<3	#	#		
Methyl tertiary butyl ether (MTBE)	<1 µg/l	TM208	<1	<1	#	#		
trans-1,2-Dichloroethene	<1 µg/l	TM208	<1	<1	#	#		
1,1-Dichloroethane	<1 µg/l	TM208	<1	<1	#	#		
cis-1,2-Dichloroethene	<1 µg/l	TM208	<1	<1	#	#		
2,2-Dichloropropane	<1 µg/l	TM208	<1	<1	#	#		
Bromochloromethane	<1 µg/l	TM208	<1	<1	#	#		
Chloroform	<1 µg/l	TM208	<1	<1	#	#		
1,1,1-Trichloroethane	<1 µg/l	TM208	4.3	<1	#	#		
1,1-Dichloropropene	<1 µg/l	TM208	<1	<1	#	#		
Carbontetrachloride	<1 µg/l	TM208	<1	<1	#	#		
1,2-Dichloroethane	<1 µg/l	TM208	<1	<1				
Benzene	<1 µg/l	TM208	13300	<1	#	#		
Trichloroethene	<1 µg/l	TM208	8.4	<1	#	#		
1,2-Dichloropropane	<1 µg/l	TM208	<1	<1	#	#		
Dibromomethane	<1 µg/l	TM208	<1	<1	#	#		
Bromodichloromethane	<1 µg/l	TM208	<1	<1	#	#		
cis-1,3-Dichloropropene	<1 µg/l	TM208	<1	<1	#	#		
Toluene	<1 µg/l	TM208	5020	<1	#	#		
trans-1,3-Dichloropropene	<1 µg/l	TM208	<1	<1	#	#		
1,1,2-Trichloroethane	<1 µg/l	TM208	<1	<1	#	#		
1,3-Dichloropropane	<1 µg/l	TM208	<1	<1	#	#		
Tetrachloroethene	<1 µg/l	TM208	<1	<1	#	#		
Dibromochloromethane	<1 µg/l	TM208	<1	<1	#	#		

Consent of copyright owner required for any other use.

CERTIFICATE OF ANALYSIS

SDG: 111027-54
 Job: D_MOUCHEL_ELE-1
 Client Reference:

Location: Limerick Gasworks
 Customer: Mouchel
 Attention: Neil Balderstone

Order Number: 4700000740
 Report Number: 158094
 Superseded Report:

VOC MS (W)

Results Legend		Customer Sample R	K5	M3				
#	ISO17025 accredited.							
M	mcERTS accredited.							
§	Deviating sample.							
aq	Aqueous / settled sample.							
diss.fil	Dissolved / filtered sample.							
tot.unfilt	Total / unfiltered sample.							
*	Subcontracted test.							
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery							
(F)	Trigger breach confirmed							
Component	LOD/Units	Method						
1,2-Dibromoethane	<1 µg/l	TM208	<1	#	<1	#		
Chlorobenzene	<1 µg/l	TM208	<1	#	<1	#		
1,1,1,2-Tetrachloroethane	<1 µg/l	TM208	<1	#	<1	#		
Ethylbenzene	<1 µg/l	TM208	227	#	<1	#		
m,p-Xylene	<1 µg/l	TM208	1460		<1			
o-Xylene	<1 µg/l	TM208	644	#	<1	#		
Styrene	<1 µg/l	TM208	263		<1			
Bromoform	<1 µg/l	TM208	<1	#	<1	#		
Isopropylbenzene	<1 µg/l	TM208	9.55		<1			
1,1,2,2-Tetrachloroethane	<1 µg/l	TM208	<1		<1			
1,2,3-Trichloropropane	<1 µg/l	TM208	<1	#	<1	#		
Bromobenzene	<1 µg/l	TM208	<1		<1			
Propylbenzene	<1 µg/l	TM208	12	#	<1			
2-Chlorotoluene	<1 µg/l	TM208	<1	#	<1	#		
1,3,5-Trimethylbenzene	<1 µg/l	TM208	53.5	#	<1	#		
4-Chlorotoluene	<1 µg/l	TM208	<1	#	<1	#		
tert-Butylbenzene	<1 µg/l	TM208	<1	#	<1	#		
1,2,4-Trimethylbenzene	<1 µg/l	TM208	135	#	<1	#		
sec-Butylbenzene	<1 µg/l	TM208	<1	#	<1	#		
4-iso-Propyltoluene	<1 µg/l	TM208	<1	#	<1	#		
1,3-Dichlorobenzene	<1 µg/l	TM208	<1		<1			
1,4-Dichlorobenzene	<1 µg/l	TM208	<1	#	<1	#		
n-Butylbenzene	<1 µg/l	TM208	<1	#	<1	#		
1,2-Dichlorobenzene	<1 µg/l	TM208	<1		<1			
1,2-Dibromo-3-chloropropane	<1 µg/l	TM208	<1		<1			
1,2,4-Trichlorobenzene	<1 µg/l	TM208	<1	#	<1	#		
Hexachlorobutadiene	<1 µg/l	TM208	<1	#	<1	#		
tert-Amyl methyl ether (TAME)	<1 µg/l	TM208	<1	#	<1	#		
Naphthalene	<1 µg/l	TM208	5770	#	<1	#		
1,2,3-Trichlorobenzene	<1 µg/l	TM208	<1	#	<1	#		
1,3,5-Trichlorobenzene	<1 µg/l	TM208	<1		<1			

For inspection purposes only.
Copyright owner required for any other use.

CERTIFICATE OF ANALYSIS

SDG: 111027-54
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158094
Superseded Report:

Notification of Deviating Samples

Sample Number	Customer Sample Ref.	Depth (m)	Matrix	Test Name	Component Name	Comment
4627418	J10	1.00 - 2.00	LIQUID	GRO by GC-FID (W)	Aliphatics >C10-C12	Container with Headspace provided for volatiles analysis
4627418	J10	1.00 - 2.00	LIQUID	GRO by GC-FID (W)	Aliphatics >C5-C6	Container with Headspace provided for volatiles analysis
4627418	J10	1.00 - 2.00	LIQUID	GRO by GC-FID (W)	Aliphatics >C6-C8	Container with Headspace provided for volatiles analysis
4627418	J10	1.00 - 2.00	LIQUID	GRO by GC-FID (W)	Aliphatics >C8-C10	Container with Headspace provided for volatiles analysis
4627418	J10	1.00 - 2.00	LIQUID	GRO by GC-FID (W)	Aromatics >EC10-EC12	Container with Headspace provided for volatiles analysis
4627418	J10	1.00 - 2.00	LIQUID	GRO by GC-FID (W)	Aromatics >EC5-EC7	Container with Headspace provided for volatiles analysis
4627418	J10	1.00 - 2.00	LIQUID	GRO by GC-FID (W)	Aromatics >EC7-EC8	Container with Headspace provided for volatiles analysis
4627418	J10	1.00 - 2.00	LIQUID	GRO by GC-FID (W)	Aromatics >EC8-EC10	Container with Headspace provided for volatiles analysis
4627418	J10	1.00 - 2.00	LIQUID	GRO by GC-FID (W)	Benzene	Container with Headspace provided for volatiles analysis
4627418	J10	1.00 - 2.00	LIQUID	GRO by GC-FID (W)	Ethylbenzene	Container with Headspace provided for volatiles analysis
4627418	J10	1.00 - 2.00	LIQUID	GRO by GC-FID (W)	GRO >C5-C12	Container with Headspace provided for volatiles analysis
4627418	J10	1.00 - 2.00	LIQUID	GRO by GC-FID (W)	GRO Surrogate % recovery**	Container with Headspace provided for volatiles analysis
4627418	J10	1.00 - 2.00	LIQUID	GRO by GC-FID (W)	m,p-Xylene	Container with Headspace provided for volatiles analysis
4627418	J10	1.00 - 2.00	LIQUID	GRO by GC-FID (W)	Methyl tertiary butyl ether (MTBE)	Container with Headspace provided for volatiles analysis
4627418	J10	1.00 - 2.00	LIQUID	GRO by GC-FID (W)	o-Xylene	Container with Headspace provided for volatiles analysis
4627418	J10	1.00 - 2.00	LIQUID	GRO by GC-FID (W)	Sum of detected BTEX	Container with Headspace provided for volatiles analysis
4627418	J10	1.00 - 2.00	LIQUID	GRO by GC-FID (W)	Sum of detected Xylenes	Container with Headspace provided for volatiles analysis
4627418	J10	1.00 - 2.00	LIQUID	GRO by GC-FID (W)	Toluene	Container with Headspace provided for volatiles analysis
4627470	K1	2.00 - 3.00	LIQUID	GRO by GC-FID (W)	Aliphatics >C10-C12	Container with Headspace provided for volatiles analysis
4627470	K1	2.00 - 3.00	LIQUID	GRO by GC-FID (W)	Aliphatics >C5-C6	Container with Headspace provided for volatiles analysis
4627470	K1	2.00 - 3.00	LIQUID	GRO by GC-FID (W)	Aliphatics >C6-C8	Container with Headspace provided for volatiles analysis
4627470	K1	2.00 - 3.00	LIQUID	GRO by GC-FID (W)	Aliphatics >C8-C10	Container with Headspace provided for volatiles analysis
4627470	K1	2.00 - 3.00	LIQUID	GRO by GC-FID (W)	Aromatics >EC10-EC12	Container with Headspace provided for volatiles analysis
4627470	K1	2.00 - 3.00	LIQUID	GRO by GC-FID (W)	Aromatics >EC5-EC7	Container with Headspace provided for volatiles analysis
4627470	K1	2.00 - 3.00	LIQUID	GRO by GC-FID (W)	Aromatics >EC7-EC8	Container with Headspace provided for volatiles analysis
4627470	K1	2.00 - 3.00	LIQUID	GRO by GC-FID (W)	Aromatics >EC8-EC10	Container with Headspace provided for volatiles analysis
4627470	K1	2.00 - 3.00	LIQUID	GRO by GC-FID (W)	Benzene	Container with Headspace provided for volatiles analysis
4627470	K1	2.00 - 3.00	LIQUID	GRO by GC-FID (W)	Ethylbenzene	Container with Headspace provided for volatiles analysis
4627470	K1	2.00 - 3.00	LIQUID	GRO by GC-FID (W)	GRO >C5-C12	Container with Headspace provided for volatiles analysis
4627470	K1	2.00 - 3.00	LIQUID	GRO by GC-FID (W)	GRO Surrogate % recovery**	Container with Headspace provided for volatiles analysis
4627470	K1	2.00 - 3.00	LIQUID	GRO by GC-FID (W)	m,p-Xylene	Container with Headspace provided for volatiles analysis
4627470	K1	2.00 - 3.00	LIQUID	GRO by GC-FID (W)	Methyl tertiary butyl ether (MTBE)	Container with Headspace provided for volatiles analysis
4627470	K1	2.00 - 3.00	LIQUID	GRO by GC-FID (W)	o-Xylene	Container with Headspace provided for volatiles analysis
4627470	K1	2.00 - 3.00	LIQUID	GRO by GC-FID (W)	Sum of detected BTEX	Container with Headspace provided for volatiles analysis
4627470	K1	2.00 - 3.00	LIQUID	GRO by GC-FID (W)	Sum of detected Xylenes	Container with Headspace provided for volatiles analysis
4627470	K1	2.00 - 3.00	LIQUID	GRO by GC-FID (W)	Toluene	Container with Headspace provided for volatiles analysis

Consent of copyright owner required for any other use.

CERTIFICATE OF ANALYSIS

SDG:	111027-54	Location:	Limerick Gasworks	Order Number:	4700000740
Job:	D_MOUCHEL_ELE-1	Customer:	Mouchel	Report Number:	158094
Client Reference:		Attention:	Neil Balderstone	Superseded Report:	
Sample Number	Customer Sample Ref.	Depth (m)	Matrix	Test Name	Component Name
4627490	H12	2.50 - 3.50	LIQUID	GRO by GC-FID (W)	Aliphatics >C10-C12
4627490	H12	2.50 - 3.50	LIQUID	GRO by GC-FID (W)	Aliphatics >C5-C6
4627490	H12	2.50 - 3.50	LIQUID	GRO by GC-FID (W)	Aliphatics >C6-C8
4627490	H12	2.50 - 3.50	LIQUID	GRO by GC-FID (W)	Aliphatics >C8-C10
4627490	H12	2.50 - 3.50	LIQUID	GRO by GC-FID (W)	Aromatics >EC10-EC12
4627490	H12	2.50 - 3.50	LIQUID	GRO by GC-FID (W)	Aromatics >EC5-EC7
4627490	H12	2.50 - 3.50	LIQUID	GRO by GC-FID (W)	Aromatics >EC7-EC8
4627490	H12	2.50 - 3.50	LIQUID	GRO by GC-FID (W)	Aromatics >EC8-EC10
4627490	H12	2.50 - 3.50	LIQUID	GRO by GC-FID (W)	Benzene
4627490	H12	2.50 - 3.50	LIQUID	GRO by GC-FID (W)	Ethylbenzene
4627490	H12	2.50 - 3.50	LIQUID	GRO by GC-FID (W)	GRO >C5-C12
4627490	H12	2.50 - 3.50	LIQUID	GRO by GC-FID (W)	GRO Surrogate % recovery**
4627490	H12	2.50 - 3.50	LIQUID	GRO by GC-FID (W)	m,p-Xylene
4627490	H12	2.50 - 3.50	LIQUID	GRO by GC-FID (W)	Methyl tertiary butyl ether (MTBE)
4627490	H12	2.50 - 3.50	LIQUID	GRO by GC-FID (W)	o-Xylene
4627490	H12	2.50 - 3.50	LIQUID	GRO by GC-FID (W)	Sum of detected BTEX
4627490	H12	2.50 - 3.50	LIQUID	GRO by GC-FID (W)	Sum of detected Xylenes
4627490	H12	2.50 - 3.50	LIQUID	GRO by GC-FID (W)	Toluene

Note : Test results may be compromised

Consent of copyright owner required for any other use.

For inspection purposes only.

CERTIFICATE OF ANALYSIS

SDG: 111027-54
 Job: D_MOUCHEL_ELE-1
 Client Reference:

Location: Limerick Gasworks
 Customer: Mouchel
 Attention: Neil Balderstone

Order Number: 4700000740
 Report Number: 158094
 Superseded Report:

Table of Results - Appendix

REPORT KEY

Results expressed as (e.g.) 1.03E-07 is equivalent to 1.03x10⁻⁷

NDP	No Determination Possible	#	ISO 17025 Accredited	*	Subcontracted Test	M	MCERTS Accredited
NFD	No Fibres Detected	PFD	Possible Fibres Detected	»	Result previously reported (Incremental reports only)	EC	Equivalent Carbon (Aromatics C8-C35)

Note: Method detection limits are not always achievable due to various circumstances beyond our control

Method No	Reference	Description	Wet/Dry Sample ¹	Surrogate Corrected
TM061	Method for the Determination of EPH, Massachusetts Dept.of EP, 1998	Determination of Extractable Petroleum Hydrocarbons by GC-FID (C10-C40)		
TM099	BS 2690: Part 7:1968 / BS 6068: Part 2.11:1984	Determination of Ammonium in Water Samples using the Kone Analyser		
TM101	Method 4500B & C, AWWA/APHA, 20th Ed., 1999	Determination of Sulphide in soil and water samples using the Kone Analyser		
TM152	Method 3125B, AWWA/APHA, 20th Ed., 1999	Analysis of Aqueous Samples by ICP-MS		
TM174	Analysis of Petroleum Hydrocarbons in Environmental Media – Total Petroleum Hydrocarbon Criteria	Determination of Speciated Extractable Petroleum Hydrocarbons in Waters by GC-FID		
TM178	Modified: US EPA Method 8100	Determination of Polynuclear Aromatic Hydrocarbons (PAH) by GC-MS in Waters		
TM183	BS EN 23506:2002, (BS 6068-2.74:2002) ISBN 0 580 38924 3	Determination of Trace Level Mercury in Waters and Leachates by PSA Cold Vapour Atomic Fluorescence Spectrometry		
TM184	EPA Methods 325.1 & 325.2,	The Determination of Anions in Aqueous Matrices using the Kone Spectrophotometric Analysers		
TM208	Modified: US EPA Method 8260b & 624	Determination of Volatile Organic Compounds by Headspace / GC-MS in Waters		
TM227	Standard methods for the examination of waters and wastewaters 20th Edition, AWWA/APHA Method 4500.	Determination of Total Cyanide, Free (Easily Liberatable) Cyanide and Thiocyanate		
TM241	Methods for the Examination of Waters and Associated Materials; Chromium in Raw and Potable Waters and Sewage Effluents 1980.	The Determination of Hexavalent Chromium in Waters and Leachates using the Kone Analyser		
TM245	By GC-FID	Determination of CrO ₆ ²⁻ by Headspace in waters		
TM256	The measurement of Electrical Conductivity and the Laboratory determination of pH Value of Natural, Treated and Wastewaters. HMSO, 1978. ISBN 011 751428 4.	Determination of pH in Water and Leachate using the GLpH pH Meter		
TM259	by HPLC	Determination of Phenols in Waters and Leachates by HPLC		

¹ Applies to Solid samples only. DRY indicates samples have been dried at 35°C. NA = not applicable.

Consent of copyright owner required for any reuse.

SDG: 111027-54
 Job: D_MOUCHEL_ELE-1
 Client Reference:

Location: Limerick Gasworks
 Customer: Mouchel
 Attention: Neil Balderstone

Order Number: 4700000740
 Report Number: 158094
 Superseded Report:

Test Completion Dates

Lab Sample No(s) Customer Sample Ref.	4587709	4587707	4587704	4587706	4587705			
	H12	J10	K1	K5	M3			
	AGS Ref.	Depth	Type	2.50 - 3.50	1.00 - 2.00	2.00 - 3.00	1.00 - 2.00	3.00 - 4.00
Ammoniacal Nitrogen	01-Nov-2011	31-Oct-2011	31-Oct-2011	01-Nov-2011	01-Nov-2011			
Anions by Kone (w)	02-Nov-2011	02-Nov-2011	02-Nov-2011	02-Nov-2011	02-Nov-2011			
Cyanide Comp/Free/Total/Thiocyanate	28-Oct-2011	28-Oct-2011	28-Oct-2011	28-Oct-2011	28-Oct-2011			
Dissolved Metals by ICP-MS	02-Nov-2011	01-Nov-2011	01-Nov-2011	01-Nov-2011	02-Nov-2011			
EPH CWG (Aliphatic) Aqueous GC (W)	04-Nov-2011	04-Nov-2011	04-Nov-2011	04-Nov-2011	04-Nov-2011			
EPH CWG (Aromatic) Aqueous GC (W)	04-Nov-2011	04-Nov-2011	04-Nov-2011	04-Nov-2011	04-Nov-2011			
GRO by GC-FID (W)	03-Nov-2011	03-Nov-2011	03-Nov-2011	31-Oct-2011	30-Oct-2011			
Hexavalent Chromium (w)	01-Nov-2011	01-Nov-2011	01-Nov-2011	01-Nov-2011	01-Nov-2011			
Mercury Dissolved	31-Oct-2011	01-Nov-2011	31-Oct-2011	01-Nov-2011	31-Oct-2011			
PAH Spec MS - Aqueous (W)	02-Nov-2011	03-Nov-2011	02-Nov-2011	02-Nov-2011	03-Nov-2011			
pH Value	28-Oct-2011	01-Nov-2011	28-Oct-2011	31-Oct-2011	28-Oct-2011			
Phenols by HPLC (W)	01-Nov-2011	01-Nov-2011	01-Nov-2011	02-Nov-2011	01-Nov-2011			
Sulphide	01-Nov-2011	01-Nov-2011	01-Nov-2011	01-Nov-2011	01-Nov-2011			
TPH CWG (W)	04-Nov-2011	04-Nov-2011	04-Nov-2011	04-Nov-2011	04-Nov-2011			
VOC MS (W)				02-Nov-2011	01-Nov-2011			

For inspection purposes only.
 Consent of copyright owner required for any other use.

CERTIFICATE OF ANALYSIS

SDG: 111027-54
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158094
Superseded Report:

Chromatogram


Analysis: EPH CWG (Aliphatic) Aqueous GC (W)

Sample No : 4597197
Sample ID : K5

Depth : 1.00 - 2.00

Alcontrol/Geochem Analytical Services
Speciated TPH - SATS (C12 - C40)

Sample Identity: 4547487-4597197
Date Acquired : 04/11/11 13:47:27 PM
Units : ppb
Dilution :
CF : 1
Multiplier : 0.008



CERTIFICATE OF ANALYSIS

SDG: 111027-54
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158094
Superseded Report:

Chromatogram


Analysis: EPH CWG (Aliphatic) Aqueous GC (W)

Sample No : 4597259
Sample ID : J10

Depth : 1.00 - 2.00

Alcontrol/Geochem Analytical Services
Speciated TPH - SATS (C12 - C40)

Sample Identity: 4547503-4597259
Date Acquired : 04/11/11 03:09:45
Units : ppb
Dilution :
CF : 1
Multiplier : 0.008



CERTIFICATE OF ANALYSIS

SDG: 111027-54
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158094
Superseded Report:

Chromatogram


Analysis: EPH CWG (Aliphatic) Aqueous GC (W)

Sample No : 4597321
Sample ID : H12

Depth : 2.50 - 3.50

Alcontrol/Geochem Analytical Services
Speciated TPH - SATS (C12 - C40)

Sample Identity: 4547518-4597321
Date Acquired : 03/11/11 23:57:07 PM
Units : ppb
Dilution :
CF : 1
Multiplier : 0.008



CERTIFICATE OF ANALYSIS

SDG: 111027-54
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158094
Superseded Report:

Chromatogram


Analysis: EPH CWG (Aliphatic) Aqueous GC (W)

Sample No : 4597361
Sample ID : K1

Depth : 2.00 - 3.00

Alcontrol/Geochem Analytical Services
Speciated TPH - SATS (C12 - C40)

Sample Identity: 4547455-4597361
Date Acquired : 03/11/11 21:32:40
Units : ppb
Dilution :
CF : 1
Multiplier : 0.008



CERTIFICATE OF ANALYSIS

SDG: 111027-54
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158094
Superseded Report:

Chromatogram


Analysis: EPH CWG (Aliphatic) Aqueous GC (W)

Sample No : 4597378
Sample ID : M3

Depth : 3.00 - 4.00

Alcontrol/Geochem Analytical Services
Speciated TPH - SATS (C12 - C40)

Sample Identity: 4547471-4597378
Date Acquired : 03/11/11 22:01:48
Units : ppb
Dilution :
CF : 1
Multiplier : 0.008



CERTIFICATE OF ANALYSIS

SDG: 111027-54
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158094
Superseded Report:

Chromatogram


Analysis: EPH CWG (Aromatic) Aqueous GC (W)

Sample No : 4597197
Sample ID : K5

Depth : 1.00 - 2.00

Alcontrol/Geochem Analytical Services
Speciated TPH - AROM (C12 - C40)

Sample Identity: 4547488-4597197
Date Acquired : 04/11/11 13:47:26 PM
Units : ppb
Dilution :
CF : 1
Multiplier : 0.008



CERTIFICATE OF ANALYSIS

SDG: 111027-54
 Job: D_MOUCHEL_ELE-1
 Client Reference:

Location: Limerick Gasworks
 Customer: Mouchel
 Attention: Neil Balderstone

Order Number: 4700000740
 Report Number: 158094
 Superseded Report:

Chromatogram


Analysis: EPH CWG (Aromatic) Aqueous GC (W)

Sample No : 4597259
Sample ID : J10

Depth : 1.00 - 2.00

Alcontrol/Geochem Analytical Services
 Speciated TPH - AROM (C12 - C40)

Sample Identity: 4547504-4597259
 Date Acquired : 04/11/11 03:09:45
 Units :
 Dilution :
 CF : 1
 Multiplier : 0.008



CERTIFICATE OF ANALYSIS

SDG: 111027-54
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158094
Superseded Report:

Chromatogram


Analysis: EPH CWG (Aromatic) Aqueous GC (W)

Sample No : 4597321
Sample ID : H12

Depth : 2.50 - 3.50

Alcontrol/Geochem Analytical Services
Speciated TPH - AROM (C12 - C40)

Sample Identity: 4547519-4597321
Date Acquired : 03/11/11 23:57:07 PM
Units : ppb
Dilution :
CF : 1
Multiplier : 0.008



CERTIFICATE OF ANALYSIS

SDG: 111027-54
 Job: D_MOUCHEL_ELE-1
 Client Reference:

Location: Limerick Gasworks
 Customer: Mouchel
 Attention: Neil Balderstone

Order Number: 4700000740
 Report Number: 158094
 Superseded Report:

Chromatogram


Analysis: EPH CWG (Aromatic) Aqueous GC (W)

Sample No : 4597361
Sample ID : K1

Depth : 2.00 - 3.00

Alcontrol/Geochem Analytical Services
 Speciated TPH - AROM (C12 - C40)

Sample Identity: 4547456-4597361
 Date Acquired : 03/11/11 21:32:40
 Units :
 Dilution :
 CF : 1
 Multiplier : 0.008



CERTIFICATE OF ANALYSIS

SDG: 111027-54
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158094
Superseded Report:

Chromatogram


Analysis: EPH CWG (Aromatic) Aqueous GC (W)

Sample No : 4597378
Sample ID : M3

Depth : 3.00 - 4.00

Alcontrol/Geochem Analytical Services
Speciated TPH - AROM (C12 - C40)

Sample Identity: 4547472-4597378
Date Acquired : 03/11/11 22:01:48
Units :
Dilution :
CF : 1
Multiplier : 0.008



CERTIFICATE OF ANALYSIS

SDG: 111027-54
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone


Order Number: 4700000740
Report Number: 158094
Superseded Report:

Chromatogram

Analysis: GRO by GC-FID (W)

Sample No : 4601573
Sample ID : M3

Depth : 3.00 - 4.00



CERTIFICATE OF ANALYSIS

SDG: 111027-54
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158094
Superseded Report:


Chromatogram

Analysis: GRO by GC-FID (W)

Sample No : 4606358
Sample ID : K5

Depth : 1.00 - 2.00

4606358_GRO_W.DATA - Chem 11 FID



CERTIFICATE OF ANALYSIS

SDG: 111027-54
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158094
Superseded Report:


Chromatogram

Analysis: GRO by GC-FID (W)

Sample No : 4627418
Sample ID : J10

Depth : 1.00 - 2.00

4627418_GRO_W.DATA - Chem 11 FID



CERTIFICATE OF ANALYSIS

SDG: 111027-54
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158094
Superseded Report:


Chromatogram

Analysis: GRO by GC-FID (W)

Sample No : 4627470
Sample ID : K1

Depth : 2.00 - 3.00

4627470_GRO_W.DATA - Chem 11 FID



CERTIFICATE OF ANALYSIS

SDG: 111027-54
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158094
Superseded Report:


Chromatogram

Analysis: GRO by GC-FID (W)

Sample No : 4627490
Sample ID : H12

Depth : 2.50 - 3.50

4627490_GRO_W.DATA - Chem 11 FID





CERTIFICATE OF ANALYSIS

SDG: 111027-54
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158094
Superseded Report:

Appendix

1. Results are expressed on a dry weight basis (dried at 35°C) for all soil analyses except for the following: NRA Leach tests, flash point, ammonium as NH4 by the BRE method, VOC TICS, SVOC TICS, TOF-MS SCAN/SEARCH and TOF-MS TICS.

2. Samples will be run in duplicate upon request, but an additional charge may be incurred.

3. If sufficient sample is received a sub sample will be retained free of charge for 30 days after analysis is completed (e-mailed) for both soil jars, tubs and volatile jars. All waters and vials will be discarded 10 days after the analysis is completed (e-mailed). All material removed during an asbestos containing material screen and analysed for the presence of asbestos will be retained for a period of 6 months after the analysis date. All samples received and not scheduled will be disposed of one month after the date of receipt unless we are instructed to the contrary. Once the initial period has expired, a storage charge will be applied for each month or part thereof until the client cancels the request for sample storage. ALcontrol Laboratories reserve the right to charge for samples received and stored but not analysed.

4. With respect to turnaround, we will always endeavour to meet client requirements wherever possible, but turnaround times cannot be absolutely guaranteed due to so many variables beyond our control.

5. We take responsibility for any test performed by sub-contractors (marked with an asterisk). We endeavour to use UKAS/MCERTS Accredited Laboratories, who either complete a quality questionnaire or are audited by ourselves. For some determinants there are no UKAS/MCERTS Accredited Laboratories, in this instance a laboratory with a known track record will be used.

6. When requested, the individual sub sample scheduled will be screened in house for the presence of asbestos fibres and asbestos containing material by our documented in house method TM048 based on HSG 248 (2005), which is accredited to ISO17025. If a specific asbestos fibre type is not found this will be reported as "Not detected". If no asbestos fibre types are found all will be reported as "Not detected" and the sub sample analysed deemed to be clear of asbestos. Is an asbestos fibre type is found it will be reported as detected (for each fibre type found). If asbestos is present either as asbestos containing material or loose fibres no further analysis will be undertaken. The quantity of asbestos present is not determined unless specifically requested.

7. If no separate volatile sample is supplied by the client, the integrity of the data may be compromised if the laboratory is required to create a sub-sample from the bulk sample -similarly, if a headspace or sediment is present in the volatile sample. This will be flagged up as an invalid VOC on the test schedule or recorded on the log sheet.

8. If appropriate preserved bottles are not received preservation will take place on receipt. However, the integrity of the data may be compromised.

9. NDP -No determination possible due to insufficient/unsuitable sample.

10. Metals in water are performed on a filtered sample, and therefore represent dissolved metals -total metals must be requested separately.

11. Results relate only to the items tested.

12. LODs for wet tests reported on a dry weight basis are not corrected for moisture content.

13. **Surrogate recoveries** -Most of our organic methods include surrogates, the recovery of which is monitored and reported. For EPH, MO, PAH, GRO and VOCs on soils the result is not surrogate corrected, but a percentage recovery is quoted. Acceptable limits for most organic methods are 70-130 %.

14. **Product analyses** -Organic analyses on products can only be semi-quantitative due to the matrix effects and high dilution factors employed.

15. Phenols monohydric by HPLC include phenol, cresols (2-Methylphenol, 3-Methylphenol and 4-Methylphenol) and Xylenols (2,3 Dimethylphenol, 2,4 Dimethylphenol, 2,5 Dimethylphenol, 2,6 Dimethylphenol, 3,4 Dimethylphenol, 3,5 Dimethylphenol).

16. Total of 5 speciated phenols by HPLC includes Phenol, 2,3,5-Trimethyl Phenol, 2-Isopropylphenol, Cresols and Xylenols (as detailed in 15).

17. Stones/debris are not routinely removed. We always endeavour to take a representative sub sample from the received sample.

18. In certain circumstances the method detection limit may be elevated due to the sample being outside the calibration range. Other factors that may contribute to this include possible interferences. In both cases the sample would be diluted which would cause the method detection limit to be raised.

19. Mercury results quoted on soils will not include volatile mercury as the analysis is performed on a dried and crushed sample.

20. For the BSEN 12457-3 two batch process to allow the cumulative release to be calculated, the volume of the leachate produced is measured and filtered for all tests. We therefore cannot carry out any unfiltered analysis. The tests affected include volatiles GCFID/GCMS and all subcontracted analysis.

21. For all leachate preparations (NRA, DIN, TCLP, BSEN 12457-1, 2, 3) volatile loss may occur, as we do not employ zero headspace extraction.

22. We are accredited to MCERTS for sand, clay and loam/topsoil, or any of these materials -whether these are derived from naturally occurring soil profiles, or from fill/made ground, as long as these materials constitute the major part of the sample. Other coarse granular material such as concrete, gravel and brick are not accredited if they comprise the major part of the sample.

23. Analysis and identification of specific compounds using GCFID is by retention time only, and we routinely calibrate and quantify for benzene, toluene, ethylbenzenes and xylenes (BTEX). For total volatiles in the C4-C10 range, the total area of the chromatogram is integrated and expressed as ug/kg or ug/l. Although this analysis is commonly used for the quantification of gasoline range organics (GRO), the system will also detect other compounds such as chlorinated solvents, and this may lead to a falsely high result with respect to hydrocarbons only. It is not possible to specifically identify these non-hydrocarbons, as standards are not routinely run for any other compounds, and for more definitive identification, volatiles by GCMS should be utilised.

SOLID MATRICES EXTRACTION SUMMARY				
ANALYSIS	D/C OR WET	EXTRACTION SOLVENT	EXTRACTION METHOD	ANALYSIS
SOLVENTEXTRACTABLE MATTER	D&C	DOM	SOXHETERM	GRAVIMETRIC
CYCLOHEXANE EXT. MATTER	D&C	CYCLOHEXANE	SOXHETERM	GRAVIMETRIC
ELEMENTAL SULPHUR	D&C	DOM	SOXHETERM	HPLC
PHENOLS BY GCMS	WET	DOM	SOXHETERM	GC-MS
HERBICIDES	D&C	HEXANE/ACETONE	SOXHETERM	GC-MS
PESTICIDES	D&C	HEXANE/ACETONE	SOXHETERM	GC-MS
EPH(DRO)	D&C	HEXANE/ACETONE	END OVER END	GC-FID
EPH(MN OL)	D&C	HEXANE/ACETONE	END OVER END	GC-FID
EPH(CLEANED UP)	D&C	HEXANE/ACETONE	END OVER END	GC-FID
EPH CWGBY GC	D&C	HEXANE/ACETONE	END OVER END	GC-FID
PCBTOT/P/CB CON	D&C	HEXANE/ACETONE	END OVER END	GC-MS
POLYAROMATIC HYDROCARBONS (MS)	WET	HEXANE/ACETONE	MICROWAVE TM218.	GC-MS
CB-C40(C6-C40)EZ FLASH	WET	HEXANE/ACETONE	SHAKER	GC-EZ
POLYAROMATIC HYDROCARBONS RAPID GC	WET	HEXANE/ACETONE	SHAKER	GC-EZ
SEM VOLATILEORGANIC COMPOUNDS	WET	DOM/ACETONE	SONICATE	GC-MS

LIQUID MATRICES EXTRACTION SUMMARY			
ANALYSIS	EXTRACTION SOLVENT	EXTRACTION METHOD	ANALYSIS
PAHMS	HEXANE	STIRRED EXTRACTION(STIR-BAR)	GCMS
EPH	HEXANE	STIRRED EXTRACTION(STIR-BAR)	GC-FID
EPH C/WG	HEXANE	STIRRED EXTRACTION(STIR-BAR)	GC-FID
MINERAL OIL	HEXANE	STIRRED EXTRACTION(STIR-BAR)	GC-FID
PCB 7 CONGENERS	HEXANE	STIRRED EXTRACTION(STIR-BAR)	GCMS
PCB TOTAL	HEXANE	STIRRED EXTRACTION(STIR-BAR)	GCMS
SVOC	DOM	LIQUID/LIQUID SHAKE	GCMS
FREESULPHUR	DOM	SOLID PHASE EXTRACTION	HPLC
PEST OC/P/OPP	DOM	Liquid/Liquid Shake	GCMS
TRIAZINE HERBS	DOM	Liquid/Liquid Shake	GCMS
PHENOLSMS	DOM	SOLID PHASE EXTRACTION	GCMS
THI by INFRARED (IR)	TCE	Liquid/Liquid Shake	HPLC
MINERAL OIL BY R	TCE	Liquid/Liquid Shake	HPLC
GLYCOLS	NONE	DIRECT INJECTION	GCMS

Identification of Asbestos in Bulk Materials & Soils

The results for identification of asbestos in bulk materials are obtained from supplied bulk materials or those identified as potentially asbestos containing during sample description which have been examined to determine the presence of asbestos fibres using Alcontrol Laboratories (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

Asbestos Type	Common Name
Chrysotile	WhiteAsbestos
Amosite	BrownAsbestos
Crocidolite	BlueAsbestos
Fibrous Asbestite	-
Fibrous Anthophyllite	-
Fibrous Tremolite	-

The results for identification of asbestos in soils are obtained from a homogenised sub sample which has been examined to determine the presence of asbestos fibres using Alcontrol Laboratories (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

Visual Estimation Of Fibre Content

Estimation of fibre content is not permitted as part of our UKAS accredited test other than:- Trace -Where only one or two asbestos fibres were identified.

Further guidance on typical asbestos fibre content of manufactured products can be found in HSG 264.

The identification of asbestos containing materials and soils falls within our schedule of tests for which we hold UKAS accreditation, however opinions, interpretations and all other information contained in the report are outside the scope of UKAS accreditation.

Mouchel
Ground Engineering
Rowan House
Lloyd Drive
Cheshire
CH65 9HQ

Attention: Neil Balderstone

CERTIFICATE OF ANALYSIS

Date: 04 November 2011
Customer: D_MOUCHEL_ELE
Sample Delivery Group (SDG): 111028-6
Your Reference:
Location: Limerick Gasworks
Report No: 158055

We received 5 samples on Wednesday October 26, 2011 and 5 of these samples were scheduled for analysis which was completed on Friday November 04, 2011. Accredited laboratory tests are defined within the report, but opinions, interpretations and on-site data expressed herein are outside the scope of ISO 17025 accreditation.

Should this report require incorporation into client reports, it must be used in its entirety and not simply with the data sections alone.

All chemical testing (unless subcontracted) is performed at ALcontrol Hawarden Laboratories.

For inspection purposes only.
Consent of copyright owner required for any other use.

Approved By:



Sonia McWhan

Operations Manager



CERTIFICATE OF ANALYSIS

SDG: 111028-6
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158055
Superseded Report:

Received Sample Overview

Lab Sample No(s)	Customer Sample Ref.	AGS Ref.	Depth (m)	Sampled Date
4592388	A3		1.50 - 2.50	26/10/2011
4592385	C7		4.00 - 5.00	26/10/2011
4592387	D5		1.50 - 2.50	26/10/2011
4592390	E8		1.00 - 2.00	26/10/2011
4592389	G4		3.00 - 4.00	26/10/2011

Only received samples which have had analysis scheduled will be shown on the following pages.

For inspection purposes only.
Consent of copyright owner required for any other use.



CERTIFICATE OF ANALYSIS

SDG: 111028-6
 Job: D_MOUCHEL_ELE-1
 Client Reference:

Location: Limerick Gasworks
 Customer: Mouchel
 Attention: Neil Balderstone

Order Number: 4700000740
 Report Number: 158055
 Superseded Report:

LIQUID Results Legend	Lab Sample No(s)	Customer Sample Reference					AGS Reference	
Depth (m)	Container	4592390	E8	1.00 - 2.00	PLAS BOT (D)	600 VOC (ALE215)		
Ammoniacal Nitrogen	All	NDPs: 0 Tests: 5			X X X X X			
Anions by Kone (w)	All	NDPs: 0 Tests: 5			X X X X X			
Cyanide Comp/Free/Total/Thiocyanate	All	NDPs: 0 Tests: 5	X X X X X					
Dissolved Metals by ICP-MS	All	NDPs: 0 Tests: 5			X X X X X			
EPH CWG (Aliphatic) Aqueous GC (W)	All	NDPs: 0 Tests: 5	X X X X X					
EPH CWG (Aromatic) Aqueous GC (W)	All	NDPs: 0 Tests: 5	X X X X X					
GRO by GC-FID (W)	All	NDPs: 0 Tests: 5	X X X X X					
Hexavalent Chromium (w)	All	NDPs: 0 Tests: 5	X X X X X					
Mercury Dissolved	All	NDPs: 0 Tests: 5	X X X X X					
PAH Spec MS - Aqueous (W)	All	NDPs: 0 Tests: 5	X X X X X					
pH Value	All	NDPs: 0 Tests: 5	X X X X X					
Phenols by HPLC (W)	All	NDPs: 0 Tests: 5	X X X X X					
Sulphide	All	NDPs: 0 Tests: 5	X X X X X					
TPH CWG (W)	All	NDPs: 0 Tests: 5	X X X X X					
VOC MS (W)	All	NDPs: 0 Tests: 3	X X X					

Consent of copyright owner required for any other use.

CERTIFICATE OF ANALYSIS

SDG: 111028-6
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158055
Superseded Report:

CERTIFICATE OF ANALYSIS

SDG: 111028-6
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158055
Superseded Report:

PAH Spec MS - Aqueous (W)

CERTIFICATE OF ANALYSIS

SDG: 111028-6
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158055
Superseded Report:

TPH CWG (W)

CERTIFICATE OF ANALYSIS

SDG: 111028-6
 Job: D_MOUCHEL_ELE-1
 Client Reference:

Location: Limerick Gasworks
 Customer: Mouchel
 Attention: Neil Balderstone

Order Number: 4700000740
 Report Number: 158055
 Superseded Report:

VOC MS (W)

Results Legend		Customer Sample R	A3	C7	G4			
#	ISO17025 accredited.							
M	mCERTS accredited.							
§	Deviating sample.							
aq	Aqueous / settled sample.							
dissfilt	Dissolved / filtered sample.							
totunfilt	Total / unfiltered sample.							
*	Subcontracted test.							
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery							
(F)	Trigger breach confirmed							
Component	LOD/Units	Method						
Dibromofluoromethane**	%	TM208	107	104	104			
Toluene-d8**	%	TM208	98.8	95.1	98.8			
4-Bromofluorobenzene**	%	TM208	95.3	78.6	92.7			
Dichlorodifluoromethane	<1 µg/l	TM208	<1	<1	<1			
Chloromethane	<1 µg/l	TM208	<1	<1	<1			
Vinyl chloride	<1 µg/l	TM208	<1	<1	<1			
Bromomethane	<1 µg/l	TM208	<1	<1	<1			
Chloroethane	<1 µg/l	TM208	<1	<1	<1			
Trichlorofluoromethane	<1 µg/l	TM208	<1	<1	<1			
1,1-Dichloroethene	<1 µg/l	TM208	<1	<1	<1			
Carbon disulphide	<1 µg/l	TM208	<1	<1	<1			
Dichloromethane	<3 µg/l	TM208	<3	<3	<3			
Methyl tertiary butyl ether (MTBE)	<1 µg/l	TM208	<1	<1	<1			
trans-1,2-Dichloroethene	<1 µg/l	TM208	<1	<1	<1			
1,1-Dichloroethane	<1 µg/l	TM208	<1	<1	<1			
cis-1,2-Dichloroethene	<1 µg/l	TM208	<1	<1	<1			
2,2-Dichloropropane	<1 µg/l	TM208	<1	<1	<1			
Bromochloromethane	<1 µg/l	TM208	<1	<1	<1			
Chloroform	<1 µg/l	TM208	<1	<1	<1			
1,1,1-Trichloroethane	<1 µg/l	TM208	<1	<1	<1			
1,1-Dichloropropene	<1 µg/l	TM208	<1	<1	<1			
Carbontetrachloride	<1 µg/l	TM208	<1	<1	<1			
1,2-Dichloroethane	<1 µg/l	TM208	<1	<1	<1			
Benzene	<1 µg/l	TM208	627	21100	2090			
Trichloroethene	<1 µg/l	TM208	<1	<1	<1			
1,2-Dichloropropane	<1 µg/l	TM208	<1	<1	<1			
Dibromomethane	<1 µg/l	TM208	<1	<1	<1			
Bromodichloromethane	<1 µg/l	TM208	<1	<1	<1			
cis-1,3-Dichloropropene	<1 µg/l	TM208	<1	<1	<1			
Toluene	<1 µg/l	TM208	26.9	9370	1640			
trans-1,3-Dichloropropene	<1 µg/l	TM208	<1	<1	<1			
1,1,2-Trichloroethane	<1 µg/l	TM208	<1	<1	<1			
1,3-Dichloropropane	<1 µg/l	TM208	<1	<1	<1			
Tetrachloroethene	<1 µg/l	TM208	<1	<1	<1			
Dibromochloromethane	<1 µg/l	TM208	<1	<1	<1			

Consent for inspection purposes only.
Copyright owner required for any other use.

CERTIFICATE OF ANALYSIS

SDG: 111028-6
 Job: D_MOUCHEL_ELE-1
 Client Reference:

Location: Limerick Gasworks
 Customer: Mouchel
 Attention: Neil Balderstone

Order Number: 4700000740
 Report Number: 158055
 Superseded Report:

VOC MS (W)

Results Legend		Customer Sample R	A3	C7	G4			
#	ISO17025 accredited.							
M	mCERTS accredited.							
§	Deviating sample.							
aq	Aqueous / settled sample.							
diss.fil	Dissolved / filtered sample.							
tot.unfilt	Total / unfiltered sample.							
*	Subcontracted test.							
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery							
(F)	Trigger breach confirmed							
Component	LOD/Units	Method						
1,2-Dibromoethane	<1 µg/l	TM208	<1 § #	<1 § #	<1 § #			
Chlorobenzene	<1 µg/l	TM208	<1 § #	<1 § #	<1 § #			
1,1,1,2-Tetrachloroethane	<1 µg/l	TM208	<1 § #	<1 § #	<1 § #			
Ethylbenzene	<1 µg/l	TM208	234 § #	327 § #	172 § #			
m,p-Xylene	<1 µg/l	TM208	52.3 § #	2400 #	1230 #			
o-Xylene	<1 µg/l	TM208	60.9 § #	979 #	482 § #			
Styrene	<1 µg/l	TM208	<1 § #	464 § #	<1 § #			
Bromoform	<1 µg/l	TM208	<1 § #	<1 § #	<1 § #			
Isopropylbenzene	<1 µg/l	TM208	18.2 § #	13.5 § #	12 § #			
1,1,2,2-Tetrachloroethane	<1 µg/l	TM208	<1 §	<1 §	<1 §			
1,2,3-Trichloropropane	<1 µg/l	TM208	<1 § #	<1 § #	<1 § #			
Bromobenzene	<1 µg/l	TM208	<1 § #	<1 § #	<1 § #			
Propylbenzene	<1 µg/l	TM208	15.9 § #	17.1 § #	11.2 § #			
2-Chlorotoluene	<1 µg/l	TM208	<1 § #	<1 § #	<1 § #			
1,3,5-Trimethylbenzene	<1 µg/l	TM208	5.87 § #	98 § #	89.6 § #			
4-Chlorotoluene	<1 µg/l	TM208	<1 § #	<1 § #	<1 § #			
tert-Butylbenzene	<1 µg/l	TM208	<1 § #	<1 § #	<1 § #			
1,2,4-Trimethylbenzene	<1 µg/l	TM208	22.9 § #	237 § #	227 § #			
sec-Butylbenzene	<1 µg/l	TM208	1.63 § #	<1 § #	<1 § #			
4-iso-Propyltoluene	<1 µg/l	TM208	<1 § #	7.46 § #	<1 § #			
1,3-Dichlorobenzene	<1 µg/l	TM208	<1 § #	<1 § #	<1 § #			
1,4-Dichlorobenzene	<1 µg/l	TM208	<1 § #	<1 § #	<1 § #			
n-Butylbenzene	<1 µg/l	TM208	<1 § #	<1 § #	<1 § #			
1,2-Dichlorobenzene	<1 µg/l	TM208	<1 §	<1 §	<1 §			
1,2-Dibromo-3-chloropropane	<1 µg/l	TM208	<1 §	<1 §	<1 §			
1,2,4-Trichlorobenzene	<1 µg/l	TM208	<1 § #	<1 § #	<1 § #			
Hexachlorobutadiene	<1 µg/l	TM208	<1 § #	<1 § #	<1 § #			
tert-Amyl methyl ether (TAME)	<1 µg/l	TM208	<1 § #	<1 § #	<1 § #			
Naphthalene	<1 µg/l	TM208	237 § #	9940 #	3110 #			
1,2,3-Trichlorobenzene	<1 µg/l	TM208	<1 § #	<1 § #	<1 § #			
1,3,5-Trichlorobenzene	<1 µg/l	TM208	<1 §	<1 §	<1 §			

Consent for inspection owner required for any other use.

CERTIFICATE OF ANALYSIS

SDG: 111028-6
 Job: D_MOUCHEL_ELE-1
 Client Reference:

Location: Limerick Gasworks
 Customer: Mouchel
 Attention: Neil Balderstone

Order Number: 4700000740
 Report Number: 158055
 Superseded Report:

Notification of Deviating Samples

Sample Number	Customer Sample Ref.	Depth (m)	Matrix	Test Name	Component Name	Comment
4604538	A3	1.50 - 2.50	LIQUID	GRO by GC-FID (W)	Aliphatics >C10-C12	Volatile container not received
4604538	A3	1.50 - 2.50	LIQUID	GRO by GC-FID (W)	Aliphatics >C5-C6	Volatile container not received
4604538	A3	1.50 - 2.50	LIQUID	GRO by GC-FID (W)	Aliphatics >C6-C8	Volatile container not received
4604538	A3	1.50 - 2.50	LIQUID	GRO by GC-FID (W)	Aliphatics >C8-C10	Volatile container not received
4604538	A3	1.50 - 2.50	LIQUID	GRO by GC-FID (W)	Aromatics >EC10-EC12	Volatile container not received
4604538	A3	1.50 - 2.50	LIQUID	GRO by GC-FID (W)	Aromatics >EC5-EC7	Volatile container not received
4604538	A3	1.50 - 2.50	LIQUID	GRO by GC-FID (W)	Aromatics >EC7-EC8	Volatile container not received
4604538	A3	1.50 - 2.50	LIQUID	GRO by GC-FID (W)	Aromatics >EC8-EC10	Volatile container not received
4604538	A3	1.50 - 2.50	LIQUID	GRO by GC-FID (W)	Benzene	Volatile container not received
4604538	A3	1.50 - 2.50	LIQUID	GRO by GC-FID (W)	Ethylbenzene	Volatile container not received
4604538	A3	1.50 - 2.50	LIQUID	GRO by GC-FID (W)	GRO >C5-C12	Volatile container not received
4604538	A3	1.50 - 2.50	LIQUID	GRO by GC-FID (W)	GRO Surrogate % recovery**	Volatile container not received
4604538	A3	1.50 - 2.50	LIQUID	GRO by GC-FID (W)	m,p-Xylene	Volatile container not received
4604538	A3	1.50 - 2.50	LIQUID	GRO by GC-FID (W)	Methyl tertiary butyl ether (MTBE)	Volatile container not received
4604538	A3	1.50 - 2.50	LIQUID	GRO by GC-FID (W)	o-Xylene	Volatile container not received
4604538	A3	1.50 - 2.50	LIQUID	GRO by GC-FID (W)	Sum of detected BTEX	Volatile container not received
4604538	A3	1.50 - 2.50	LIQUID	GRO by GC-FID (W)	Sum of detected Xylenes	Volatile container not received
4604538	A3	1.50 - 2.50	LIQUID	GRO by GC-FID (W)	Toluene	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	1,1,1,2-Tetrachloroethane	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	1,1,1-Trichloroethane	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	1,1,2,2-Tetrachloroethane	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	1,1,2-Trichloroethane	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	1,1-Dichloroethane	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	1,1-Dichloroethene	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	1,1-Dichloropropene	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	1,2,3-Trichlorobenzene	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	1,2,3-Trichloropropane	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	1,2,4-Trichlorobenzene	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	1,2,4-Trimethylbenzene	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	1,2-Dibromo-3-chloropropane	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	1,2-Dibromoethane	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	1,2-Dichlorobenzene	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	1,2-Dichloroethane	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	1,2-Dichloropropane	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	1,3,5-Trichlorobenzene	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	1,3,5-Trimethylbenzene	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	1,3-Dichlorobenzene	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	1,3-Dichloropropane	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	1,4-Dichlorobenzene	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	2,2-Dichloropropane	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	2-Chlorotoluene	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	4-Bromofluorobenzene**	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	4-Chlorotoluene	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	4-iso-Propyltoluene	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	Benzene	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	Bromobenzene	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	Bromochloromethane	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	Bromodichloromethane	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	Bromoform	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	Bromomethane	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	Carbon disulphide	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	Carbotetrachloride	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	Chlorobenzene	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	Chloroethane	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	Chloroform	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	Chloromethane	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	cis-1,2-Dichloroethene	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	cis-1,3-Dichloropropene	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	Dibromochloromethane	Volatile container not received

Consent of copyright owner required for any other use

CERTIFICATE OF ANALYSIS

SDG: 111028-6 **Location:** Limerick Gasworks **Order Number:** 4700000740
Job: D_MOUCHEL_ELE-1 **Customer:** Mouchel **Report Number:** 158055
Client Reference: **Attention:** Neil Balderstone **Superseded Report:**

Sample Number	Customer Sample Ref.	Depth (m)	Matrix	Test Name	Component Name	Comment
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	Dibromofluoromethane**	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	Dibromomethane	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	Dichlorodifluoromethane	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	Dichloromethane	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	Ethylbenzene	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	Hexachlorobutadiene	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	Isopropylbenzene	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	m,p-Xylene	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	Methyl tertiary butyl ether (MTBE)	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	Naphthalene	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	n-Butylbenzene	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	o-Xylene	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	Propylbenzene	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	sec-Butylbenzene	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	Styrene	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	tert-Amyl methyl ether (TAME)	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	tert-Butylbenzene	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	Tetrachloroethene	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	Toluene	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	Toluene-d8**	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	trans-1,2-Dichloroethene	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	trans-1,3-Dichloropropene	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	TetraChloroEthene	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	Trichlorofluoromethane	Volatile container not received
4604544	A3	1.50 - 2.50	LIQUID	VOC MS (W)	Vinyl chloride	Volatile container not received
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	1,1,1,2-Tetrachloroethane	Volatile container not received
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	1,1,1-Trichloroethane	Volatile container not received
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	1,1,2,2-Tetrachloroethane	Volatile container not received
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	1,1,2-Trichloroethane	Volatile container not received
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	1,1-Dichloroethane	Volatile container not received
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	1,1-Dichloroethene	Volatile container not received
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	1,1-Dichloropropene	Volatile container not received
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	1,2,3-Trichlorobenzene	Volatile container not received
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	1,2,3-Trichloropropane	Volatile container not received
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	1,2,4-Trichlorobenzene	Volatile container not received
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	1,2,4-Trimethylbenzene	Volatile container not received
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	1,2-Dibromo-3-chloropropane	Volatile container not received
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	1,2-Dibromoethane	Volatile container not received
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	1,2-Dichlorobenzene	Volatile container not received
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	1,2-Dichloroethane	Volatile container not received
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	1,2-Dichloropropane	Volatile container not received
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	1,3,5-Trichlorobenzene	Volatile container not received
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	1,3,5-Trimethylbenzene	Volatile container not received
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	1,3-Dichlorobenzene	Volatile container not received
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	1,3-Dichloropropane	Volatile container not received
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	1,4-Dichlorobenzene	Volatile container not received
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	2,2-Dichloropropane	Volatile container not received
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	2-Chlorotoluene	Volatile container not received
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	4-Bromofluorobenzene**	Volatile container not received
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	4-Chlorotoluene	Volatile container not received
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	4-iso-Propyltoluene	Volatile container not received
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	Benzene	Volatile container not received
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	Bromobenzene	Volatile container not received
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	Bromochloromethane	Volatile container not received
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	Bromodichloromethane	Volatile container not received
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	Bromoform	Volatile container not received
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	Bromomethane	Volatile container not received
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	Carbon disulphide	Volatile container not received
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	Carbontetrachloride	Volatile container not received
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	Chlorobenzene	Volatile container not received

Consent of customer required for any other use

CERTIFICATE OF ANALYSIS

SDG:	111028-6	Location:	Limerick Gasworks	Order Number:	4700000740
Job:	D_MOUCHEL_ELE-1	Customer:	Mouchel	Report Number:	158055
Client Reference:		Attention:	Neil Balderstone	Superseded Report:	
Sample Number	Customer Sample Ref.	Depth (m)	Matrix	Test Name	Component Name
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	Chloroethane
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	Chloroform
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	Chloromethane
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	cis-1,2-Dichloroethene
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	cis-1,3-Dichloropropene
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	Dibromochloromethane
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	Dibromoform**
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	Dibromomethane
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	Dichlorodifluoromethane
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	Dichloromethane
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	Ethylbenzene
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	Hexachlorobutadiene
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	Isopropylbenzene
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	m,p-Xylene
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	Methyl tertiary butyl ether (MTBE)
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	Naphthalene
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	n-Butylbenzene
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	o-Xylene
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	Propylbenzene
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	sec-Butylbenzene
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	Styrene
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	tert-Amyl methyl ether (TAME)
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	tert-Butylbenzene
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	Tetrachloroethene
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	Toluene
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	Toluene-d8**
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	trans-1,2-Dichloroethene
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	trans-1,3-Dichloropropene
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	Trichloroethene
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	Trichlorofluoromethane
4604550	C7	4.00 - 5.00	LIQUID	VOC MS (W)	Vinyl chloride
4604557	D5	1.50 - 2.50	LIQUID	GRO by GC-FID (W)	Aliphatics >C10-C12
4604557	D5	1.50 - 2.50	LIQUID	GRO by GC-FID (W)	Aliphatics >C5-C6
4604557	D5	1.50 - 2.50	LIQUID	GRO by GC-FID (W)	Aliphatics >C6-C8
4604557	D5	1.50 - 2.50	LIQUID	GRO by GC-FID (W)	Aliphatics >C8-C10
4604557	D5	1.50 - 2.50	LIQUID	GRO by GC-FID (W)	Aromatics >EC10-EC12
4604557	D5	1.50 - 2.50	LIQUID	GRO by GC-FID (W)	Aromatics >EC5-EC7
4604557	D5	1.50 - 2.50	LIQUID	GRO by GC-FID (W)	Aromatics >EC7-EC8
4604557	D5	1.50 - 2.50	LIQUID	GRO by GC-FID (W)	Aromatics >EC8-EC10
4604557	D5	1.50 - 2.50	LIQUID	GRO by GC-FID (W)	Benzene
4604557	D5	1.50 - 2.50	LIQUID	GRO by GC-FID (W)	Ethylbenzene
4604557	D5	1.50 - 2.50	LIQUID	GRO by GC-FID (W)	GRO >C5-C12
4604557	D5	1.50 - 2.50	LIQUID	GRO by GC-FID (W)	GRO Surrogate % recovery**
4604557	D5	1.50 - 2.50	LIQUID	GRO by GC-FID (W)	m,p-Xylene
4604557	D5	1.50 - 2.50	LIQUID	GRO by GC-FID (W)	Methyl tertiary butyl ether (MTBE)
4604557	D5	1.50 - 2.50	LIQUID	GRO by GC-FID (W)	o-Xylene
4604557	D5	1.50 - 2.50	LIQUID	GRO by GC-FID (W)	Sum of detected BTEX
4604557	D5	1.50 - 2.50	LIQUID	GRO by GC-FID (W)	Sum of detected Xylenes
4604557	D5	1.50 - 2.50	LIQUID	GRO by GC-FID (W)	Toluene
4604561	G4	3.00 - 4.00	LIQUID	GRO by GC-FID (W)	Aliphatics >C10-C12
4604561	G4	3.00 - 4.00	LIQUID	GRO by GC-FID (W)	Aliphatics >C5-C6
4604561	G4	3.00 - 4.00	LIQUID	GRO by GC-FID (W)	Aliphatics >C6-C8
4604561	G4	3.00 - 4.00	LIQUID	GRO by GC-FID (W)	Aliphatics >C8-C10
4604561	G4	3.00 - 4.00	LIQUID	GRO by GC-FID (W)	Aromatics >EC10-EC12
4604561	G4	3.00 - 4.00	LIQUID	GRO by GC-FID (W)	Aromatics >EC5-EC7
4604561	G4	3.00 - 4.00	LIQUID	GRO by GC-FID (W)	Aromatics >EC7-EC8
4604561	G4	3.00 - 4.00	LIQUID	GRO by GC-FID (W)	Aromatics >EC8-EC10
4604561	G4	3.00 - 4.00	LIQUID	GRO by GC-FID (W)	Benzene
4604561	G4	3.00 - 4.00	LIQUID	GRO by GC-FID (W)	Ethylbenzene
4604561	G4	3.00 - 4.00	LIQUID	GRO by GC-FID (W)	GRO >C5-C12

Consent of Recipient required for any other use

CERTIFICATE OF ANALYSIS

SDG: 111028-6 **Location:** Limerick Gasworks **Order Number:** 4700000740
Job: D_MOUCHEL_ELE-1 **Customer:** Mouchel **Report Number:** 158055
Client Reference: **Attention:** Neil Balderstone **Superseded Report:**

Sample Number	Customer Sample Ref.	Depth (m)	Matrix	Test Name	Component Name	Comment
4604561	G4	3.00 - 4.00	LIQUID	GRO by GC-FID (W)	GRO Surrogate % recovery**	Volatile container not received
4604561	G4	3.00 - 4.00	LIQUID	GRO by GC-FID (W)	m,p-Xylene	Volatile container not received
4604561	G4	3.00 - 4.00	LIQUID	GRO by GC-FID (W)	Methyl tertiary butyl ether (MTBE)	Volatile container not received
4604561	G4	3.00 - 4.00	LIQUID	GRO by GC-FID (W)	o-Xylene	Volatile container not received
4604561	G4	3.00 - 4.00	LIQUID	GRO by GC-FID (W)	Sum of detected BTEX	Volatile container not received
4604561	G4	3.00 - 4.00	LIQUID	GRO by GC-FID (W)	Sum of detected Xylenes	Volatile container not received
4604561	G4	3.00 - 4.00	LIQUID	GRO by GC-FID (W)	Toluene	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	1,1,1,2-Tetrachloroethane	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	1,1,1-Trichloroethane	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	1,1,2,2-Tetrachloroethane	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	1,1,2-Trichloroethane	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	1,1-Dichloroethane	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	1,1-Dichloroethene	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	1,1-Dichloropropene	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	1,2,3-Trichlorobenzene	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	1,2,3-Trichloropropane	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	1,2,4-Trichlorobenzene	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	1,2,4-Trimethylbenzene	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	1,2-Dibromo-3-chloropropane	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	1,2-Dibromoethane	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	1,2-Dichlorobenzene	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	1,2-Dichloroethane	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	1,2-Dichloropropane	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	1,2,5-Trichlorobenzene	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	1,3,5-Trimethylbenzene	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	1,3-Dichlorobenzene	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	1,3-Dichloropropane	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	1,4-Dichlorobenzene	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	2,2-Dichloropropane	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	2-Chlorotoluene	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	4-Bromofluorobenzene**	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	4-Chlorotoluene	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	4-iso-Propyltoluene	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	Benzene	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	Bromobenzene	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	Bromochloromethane	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	Bromodichloromethane	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	Bromoform	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	Bromomethane	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	Carbon disulphide	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	Carbontetrachloride	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	Chlorobenzene	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	Chloroethane	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	Chloroform	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	Chloromethane	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	cis-1,2-Dichloroethene	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	cis-1,3-Dichloropropene	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	Dibromochloromethane	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	Dibromofluoromethane**	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	Dibromomethane	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	Dichlorodifluoromethane	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	Dichloromethane	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	Ethylbenzene	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	Hexachlorobutadiene	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	Isopropylbenzene	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	m,p-Xylene	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	Methyl tertiary butyl ether (MTBE)	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	Naphthalene	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	n-Butylbenzene	Volatile container not received
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	o-Xylene	Volatile container not received

Consent of customer required for any other use

CERTIFICATE OF ANALYSIS

SDG:	111028-6	Location:	Limerick Gasworks	Order Number:	4700000740
Job:	D_MOUCHEL_ELE-1	Customer:	Mouchel	Report Number:	158055
Client Reference:		Attention:	Neil Balderstone	Superseded Report:	
Sample Number	Customer Sample Ref.	Depth (m)	Matrix	Test Name	Component Name
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	Propylbenzene
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	sec-Butylbenzene
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	Styrene
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	tert-Amyl methyl ether (TAME)
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	tert-Butylbenzene
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	Tetrachloroethene
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	Toluene
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	Toluene-d8**
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	trans-1,2-Dichloroethene
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	trans-1,3-Dichloropropene
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	Trichloroethene
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	Trichlorofluoromethane
4604565	G4	3.00 - 4.00	LIQUID	VOC MS (W)	Vinyl chloride

Note : Test results may be compromised

For inspection purposes only.
Consent of copyright owner required for any other use.

CERTIFICATE OF ANALYSIS

SDG: 111028-6
 Job: D_MOUCHEL_ELE-1
 Client Reference:

Location: Limerick Gasworks
 Customer: Mouchel
 Attention: Neil Balderstone

Order Number: 4700000740
 Report Number: 158055
 Superseded Report:

Table of Results - Appendix

REPORT KEY

Results expressed as (e.g.) 1.03E-07 is equivalent to 1.03x10⁻⁷

NDP	No Determination Possible	#	ISO 17025 Accredited	*	Subcontracted Test	M	MCERTS Accredited
NFD	No Fibres Detected	PFD	Possible Fibres Detected	»	Result previously reported (Incremental reports only)	EC	Equivalent Carbon (Aromatics C8-C35)

Note: Method detection limits are not always achievable due to various circumstances beyond our control

Method No	Reference	Description	Wet/Dry Sample ¹	Surrogate Corrected
TM061	Method for the Determination of EPH, Massachusetts Dept.of EP, 1998	Determination of Extractable Petroleum Hydrocarbons by GC-FID (C10-C40)		
TM099	BS 2690: Part 7:1968 / BS 6068: Part 2.11:1984	Determination of Ammonium in Water Samples using the Kone Analyser		
TM101	Method 4500B & C, AWWA/APHA, 20th Ed., 1999	Determination of Sulphide in soil and water samples using the Kone Analyser		
TM152	Method 3125B, AWWA/APHA, 20th Ed., 1999	Analysis of Aqueous Samples by ICP-MS		
TM174	Analysis of Petroleum Hydrocarbons in Environmental Media – Total Petroleum Hydrocarbon Criteria	Determination of Speciated Extractable Petroleum Hydrocarbons in Waters by GC-FID		
TM178	Modified: US EPA Method 8100	Determination of Polynuclear Aromatic Hydrocarbons (PAH) by GC-MS in Waters		
TM183	BS EN 23506:2002, (BS 6068-2.74:2002) ISBN 0 580 38924 3	Determination of Trace Level Mercury in Waters and Leachates by PSA Cold Vapour Atomic Fluorescence Spectrometry		
TM184	EPA Methods 325.1 & 325.2,	The Determination of Anions in Aqueous Matrices using the Kone Spectrophotometric Analysers		
TM208	Modified: US EPA Method 8260b & 624	Determination of Volatile Organic Compounds by Headspace / GC-MS in Waters		
TM227	Standard methods for the examination of waters and wastewaters 20th Edition, AWWA/APHA Method 4500.	Determination of Total Cyanide, Free (Easily Liberatable) Cyanide and Thiocyanate		
TM241	Methods for the Examination of Waters and Associated Materials; Chromium in Raw and Potable Waters and Sewage Effluents 1980.	The Determination of Hexavalent Chromium in Waters and Leachates using the Kone Analyser		
TM245	By GC-FID	Determination of CrO ₄ by Headspace in waters		
TM256	The measurement of Electrical Conductivity and the Laboratory determination of pH Value of Natural, Treated and Wastewaters. HMSO, 1978. ISBN 011 751428 4.	Determination of pH in Water and Leachate using the GLpH pH Meter		
TM259	by HPLC	Determination of Phenols in Waters and Leachates by HPLC		

¹ Applies to Solid samples only. DRY indicates samples have been dried at 35°C. NA = not applicable.

Consent of copyright owner required for any reuse.

CERTIFICATE OF ANALYSIS

SDG: 111028-6
 Job: D_MOUCHEL_ELE-1
 Client Reference:

Location: Limerick Gasworks
 Customer: Mouchel
 Attention: Neil Balderstone

Order Number: 4700000740
 Report Number: 158055
 Superseded Report:

Test Completion Dates

Lab Sample No(s)	4592388	4592385	4592387	4592390	4592389
Customer Sample Ref.	A3	C7	D5	E8	G4
AGS Ref.					
Depth	1.50 - 2.50	4.00 - 5.00	1.50 - 2.50	1.00 - 2.00	3.00 - 4.00
Type	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID
Ammoniacal Nitrogen	31-Oct-2011	31-Oct-2011	31-Oct-2011	31-Oct-2011	31-Oct-2011
Anions by Kone (w)	02-Nov-2011	03-Nov-2011	02-Nov-2011	02-Nov-2011	02-Nov-2011
Cyanide Comp/Free/Total/Thiocyanate	31-Oct-2011	01-Nov-2011	31-Oct-2011	31-Oct-2011	31-Oct-2011
Dissolved Metals by ICP-MS	01-Nov-2011	02-Nov-2011	01-Nov-2011	01-Nov-2011	01-Nov-2011
EPH CWG (Aliphatic) Aqueous GC (W)	04-Nov-2011	04-Nov-2011	04-Nov-2011	04-Nov-2011	04-Nov-2011
EPH CWG (Aromatic) Aqueous GC (W)	04-Nov-2011	04-Nov-2011	04-Nov-2011	04-Nov-2011	04-Nov-2011
GRO by GC-FID (W)	30-Oct-2011	31-Oct-2011	03-Nov-2011	31-Oct-2011	03-Nov-2011
Hexavalent Chromium (w)	01-Nov-2011	01-Nov-2011	01-Nov-2011	01-Nov-2011	01-Nov-2011
Mercury Dissolved	31-Oct-2011	31-Oct-2011	31-Oct-2011	31-Oct-2011	31-Oct-2011
PAH Spec MS - Aqueous (W)	03-Nov-2011	04-Nov-2011	03-Nov-2011	04-Nov-2011	04-Nov-2011
pH Value	31-Oct-2011	31-Oct-2011	31-Oct-2011	31-Oct-2011	31-Oct-2011
Phenols by HPLC (W)	01-Nov-2011	01-Nov-2011	01-Nov-2011	03-Nov-2011	01-Nov-2011
Sulphide	01-Nov-2011	01-Nov-2011	01-Nov-2011	01-Nov-2011	01-Nov-2011
TPH CWG (W)	04-Nov-2011	04-Nov-2011	04-Nov-2011	04-Nov-2011	04-Nov-2011
VOC MS (W)	02-Nov-2011	02-Nov-2011			02-Nov-2011

For inspection purposes only.
Consent of copyright owner required for any other use.

CERTIFICATE OF ANALYSIS

SDG: 111028-6
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158055
Superseded Report:

Chromatogram


Analysis: EPH CWG (Aliphatic) Aqueous GC (W)

Sample No : 4600379
Sample ID : C7

Depth : 4.00 - 5.00

Alcontrol/Geochem Analytical Services
Speciated TPH - SATS (C12 - C40)

Sample Identity: 4552697-4600379
Date Acquired : 03/11/11 22:50:25
Units : ppb
Dilution :
CF : 1
Multiplier : 0.008



CERTIFICATE OF ANALYSIS

SDG: 111028-6
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158055
Superseded Report:

Chromatogram


Analysis: EPH CWG (Aliphatic) Aqueous GC (W)

Sample No : 4601486
Sample ID : D5

Depth : 1.50 - 2.50

Alcontrol/Geochem Analytical Services
Speciated TPH - SATS (C12 - C40)

Sample Identity: 4552731-4601486
Date Acquired : 03/11/2011 21:34:32 PM
Units : ppb
Dilution :
CF : 1
Multiplier : 0.008



CERTIFICATE OF ANALYSIS

SDG: 111028-6
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158055
Superseded Report:

Chromatogram


Analysis: EPH CWG (Aliphatic) Aqueous GC (W)

Sample No : 4601543
Sample ID : G4

Depth : 3.00 - 4.00

Alcontrol/Geochem Analytical Services
Speciated TPH - SATS (C12 - C40)

Sample Identity: 4552762-4601543
Date Acquired : 04/11/2011 02:49:31 PM
Units : ppb
Dilution :
CF : 1
Multiplier : 0.008



For inspection purposes only.
Consent of copyright owner required for any other use.

CERTIFICATE OF ANALYSIS

SDG: 111028-6
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158055
Superseded Report:

Chromatogram


Analysis: EPH CWG (Aliphatic) Aqueous GC (W)

Sample No : 4601600
Sample ID : A3

Depth : 1.50 - 2.50

Alcontrol/Geochem Analytical Services
Speciated TPH - SATS (C12 - C40)

Sample Identity: 4552746-4601600
Date Acquired : 04/11/11 02:41:49
Units : ppb
Dilution :
CF : 1
Multiplier : 0.008





CERTIFICATE OF ANALYSIS

SDG: 111028-6
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158055
Superseded Report:

Chromatogram


Analysis: EPH CWG (Aliphatic) Aqueous GC (W)

Sample No : 4601680
Sample ID : E8

Depth : 1.00 - 2.00

Alcontrol/Geochem Analytical Services
Speciated TPH - SATS (C12 - C40)

Sample Identity: 4552778-4601680
Date Acquired : 03/11/2011 23:30:23 PM
Units : ppb
Dilution :
CF : 1
Multiplier : 0.008





CERTIFICATE OF ANALYSIS

SDG: 111028-6
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158055
Superseded Report:

Chromatogram


Analysis: EPH CWG (Aromatic) Aqueous GC (W)

Sample No : 4600379
Sample ID : C7

Depth : 4.00 - 5.00

Alcontrol/Geochem Analytical Services
Speciated TPH - AROM (C12 - C40)

Sample Identity: 4552698-4600379
Date Acquired : 04/11/11 15:03:16
Units : ppb
Dilution :
CF : 1
Multiplier : 0.042



CERTIFICATE OF ANALYSIS

SDG: 111028-6
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158055
Superseded Report:

Chromatogram


Analysis: EPH CWG (Aromatic) Aqueous GC (W)

Sample No : 4601486
Sample ID : D5

Depth : 1.50 - 2.50

Alcontrol/Geochem Analytical Services
Speciated TPH - AROM (C12 - C40)

Sample Identity: 4552732-4601486
Date Acquired : 03/11/2011 21:34:32 PM
Units : ppb
Dilution :
CF : 1
Multiplier : 0.008



CERTIFICATE OF ANALYSIS

SDG: 111028-6
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158055
Superseded Report:

Chromatogram


Analysis: EPH CWG (Aromatic) Aqueous GC (W)

Sample No : 4601543
Sample ID : G4

Depth : 3.00 - 4.00

Alcontrol/Geochem Analytical Services
Speciated TPH - AROM (C12 - C40)

Sample Identity: 4552763-4601543
Date Acquired : 04/11/2011 02:49:31 PM
Units : ppb
Dilution :
CF : 1
Multiplier : 0.008





CERTIFICATE OF ANALYSIS

SDG: 111028-6
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158055
Superseded Report:

Chromatogram


Analysis: EPH CWG (Aromatic) Aqueous GC (W)

Sample No : 4601600
Sample ID : A3

Depth : 1.50 - 2.50

Alcontrol/Geochem Analytical Services
Speciated TPH - AROM (C12 - C40)

Sample Identity: 4552747-4601600
Date Acquired : 04/11/11 02:41:49
Units : ppb
Dilution :
CF : 1
Multiplier : 0.008



CERTIFICATE OF ANALYSIS

SDG: 111028-6
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158055
Superseded Report:

Chromatogram


Analysis: EPH CWG (Aromatic) Aqueous GC (W)

Sample No : 4601680
Sample ID : E8

Depth : 1.00 - 2.00

Alcontrol/Geochem Analytical Services
Speciated TPH - AROM (C12 - C40)

Sample Identity: 4552779-4601680
Date Acquired : 04/11/2011 14:43:40 PM
Units : ppb
Dilution :
CF : 1
Multiplier : 0.017



CERTIFICATE OF ANALYSIS

SDG: 111028-6
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone


Order Number: 4700000740
Report Number: 158055
Superseded Report:

Chromatogram

Analysis: GRO by GC-FID (W)

Sample No : 4604538
Sample ID : A3

Depth : 1.50 - 2.50



CERTIFICATE OF ANALYSIS

SDG: 111028-6
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone


Order Number: 4700000740
Report Number: 158055
Superseded Report:

Chromatogram

Analysis: GRO by GC-FID (W)

Sample No : 4604557
Sample ID : D5

Depth : 1.50 - 2.50



CERTIFICATE OF ANALYSIS

SDG: 111028-6
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158055
Superseded Report:


Chromatogram

Analysis: GRO by GC-FID (W)

Sample No : 4604561
Sample ID : G4

Depth : 3.00 - 4.00

4604561_GRO_W.DATA - Chem 73 FID



CERTIFICATE OF ANALYSIS

SDG: 111028-6
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158055
Superseded Report:


Chromatogram

Analysis: GRO by GC-FID (W)

Sample No : 4606455
Sample ID : E8

Depth : 1.00 - 2.00

4606455_GRO_W.DATA - Chem 11 FID



SDG: 111028-6
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158055
Superseded Report:


Chromatogram

Analysis: GRO by GC-FID (W)

Sample No : 4606459
Sample ID : C7

Depth : 4.00 - 5.00

4606459_GRO_W.DATA - Chem 11 FID





CERTIFICATE OF ANALYSIS

SDG: 111028-6
Job: D_MOUCHEL_ELE-1
Client Reference:

Location: Limerick Gasworks
Customer: Mouchel
Attention: Neil Balderstone

Order Number: 4700000740
Report Number: 158055
Superseded Report:

Appendix

1. Results are expressed on a dry weight basis (dried at 35°C) for all soil analyses except for the following: NRA Leach tests, flash point, ammonium as NH4 by the BRE method, VOC TICS, SVOC TICS, TOF-MS SCAN/SEARCH and TOF-MS TICS.

2. Samples will be run in duplicate upon request, but an additional charge may be incurred.

3. If sufficient sample is received a sub sample will be retained free of charge for 30 days after analysis is completed (e-mailed) for both soil jars, tubs and volatile jars. All waters and vials will be discarded 10 days after the analysis is completed (e-mailed). All material removed during an asbestos containing material screen and analysed for the presence of asbestos will be retained for a period of 6 months after the analysis date. All samples received and not scheduled will be disposed of one month after the date of receipt unless we are instructed to the contrary. Once the initial period has expired, a storage charge will be applied for each month or part thereof until the client cancels the request for sample storage. ALcontrol Laboratories reserve the right to charge for samples received and stored but not analysed.

4. With respect to turnaround, we will always endeavour to meet client requirements wherever possible, but turnaround times cannot be absolutely guaranteed due to so many variables beyond our control.

5. We take responsibility for any test performed by sub-contractors (marked with an asterisk). We endeavour to use UKAS/MCERTS Accredited Laboratories, who either complete a quality questionnaire or are audited by ourselves. For some determinants there are no UKAS/MCERTS Accredited Laboratories, in this instance a laboratory with a known track record will be used.

6. When requested, the individual sub sample scheduled will be screened in house for the presence of asbestos fibres and asbestos containing material by our documented in house method TM048 based on HSG 248 (2005), which is accredited to ISO17025. If a specific asbestos fibre type is not found this will be reported as "Not detected". If no asbestos fibre types are found all will be reported as "Not detected" and the sub sample analysed deemed to be clear of asbestos. Is an asbestos fibre type is found it will be reported as detected (for each fibre type found). If asbestos is present either as asbestos containing material or loose fibres no further analysis will be undertaken. The quantity of asbestos present is not determined unless specifically requested.

7. If no separate volatile sample is supplied by the client, the integrity of the data may be compromised if the laboratory is required to create a sub-sample from the bulk sample -similarly, if a headspace or sediment is present in the volatile sample. This will be flagged up as an invalid VOC on the test schedule or recorded on the log sheet.

8. If appropriate preserved bottles are not received preservation will take place on receipt. However, the integrity of the data may be compromised.

9. NDP -No determination possible due to insufficient/unsuitable sample.

10. Metals in water are performed on a filtered sample, and therefore represent dissolved metals -total metals must be requested separately.

11. Results relate only to the items tested.

12. LODs for wet tests reported on a dry weight basis are not corrected for moisture content.

13. **Surrogate recoveries** -Most of our organic methods include surrogates, the recovery of which is monitored and reported. For EPH, MO, PAH, GRO and VOCs on soils the result is not surrogate corrected, but a percentage recovery is quoted. Acceptable limits for most organic methods are 70-130 %.

14. **Product analyses** -Organic analyses on products can only be semi-quantitative due to the matrix effects and high dilution factors employed.

15. Phenols monohydric by HPLC include phenol, cresols (2-Methylphenol, 3-Methylphenol and 4-Methylphenol) and Xylenols (2,3 Dimethylphenol, 2,4 Dimethylphenol, 2,5 Dimethylphenol, 2,6 Dimethylphenol, 3,4 Dimethylphenol, 3,5 Dimethylphenol).

16. Total of 5 speciated phenols by HPLC includes Phenol, 2,3,5-Trimethyl Phenol, 2-Isopropylphenol, Cresols and Xylenols (as detailed in 15).

17. Stones/debris are not routinely removed. We always endeavour to take a representative sub sample from the received sample.

18. In certain circumstances the method detection limit may be elevated due to the sample being outside the calibration range. Other factors that may contribute to this include possible interferences. In both cases the sample would be diluted which would cause the method detection limit to be raised.

19. Mercury results quoted on soils will not include volatile mercury as the analysis is performed on a dried and crushed sample.

20. For the BSEN 12457-3 two batch process to allow the cumulative release to be calculated, the volume of the leachate produced is measured and filtered for all tests. We therefore cannot carry out any unfiltered analysis. The tests affected include volatiles GCFID/GCMS and all subcontracted analysis.

21. For all leachate preparations (NRA, DIN, TCLP, BSEN 12457-1, 2, 3) volatile loss may occur, as we do not employ zero headspace extraction.

22. We are accredited to MCERTS for sand, clay and loam/topsoil, or any of these materials -whether these are derived from naturally occurring soil profiles, or from fill/made ground, as long as these materials constitute the major part of the sample. Other coarse granular material such as concrete, gravel and brick are not accredited if they comprise the major part of the sample.

23. Analysis and identification of specific compounds using GCFID is by retention time only, and we routinely calibrate and quantify for benzene, toluene, ethylbenzenes and xylenes (BTEX). For total volatiles in the C4-C10 range, the total area of the chromatogram is integrated and expressed as ug/kg or ug/l. Although this analysis is commonly used for the quantification of gasoline range organics (GRO), the system will also detect other compounds such as chlorinated solvents, and this may lead to a falsely high result with respect to hydrocarbons only. It is not possible to specifically identify these non-hydrocarbons, as standards are not routinely run for any other compounds, and for more definitive identification, volatiles by GCMS should be utilised.

SOLID MATRICES EXTRACTION SUMMARY				
ANALYSIS	D/C OR WET	EXTRACTION SOLVENT	EXTRACTION METHOD	ANALYSIS
SOLVENTEXTRACTABLE MATTER	D&C	DOM	SOXOTHERM	GRAVIMETRIC
CYCLOHEXANE EXT. MATTER	D&C	CYCLOHEXANE	SOXOTHERM	GRAVIMETRIC
ELEMENTAL SULPHUR	D&C	DOM	SOXOTHERM	HPLC
PHENOLS BY GCMS	WET	DOM	SOXOTHERM	GC-MS
HERBICIDES	D&C	HEXANE/ACETONE	SOXOTHERM	GC-MS
PESTICIDES	D&C	HEXANE/ACETONE	SOXOTHERM	GC-MS
EPH(DRO)	D&C	HEXANE/ACETONE	END OVER END	GC-FID
EPH(MN OL)	D&C	HEXANE/ACETONE	END OVER END	GC-FID
EPH(CLEANED UP)	D&C	HEXANE/ACETONE	END OVER END	GC-FID
EPH CWGBY GC	D&C	HEXANE/ACETONE	END OVER END	GC-FID
PCBTOT/P/CB CON	D&C	HEXANE/ACETONE	END OVER END	GC-MS
POLYAROMATIC HYDROCARBONS (MS)	WET	HEXANE/ACETONE	MICROWAVE TM218.	GC-MS
CB-C40(C6-C40)EZ FLASH	WET	HEXANE/ACETONE	SHAKER	GC-EZ
POLYAROMATIC HYDROCARBONS RAPID GC	WET	HEXANE/ACETONE	SHAKER	GC-EZ
SEM VOLATILEORGANIC COMPOUNDS	WET	DOM/ACETONE	SONICATE	GC-MS

LIQUID MATRICES EXTRACTION SUMMARY			
ANALYSIS	EXTRACTION SOLVENT	EXTRACTION METHOD	ANALYSIS
PAHMS	HEXANE	STIRRED EXTRACTION(STIR-BAR)	GCMS
EPH	HEXANE	STIRRED EXTRACTION(STIR-BAR)	GC-FID
EPH C/WG	HEXANE	STIRRED EXTRACTION(STIR-BAR)	GC-FID
MINERAL OIL	HEXANE	STIRRED EXTRACTION(STIR-BAR)	GC-FID
PCB 7 CONGENERS	HEXANE	STIRRED EXTRACTION(STIR-BAR)	GCMS
PCB TOTAL	HEXANE	STIRRED EXTRACTION(STIR-BAR)	GCMS
SVOC	DOM	LIQUID/LIQUID SHAKE	GCMS
FREESULPHUR	DOM	SOLID PHASE EXTRACTION	HPLC
PEST OC/P/OPP	DOM	Liquid/Liquid Shake	GCMS
TRIAZINE HERBS	DOM	Liquid/Liquid Shake	GCMS
PHENOLSMS	DOM	SOLID PHASE EXTRACTION	GCMS
THI by INFRARED (IR)	TCE	Liquid/Liquid Shake	HPLC
MINERAL OIL BY R	TCE	Liquid/Liquid Shake	HPLC
GLYCOLS	NONE	DIRECT INJECTION	GCMS

Identification of Asbestos in Bulk Materials & Soils

The results for identification of asbestos in bulk materials are obtained from supplied bulk materials or those identified as potentially asbestos containing during sample description which have been examined to determine the presence of asbestos fibres using Alcontrol Laboratories (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

Asbestos Type	Common Name
Chrysotile	WhiteAsbestos
Amosite	BrownAsbestos
Crocidolite	BlueAsbestos
Fibrous Asbestite	-
Fibrous Anthophyllite	-
Fibrous Tremolite	-

The results for identification of asbestos in soils are obtained from a homogenised sub sample which has been examined to determine the presence of asbestos fibres using Alcontrol Laboratories (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

Visual Estimation Of Fibre Content

Estimation of fibre content is not permitted as part of our UKAS accredited test other than:- Trace -Where only one or two asbestos fibres were identified.

Further guidance on typical asbestos fibre content of manufactured products can be found in HSG 264.

The identification of asbestos containing materials and soils falls within our schedule of tests for which we hold UKAS accreditation, however opinions, interpretations and all other information contained in the report are outside the scope of UKAS accreditation.

ANALYSIS OF GROUNDWATER - Limerick Gasworks, Monitoring Visit 6 (26th - 27th Jan 2011)

Screening Values - Drinking Water Standards

Aquifer type: Locally important aquifer
Typical productivity: Moderately Productive (40-100 m3/d)

■ Concentration exceeds screening value
Concentration exceeds screening value because limit of detection is greater than screening value

Determinand	Units	Screening Value ($\mu\text{g/l}$)	Ground type		Borehole												Depth (mbsf)														
			A3	A4	A11	C7	C11	D1	D5	E8	F11	G2	G3	G4	G5	G8	H12	J10	K1	K5	M3										
Inorganics																															
Arsenic (dissolved)	$\mu\text{g/l}$	10	SI 278/2007	31.5	4.72	4.78	6.19	10.2	17.2	1.52	145	7.32	17.9	2.29	2.95	3.93	3.27	2.65	1.39	2.36	21.6	2.8									
Cadmium (dissolved)	$\mu\text{g/l}$	5	SI 278/2007	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.392	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1				
Chromium (dissolved)	$\mu\text{g/l}$	50	SI 278/2007	21.5	14.3	8.36	8.37	6.28	20.5	6.43	2.36	11.5	23.4	13.6	8.43	25.3	7.88	4.95	4.69	3.86	8.06	2.05									
Copper (dissolved)	$\mu\text{g/l}$	2000	SI 278/2007	1.5	1.48	1.04	<0.85	<0.85	13.8	2.47	<0.85	<0.85	3.2	6.04	2.19	17.8	0.922	<0.85	0.984	3.16	1.58	4.93									
Lead (dissolved)	$\mu\text{g/l}$	25	SI 278/2007	<0.02	0.06	0.328	0.099	0.043	<0.02	0.29	0.131	0.057	<0.02	0.058	0.051	0.251	0.033	<0.02	0.12	0.264	0.48	0.038									
Nickel (dissolved)	$\mu\text{g/l}$	20	SI 278/2007	4.64	3.98	4.69	1.74	6	4.54	2.07	46.4	4.46	6.07	9.49	4.88	12	4.84	4.96	3.95	12.7	11.9	7.33									
Selenium (dissolved)	$\mu\text{g/l}$	10	SI 278/2007	1.79	1.11	1.83	10.7	1.08	36.8	1.3	25.2	4.84	9.73	3.18	12.4	13.2	1.79	<0.39	1.72	0.911	15.7	0.544									
Zinc (dissolved)	$\mu\text{g/l}$	5000	WHO Drinking water Quality Guideline Value	0.989	1.39	5.05	0.907	<0.41	10	12.2	42.9	0.996	1.23	3.26	3.47	15.6	0.59	<0.41	<0.41	<0.41	<0.41	<0.41	<0.41								
Mercury (dissolved)	$\mu\text{g/l}$	1	SI 278/2007	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.021	<0.01	0.0259	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	4860	35700	1650								
Ammonium	$\mu\text{g/l}$	300	SI 278/2007	12400	2820	3280	30500	7120	14300	1590	64000	27600	52800	11100	7480	2970	11300	17600	<300	4860	35700	603000									
Sulphate (soluble)	$\mu\text{g/l}$	250000	SI 278/2007	367000	276000	138000	18000	158000	481000	18700	467000	71500	674000	806000	425000	796000	113000	210000	70200	765000	318000	603000									
Phenols	$\mu\text{g/l}$	0.5	SI 81/1988	<25	<25	<25	71700	90	990	380	170000	15600	23800	580	3900	<25	5710	<25	<25	<25	599000	<25									
Total Cyanide	$\mu\text{g/l}$	50	SI 278/2007	280	205	<50	81	107	818	51	7900	59	1340	2060	666	959	118	<50	600	1570	1230										
pH Value	$\mu\text{g/l}$	6.5	SI 278/2007	7.84	7.77	7.85	8.1	8.24	7.95	7.79	8.34	7.56	8.11	7.98	8.27	7.11	7.9	8.18	8.31	8	7.87	8.11									
pH Value	$\mu\text{g/l}$	9.5	SI 278/2007	7.84	7.77	7.85	8.1	8.24	7.95	7.79	8.34	7.56	8.11	7.98	8.27	7.11	7.9	8.18	8.31	8	7.87	8.11									
BTEX																															
Benzene	$\mu\text{g/l}$	1	SI 278/2007	516	<7	14	4920	54	746	<7	5520	216	4300	382	1730	<7	439	<7	<7	<7	15300	<7									
Toluene	$\mu\text{g/l}$	700	WHO Drinking water Quality Guideline Value	15	<4	31	1870	44	538	<4	1550	144	3100	8	1890	<4	347	<4	<4	<4	5350	<4									
Ethyl benzene	$\mu\text{g/l}$	300	WHO Drinking water Quality Guideline Value	198	<5	16	75	111	248	<5	72	6	378	10	194	<5	38	<5	<5	<5	275	<5									
Xylene	$\mu\text{g/l}$	500	WHO Drinking water Quality Guideline Value	108	<10	75	759	411	1280	<10	783	41	2120	126	1890	<10	366	<10	<10	<10	2510	<10									
Petroleum Hydrocarbons																															
GRO (C4-C12)	$\mu\text{g/l}$	10	SI 81/1988	2680	<20	786	11030	4870	9980	<20	14290	630	13840	1027	12140	<20	2840	<20	<20	<20	45300	<20									
MTBE	$\mu\text{g/l}$			<1.6	<1.6	<1.6	<1.6	-	<1.6	-	-	-	<1.6	-	<1.6	-	-	-	-	-	<1.6	<1.6									
Aliphatics C5-C6	$\mu\text{g/l}$			11	<10	<10	23	<10	15	<10	71	<10	25	<10	18	<10	<10	<10	<10	<10	188	<10									
Aliphatics C6-C8	$\mu\text{g/l}$			78	<10	17	236	45	154	<10	398	13	352	22	138	<10	40	<10	<10	<10	1480	<10									
Aliphatics C8-C10	$\mu\text{g/l}$			197	<10	77	588	541	804	<10	744	27	996	81	815	<10	201	<10	<10	<10	2410	<10									
Aliphatics C10-C12	$\mu\text{g/l}$			849	<10	301	1300	1980	3390	<10	2780	98	1170	203	2950	<10	761	<10	<10	<10	9680	<10									

ANALYSIS OF GROUNDWATER - Limerick Gasworks, Monitoring visit 6 (26th - 27th Jan 2011)

Screening Values - Environmental Quality Standards

Receptor water type: Freshwater suitable for coarse fish

Relevant EQS Hardness Band: >100-150 mg/l

* Hardness related Freshwater EQS - based on cyprinid/coarse fish

Concentration exceeds screening value

Concentration exceeds screening value because limit of detection is greater than screening value

Determinant	Units	Ground type																					
		Borehole	A3	A4	A11	C7	C11	D1	D5	E8	F11	G2	G3	G4	G5	G8	H12	J10	K1	K5	M3		
		Depth (mbsl)	1.50-4.50	1.50-2.30	2.00-2.50	2.00-6.50	1.50-2.50	3.00-4.50	2.00-3.00	1.50-6.00	1.00-4.00	4.00-10.00	3.50-8.50	3.00-9.50	2.50-8.50	1.00-2.00	1.50-4.00	1.00-2.00	2.50-4.40	1.00-5.00	3.50-6.00		
Inorganics																							
Arsenic (dissolved)	µg/l	25	20	SI 27/2009 Annual Ave	31.5	4.72	4.78	6.19	10.2	17.2	1.52	145	7.32	17.9	2.29	2.95	3.93	3.27	2.65	1.39	2.36	21.6	2.8
Cadmium (dissolved)	µg/l	1.5	1.5	SI 27/2009 MAC	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.392	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
Chromium (dissolved)	µg/l	32	32	SI 27/2009 MAC	21.5	14.3	8.36	8.37	6.28	20.5	6.43	2.36	11.5	23.4	13.6	8.43	25.3	7.88	4.95	4.69	3.86	8.06	2.05
Copper (dissolved)	µg/l	30*		SI 27/2009 Annual Ave	1.5	1.48	1.04	<0.85	13.8	2.47	<0.85	3.2	6.04	2.19	17.8	0.922	<0.85	0.984	3.16	1.58	4.93		
Lead (dissolved)	µg/l	7.2	7.2	SI 27/2009 Annual Ave	<0.02	0.06	0.328	0.099	0.043	<0.02	0.29	0.131	0.057	<0.02	0.058	0.051	0.251	0.033	<0.02	0.12	0.264	0.48	0.038
Nickel (dissolved)	µg/l	20	20	SI 27/2009 Annual Ave	4.64	3.98	4.69	1.74	6	4.54	2.07	46.4	4.46	6.07	9.49	4.88	12	4.84	4.96	3.95	12.7	11.9	7.33
Selenium (dissolved)	µg/l	1	-	Guidelines for Aquatic Life (2007)	1.79	1.11	1.83	10.7	1.08	36.8	1.3	25.2	4.84	9.73	3.18	12.4	13.2	1.79	<0.39	1.72	0.911	15.7	0.544
Zinc (dissolved)	µg/l	100*	40	SI 27/2009 Annual Ave	0.989	1.39	5.05	0.907	<0.41	10	12.2	42.9	0.996	1.23	3.26	15.6	0.59	<0.41	<0.41	<0.41	<0.41	<0.41	<0.41
Mercury (dissolved)	µg/l	0.07	0.07	SI 27/2009 MAC	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.021	<0.01	0.0259	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Ammoniacal Nitrogen	µg/l	1000	-	Freshwater Fish Directive	12400	2620	3280	30500	7120	14300	1590	64000	27600	52800	11100	7480	2970	11300	17600	<300	4860	35700	1650
Sulphate (soluble)	µg/l	200000	-	EQS & IGV	367000	276000	138000	18000	158000	481000	18700	467000	71500	674000	806000	425000	796000	113000	210000	70200	765000	318000	603000
Phenols	µg/l	46	46	SI 27/2009 MAC	<25	<25	<25	7170	99	990	380	170000	15600	23800	580	3900	<25	5710	<25	<25	<25	59000	<25
Free Cyanide - (total CN in lab results)	µg/l	10	10	SI 27/2009 Annual Ave	280	205	<50	81	107	818	51	7900	59	1340	2060	666	958	118	<50	600	1570	1230	
pH Value	µg/l	6.5	6.5	Interim Guideline Values	7.84	7.77	7.85	8.1	8.24	7.95	8.34	7.56	8.11	7.98	8.27	7.11	7.9	8.18	8.31	5	7.87	8.11	
pH Value	µg/l	9.5	9.5	Interim Guideline Values	7.84	7.77	7.85	8.1	8.24	7.95	7.79	8.34	7.56	8.11	7.98	8.27	7.11	7.9	8.18	8.31	8	7.87	8.11
BTEX																							
Benzene	µg/l	50	50	SI 27/2009 MAC	516	<7	14	4920	54	746	<7	5520	216	4300	382	1730	<7	439	<7	<7	<7	15300	<7
Toluene	µg/l	10	10	SI 27/2009 Annual Ave	15	<4	31	1870	44	538	<4	1550	144	3100	8	1890	<4	347	<4	<4	<4	5350	<4
Ethyl benzene	µg/l	10	10	EOS & IGV	198	<5	16	75	111	248	<5	72	6	378	10	194	<5	38	<5	<5	<5	275	<5
Xylene	µg/l	10	10	SI 27/2009 Annual Ave	108	<10	75	759	411	1280	<10	783	41	2120	126	1890	<10	366	<10	<10	<10	2910	<10
Petroleum Hydrocarbons																							
GR0 (C4-C12)	µg/l				2680	<20	786	11030	4870	9980	<20	14290	630	13840	1027	12140	<20	2840	<20	<20	<20	45300	<20
MTBE	µg/l	30	30	IGV	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	
Aliphatics C5-C6	µg/l				11	<10	<10	<10	23	<10	15	<10	71	<10	25	<10	18	<10	<10	<10	<10	<10	
Aliphatics C6-C8	µg/l				78	<10	17	236	45	154	<10	398	13	352	22	138	<10	40	<10	<10	<10	1490	<10
Aliphatics C8-C10	µg/l				197	<10	77	588	541	804	<10	744	27	996	81	815	<10	201	<10	<10	<10	2410	<10
Aliphatics C10-C12	µg/l				849	<10	301	1300	1980	3390	<10	2780	98	1170	203	2950	<10	761	<10	<10	<10	9680	<10
Aliphatics C12-C16	µg/l				<10	415	73	40	1480	965	<50	19	<10	<10	<10	<10	18	267	10	13	<10	768	<10
Aliphatics C16-C21	µg/l				<10	612	304	109	765	991	387	30	<10	<10	<10	<10	22	217	52	18	<10	585	<10
Aliphatics C21																							

ANALYSIS OF GROUNDWATER - Limerick Gasworks, Monitoring Visit 7 (26th - 27th April 2011)

Screening Values - Drinking Water Standards

Aquifer type: Locally important aquifer
Typical productivity: Moderately Productive (40-100 m3/d)

 Concentration exceeds screening value

Concentration exceeds screening value because limit of detection is greater than screening value

Determinand	Units	Screening Value ($\mu\text{g/l}$)	Ground type		Borehole Depth (m(bgl))																	
			Borehole A3	A4	A11	C7	C11	D1	D5	E8	F11	G2	G3	G4	G5	G8	H12	J10	K1	K5	M3	
Inorganics			1.50-4.50	1.50-2.30	1.00-2.50	2.00-6.50	1.50-2.50	3.00-4.50	2.00-3.00	1.50-6.00	1.00-4.00	4.00-10.00	3.50-8.50	3.00-9.50	2.50-8.50	1.00-2.00	1.50-4.00	1.00-2.00	2.50-4.40	1.00-5.00	3.50-6.00	
Arsenic (dissolved)	$\mu\text{g/l}$	10	SI 278/2007	28.7	4.06	8.59	11.9	6.21	15.1	5.7	81.6	5.57	20	6.25	3.51	2.1	11.7	1.41	2.82	1.14	54.6	2.96
Cadmium (dissolved)	$\mu\text{g/l}$	5	SI 278/2007	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.122	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Chromium (dissolved)	$\mu\text{g/l}$	50	SI 278/2007	24.6	16.2	8.28	12.3	17.7	22.4	11.8	2.6	9.29	30.7	24.5	13.3	30	11	15.2	17.2	10.6	14.1	4.24
Copper (dissolved)	$\mu\text{g/l}$	2000	SI 278/2007	<0.85	<0.85	<0.85	<0.85	<0.85	<0.85	1.87	<0.85	1.34	1.26	<0.85	1.4	<0.85	<0.85	0.852	3.53	2.99	8.66	
Lead (dissolved)	$\mu\text{g/l}$	25	SI 278/2007	<0.02	0.039	0.121	0.219	<0.02	<0.02	0.691	0.12	0.048	<0.02	0.032	0.052	0.114	<0.02	<0.02	0.237	0.323	0.083	
Nickel (dissolved)	$\mu\text{g/l}$	20	SI 278/2007	4.84	3.56	2.47	1.51	3.65	3.79	5.1	34.4	2.98	6.82	8.05	10.9	8.04	5.23	3.34	4.18	6.95	15.2	4.1
Selenium (dissolved)	$\mu\text{g/l}$	10	SI 278/2007	0.811	0.666	0.461	14	1.54	1.38	5.37	18.4	1.3	8.45	4.03	8.89	2.12	1.7	3.84	0.961	18.3	1.25	
Zinc (dissolved)	$\mu\text{g/l}$	5000	WHO Drinking water Quality Guideline Value	2.79	1.41	0.459	1.52	<0.41	1.11	7.29	4.85	0.728	0.985	3.25	5.84	3.02	<0.41	0.756	2.38	2.81	3.69	1.27
Mercury (dissolved)	$\mu\text{g/l}$	1	SI 278/2007	<0.01	<0.01	<0.028	<0.01	<0.01	<0.01	0.0121	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.0354	<0.01	
Ammonium	$\mu\text{g/l}$	300	SI 278/2007	9670	2270	2710	50000	5620	11300	9470	36600	43900	21200	13700	9840	26000	14500	668	2570	58200	1090	
Sulphate (soluble)	$\mu\text{g/l}$	250000	SI 278/2007	408000	264000	69500	29000	73400	468000	47400	373000	79300	702000	500000	403000	605000	160000	191000	73200	580000	495000	550000
Phenols	$\mu\text{g/l}$	0.5	SI 81/1988	<13	<13	230	129000	60	240	2640	153000	2470	45300	130	4450	<13	22200	<13	<13	<13	80000	40
Total Cyanide	$\mu\text{g/l}$	50	SI 278/2007	296	161	<50	<50	99	1030	209	4720	<50	990	408	85	458	119	<50	<50	848	3320	1290
pH Value	$\mu\text{g/l}$	6.5	SI 278/2007	8.29	8.04	8.19	8.43	8.11	5.23	7.85	7.94	8.27	8.05	7.98	8.08	7.93	8.33	7.64	8.31	7.94	8.25	7.96
pH Value	$\mu\text{g/l}$	9.5	SI 278/2007	8.29	8.04	8.19	8.43	8.11	5.23	7.85	7.94	8.27	8.05	7.98	8.08	7.93	8.33	7.64	8.31	7.94	8.25	7.96
BTEX																						
Benzene	$\mu\text{g/l}$	1	SI 278/2007	258	<7	<7	15900	49	685	337	2880	410	5430	144	1750	34	1220	<7	<7	<7	12400	<7
Toluene	$\mu\text{g/l}$	700	WHO Drinking Water Quality Guideline Value	6	<4	18	5580	25	231	79	784	153	3940	<4	1520	<4	744	<4	<4	<4	4200	<4
Ethyl benzene	$\mu\text{g/l}$	300	WHO Drinking Water Quality Guideline Value	8	<5	5	195	119	204	16	35	13	451	11	209	<5	65	<5	<5	<5	206	<5
Xylene	$\mu\text{g/l}$	500	WHO Drinking Water Quality Guideline Value	97	<10	28	2000	268	851	61	370	109	2950	68	2010	17	651	<10	<10	<10	1910	<10
Petroleum Hydrocarbons																						
GRO (C4-C12)	$\mu\text{g/l}$	10	SI 81/1988	1780	<50	264	36200	3710	6270	802	8100	1080	21500	567	11800	295	6120	<50	<50	40300	<50	
MTBE	$\mu\text{g/l}$			<3	<3	<3	<15	<3	<3	<3	<3	<6	<3	<3	<3	<3	<3	<3	<3	<15	<3	
Aliphatics C5-C6	$\mu\text{g/l}$			<10	<10	<10	244	<10	11	<10	30	<10	60	<10	14	<10	10	<10	<10	266	<10	
Aliphatics C6-C8	$\mu\text{g/l}$			65	<10	<10	537	30	116	14	211	13	285	18	124	18	84	<10	<10	1320	<10	
Aliphatics C8-C10	$\mu\text{g/l}$			145	<10	32	1500	398	503	43	466	52	1250	50	863	40	356	<10	<10	2180	<10	
Aliphatics C10-C12	$\mu\text{g/l}$			659	<10	88	5580	1530	2000	131	1810	178	3790	143	2820	92	1650	<10	<10	9810	<10	
Aliphatics C12-C16	$\mu\text{g/l}$			<10	11	211	31	125	29	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	79	<10	
Aliphatics C16-C21	$\mu\text{g/l}$			<10	21	912	32	39	74	122	<10	<10	<10	<10	<10	<10	<10	<10	<10	63	<10	
Aliphatics C21-C35	$\mu\text{g/l}$			<10	<10	3950	34	<10	31	1180	<10	<10	<10	<10	<10	<10	<10	<10	<10	72	<10	
Aromatics C6-C7	$\mu\text{g/l}$			258	<10	<10	15900	49	685	337	2880	410	5430	144	1750	34	1220	<7	<7	12400	<7	
Aromatics C7-C8	$\mu\text{g/l}$			<10	<10	18	55															

ANALYSIS OF GROUNDWATER - Limerick Gasworks, Monitoring visit 7 (26th - 27th April 2011)

Screening Values - Environmental Quality Standards

Receptor water type: Freshwater suitable for coarse fish

Relevant EQS Hardness Band: >100-150 mg/l

* Hardness related Freshwater EQS - based on cyprinid/coarse fish

Concentration exceeds screening value

Concentration exceeds screening value because limit of detection is greater than screening value

Determinant	Units	Ground type																					
		Borehole	A3	A4	A11	C7	C11	D1	D5	E8	F11	G2	G3	G4	G5	G8	H12	J10	K1	K5	M3		
		Depth (mbsl)	2.00-3.00	2.00-3.00	1.80-2.30	4.00-6.00	1.50-2.00	3.00-4.00	1.80-2.40	1.50-2.50	4.00-5.00	3.50-4.50	4.00-5.00	2.80-3.00	5.00-6.00	1.40-2.40	3.00-4.00	1.00-2.00	3.00-4.00	1.00-2.00	3.00-5.00		
Inorganics		Source of screening value																					
Arsenic (dissolved)	µg/l	25	20	SI 27/2009 Annual Ave	28.7	4.06	8.59	11.9	6.21	15.1	5.7	81.6	5.57	20	6.25	3.51	2.1	11.7	1.41	2.82	1.14	54.6	2.96
Cadmium (dissolved)	µg/l	1.5	1.5	SI 27/2009 MAC	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.122	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
Chromium (dissolved)	µg/l	32	32	SI 27/2009 MAC	24.6	16.2	8.28	12.3	17.7	22.4	11.8	9.29	30.7	24.5	13.3	30	11	15.2	17.2	10.6	14.1	4.24	
Copper (dissolved)	µg/l	30*		SI 27/2009 Annual Ave	<0.85	<0.85	<0.85	<0.85	<0.85	<0.85	<0.85	1.87	<0.85	1.34	1.26	<0.85	1.4	<0.85	0.852	3.53	2.99	8.66	
Lead (dissolved)	µg/l	7.2	7.2	SI 27/2009 Annual Ave	<0.02	0.039	0.121	0.219	<0.02	<0.02	0.691	0.12	0.048	<0.02	0.032	0.052	0.114	<0.02	<0.02	0.237	0.323	0.083	
Nickel (dissolved)	µg/l	20	20	SI 27/2009 Annual Ave	4.84	3.56	2.47	1.51	3.65	3.79	5.1	34.4	2.98	6.82	8.05	10.9	8.04	5.23	3.34	4.18	6.95	15.2	4.1
Selenium (dissolved)	µg/l	1	-	Guidelines for Aquatic Life (2007)	0.811	0.666	0.461	1.4	1.54	1.38	5.37	18.4	1.3	8.45	4.03	8.89	2.12	8.26	1.17	3.84	0.961	18.3	1.25
Zinc (dissolved)	µg/l	100*	40	SI 27/2009 Annual Ave	2.79	1.41	0.459	1.52	<0.41	1.11	7.29	4.85	0.728	0.985	3.25	5.84	3.02	<0.41	0.756	2.38	2.81	3.69	1.27
Mercury (dissolved)	µg/l	0.07	0.07	SI 27/2009 MAC	<0.01	<0.01	<0.01	0.028	<0.01	<0.01	<0.01	0.0121	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.0354	<0.01	
Ammoniacal Nitrogen	µg/l	1000	-	Freshwater Fish Directive	9670	2270	2710	50000	5620	11300	9470	36600	13600	49900	21200	13700	9840	26000	14500	668	2570	58200	1090
Sulphate (soluble)	µg/l	200000	-	EQS & IGV	408000	264000	69500	29000	73400	468000	47400	373000	97300	702000	500000	403000	605000	160000	191000	73200	580000	495000	550000
Phenols	µg/l	46	46	SI 27/2009 MAC	<13	<13	220	129000	60	240	2640	153000	2470	45300	130	4450	<13	<13	<13	<13	800000	40	
Free Cyanide - (total CN in lab results)	µg/l	10	10	SI 27/2009 Annual Ave	296	161	<50	<50	99	1030	209	4720	<50	980	408	85	458	119	<50	848	3320	1290	
pH Value	µg/l	6.5	6.5	Interim Guideline Values	8.29	8.04	8.19	5.43	8.11	5.23	7.85	7.94	8.27	8.05	7.98	8.08	7.93	8.33	7.64	8.31	7.94	8.25	7.96
pH Value	µg/l	9.5	9.5	Interim Guideline Values	8.29	8.04	8.19	5.43	8.11	5.23	7.85	7.94	8.27	8.05	7.98	8.08	7.93	8.33	7.64	8.31	7.94	8.25	7.96
BTEX																							
Benzene	µg/l	50	50	SI 27/2009 MAC	258	<7	<7	15900	49	685	337	2880	410	5430	144	1750	34	1220	<7	<7	<7	12400	<7
Toluene	µg/l	10	10	SI 27/2009 Annual Ave	6	<4	18	5580	25	231	79	784	153	3940	<4	1520	<4	744	<4	<4	<4	4200	<4
Ethyl benzene	µg/l	10	10	EOS & IGV	8	<5	5	195	119	204	16	35	13	451	11	209	<5	65	<5	<5	<5	206	<5
Xylene	µg/l	10	10	SI 27/2009 Annual Ave	97	<10	28	2000	268	851	61	370	109	2950	68	2010	<10	<10	<10	<10	1910	<10	
Petroleum Hydrocarbons																							
GR0 (C4-C12)	µg/l				1780	<50	264	36200	3710	6270	802	8100	1080	21500	567	11800	295	6120	<50	<50	40300	<50	
MTBE	µg/l	30	30	IGV	<3	<3	<3	<15	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	<15	<3	<15	
Aliphatics C5-C6	µg/l				<10	<10	<10	244	<10	11	<10	30	<10	60	<10	14	<10	10	<10	<10	266	<10	
Aliphatics C6-C8	µg/l				<10	<10	<10	537	30	116	14	211	13	285	18	124	18	84	<10	<10	1200	<10	
Aliphatics C8-C10	µg/l				145	<10	32	1500	398	503	43	466	52	1250	50	863	40	356	<10	<10	2180	<10	
Aliphatics C10-C12	µg/l				659	<10	88	5580	1530	2000	131	1810	178	3790	143	2820	92	1650	<10	<10	9810	<10	
Aliphatics C12-C16	µg/l				<10	11	211	31	125	29	<10	<10	<10	<10	<10	<10	100	<10	<10	<10	79	<10	
Aliphatics C16-C21	µg/l				<10	21	912	32	39	74	122	<10	<10	<10	<10	<10	132	<10	<10	<10	63	<10	
Aliphatics C21-C35	µg/l				<10	<10	3950	34	<10	31	1180	<10	<10	<									

ANALYSIS OF GROUNDWATER - Limerick Gasworks, Monitoring Visit 8 (25 - 26th October 2011)

Screening Values - Drinking Water Standards

Aquifer type: Locally important aquifer
Typical productivity: Moderately Productive (40-100 m3/d)

 Concentration exceeds screening value
Concentration exceeds screening value because limit of detection is greater than screening value

Determinand	Units	Screening Value ($\mu\text{g/l}$)	Ground type																		
			Borehole Depth (m(bgl))	A3	A11	C7	C11	D1	D5	E8	F11	G2	G3	G4	G5	G8	H12	J10	K1	K5	M3
Inorganics																					
Arsenic (dissolved)	$\mu\text{g/l}$	10	SI 278/2007	43.9	4.95	27	7.91	14.4	4.71	134	11.9	23.5	3.37	8.35	1.54	10.2	7.41	2.24	1.56	162	3.68
Cadmium (dissolved)	$\mu\text{g/l}$	5	SI 278/2007	<0.1	<0.1	0.212	<0.1	<0.1	0.247	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.177	<0.1
Chromium (dissolved)	$\mu\text{g/l}$	50	SI 278/2007	17.6	5.9	11.3	10.8	14.7	8.95	3.45	11.1	18.3	11.5	10.4	15.4	8.89	12.8	10.3	5.75	14.1	2.46
Copper (dissolved)	$\mu\text{g/l}$	2000	SI 278/2007	1.3	<0.85	2.57	<0.85	1.5	<0.85	2.02	<0.85	2.56	4.36	1.42	8.28	0.946	1.07	4.51	4.44	1.97	4.31
Lead (dissolved)	$\mu\text{g/l}$	25	SI 278/2007	0.094	0.518	0.398	0.044	0.092	0.188	0.295	0.136	<0.02	0.094	0.304	0.272	0.079	0.599	0.071	0.483	0.404	0.425
Nickel (dissolved)	$\mu\text{g/l}$	20	SI 278/2007	5.73	6.25	4.9	5.11	5.65	3.9	26.9	5.26	8.73	12.8	5.47	15.6	6.85	5.88	6.1	9.93	28	5.02
Selenium (dissolved)	$\mu\text{g/l}$	10	SI 278/2007	4.36	0.853	24.1	1.13	2.64	2.92	18.5	3.08	10.6	5.01	10.8	6.01	0.996	3.94	2.64	2.05	26.2	2.76
Zinc (dissolved)	$\mu\text{g/l}$	5000	WHO Drinking water Quality Guideline Value	0.757	1.26	2.63	0.791	<0.41	1.63	35.5	<0.41	0.572	1.87	4.46	5.82	0.444	0.861	0.723	2.06	46.2	2.18
Mercury (dissolved)	$\mu\text{g/l}$	1	SI 278/2007	<0.01	<0.01	0.0399	<0.01	<0.01	0.0179	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.119	<0.01
Ammonium	$\mu\text{g/l}$	300	SI 278/2007	12400	6060	100000	7700	12800	46400	41900	52200	16300	13800	2940	12600	21300	507	2490	176000	1530	
Sulphate (soluble)	$\mu\text{g/l}$	250000	SI 278/2007	325000	68300	<40000	215000	397000	48300	358000	52600	643000	1080000	235000	1060000	148000	182000	60300	722000	422000	551000
Phenols	$\mu\text{g/l}$	0.5	SI 81/1988	<25	<25	118000	1320	2400	2460	150000	3840	21700	1480	2780	<25	90	<25	<25	103000	<25	
Total Cyanide	$\mu\text{g/l}$	50	SI 278/2007	335	<50	541	78	841	57	6450	<50	1090	3740	117	1660	127	<50	<50	1050	8470	845
pH Value	$\mu\text{g/l}$	6.5	SI 278/2007	7.63	7.06	8.55	7.65	7.31	7.97	8	7.13	7.56	7.54	7.55	7.56	7.39	7.6	7.15	9.57	7.54	
pH Value	$\mu\text{g/l}$	9.5	SI 278/2007	7.63	7.06	8.55	7.65	7.31	7.97	8	7.13	7.56	7.54	7.55	7.56	7.39	7.6	7.15	9.57	7.54	
BTEX																					
Benzene	$\mu\text{g/l}$	1	SI 278/2007	564	9	16200	91	654	159	6190	186	4250	248	<7	<7	<7	<7	<7	12100	<7	
Toluene	$\mu\text{g/l}$	700	WHO Drinking Water Quality Guideline Value	27	51	7570	56	439	63	1770	165	3200	128	1510	<4	10	<4	<4	<4	4180	<4
Ethyl benzene	$\mu\text{g/l}$	300	WHO Drinking Water Quality Guideline Value	230	7	294	57	185	13	76	18	387	32	181	<5	11	<5	<5	207	<5	
Xylene	$\mu\text{g/l}$	500	WHO Drinking Water Quality Guideline Value	113	68	2910	281	840	32	876	145	2430	188	1570	<11	117	<11	<11	1840	<11	
Petroleum Hydrocarbons																					
GRO (C4-C12)	$\mu\text{g/l}$	10	SI 81/1988	2530	540	41000	2690	6560	429	14600	994	17700	1230	9630	<50	436	<50	<50	34700	<50	
MTBE	$\mu\text{g/l}$			<3	<3	<15	<3	<3	<3	<6	<3	<3	<3	<3	<3	<3	<3	<3	<15	<3	
Aliphatics C5-C6	$\mu\text{g/l}$			<10	<10	104	<10	12	<10	50	<10	29	<10	11	<10	<10	<10	<10	263	<10	
Aliphatics C6-C8	$\mu\text{g/l}$			56	<10	522	20	103	<10	332	31	236	27	2030	<10	10	<10	<10	1150	<10	
Aliphatics C8-C10	$\mu\text{g/l}$			168	54	1720	290	479	16	668	74	990	101	598	<10	60	<10	<10	1670	<10	
Aliphatics C10-C12	$\mu\text{g/l}$			749	184	6320	1020	2120	77	2490	192	3340	263	2000	<10	109	<10	<10	7290	<10	
Aliphatics C12-C16	$\mu\text{g/l}$			<10	<10	26	476	70	23	12	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	
Aliphatics C16-C21	$\mu\text{g/l}$			<10	<10	25	273	96	95	28	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	
Aliphatics C21-C35	$\mu\text{g/l}$			<10	<10	44	148	61	427	21	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	
Aromatics C6-C7	$\mu\text{g/l}$			564	<10	16200	91	654	159	6190	186	4250	248	<7	<7	<7	<7	<7	12100	<7	
Aromatics C7-C8	$\mu\text{g/l}$			27	51	7570	56	439	63	1770	165	3200	128	1510	<4	10	<4	<4	<4	4180	<4
Aromatics C8-C10	$\mu\text{g/l}$			455	111	4350	531	1340	56	1400	213	3480	287	2150	<10	169	<10	<10	3160	<10	
Aromatics C10-C12	$\mu\text{g/l}$			500	122	4210	678	1410	51	1660	128	2230	175	1330	<10	73	<10	<10	4860	<10	
Aromatics C12-C16	$\mu\text{g/l}$		</																		

ANALYSIS OF GROUNDWATER - Limerick Gasworks. Monitoring visit 8 (25-26th October 2011)

Screening Values - Environmental Quality Standards

Receptor water type: Freshwater suitable for coarse fish

Relevant EQS Hardness Band: >100-150 mg/l

* Hardness related Freshwater EQS - based on cyprinid/coarse fish

Concentration exceeds screening value

Concentration exceeds screening value because limit of detection is greater than screening value

Determinand	Units	Screening Value ($\mu\text{g/l}$)		Source of screening value	Ground type																		
		Freshwater	Coastal/Estuary /Marine		A3	A11	C7	C11	D1	D5	E8	F11	G2	G3	G4	G5	G8	H12	J10	K1	K5	M3	
		Depth (mgbf)	1.50-2.50	4.50-5.50	4.00-5.00	1.00-2.00	3.50-4.50	1.50-2.50	1.00-2.00	4.00-4.90	3.00-4.00	2.50-3.50	3.00-4.00	2.00-3.00	1.50-2.00	2.50-3.50	1.00-2.00	2.00-3.00	1.00-2.00	2.00-3.00	1.00-2.00	3.00-4.00	
Inorganics																							
Arsenic (dissolved)	$\mu\text{g/l}$	25	20	SI 27/2009 Annual Ave	43.9	4.95	27	7.91	14.4	4.71	134	11.9	23.5	3.37	8.35	1.54	10.2	7.41	2.24	1.56	162	3.68	
Cadmium (dissolved)	$\mu\text{g/l}$	1.5	1.5	SI 27/2009 MAC	<0.1	<0.1	0.212	<0.1	<0.1	<0.1	0.247	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.177	<0.1	
Chromium (dissolved)	$\mu\text{g/l}$	32	32	SI 27/2009 MAC	17.6	5.9	11.3	10.8	14.7	8.95	3.45	11.1	18.3	11.5	10.4	15.4	8.89	12.8	10.3	5.75	14.1	2.46	
Copper (dissolved)	$\mu\text{g/l}$	30*		SI 27/2009 Annual Ave	1.3	<0.85	2.57	<0.85	1.5	<0.85	2.02	<0.85	2.58	4.36	1.42	8.28	0.946	1.07	4.51	4.44	1.97	4.31	
Lead (dissolved)	$\mu\text{g/l}$	7.2	7.2	SI 27/2009 Annual Ave	0.094	0.518	0.398	0.044	0.092	0.188	0.295	0.136	<0.02	0.094	0.304	0.272	0.079	0.599	0.071	0.483	0.404	0.425	
Nickel (dissolved)	$\mu\text{g/l}$	20	20	SI 27/2009 Annual Ave	5.73	6.25	4.9	5.11	5.65	3.9	26.9	5.26	8.73	12.8	5.47	15.6	6.85	5.88	6.1	9.93	28	5.02	
Selenium (dissolved)	$\mu\text{g/l}$	1	-	Guidelines for Aquatic Life (2007)	4.36	0.853	24.1	1.13	2.64	2.92	18.5	3.08	10.6	5.01	10.8	6.01	0.996	3.94	2.64	2.05	26.2	2.76	
Zinc (dissolved)	$\mu\text{g/l}$	100*	40	SI 27/2009 Annual Ave	0.757	1.26	2.63	0.791	<0.41	1.63	35.5	<0.41	0.572	1.87	4.46	5.82	0.444	0.861	0.723	2.06	46.2	2.18	
Mercury (dissolved)	$\mu\text{g/l}$	0.07	0.07	SI 27/2009 MAC	<0.01	<0.01	0.0399	<0.01	<0.01	0.0179	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.119	<0.01	
Ammoniacal Nitrogen	$\mu\text{g/l}$	1000	-	Freshwater Fish Directive	12400	6060	100000	7700	12800	12900	46400	41900	52200	16300	13800	2940	12600	21300	507	2490	176000	1530	
Sulphate (soluble)	$\mu\text{g/l}$	200000	-	EQS & IGV	325000	68300	<40000	215000	397000	48300	358000	52600	643000	1080000	235000	1060000	148000	182000	60300	722000	422000	551000	
Phenols	$\mu\text{g/l}$	46	46	SI 27/2009 MAC	<25	<25	118000	1320	2400	2460	150000	3840	21700	1480	2780	<25	90	<25	<25	<25	103000	<25	
Free Cyanide - (total CN in lab results)	$\mu\text{g/l}$	10	10	SI 27/2009 Annual Ave	335	<50	541	78	841	57	6450	<50	1090	3740	117	1660	127	<50	<50	1050	8470	845	
pH Value	$\mu\text{g/l}$	6.5	6.5	Interim Guideline Values	7.63	7.06	8.55	7.65	7.31	7.97	8	7.13	7.56	7.66	7.54	7.55	7.56	7.39	7.6	7.15	9.57	7.54	
pH Value	$\mu\text{g/l}$	9.5	9.5	Interim Guideline Values	7.63	7.06	8.55	7.65	7.31	7.97	8	7.13	7.56	7.66	7.54	7.55	7.56	7.39	7.6	7.15	9.57	7.54	
BTEX																							
Benzene	$\mu\text{g/l}$	50	50	SI 27/2009 MAC	564	9	16200	91	654	159	6190	186	4250	248	<7	<7	<7	<7	<7	<7	12100	<7	
Toluene	$\mu\text{g/l}$	10	10	SI 27/2009 Annual Ave	27	51	7570	56	439	63	1770	165	3200	128	1510	<4	10	<4	<4	<4	4180	<4	
Ethyl benzene	$\mu\text{g/l}$	10	10	EQS & IGV	230	7	294	57	185	13	76	18	387	32	181	<5	11	<5	<5	<5	207	<5	
Xylene	$\mu\text{g/l}$	10	10	SI 27/2009 Annual Ave	113	68	2910	281	840	32	876	145	2430	188	1570	<11	117	<11	<11	<11	1840	<11	
Petroleum Hydrocarbons																							
GR0 (C4-C12)	$\mu\text{g/l}$				2530	540	41000	2690	6560	429	14600	994	17700	1230	9630	<50	436	<50	<50	<50	34700	<50	
MTBE	$\mu\text{g/l}$	30	30	IGV	<3	<3	<15	<3	<3	<3	<6	<3	<3	<3	<3	<3	<3	<3	<3	<3	<15	<3	
Aliphatics C5-C6	$\mu\text{g/l}$				<10	<10	104	<10	12	<10	50	<10	29	<10	11	<10	<10	<10	<10	<10	263	<10	
Aliphatics C6-C8	$\mu\text{g/l}$				56	<10	522	20	103	<10	332	31	236	27	2030	<10	10	<10	<10	<10	1150	<10	
Aliphatics C8-C10	$\mu\text{g/l}$				168	54	1720	290	479	16	668	74	990	101	598	<10	60	<10	<10	<10	1670	<10	
Aliphatics C10-C12	$\mu\text{g/l}$				749	184	6320	1020	2120	77	2490	192	3340	263	2000	<10	109	<10	<10	<10	7290	<10	
Aliphatics C12-C16	$\mu\text{g/l}$				<10	<10	26	476	70	23	12	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	
Aliphatics C16-C21	$\mu\text{g/l}$				<10	<10	25	273	96	95	28	<1											