



The Environmental Protection
Agency
- 4 MAY 2012
CORK

**Donegal County Council
CENTRAL LABORATORY**

The Kube
Thorn Road
Magheranan
Letterkenny
Co. Donegal

Tel: [074] 9122787
Fax: [074] 9161304

**Ms. Orla Harrington
Office of Climate, Licensing and Resource Use
EPA Regional Inspectorate
Inniscarra
Co. Cork**

3rd May 2012

Drumaboden LS Licence Review Querie (W0063-02)

Dear Ms. Harrington,

Further to your letter of 17th April, and our subsequent phone conversations and e-mail correspondence, I am writing to confirm the availability of monitoring data.


Since this is now a fully restored landfill facility we were granted approval by our Inspectors (John Gibbons and Mick Henry, Mayo Office) to dispense with parameters required to be analysed for annually (as listed in Schedule D5 of the Licence). Approval for this was given at a meeting held in Sligo with the Agency on 12/11/2009, and we requested the same formally in our letter dated 18/11/2009.

As previously stated, this reduction in monitoring requirements is normal practice when a waste facility has been fully restored providing the emissions data is within reasonable ranges. As such the last set of hazardous substances results are contained in our AER for 2009. All available monitoring data is included in our AER's.

*For inspection purposes only.
Consent of copyright owner required for any other use.*

I trust this provides the information you need.

Yours sincerely,



Julie McMahon
Executive Environmental Officer

cc John Gibbons OEE, Castlebar

*For inspection purposes only.
Consent of copyright owner required for any other use.*