



Licensing Action - Reg 18(3)(b) Outstanding Info Due - 2 for Monaghan Licence (D0061-01)

Licence: Monaghan (D0061-01)

Status Reason: Open (EDEN)

Issued On: 7/10/2012

Due Date: 9/6/2012

General Details

Action Type: Licensing Action

Status History Action: Reg 18(3)(b) Outstanding Info Due

Licensing Notification Details

Introduction

Dear Applicant

You are advised that there remains outstanding information as requested under Regulation 18(3)(b) of the Waste Water Discharge (Authorisation) Regulations 2007, as amended, in relation to D0061-01, Monaghan agglomeration licence application.

You are therefore requested to submit the outstanding information detailed below by 07/09/2012.

REGULATION 16 COMPLIANCE REQUIREMENTS

Question	Created On	Name of Associated
<P>You are advised that there remains outstanding information due on a Reg 18(3)(b) notice which was issued to you by the Agency. Please examine the pdf version of the notice, which is attached, and submit your response through EDEN. </I> </I></P>	7/10/2012 11:17:40 AM	<ul style="list-style-type: none">• Notification -

Closing Section

Your reply to this notice should include a revised non-technical summary which reflects the information you supply in compliance with the notice, insofar as that information impinges on the non-technical summary.

In the case where any drawings already submitted are subject to revision consequent on this request, a revised drawing should be prepared in each case. It is not sufficient to annotate the original drawing with a textual correction. Where such revised drawings are submitted, provide a list of drawing titles, drawing numbers and revision status, which correlates the revised drawings with the superseded versions. Please note that all maps/drawings should not exceed A3 in size.

Please direct any queries that you may have in relation to the above to the Inspector Patrick Byrne or to OCLR Admin Team D.

Yours sincerely

Environmental Licensing Programme

Office of Climate, Licensing & Resource Use

Tel: 053-9160600

Notes



Mr Gearoid McCarthy
Water Services
Monaghan County Council
County Offices
The Glen
Monaghan

Regional Inspectorate
McCumiskey House, Richview,
Clonskeagh Road, Dublin 14, Ireland
Cigireacht Réigiúnach, Teach Mhic Chumascaigh
Dea-Radharc, Bóthar Cluain Sceach
Baile Átha Cliath 14, Éire
T: +353 1 268 0100
F: +353 1 268 0199
E: info@epa.ie
W: www.epa.ie
LoCall: 1890 33 55 99

09 June 2010

D0061-01

re: Notice in accordance with Regulation 18(3)(b) of the Waste Water Discharge (Authorisation) Regulations 2007

Dear Mr McCarthy

I am to refer to the above referenced application for a waste water discharge licence relating to agglomeration named Monaghan. Having examined the documentation submitted, including additional information received on the 23rd December 2008, I am to advise that the Agency is of the view that the documentation does not comply with Regulation 16 of the Waste Water Discharge (Authorisation) Regulations 2007.

You are therefore requested, in accordance with Regulation 18(3)(b) of the regulations, to take the steps to supply the information detailed below:

REGULATION 16 COMPLIANCE REQUIREMENTS

- Provide details of the timeframe for completion of the upgrade of Monaghan Town Sewerage Scheme and provide dates by which each of the storm water overflows will be abandoned.
- In the additional information, received on the 23rd December 2008, you provided an assessment of the impact of the primary emission on the River Shambles, the assimilative capacity calculations indicate significant increases in pollutant concentrations as a result of the primary discharge. Provide an assessment (including assimilative capacity assessment) of impact of the primary discharge on the River Blackwater and provide a comparison of the results with the European Communities Environmental Objectives (Surface Waters) Regulations 2009.

Propose mitigation measures (i.e. alternative discharge point, additional treatment etc.), as considered appropriate, to achieve compliance with the objectives of the Water Framework Directive in the receiving waters (River Shambles and River Blackwater) having regard to the Neagh Bann River Management Plan (2009-2015) and associated Water Management Unit Action Plan.

- Assess the likelihood of significant effects of the waste water discharges from the agglomeration on the relevant European sites by referring to Circular L8/08 'Water Services Investment and Rural Water Programmes - Protection of Natural Heritage and National Monuments' issued by the Department of Environment, Heritage and Local Government. In particular, the flow diagram in Appendix 1 should be completed and the results of each section recorded. If significant effects are likely then an appropriate assessment must be carried out and a report of this assessment forwarded to the Agency.

You are advised to provide the requested information in accordance with the 'Note on Appropriate Assessments for the purposes of the Waste Water Discharge (Authorisation) Regulations, 2007 (S. I. 684 of 2007)' which is available at www.epa.ie/downloads/forms/lic/wwda/.


Your reply to this notice should include a revised non-technical summary which reflects the information you supply in compliance with the notice, insofar as that information impinges on the non-technical summary.

In the case where any drawings already submitted are subject to revision consequent on this request, a revised drawing should be prepared in each case. It is not sufficient to annotate the original drawing with a textual correction. Where such revised drawings are submitted, provide a list of drawing titles, drawing numbers and revision status, which correlates the revised drawings with the superseded versions.

Please supply the information in the form of a one original plus one copy within two months of the date of this notice. In addition please submit one copy of the requested information in electronic searchable PDF format on a CD-ROM (no file to exceed 10MB) to the Agency. Please note that all maps/drawings should not exceed A3 in size.

Please note that the application's register number is D0061-01. Please direct all correspondence in relation to this matter to *Administration, Environmental Licensing Programme, Office of Climate, Licensing & Resource Use, Environmental Protection Agency, Headquarters, PO Box 3000, Johnstown Castle Estate, County Wexford* quoting the register number.

Yours sincerely,



Patrick Byrne
Senior Inspector
Office of Climate, Licensing & Resource Use

Cc. Mr Mark Johnston, Senior Executive Engineer, Monaghan County Council, Water Services, County Offices, The Glen, Monaghan