

**Appendix G:
VOC/ Zinc Results for SD1.**

*For inspection purposes only.
Consent of copyright owner required for any other use.*

Appendix G:

VOC scan for SD1 results		03\12	08\11	05\11	03\11						
						1,1,2,2-Tetrachloroethane	µg/l	<4	<4	<4	<4
Dichlorofluoromethane	µg/l	<2	<2	<2	<2	Bromobenzene	µg/l	<2	<2	<2	<2
Methyl Tertiary Butyl Ether	µg/l	<1	<1	<1	<1	1,2,3,-Trichloropropane	µg/l	<3	<3	<3	<3
Chloromethane	µg/l	<3	<3	<3	<3	Propylbenzene	µg/l	<3	<3	<3	<3
Vinylchloride	µg/l	<2	<2	<2	<2	2-Chlorotoluene	µg/l	<3	<3	<3	<3
Bromomethane	µg/l	<1	<1	<1	<1	1,3,5-Trimethylbenzene	µg/l	<3	<3	<3	<3
Chloroethane	µg/l	<3	<3	<3	<3	4-Chlorotoluene	µg/l	<3	<3	<3	<3
Trichlorofluoromethane	µg/l	<3	<3	<3	<3	tert-Butylbenzene	µg/l	<3	<3	<3	<3
1,1-Dichloroethene	µg/l	<3	<3	<3	<3	1,2,4-Trimethylbenzene	µg/l	<3	<3	<3	<3
Dichloromethane	µg/l	<3	<3	<3	<3	sec-Butylbenzene	µg/l	<3	<3	<3	<3
trans-1,2-Dichloroethene	µg/l	<3	<3	<3	<3	4-Isopropyltoluene	µg/l	<3	<3	<3	<3
1,1-Dichloroethane	µg/l	<3	<3	<3	<3	1,3-Dichlorobenzene	µg/l	<3	<3	<3	<3
cis-1,2-Dichloroethene	µg/l	<3	<3	<3	<18	1,4-Dichlorobenzene	µg/l	<3	<3	<3	<3
2,2-Dichloropropane	µg/l	<1	<1	<1	<1	n-Butylbenzene	µg/l	<3	<3	<3	<3
Bromochloromethane	µg/l	<2	<2	<2	<2	1,2-Dichlorobenzene	µg/l	<3	<3	<3	<3
Chloroform	µg/l	<2	<2	<2	<2	1,2-Dibromo-3-Chloropro	µg/l	<2	<2	<2	<2
1,1,1-Trichloroethane	µg/l	<2	<2	<2	<2	1,2,4-Trichlorobenzene	µg/l	<3	<3	<3	<3
1,1-Dichloropropene	µg/l	<3	<3	<3	<3	Hexachlorobutadiene	µg/l	<3	<3	<3	<3
Carbontetrachloride	µg/l	<2	<2	<2	<2	Naphthalene	µg/l	<2	<2	<2	<2
1,2-Dichloroethane	µg/l	<2	<2	<2	<2	1,2,3-trichlorobenzene	µg/l	<3	<3	<3	<3
Benzene	µg/l	<1	<1	<1	<1						
Trichloroethene	µg/l	<3	<3	<3	<3	Zinc for SD1	mg/l	0.128	0.132	0.204	0.208
1,2-Dichloropropane	µg/l	<2	<2	<2	<2						
Dibromomethane	µg/l	<3	<3	<3	<3						
Bromodichloromethane	µg/l	<2	<2	<2	<2						
cis-1,3-Dichloropropene	µg/l	<2	<2	<2	<2						
Toluene	µg/l	<2	<2	<2	<2						
trans-1,3-Dichloropropene	µg/l	<2	<2	<2	<2						
1,1,2-Trichloroethane	µg/l	<2	<2	<2	<2						
Tetrachloroethene	µg/l	<3	<3	<3	<3						
1,3-Dichloropropane	µg/l	<2	<2	<2	<2						
Dibromochloromethane	µg/l	<2	<2	<2	<2						
1,2-Dibromoethane	µg/l	<2	<2	<2	<2						
Chlorobenzene	µg/l	<2	<2	<2	<2						
1,1,1,2-Tetrachloromethane	µg/l	<2	<2	<2	<2						