

This licence was amended on 14th January 2013 under Section 42B(1)(c) of the Waste Management Acts, 1996 to 2011. The details of Amendment A must be read in conjunction with this licence. The amendment document is entitled “Technical Amendment A”



Headquarters
P.O. Box 3000
Johnstown Castle Estate
County Wexford
Ireland

WASTE LICENCE

Waste License Register No:	W0222-01
Licensee:	Greenclean Waste Management Limited
Location of Facility:	Coldwinters, Blakescross, Lusk, County Dublin

INTRODUCTION

This introduction is not part of the licence and does not purport to be a legal interpretation of the licence.

This licence relates to the operation of a Waste Transfer Facility by Greenclean Waste Management Limited, Coldwinters, Blakescross, Lusk, County Dublin.

The facility will be allowed to accept up to 95,000 tonnes of waste per annum consisting of non-hazardous commercial, industrial, household and C&D wastes for disposal and recovery off site. Recyclable waste will be segregated on site utilising a combination of mechanical and manual sorting processes prior to collection and transportation to other recycling facilities. The remainder will be sent to landfill or exported to approved recycling/disposal facilities. All wastes handled are non-hazardous in nature; however, hazardous waste received as part of municipal waste will be segregated and stored within a designated area until it can be disposed of at an appropriate facility.

The licensee must manage and operate the facility, which will be fully enclosed, to ensure that the activities do not cause environmental pollution. The licensee is required to carry out regular environmental monitoring and submit all monitoring results, and a wide range of reports on the operation and management of the facility, to the Agency.

The licence sets out in detail the conditions under which Greenclean Waste Management Limited will operate and manage this facility.

Table of Contents

	Page No.
Glossary of Terms	1
Decision & Reasons for the Decisions	5
Part I Schedule of Activities Licensed	6
Part II Schedule of Activities Refused	6
Part III Conditions	7
Condition 1. Scope	7
Condition 2. Management of the Facility	8
Condition 3. Infrastructure and Operation	10
Condition 4. Interpretation	14
Condition 5. Emissions	14
Condition 6. Control and Monitoring	15
Condition 7. Resource Use and Energy Efficiency	18
Condition 8. Materials Handling	18
Condition 9. Accident Prevention and Emergency Response	19
Condition 10. Decommissioning	20
Condition 11. Notifications, Records and Reports	21
Condition 12. Financial Charges and Provisions	23
SCHEDULE A: Limitations	24
SCHEDULE B: Emission Limits	25
SCHEDULE C: Control &Monitoring	26
SCHEDULE D: Specified Engineering Works	28
SCHEDULE E: Reporting	28
SCHEDULE F: Annual Environmental Report	29

Glossary of Terms

All terms in this licence should be interpreted in accordance with the definitions in the Environmental Protection Agency Acts 1992 and 2003 / Waste Management Acts 1996 to 2005, unless otherwise defined in this section.

Aerosol	A suspension of solid or liquid particles in a gaseous medium.
Adequate lighting	20 lux measured at ground level.
AER	Annual Environmental Report.
Agreement	Agreement in writing.
Annually	At approximately twelve monthly intervals.
Attachment	Any reference to Attachments in this licence refers to attachments submitted as part of this licence application.
Application	The application by the licensee for this licence.
Appropriate facility	A waste management facility, duly authorised under relevant law and technically suitable.
BAT	Best Available Techniques.
Bi-annually	All or part of a period of six consecutive months.
Biennially	Once every two years.
BOD	5 day Biochemical Oxygen Demand.
CEN	Comité Européen De Normalisation – European Committee for Standardisation.
COD	Chemical Oxygen Demand.
Construction and Demolition Waste	Wastes that arise from construction, renovation and demolition activities: Chapter 17 of the EWC or as otherwise may be agreed.
Containment boom	A boom which can contain spillages and prevent them from entering drains or watercourses or from further contaminating watercourses.
Daily	During all days of plant operation, and in the case of emissions, when emissions are taking place; with at least one measurement on any one day.
Day	Any 24 hour period.
Daytime	0800 hrs to 2200 hrs.
dB(A)	Decibels (A weighted).
DO	Dissolved Oxygen.
Documentation	Any report, record, result, data, drawing, proposal, interpretation or other document in written or electronic form which is required by this licence.

Drawing	Any reference to a drawing or drawing number means a drawing or drawing number contained in the application, unless otherwise specified in this licence.
EMP	Environmental Management Programme.
Emission Limits	Those limits, including concentration limits and deposition rates established in <i>Schedule B: Emission Limits</i> of this licence.
Environmental Damage	Has the meaning given it in Directive 2004/35/EC.
EPA	Environmental Protection Agency.
European Waste Catalogue (EWC)	A harmonised, non-exhaustive list of wastes drawn up by the European Commission and published as Commission Decision 2000/532/EC and any subsequent amendment published in the Official Journal of the European Community.
Facility	Any site or premises used for the purposes of the recovery or disposal of waste.
Fortnightly	A minimum of 24 times per year, at approximately two week intervals.
GC/MS	Gas Chromatography/Mass Spectroscopy.
Green waste	Waste wood (excluding timber), plant matter such as grass cuttings, and other vegetation.
Heavy Metals	This term is to be interpreted as set out in “Parameters of Water Quality, Interpretation and Standards” published by the Agency in 2001. ISBN 1-84095-015-3.
Hours of Operation	The hours during which the facility is authorised to be operational.
Hours of Waste Acceptance	The hours during which the facility is authorised to accept waste.
ICP	Inductively Coupled Plasma Spectroscopy.
Incident	The following shall constitute an incident for the purposes of this licence: <ul style="list-style-type: none">(i) an emergency;(ii) any emission which does not comply with the requirements of this licence;(iii) any exceedence of the daily duty capacity of the waste handling equipment;(iv) any trigger level specified in this licence which is attained or exceeded; and,(v) any indication that environmental pollution has, or may have, taken place.
Industrial Waste	As defined in Section 5(1) of the Waste Management Acts 1996 to 2005.
IPPC	Integrated Pollution Prevention & Control.
Landfill Directive	Council Directive 1999/31/EC.

Leq	Equivalent continuous sound level.
Licence	A waste licence issued in accordance with the Waste Management Acts 1996 to 2005.
Licensee	Greenclean Waste Management Limited, Coldwinters, Blakescross, Lusk, County Dublin.
Liquid Waste	Any waste in liquid form and containing less than 2% dry matter.
List I	As listed in the EC Directives 76/464/EEC and 80/68/EEC and amendments.
List II	As listed in the EC Directives 76/464/EEC and 80/68/EEC and amendments.
Local Authority	Fingal County Council.
Maintain	Keep in a fit state, including such regular inspection, servicing, calibration and repair as may be necessary to adequately perform its function.
Mass Flow Limit	An Emission Limit Value which is expressed as the maximum mass of a substance which can be emitted per unit time.
Mass Flow Threshold	A mass flow rate, above which, a concentration limit applies.
Monthly	A minimum of 12 times per year, at approximately monthly intervals.
Municipal waste	As defined in Section 5(1) of the Waste Management Acts 1996 to 2005.
Night-time	2200 hrs to 0800 hrs.
Noise Sensitive Location (NSL)	Any dwelling house, hotel or hostel, health building, educational establishment, place of worship or entertainment, or any other facility or area of high amenity which for its proper enjoyment requires the absence of noise at nuisance levels.
Oil Separator	Device installed according to the International Standard I.S.EN 858-2:2003 (Separator systems for light liquids, (e.g. oil and petrol)-Part 2: Selection of nominal size, installation, operation and maintenance.
PER	Pollution Emission Register.
Quarterly	All or part of a period of three consecutive months beginning on the first day of January, April, July or October.
Regional Fisheries Board	Eastern Regional Fisheries Board.
Sanitary Authority	Fingal County Council.
Sanitary Effluent	Waste water from facility toilet, washroom and canteen facilities.
Sample(s)	Unless the context of this licence indicates to the contrary, samples shall include measurements by electronic instruments.
SOP	Standard Operating Procedure.

Specified Emissions	Those emissions listed in <i>Schedule B: Emission Limits</i> of this licence.
Specified Engineering Works	Those engineering works listed in <i>Schedule D: Specified Engineering Works</i> of this licence.
Standard Method	A National, European or internationally recognised procedure (eg, I.S. EN, ISO, CEN, BS or equivalent), as an in-house documented procedure based on the above references, a procedure as detailed in the current edition of “Standard Methods for the Examination of Water and Wastewater”, (prepared and published jointly by A.P.H.A., A.W.W.A & W.E.F), American Public Health Association, 1015 Fifteenth Street, N.W., Washington DC 20005, USA; or, an alternative method as may be agreed by the Agency.
Storm Water	Rain water run-off from roof and non-process areas.
The Agency	Environmental Protection Agency.
TOC	Total Organic Carbon.
Trade Effluent	Trade Effluent has the meaning given in the Water Pollution Acts 1977 and 1990.
Trigger Level	A parameter value, the achievement or exceedance of which requires certain actions to be taken by the licensee.
Weekly	During all weeks of plant operation, and in the case of emissions, when emissions are taking place; with at least one measurement in any one week.
WWTP	Waste Water Treatment Plant.

Decision & Reasons for the Decisions

Reasons for the Decision

The Agency is satisfied, on the basis of the information available, that subject to compliance with the conditions of this licence, any emissions from the activity will comply with and will not contravene any of the requirements of Section 40(4) of the Waste Management Acts 1996 to 2005.

In reaching this decision the Environmental Protection Agency has considered the application and supporting documentation received from the applicant, all submissions received and the report of its inspector. No objection having been received to the Proposed Decision, the licence is granted in accordance with the terms of the Proposed Decision and the reasons therefor.

Part I Schedule of Activities Licensed

In pursuance of the powers conferred on it by the Waste Management Acts 1996 to 2005, the Environmental Protection Agency (the Agency) under Section 40(1) of the said Act hereby grants this Waste Licence to Greenclean Waste Management Limited, Coldwinters, Blakescross, Lusk, County Dublin to carry on the waste activities listed below at Coldwinters, Blakescross, Lusk, County Dublin subject to conditions, with the reasons therefore and the associated schedules attached thereto set out in the licence.

Licensed Waste Disposal Activities, in accordance with the Third Schedule of the Waste Management Acts 1996 to 2005

Class 11.	Blending or mixture prior to submission to any activity referred to in a preceding paragraph of this Schedule.
Class 12.	Repackaging prior to submission to any activity referred to in a preceding paragraph of this Schedule.
Class 13.	Storage prior to submission to any activity referred to in a preceding paragraph of this Schedule, other than temporary storage, pending collection, on the premises where the waste concerned is produced.

Licensed Waste Recovery Activities, in accordance with the Fourth Schedule of the Waste Management Acts 1996 to 2005

Class 2.	Recycling or reclamation of organic substances which are not used as solvents (including composting and other biological processes).
Class 3.	Recycling or reclamation of metals and metal compounds.
Class 4.	Recycling or reclamation of other inorganic materials.
Class 13.	Storage of waste intended for submission to any activity referred to in a preceding paragraph of this Schedule, other than temporary storage, pending collection, on the premises where such waste is produced.

Part II Schedule of Activities Refused

None of the proposed activities as set out in the licence application have been refused.

Part III Conditions

Condition 1. Scope

- 1.1 Waste activities at this facility shall be restricted to those listed and described in Part I Activities Licensed, and shall be as set out in the licence application or as modified under Condition 1.5 of this licence and subject to the conditions of this licence.
- 1.2 Activities at this facility shall be limited as set out in *Schedule A: Limitations*, of this licence.
- 1.3 The facility shall be controlled, operated, and maintained and emissions shall take place as set out in this licence. All programmes required to be carried out under the terms of this licence, become part of this licence.
- 1.4 For the purposes of this licence, the facility authorised by this licence, is the area of land outlined in red on Figure No. 1.1.2 of the application. Any reference in this licence to “facility” shall mean the area thus outlined in red. The licensed activities shall be the carried on only within the area outlined.
- 1.5 No alteration to, or reconstruction in respect of, the activity or any part thereof which would, or is likely to, result in
- (i) a material change or increase in:
- The nature or quantity of any emission,
 - The abatement/treatment or recovery systems,
 - The range of processes to be carried out,
 - The fuels, raw materials, intermediates, products or wastes generated, or
- (ii) any changes in:
- Site management infrastructure or control with adverse environmental significance,
- shall be carried out or commenced without prior notice to, and without the agreement of, the Agency.
- 1.6 This licence is for the purposes of waste licensing under the Waste Management Acts 1996 to 2005 only and nothing in this licence shall be construed as negating the licensee’s statutory obligations or requirements under any other enactments or regulations.
- 1.7 Waste Acceptance Hours and Hours of Operation
- 1.7.1 With the exception of emergencies or as may be agreed by the Agency, waste shall be accepted at or despatched from the facility only between the hours of 0800 and 1800 hours Monday to Friday inclusive and 0800 to 1400 hours on Saturdays.
- 1.7.2 The facility shall be operated only during the hours of 0700 to 2000 hours Monday to Friday inclusive and 0700 to 1600 hours on Saturdays.
- 1.7.3 The facility shall not operate or accept/despatch waste on Sundays or on Public Holidays without the agreement of the Agency.

Reason: *To clarify the scope of this licence*

Condition 2. Management of the Facility

2.1 Facility Management

2.1.1 The licensee shall employ a suitably qualified and experienced facility manager who shall be designated as the person in charge. The facility manager or a nominated, suitably qualified and experienced, deputy shall be present on the facility at all times during its operation or as otherwise required by the Agency.

2.1.2 The licensee shall ensure that personnel performing specifically assigned tasks shall be qualified on the basis of appropriate education, training and experience, as required and shall be aware of the requirements of this licence. In addition, the facility manager and his/her deputy shall successfully complete FAS waste management training programme or equivalent agreed by the Agency.

2.2 Environmental Management System (EMS)

2.2.1 Prior to the commencement of the licensable activity the licensee shall establish and maintain an Environmental Management System (EMS). The EMS shall be updated on an annual basis.

2.2.2 The EMS shall include as a minimum the following elements:

2.2.2.1 Management and Reporting Structure.

2.2.2.2 Schedule of Environmental Objectives and Targets.

The licensee shall prepare a Schedule of Environmental Objectives and Targets. The schedule shall as a minimum provide for a review of all operations and processes, including an evaluation of practicable options, for energy and resource efficiency, the use of cleaner technology, cleaner production, and the prevention, reduction and minimisation of waste, and shall include waste reduction targets. The schedule shall include time frames for the achievement of set targets and shall address a five year period as a minimum. The schedule shall be reviewed annually and amendments thereto notified to the Agency for agreement as part of the Annual Environmental Report (AER).

2.2.2.3 Environmental Management Programme (EMP)

The licensee shall, prior to the commencement of the licensable activity, submit to the Agency for agreement an EMP, including a time schedule, for achieving the Environmental Objectives and Targets prepared under Condition 2.2.2.2. Once agreed the EMP shall be established and maintained by the licensee. It shall include:

- (i) designation of responsibility for targets;
- (ii) the means by which they may be achieved;
- (iii) the time within which they may be achieved.

The EMP shall be reviewed annually and amendments thereto notified to the Agency for agreement as part of the Annual Environmental Report (AER) (Condition 11.9).

A report on the programme, including the success in meeting agreed targets, shall be prepared and submitted to the Agency as part of the AER. Such reports shall be retained on-site for a period of not less than seven years and shall be available for inspection by authorised persons of the Agency.

2.2.2.4 Documentation

- (i) The licensee shall establish and maintain an environmental management documentation system which shall be to the satisfaction of the Agency.
- (ii) The licensee shall issue a copy of this licence to all relevant personnel whose duties relate to any condition of this licence.

2.2.2.5 Corrective Action

The licensee shall establish procedures to ensure that corrective action is taken should the specified requirements of this licence not be fulfilled. The responsibility and authority for initiating further investigation and corrective action in the event of a reported non-conformity with this licence shall be defined.

2.2.2.6 Awareness and Training

The licensee shall establish and maintain procedures for identifying training needs, and for providing appropriate training, for all personnel whose work can have a significant effect upon the environment. Appropriate records of training shall be maintained.

2.2.2.7 Communications Programme

The licensee shall establish and maintain a Public Awareness and Communications Programme to ensure that members of the public are informed, and can obtain information at the facility, at all reasonable times, concerning the environmental performance of the facility.

2.2.2.8 Maintenance Programme

The licensee shall establish and maintain a programme for maintenance of all plant and equipment based on the instructions issued by the manufacturer/supplier or installer of the equipment. Appropriate record keeping and diagnostic testing shall support this maintenance programme. The licensee shall clearly allocate responsibility for the planning, management and execution of all aspects of this programme to appropriate personnel (see Condition 2.1 above).

2.2.2.9 Efficient Process Control

The licensee shall establish and maintain a programme to ensure there is adequate control of processes under all modes of operation. The programme shall identify the key indicator parameters for process control performance, as well as identifying methods for measuring and controlling these parameters. Abnormal process operating conditions shall be documented, and analysed to identify any necessary corrective action.

Reason: To make provision for management of the activity on a planned basis having regard to the desirability of ongoing assessment, recording and reporting of matters affecting the environment.

Condition 3. Infrastructure and Operation

- 3.1 The licensee shall establish all infrastructure referred to in this licence in advance, of the commencement of the licensed activities or as required by the conditions of this licence or otherwise agreed in writing.
- 3.2 Facility Notice Board
- 3.2.1 The licensee shall provide and maintain a Facility Notice Board on the facility so that it is legible to persons outside the main entrance to the facility. The minimum dimensions of the board shall be 1200 mm by 750 mm.
- 3.2.2 The board shall clearly show:-
- (i) the name and telephone number of the facility;
 - (ii) the normal hours of opening;
 - (iii) the name of the licence holder;
 - (iv) an emergency out of hours contact telephone number;
 - (v) the licence reference number; and
 - (vi) where environmental information relating to the facility can be obtained.
- 3.2.3 A plan of the facility clearly identifying the location of each storage and treatment area shall be displayed as close as is possible to the entrance to the facility. The plan shall be displayed on a durable material such that it is legible at all times. The plan shall be replaced as material changes to the facility are made.
- 3.3 Specified Engineering Works
- 3.3.1 The licensee shall submit proposals for all Specified Engineering Works, as defined in *Schedule D: Specified Engineering Works*, of this licence, to the Agency for its agreement at least two months in advance, of the intended date of commencement of any such works. No such works shall be carried out without the prior agreement of the Agency.
- 3.3.2 All specified engineering works shall be supervised by a competent person(s) and that person, or persons, shall be present at all times during which relevant works are being undertaken.
- 3.3.3 Following the completion of all specified engineering works, the licensee shall complete a construction quality assurance validation. The validation report shall be made available to the Agency on request. The report shall, as appropriate, include the following information: -
- (i) A description of the works;
 - (ii) As-built drawings of the works;
 - (iii) Any other information requested in writing by the Agency.
- 3.3.4 The licensee shall notify all specified Engineering Works as defined in *Schedule D: Specified Engineering Works* of this licence to the Eastern Regional Fisheries Board at least 4 weeks in advance of the intended date of commencement of any such works. Such works shall, as may be appropriate, be carried out in accordance with Eastern Regional Fisheries Board publication "Requirements for the Protection of Fisheries Habitat during Construction and Development Works at River Sites".

- 3.4 Facility Security
- 3.4.1 Security and stockproof fencing and gates shall be installed and maintained. The base of the fencing shall be set in the ground. The fencing shall be such so as not to allow the movement of vehicles between the facility.
- 3.4.2 The licensee shall maintain a CCTV system, which will record all truck movements into and out of the facility. The CCTV system shall be operated at all times and copies of recording kept on site and made available to the Agency on request.
- 3.4.3 Gates shall be locked shut when the facility is unsupervised.
- 3.4.4 The licensee shall remedy any defect in the gates and/or fencing as follows: -
- (i) A temporary repair shall be made by the end of the working day; and
 - (ii) A repair to the standard of the original gates and/or fencing shall be undertaken within three working days.
- 3.5 Facility Roads and Site Surfaces
- 3.5.1 Effective site roads shall be provided and maintained to ensure the safe and nuisance free movement of vehicles within the facility.
- 3.5.2 The licensee shall maintain an impermeable surface at the facility entrance area, the car parking area, locations where vehicle movement occurs, the floor of the waste handling area and storage areas. The operational hardstanding surfaces shall be concreted and constructed to British Standard 8110, or an alternative as agreed by the Agency. The licensee shall remedy any defect in operational surfaces within five working days.
- 3.5.3 Traffic awaiting access to the facility shall not queue along the public road.
- 3.6 Facility Office
- 3.6.1 The licensee shall maintain an office at the facility. The office shall be constructed and maintained in a manner suitable for the processing and storing of documentation.
- 3.6.2 The licensee shall provide and maintain a working telephone and a method for electronic transfer of information at the facility.
- 3.7 Waste Inspection and Quarantine Areas
- 3.7.1 A Waste Inspection Area and a Waste Quarantine Area shall be provided and maintained at the facility.
- 3.7.2 These areas shall be constructed and maintained in a manner suitable, and be of a size appropriate, for the inspection of waste and subsequent quarantine if required. The waste inspection area and the waste quarantine area shall be clearly identified and segregated from each other.
- 3.8 Weighbridge and Wheel Cleaner
- 3.8.1 The licensee shall operate and maintain a weighbridge and wheel cleaners at the facility.
- 3.8.2 The wheel cleaners shall be used by all vehicles leaving the facility as required to ensure that no trade effluent /storm water or waste is carried off-site. All water from the wheel cleaning area shall be directed to trade effluent drainage network.

- 3.8.3 The wheel-wash shall be inspected on a daily basis and drained as required. Silt, stones and other accumulated material shall be removed as required from the wheel-wash and disposed of appropriately.
- 3.9 Waste handling, ventilation and processing plant
- 3.9.1 Items of plant deemed critical to the efficient and adequate processing of waste at the facility (including inter alia waste loading vehicles and ejector trailers) shall be provided on the following basis: -
- (i) 100% duty capacity;
 - (ii) 20% standby capacity available on a routine basis; and
 - (iii) Provision of contingency arrangements and/or back up and spares in the case of breakdown of critical equipment.
- 3.9.2 The licensee shall maintain a register detailing the duty and standby capacity in tonnes per day, of all waste handling and processing equipment to be used at the facility. These capacities shall be based on the licensed waste intake, as per Schedule A 2, of this licence.
- 3.9.3 The quantity of waste to be accepted at the facility on a daily basis shall not exceed the duty capacity of the equipment at the facility. Any exceedence of this intake shall be treated as an incident.
- 3.10 The licensee shall install on all emission points such sampling points or equipment, including any data-logging or other electronic communication equipment, as may be required by the Agency. All such equipment shall be consistent with the safe operation of all sampling and monitoring systems.
- 3.11 The licensee shall clearly label and provide safe and permanent access to all on-site sampling and monitoring points and to off-site points as required by the Agency.
- 3.12 Tank, Container and Drum Storage Areas
- 3.12.1 All tank container and drum storage areas shall be rendered impervious to the materials stored therein. Bunds should be designed having regard to Agency guidelines 'Storage and Transfer of Materials for Scheduled Activities' (2004).
- 3.12.2 All tank and drum storage areas shall, as a minimum, be bunded, either locally or remotely, to a volume not less than the greater of the following:-
- (i) 110% of the capacity of the largest tank or drum within the bunded area; or
 - (ii) 25% of the total volume of substance which could be stored within the bunded area.
- 3.12.3 All drainage from bunded areas shall be treated as hazardous waste unless it can be demonstrated to be otherwise. All drainage from bunded areas shall be diverted for collection and safe disposal.
- 3.12.4 All inlets, outlets, vent pipes, valves and gauges must be within the bunded area.
- 3.12.5 All tanks, containers and drums shall be labelled to clearly indicate their contents.
- 3.13 The licensee shall have in storage an adequate supply of containment booms and/or suitable absorbent material to contain and absorb any spillage at the facility. Once used the absorbent material shall be disposed of at an appropriate facility.
- 3.14 Traps and Oil Separators
- The licensee shall install and maintain silt traps and oil separator at the facility to ensure that all surface water run-off discharges from the facility pass through a silt trap and oil separator in advance of discharge. The separator shall be a Class I full

retention separator and the silt traps and separator shall be in accordance with I.S. EN 858-2:2003 (separator systems for light liquids)

- 3.15 All pump sumps, storage tanks or other treatment plant chambers from which spillage of environmentally significant materials might occur in such quantities as are likely to breach local or remote containment or separator, shall be fitted with high liquid level alarms (or oil detectors as appropriate) prior to the commencement of the licensable activity.
- 3.16 The provision of a catchment system to collect any leaks from flanges and valves of all over ground pipes used to transport material other than water shall be examined. This shall be incorporated into a schedule of objectives and targets set out in Condition 2.2 of this licence for the reduction in fugitive emissions.
- 3.17 All groundwater wellheads, located on the site shall be adequately protected to prevent contamination or physical damage.
- 3.18 The licensee shall, within three months of the date of grant of this licence, install in a prominent location on the site a wind sock, or other wind direction indicator, which shall be visible from the public roadway outside the site.
- 3.19 Dust/Odour Control
- The licensee shall maintain adequate measures for the control of odours and dust emissions, including fugitive dust emissions, from the facility. Installation of an odour management system shall at a minimum include the following: -
- (i) Dust curtains (or equivalent approved by the Agency) shall be maintained on the entry/exit points from the waste transfer building, all other doors in this building shall be kept closed where possible.
 - (ii) Provision of 100% duty capacity and 20% stand by capacity, back ups and spares must be provided for the air handling, ventilation and abatement plant.
- 3.20 If deemed necessary by the Agency, the waste transfer processing building shall to the satisfaction of the Agency be fitted with Air Handling Units to maintain negative air pressure. Subject to the agreement of the Agency, extracted air shall be ducted to appropriate treatment prior to discharge.
- 3.21 The licensee shall provide and use adequate lighting during the operation of the facility in hours of darkness.
- 3.22 Wastewater Treatment System
- 3.22.1 The licensee shall provide and maintain a Wastewater Treatment plant at the facility for the treatment of sanitary effluent arising on-site. Any percolation area shall satisfy the criteria set out in the *Wastewater Treatment Manual, Treatment Systems for Small Communities, Business, Leisure Centres and Hotels*, published by the Environmental Protection Agency.
- 3.22.2 Appropriate tests shall be carried out in accordance with the '*Wastewater Treatment Manual: Treatment Systems for Small Communities, Business, Leisure Centres and Hotels*' in order to determine the loading capacity of the proposed Wastewater Treatment System.
- 3.23 Treatment of trade effluent shall be as described in Section 4.5 of the application.
- 3.24 Unless treated on the facility, trade effluent stored in the on-site storage tanks shall be tankered off-site in fully enclosed road tankers to an agreed Wastewater Treatment Plant and disposed of there.

Reason: To provide for appropriate operation of the facility to ensure protection of the environment.

Condition 4. Interpretation

- 4.1 Emission limit values for emissions to waters in this licence shall be interpreted in the following way:-
- 4.1.1 Continuous monitoring:
- (i) No flow value shall exceed the specified limit.
 - (ii) No pH value shall deviate from the specified range.
 - (iii) No temperature value shall exceed the limit value.
- 4.1.2 Discrete Sampling
- (i) For parameters other than pH and temperature, no grab sample value shall exceed 1.2 times the emission limit value.
 - (ii) No temperature value shall exceed the limit value.
 - (iii) No pH value shall deviate from the specified range.
- 4.2 Where the ability to measure a parameter is affected by mixing before emission, then, with agreement from the Agency, the parameter may be assessed before mixing takes place.
- 4.3 Noise
- Noise from the facility shall not give rise to sound pressure levels (Leq,T) measured at noise sensitive locations of the facility which exceed the limit value(s).
- 4.4 Dust and Particulate Matter
- Dust and particulate matter from the activity shall not give rise to deposition levels which exceed the limit value(s).

Reason: To clarify the interpretation of limit values fixed under the licence.

Condition 5. Emissions

- 5.1 No specified emission from the facility shall exceed the emission limit values set out in *Schedule B: Emission Limits* of this licence. There shall be no other emissions of environmental significance.
- 5.2 No emissions, including odours, from the activities carried out at the site shall result in an impairment of, or an interference with amenities or the environment beyond the facility boundary or any other legitimate uses of the environment beyond the facility boundary.
- 5.3 No substance shall be discharged in a manner, or at a concentration that, following initial dilution, causes tainting of fish or shellfish.
- 5.4 The licensee shall ensure that any or all of the following: -
- vermin,
 - birds,
 - flies,
 - mud,
 - dust,
 - litter,

which are associated with the activity do not result in an impairment of, or an interference with amenities or the environment at the facility or beyond the facility boundary or any other legitimate uses of the environment beyond the facility boundary. Any method used by the licensee to control or prevent any such impairment/interference shall not cause environmental pollution.

- 5.5 Unless otherwise agreed by the Agency no trade effluent leachate and/or contaminated storm water shall be discharged to surface water drains and surface water courses.
- 5.6 There shall be no direct emissions to groundwater.

Reason: To provide for the protection of the environment by way of control and limitation of emissions.

Condition 6. Control and Monitoring

- 6.1 The licensee shall carry out such sampling, analyses, measurements, examinations, maintenance and calibrations as set out below and as in accordance with *Schedule C: Control & Monitoring* of this licence:
- 6.1.1 Analysis shall be undertaken by competent staff in accordance with documented operating procedures.
- 6.1.2 Such procedures shall be assessed for their suitability for the test matrix and performance characteristics determined.
- 6.1.3 Such procedures shall be subject to a programme of Analytical Quality Control using control standards with evaluation of test responses.
- 6.1.4 Where analysis is sub-contracted it shall be to a competent laboratory.
- 6.2 Sampling and analysis of all pollutants as well as reference measurement methods to calibrate automated measurement systems shall be carried out in accordance with CEN-standards. If CEN standards are not available, ISO, national or international standards which will ensure the provision of data of an equivalent scientific quality shall apply.
- 6.3 All automatic monitors and samplers shall be functioning at all times (except during maintenance and calibration) when the activity is being carried on unless alternative sampling or monitoring has been agreed in writing by the Agency for a limited period. In the event of the malfunction of any continuous monitor, the licensee shall contact the Agency as soon as practicable, and alternative sampling and monitoring facilities shall be put in place. Agreement for the use of alternative equipment, other than in emergency situations, shall be obtained from the Agency.
- 6.4 Monitoring and analysis equipment shall be operated and maintained as necessary so that monitoring accurately reflects the emission or discharge.
- 6.5 The licensee shall ensure that groundwater monitoring well sampling equipment is available/installed on-site and is fit for purpose at all times. The sampling equipment shall be to Agency specifications.
- 6.6 All treatment/abatement and emission control equipment shall be calibrated and maintained, in accordance with the instructions issued by the manufacturer/supplier or installer.
- 6.7 The frequency, methods and scope of monitoring, sampling and analyses, as set out in this licence, may be amended with the agreement of the Agency following evaluation of test results.

- 6.8 The licensee shall prepare a programme, to the satisfaction of the Agency, for the identification and reduction of fugitive emissions. This programme shall be included in the Environmental Management Programme.
- 6.9 All tanks and pipelines shall be maintained impervious to the materials carried by or stored therein. The integrity and water tightness of all underground pipes, tanks, bunding structures and containers and their resistance to penetration by water or other materials carried or stored therein shall be tested and demonstrated by the licensee in a report to the Agency to be submitted prior to the commencement of the licensable activity. Subsequent testing shall be carried out by the licensee at least once every three years thereafter and reported to the Agency on each occasion. This testing shall be carried out in accordance with any guidance published by the Agency. A written record of all integrity tests and any maintenance or remedial work arising from them shall be maintained by the licensee.
- 6.10 The drainage system, bunds, silt traps and oil separators shall be inspected weekly, desludged as necessary and properly maintained at all times. All sludge and drainage from these operations shall be collected for safe disposal.
- 6.11 Storm water
- A visual examination of the trade effluent/storm water discharge shall be carried out daily. A log of such inspections shall be maintained.
- 6.12 Ground Water
- The licensee shall prior to the commencement of a licensable activity arrange for the establishment of a groundwater monitoring programme for the site. The scope, detail and programme, including report structure and reporting schedule, for this investigation must be agreed by the Agency prior to implementation. Any recommendations arising from a report or reports on this investigation must be implemented within such a period to be agreed by the Agency.
- 6.13 Litter Control
- 6.13.1 The measures and infrastructure as described in the Section 3.4.4 of the application for this licence shall be applied to control litter at the facility.
- 6.13.2 All loose litter or other waste, placed on or in the vicinity of the facility, other than in accordance with the requirements of this licence, shall be removed, subject to the agreement of the landowners, immediately and in any event by 10.00am of the next working day after such waste is discovered.
- 6.13.3 The licensee shall ensure that all vehicles delivering waste to and removing waste and materials from the facility are appropriately covered.
- 6.14 Dust/Odour Control
- 6.14.1 All waste for disposal stored overnight at the facility, shall be stored in suitably covered and enclosed containers, and shall be removed from the facility within forty-eight hours, except at Public Holiday weekends. At Public Holiday weekends, waste for disposal shall be removed within seventy-two hours of its arrival on site.
- 6.14.2 In dry weather, site roads and any other areas used by vehicles shall be sprayed with water as and when required to minimise airborne dust nuisance.
- 6.14.3 The licensee shall maintain an odour management programme to the satisfaction of the Agency. The programme shall include, as a minimum, procedures for the handling of biodegradable waste.

- 6.15 Operational Controls
- 6.15.1 The floor of the waste transfer building shall be cleaned on a weekly basis and on a daily basis where putrescible waste is handled.
- 6.15.2 Scavenging shall not be permitted at the facility.
- 6.15.3 Fuels shall be stored only at appropriately bunded locations on the facility.
- 6.15.4 All tanks and drums shall be labelled to clearly indicate their contents.
- 6.15.5 There shall be no casual public access to the facility.
- 6.15.6 No waste related activities including operational vehicle and skip storage shall be permitted within 40m of the HSE Residential Unit.
- 6.15.7 No waste related operations other than storage of empty skips and vehicle parking, and similar approved, are permitted on the part of the site to the east of the Ballough Stream.
- 6.15.8 Attenuation tanks shall be operated in a manner that will prevent a surging of discharge to receiving water.
- 6.16 Noise
- The licensee shall carry out a noise survey of the site operations annually. The survey programme shall be undertaken in accordance with the methodology specified in the 'Environmental Noise Survey Guidance Document' as published by the Agency.
- 6.17 Pollutant Release and Transfer Register (PRTR)
- The licensee shall prepare and report a PRTR for the site. The substances and/or waste to be included in the PRTR shall be agreed by the Agency each year by reference to EC Regulation No.166/2006 concerning the establishment of the European Pollutant Release and Transfer Register and amending Council Directives 91/689/EEC and 96/61/EC. The PRTR shall be prepared in accordance with any relevant guidelines issued by the Agency and shall be submitted electronically in specified format and as part of the AER.
- 6.18 Monitoring Locations
- Within three month of the date of grant of this licence the licensee shall submit to the Agency an appropriately scaled drawing(s) showing all the monitoring locations that are stipulated in this licence including any noise sensitive locations to be monitored. The drawing shall include the eight-digit national grid reference of each monitoring point.
- 6.19 Nuisance Monitoring
- The licensee shall, at a minimum of one-week intervals, inspect the facility and its immediate surrounds for nuisances caused by litter, vermin, birds, flies, mud, dust and odours. The licensee shall maintain a record of all nuisance inspections.
- 6.20 The licensee shall, prior to the commencement of the licensable activity, develop and establish a Data Management System for collation, archiving, assessing and graphically presenting the environmental monitoring data generated as a result of this licence.
- 6.21 Following removal of the oil tank in the south western part of the site, and prior to the redevelopment of that part, the licensee shall arrange for an assessment of soil conditions in that area. All soils deemed contaminated shall to the satisfaction of the Agency, be removed for appropriate treatment or otherwise remediated.

Reason: To provide for the protection of the environment by way of treatment and monitoring of emissions.

Condition 7. Resource Use and Energy Efficiency

- 7.1 The licensee shall carry out an audit of the energy efficiency of the site within one year of commencement of the licensable activity. The audit shall be carried out in accordance with the guidance published by the Agency; “Guidance Note on Energy Efficiency Auditing”. The energy efficiency audit shall be repeated at intervals as required by the Agency.
- 7.2 The audit shall identify all opportunities for energy use reduction and efficiency and the recommendations of the audit will be incorporated into the Schedule of Environmental Objectives and Targets under Condition 2 above.
- 7.3 The licensee shall identify opportunities for reduction in the quantity of water used on site including recycling and reuse initiatives, wherever possible. Reductions in water usage shall be incorporated into Schedule of Environmental Objectives and Targets.
- 7.4 The licensee shall undertake an assessment of the efficiency of use of raw materials in all processes, having particular regard to the reduction in waste generated. The assessment should take account of best international practice for this type of activity. Where improvements are identified, these shall be incorporated into the Schedule of Environmental Objectives and Targets.

Reason: To provide for the efficient use of resources and energy in all site operations.

Condition 8. Materials Handling

- 8.1 Disposal or recovery of waste on-site shall only take place in accordance with the conditions of this licence and in accordance with the appropriate National and European legislation and protocols.
- 8.2 All waste processing (including storage) shall be carried out inside the waste transfer building.
- 8.3 Waste sent off-site for recovery or disposal shall be transported only by an authorised waste contractor. The waste shall be transported only from the site of the activity to the site of recovery/disposal in a manner that will not adversely affect the environment and in accordance with the appropriate National and European legislation and protocols.
- 8.4 The licensee shall ensure that waste in advance, of transfer to another person shall be classified packaged and labelled in accordance with National, European and any other standards which are in force in relation to such labelling.
- 8.5 The loading and unloading of materials shall be carried out in designated areas protected against spillage and leachate run – off.
- 8.6 Waste shall be stored in designated areas, protected as may be appropriate, against spillage and leachate run-off. The waste is to be clearly labelled and appropriately segregated.
- 8.7 No waste classified as green list waste in accordance with the EU Transfrontier Shipment of Waste Regulations (Council Regulation EEC No.259/1993, as amended) shall be consigned for recovery without the agreement of the Agency.

- 8.8 Unless approved in writing by the Agency the licensee is prohibited from mixing a hazardous waste of one category with a hazardous waste of another category or with any other non-hazardous waste.
- 8.9 Waste Acceptance and Characterisation Procedures
- 8.9.1 Waste shall only be accepted at the facility, from Local Authority waste collection or transport vehicles or holders of waste permits, unless exempted or excluded, issued under the Waste Management Acts 1996 to 2005. Copies of these waste collection permits must be maintained at the facility.
- 8.9.2 Waste Acceptance Procedures shall be carried out in accordance with Section 3.3 'Waste Acceptance & Handling' unless otherwise provided for in the licence.
- 8.9.3 Waste arriving at the facility shall be inspected at the point of entry to the facility and subject to this inspection, weighed, documented and directed to the Waste Transfer Building. Each load of waste arriving at the Waste Transfer Building shall be inspected upon tipping within this building. Only after such inspections shall the waste be processed for disposal or recovery.
- 8.9.4 Any waste deemed unsuitable for processing at the facility and/or in contravention of this licence shall be immediately separated and removed from the facility at the earliest possible time. Temporary storage of such wastes shall be in a designated Waste Quarantine Area. Waste shall be stored under appropriate conditions in the quarantine area to avoid putrefaction, odour generation, the attraction of vermin and any other nuisance or objectionable condition.
- 8.9.5 Waste shall be accepted at the facility only from known customers or new customers subject to initial waste profiling and waste characterisation off-site. The written records of this off-site waste profiling and characterisation shall be retained by the licensee for all active customers and for a two year period following termination of licensee/customer agreements. There shall be no casual public access to the facility.

Reason: To provide for the appropriate handling of materials and the protection of the environment.

Condition 9. Accident Prevention and Emergency Response

- 9.1 The licensee shall, prior to the commencement of the licensable activity, ensure that a documented Accident Prevention Policy is in place which will address the hazards on-site, particularly in relation to the prevention of accidents with a possible impact on the environment. This procedure shall be reviewed annually and updated as necessary.
- 9.2 The licensee shall, prior to the commencement of the licensable activity, ensure that a documented Emergency Response Procedure is in place, which shall address any emergency situation which may originate on-site. This procedure shall include provision for minimising the effects of any emergency on the environment. This procedure shall be reviewed annually and updated as necessary.
- 9.3 Incidents
- 9.3.1 In the event of an incident the licensee shall immediately:-

- (i) isolate the source of any such emission;
 - (ii) carry out an immediate investigation to identify the nature, source and cause of the incident and any emission arising therefrom;
 - (iii) evaluate the environmental pollution, if any, caused by the incident;
 - (iv) identify and execute measures to minimise the emissions/malfunction and the effects thereof;
 - (v) identify the date, time and place of the incident;
 - (vi) notify the Agency and other relevant authorities.
- 9.3.2 The licensee shall provide a proposal to the Agency for its agreement within one month of the incident occurring or as otherwise agreed by the Agency to:-
- (i) identify and put in place measures to avoid reoccurrence of the incident; and
 - (ii) identify and put in place any other appropriate remedial action.
- 9.4 Emergencies
- 9.4.1 In the event of a breakdown of equipment or any other occurrence, which results in the closure of the transfer station building, any waste arriving at or already collected at the facility shall be transferred directly to appropriate landfill sites or any other appropriate facility until such time as the transfer station building is returned to a fully operational status. Such a breakdown event will be treated as an emergency and rectified as soon as possible.
- 9.4.2 All significant spillages occurring at the facility shall be treated as an emergency and immediately cleaned up and dealt with so as to alleviate their effects.
- 9.4.3 No waste shall be burnt within the boundaries of the facility. A fire at the facility shall be treated as an emergency and immediate action shall be taken to extinguish it and notify the appropriate authorities.
- 9.4.4 In the event that monitoring of local wells indicates that the facility is having a significant adverse effect on the quantity and/or quality of the water supply this shall be treated as an emergency and the licensee shall provide an alternative supply of water to those affected.

Reason: To provide for the protection of the environment.

Condition 10. Decommissioning

- 10.1 Following termination, or planned cessation for a period greater than six months, of use or involvement of all or part of the site in the licensed activity, the licensee shall, to the satisfaction of the Agency, decommission, render safe or remove for disposal/recovery, any soil, subsoils, buildings, plant or equipment, or any waste, materials or substances or other matter contained therein or thereon, that may result in environmental pollution. The licensee shall carry out such tests, investigation or submit certification, as requested by the Agency, to confirm that there is no risk to the environment.

Reason: To make provision for the proper closure of the activity ensuring protection of the environment.

Condition 11. Notifications, Records and Reports

- 11.1 The licensee shall notify the Agency, in writing, one month in advance, of the intended date of commencement of the licensable activity.
- 11.2 The licensee shall notify the Agency by both telephone and either facsimile or electronic mail, if available, to the Agency's Headquarters in Wexford, or to such other Agency office as may be specified by the Agency, as soon as practicable after the occurrence of any of the following:
- 11.2.1 Any release of environmental significance to atmosphere from any potential emission point including bypasses.
- 11.2.2 Any emission which does not comply with the requirements of this licence.
- 11.2.3 Any malfunction or breakdown of key control equipment or monitoring equipment set out in *Schedule C: Control & Monitoring*, of this licence which is likely to lead to loss of control of the abatement system.
- 11.2.4 Any incident with the potential for environmental contamination of surface water or groundwater, or posing an environmental threat to air or land, or requiring an emergency response by the Local Authority.
- The licensee shall include as part of the notification, date and time of the incident, summary details of the occurrence, and where available, the steps taken to minimise any emissions.
- 11.3 In the case of any incident which relates to discharges to water, the licensee shall notify the Local Authority and the Eastern Regional Fisheries Board as soon as practicable after such an incident.
- 11.4 The licensee shall make a record of any incident. This record shall include details of the nature, extent, and impact of, and circumstances giving rise to, the incident. The record shall include all corrective actions taken to; manage the incident, minimise wastes generated and the effect on the environment, and avoid recurrence. The licensee shall as soon as practicable following incident notification, submit to the Agency the incident record.
- 11.5 The licensee shall record all complaints of an environmental nature related to the operation of the activity. Each such record shall give details of the date and time of the complaint, the name of the complainant and give details of the nature of the complaint. A record shall also be kept of the response made in the case of each complaint.
- 11.6 The licensee shall record all sampling, analyses, measurements, examinations, calibrations and maintenance carried out in accordance with the requirements of this licence and all other such monitoring which relates to the environmental performance of the facility.
- 11.7 The licensee shall as a minimum keep the following documents at the site:-
- (i) the licences relating to the facility;
 - (ii) the current EMS for the facility;
 - (iii) the previous year's AER for the facility;
 - (iv) records of all sampling, analyses, measurements, examinations, calibrations and maintenance carried out in accordance with the requirements of this licence and all other such monitoring which relates to the environmental performance of the facility;

- (v) relevant correspondence with the Agency;
- (vi) up to date site drawings/plans showing the location of key process and environmental infrastructure, including monitoring locations and emission points;
- (vii) up to date Standard Operational Procedures for all processes, plant and equipment necessary to give effect to this licence or otherwise to ensure that standard operation of such processes, plant or equipment does not result in unauthorised emissions to the environment;

and this documentation shall be available to the Agency for inspection at all reasonable times.

11.8 The licensee shall submit reports to the Agency as required by this licence and in accordance with *Schedule F: Annual Environmental Report* of this licence.

11.9 The licensee shall submit to the Agency, by the 31st March of each year, an AER covering the previous calendar year. This report, which shall be to the satisfaction of the Agency, shall include as a minimum the information specified in *Schedule F: Annual Environmental Report* of this licence and shall be prepared in accordance with any relevant guidelines issued by the Agency.

11.10 A full record, which shall be open to inspection by authorised persons of the Agency at all times, shall be kept by the licensee on matters relating to the waste management operations and practices at this site. This record shall be maintained on a monthly basis and shall as a minimum contain details of the following:

- (i) The tonnages and EWC Code for the waste materials imported and/or sent off-site for disposal/recovery.
- (ii) The names of the agent and carrier of the waste, and their waste collection permit details, if required (to include issuing authority and vehicle registration number).
- (iii) Details of the ultimate disposal/recovery destination facility for the waste and its appropriateness to accept the consigned waste stream, to include its permit/licence details and issuing authority, if required.
- (iv) Written confirmation of the acceptance and disposal/recovery of any hazardous waste consignments sent off-site.
- (v) Details of all wastes consigned abroad for Recovery and classified as 'Green' in accordance with the EU Transfrontier Shipment of Waste Regulations (Council Regulation EEC No. 259/1993, as amended). The rationale for the classification must form part of the record.
- (vi) Details of any rejected consignments.
- (vii) Details of any approved waste mixing.
- (viii) The results of any waste analyses required under *Schedule C: Control & Monitoring*, of this licence.
- (ix) The tonnages and EWC Code for the waste materials recovered/disposed on-site.

11.11 Waste Recovery Reports

The licensee shall as part of the EMP submit a report on the contribution by this facility to the achievement of the recovery targets stated in national and European Union waste policies and shall include the following:-

- (i) proposals for the contribution of the facility to the achievement of targets for the reduction of biodegradable waste to landfill as specified in the Landfill Directive;
- (ii) the separation of recyclable materials from the waste;

- (iii) the recovery of Construction and Demolition Waste;
 - (iv) the recovery of metal waste.
- 11.12 A record shall be kept of each consignment of trade effluent, leachate and/or contaminated storm water removed from the facility. The record shall include the following:-
- (i) the name of the carrier;
 - (ii) the date and time of removal of trade effluent, leachate and/or contaminated storm water from the facility;
 - (iii) the volume of trade effluent, leachate and/or contaminated storm water, in cubic metres, removed from the facility on each occasion;
 - (iv) the name and address of the Waste Water Treatment Plant to which the trade effluent, leachate and/or contaminated storm water was transported; and
 - (v) any incidents or spillages of trade effluent, leachate and/or contaminated storm water during its removal or transportation.

Reason: To provide for the collection and reporting of adequate information on the activity.

Condition 12. Financial Charges and Provisions

12.1 Agency Charges

12.1.1 The licensee shall pay to the Agency an annual contribution of €7,222.50 or such sum as the Agency from time to time determines, having regard to variations in the extent of reporting, auditing, inspection, sampling and analysis or other functions carried out by the Agency, towards the cost of monitoring the activity as the Agency considers necessary for the performance of its functions under the Waste Management Acts 1996 to 2005. The first payment shall be a pro-rata amount for the period from the date of this licence to the 31st day of December, and shall be paid to the Agency within one month from the date of the licence. In subsequent years the licensee shall pay to the Agency such revised annual contribution as the Agency shall from time to time consider necessary to enable performance by the Agency of its relevant functions under the Waste Management Acts 1996 to 2005, and all such payments shall be made within one month of the date upon which demanded by the Agency.

12.1.2 In the event that the frequency or extent of monitoring or other functions carried out by the Agency needs to be increased the licensee shall contribute such sums as determined by the Agency to defraying its costs in regard to items not covered by the said annual contribution.

12.2 Environmental Liabilities

12.2.1 The licensee shall as part of the AER provide an annual statement as to the measures taken or adopted at the site in relation to the prevention of environmental damage, and the financial provisions in place in relation to the underwriting of costs for remedial actions following anticipated events (including closure) or accidents/incidents, as may be associated with the carrying on of the activity.

Reason: To provide for adequate financing for monitoring and financial provisions for measures to protect the environment.

SCHEDULE A: Limitations

A.1

The following waste related processes are authorised:

- i. Sorting shredding, crushing, bailing, repackaging processes
- ii. Non-Hazardous C & D waste recovery (inc l. crushing, screening, sorting, blending)
- iii. Storage of waste
- iv. Recovery of dry recyclables
- v. Receipt and Transfer of waste

No addition to these processes are permitted unless agreed in advance with the Agency.



A.2 Waste Acceptance

Table A.1 Waste Categories and Quantities

WASTE TYPE ^{Note 1}	MAXIMUM (TONNES PER ANNUM) ^{Note 2}
Household	13,200
Non-Hazardous C & D waste	29,000
Non-hazardous Commercial & Industrial	52,800.
TOTAL	95,000

Note 1: Any proposals to accept other compatible waste streams must be agreed in advance with the Agency and the total amount of waste must be within that specified.

Note 2: The individual limitation on waste streams may be varied with the agreement of the Agency subject to the overall total limit staying the same.



SCHEDULE B: Emission Limits

B.1 Emissions to Air


There shall be no Emissions to Air of environmental significance.



B.2 Emissions to Water

Emission Point Reference No.: SW3 Surface Water Discharge from Klargester Interceptor and associated attenuation tank
Name of Receiving Waters: Ballough Stream


Parameter	Emission Limit Value
Temperature	18°C (max.)
pH	6 - 9
	mg/l
COD	30 mg/L
Suspended Solids	25 mg/L
Oils, Fat Grease	10 mg/L



B.3 Noise Emissions

Day dB(A) L _{Aeq} (30 minutes)	Night dB(A) L _{Aeq} (30 minutes)
55 ^{Note 1}	45 ^{Note 1}

Note 1: There shall be no clearly audible tonal component or impulsive component in the noise emission from the activity at any noise sensitive location.



SCHEDULE C: Control & Monitoring

C.1 Monitoring of Storm Water Emission

Emission Point Reference No.: SW3

Parameter	Monitoring Frequency	Analysis Method/Technique
pH	Weekly	pH electrode/meter
COD	Weekly	Standard Method
Total Ammonia	Quarterly	Standard Method
Total Nitrogen	Quarterly	Standard Method
Conductivity	Weekly	Standard Method
Visual Inspection	Daily	Sample and examine for colour and odour
Chloride	Weekly	Standard Method
Metals	Annually	Standard Method
Coliforms	Annually	Standard Method

C.2 Control of Emissions to Sewer

There shall be no Process Effluent Emissions to Sewer.

C.3 Waste Monitoring

Waste Class	Frequency	Parameter	Method
Trade Effluent As may be advised ^{Note 1}	Bi-annually	BOD, COD, NH ₄ , pH, Conductivity, Cl, Heavy Metals, Organohalogen ^{Note 2}	Standard Method/Meter/pH electrode/GC-MS

Note 1: Analytical requirements to be determined on a case by case basis.

Note 2: Screening for priority pollutant list substances (such as US EPA volatile and/or semi-volatile compounds).

C.4 Noise Monitoring

There is no additional noise monitoring required in this schedule.

C.5 Ambient Monitoring

There is no ambient monitoring required in this licence.

C.6 Groundwater Monitoring

Location: As may be agreed under Condition 6.12

Parameter	Monitoring Frequency	Analysis Method/Technique
pH	Annually	pH electrode/meter
COD	Annually	Standard Method
Nitrate	Annually	Standard Method
Total Ammonia	Annually	Standard Method
Total Nitrogen	Annually	Standard Method
Conductivity	Annually	Standard Method
Chloride	Annually	Standard Method
Metals	Annually	Standard Method
Coliforms	Annually	Standard Method
Organohalogens ^{Note 1}	Annually	GC-MS

Note 1: Screening for priority pollutant list substances (such as US EPA volatile and/or semi-volatile compounds).

C.7 Receiving Water Monitoring

Location: SW1 & SW2

Parameter	Monitoring Frequency ^{Note 1}	Analysis Method/Technique
NH ₃	Annually	pH electrode/meter
COD	Annually	Standard Method
BOD	Annually	Standard Method
Suspended Solids	Annually	Standard Method
Chlorides	Annually	Standard Method
Metals	Annually	Standard Method
Coliforms	Annually	Standard Method

Note 1: Monitoring period - June to September.

SCHEDULE D: Specified Engineering Works

Specified Engineering Works

Development of the facility including installation of waste handling, processing, recycling/recovery infrastructure and installation of increased waste processing capacity as well as any abatement system(s).

Installation/Upgrade of an impermeable hardstanding surface in the area of the site to the east of the Ballough Stream (area of the site designated to arable crops in Figure No 2.7.2. of the application).

Construction of a bridge over the Ballough stream.

Construction of new truck maintenance workshop.

Wheelwash installation.

Any other works notified in writing by the Agency.

SCHEDULE E: Reporting

Completed reports shall be submitted to:

The Environmental Protection Agency
Office of Environmental Enforcement
Regional Inspectorate

or Any other address as may be specified by the Agency.

Reports are required to be forwarded as required in the licence and as may be set out below:

Report	Reporting Frequency ^{Note 1}	Report Submission Date
Environmental Management Systems Update	Annually	As part of AER
Annual Environment Report (AER)	Annually	By 31 st March of each year.
Record of incidents	As they occur	Within five days of the incident.
Specified Engineering Works reports	As they arise	In advance, of the works commencing.
Bund, tank and container integrity assessment	Every three years	Prior to the commencement of the licensable activity, thereafter as part of the AER.
Specified Engineering Works reports	As they arise	Prior to the work commencing
Monitoring of Trade Effluent	Biannually	As part of the AER
Monitoring of Surface Water Quality	Quarterly	Ten days after end of the quarter being reported on.
Monitoring of Groundwater Quality	Annually	As part of AER.
Drawing with Monitoring locations	-	Prior to the commencement of the licensable activity
Any other monitoring	As they occur	Within ten days of obtaining results.

Note 1: Unless altered at the request of the Agency.

SCHEDULE F: Annual Environmental Report

Annual Environmental Report Content^{Note 1}

Emissions from the facility.
Waste management record.
Resource consumption summary.
Complaints summary.
Schedule of Environmental Objectives and Targets.
Environmental management programme – report for previous year.
Environmental management programme – proposal for current year.
Pollution emission register – report for previous year.
Pollution emission register – proposal for current year.
Noise monitoring report summary.
Ambient monitoring summary.
Tank and pipeline testing and inspection report.
Reported incidents summary.
Energy efficiency audit report summary.
Report on the assessment of the efficiency of use of raw materials in processes and the reduction in waste generated.
Report on progress made and proposals being developed to minimise water demand and the volume of trade effluent discharge.
Management and staffing structure of the facility, and a programme for public information.
Statement of measures in relation to prevention of environmental damage and remedial actions (Environmental Liabilities).
Waste activities carried out at the facility.
Quantity and Composition of waste recovered, received and disposed of during the reporting period and each previous year (relevant EWC codes to be used).
Full title and a written summary of any procedures developed by the licensee in the year, which relates to the facility operation.
Waste Recovery Report.
Review of Nuisance Controls.
Any other items specified by the Agency.

Note 1: Content may be revised subject to the agreement of the Agency.

Sealed by the seal of the Agency on this the 7 day of December, 2006

PRESENT when the seal of the Agency
was affixed hereto:

Padraic Larkin, **Director/Authorised Person**