








Roscommon County Council
Roscommon Landfill Environmental Monitoring
Annual Environmental Report 2012

MGE0016CR002/March 2013



Roscommon Landfill Waste Licence Compliance

DOCUMENT CONTROL SHEET

Client:	Roscommon County Council					
Project Title:	Roscommon Landfill Waste Licence Compliance					
Document Title:	Annual Environmental Report for 2012					
Document No:	MGE0016RP00045					
This Document Comprises:	DCS	TOC	Text	List of Tables	List of Figures	No. of Appendices
	1	1	22	1	1	4

Rev.	Status	Author(s)	Reviewed By	Approved By	Office of Origin	Issue Date
D01	DRAFT	F.C.	M.W.	W.M.	Galway	27.03.2013
F01	FINAL	F.C.	M.W.	W.M.	Galway	27.03.2013
		<i>[Signature]</i>	<i>[Signature]</i>	<i>[Signature]</i>		

TABLE OF CONTENTS

1	INTRODUCTION	1
2	SITE DESCRIPTION	2
3	QUANTITY AND COMPOSITION OF WASTE.....	3
4	ENVIRONMENTAL MONITORING	6
4.1	SURFACE WATER	6
4.1.1	Interpretation and Non-Compliance.....	6
4.1.2	Proposals.....	7
4.2	GROUNDWATER	8
4.2.1	Interpretation and Non-Compliance.....	8
4.2.2	Proposals.....	10
4.3	LEACHATE	10
4.3.1	Interpretation and Non-Compliance.....	10
4.3.2	Proposals.....	12
4.4	DUST	12
4.5	LANDFILL GAS.....	13
4.6	METEOROLOGICAL DATA	13
5	MASS BALANCE OF SPECIFIED SUBSTANCES.....	15
5.1	RESOURCES AND ENERGY CONSUMPTION SUMMARY.....	15
5.2	EMISSIONS TO GROUNDWATER.....	15
5.3	MONTHLY WATERBALANCE CALCULATION AND INTERPRETATION	15
5.4	LANDFILL GAS VOLUMES	15
6	SITE DEVELOPMENT WORKS.....	17
6.1	DEVELOPMENT WORKS DURING THE REPORTING PERIOD.....	17
6.2	PROPOSED DEVELOPMENT WORKS	17
7	PROCEDURES.....	18
8	STAFFING AT ROSCOMMON LANDFILL.....	19
9	REVIEW OF NUISCANCE CONTROLS.....	20
9.1	LITTER ABATEMENT.....	20
9.2	NOISE AND DUST	20
9.3	VERMIN CONTROL.....	20
9.4	ODOUR	20
10	REPORTS ON FINANCIAL PROVISIONS	21
11	ENVIRONMENTAL INCIDENTS AND COMPLAINTS	22

LIST OF FIGURES

Figure 3.1: Waste Intake for 2012	4
Figure 3.2: Waste Intake for Years Up to Close of Facility in 2001	5
Figure 4.1: Mean Concentrations of Key Parameters for Surface Water for the Reporting Period	8
Figure 4.2: Ammonia Levels in Groundwater for the Reporting Period (H1)	9
Figure 4.3: Ammonia Levels in Groundwater for the Reporting Period (H2)	9
Figure 4.3: Mean Concentrations of Key Leachate Parameters over the Reporting Period	12
Figure 4.4: BOD/COD Ratio in Leachate over the Reporting Period	12
Figure 4.5: Summary of Mean Concentrations of Main Components of Landfill Gas	13
Figure 4.6: Monthly Rainfall Data for 2011 from Knock Airport Weather Station	14
Figure 5.1: Estimated Total Gas Generation from Roscommon Landfill	16

LIST OF TABLES

Table 3.1: Quantity and Composition of Waste Received for Recovery at the Recycling Centre in 2012	3
Table 3.2: Total Estimated Waste Intake at Roscommon Landfill up to Close of Facility in 2001	4
Table 4.1: Comparison of Typical Leachate Composition Values and Values at Roscommon Landfill	11
Table 8.1: Site Management Structure at Roscommon Landfill	19

APPENDICES

APPENDIX A SITE LAYOUT LOCATIONS OF MONITORING POINTS

APPENDIX B AER/PRTR EMISSIONS DATA 2012

APPENDIX C MONITORING RESULTS

APPENDIX D METEOROLOGICAL DATA

1 INTRODUCTION

Roscommon Landfill is operated by Roscommon County Council in accordance with Waste Licence Register No. W0073-01 issued by the EPA. In accordance with Condition 5.2 of the Licence, acceptance of waste for disposal at the landfill ceased on December 31st 2001. The reporting period for the purposes of this Annual Environmental Report (AER) is January 1st 2012 to December 31st 2012.

This Annual Environmental Report (AER) has been prepared in accordance with the conditions of the Waste Licence and the EPA "Draft Guidance on Environmental Management Systems and Reporting to the Agency, 1999".

2 SITE DESCRIPTION

Roscommon Landfill is located in the townland of Killarney, approximately 3km north east of Roscommon town on the N63 Longford Road. The total area of waste covers an area of approximately 5 hectares. Landfilling commenced at this location in the early 1970's. The landfill has always operated on a "dilute and disperse" principle. Initially filling of the landfill took place in the area between the road and the present culvert. In 1981, filling commenced to the south and the west of this culverted stream. A halting site was built at the facility in 1980. Landfilling at the facility ceased on December 31st 2001. When the landfill was active the principal activity was the deposit of domestic, commercial and industrial non-hazardous waste.

It is estimated that up to 170,000 tonnes of waste were deposited at the site over its lifetime. A Recycling Centre is in operation at the site which accepts recyclables such as paper, glass and cardboard (see **Table 3.1**). Domestic waste is also accepted for disposal which is collected by Barna Waste and transferred to their facility in Ballaghaderreen Co. Roscommon from where it is distributed for final disposal to either the Greenstar facility in Kilconnell or to Mayo Landfill.

3 QUANTITY AND COMPOSITION OF WASTE

Table 3.1 and **Figure 3.1** outline the quantities of waste accepted for recovery during the reporting period at the Recycling Centre. A total of 472.04 tonnes of material was recovered in 2012. The total amount of material accepted for recycling in 2011 at the Recycling Centre amounted to 592.14 tonnes. Therefore in 2012 there was a 19.8% decrease in the amount of waste recycled at the Recycling Centre in comparison with 2011. The waste is collected for recycling by Enva, WEEE Ireland, KMK Metals Recycling Ltd. (WO 113-02), Indaver (WO 36-02), Textiles Recycling Ltd, Glassdon Recycling and Barna Waste. Glassdon collect glass, KMK Metals collect WEEE waste, Textile Recycling Ltd. collect textiles and Indaver collect household hazardous waste and batteries are collected by both Enva and WEEE Ireland. Barna Waste collects all other waste.

Table 3.1: Quantity and Composition of Waste Received for Recovery at the Recycling Centre in 2012

Waste Type	EWC Code	Waste Collector	Waste Quantity (Tonnes)
Cardboard, Newspaper, Glossy Magazines, Milk Cartons	200101 / 200199	Barna Waste	194.66
PET 1, PET 2, Metal Cans, Aluminium Cans	150102 / 150104	Barna Waste	108.57
Waste Electrical & Electronic Equipment	200135*; 200307	KMK Metals Recycling Ltd.	70.32
Batteries	200133*; 200134	Enva/WEEE Ireland	3.1
Household hazardous	200127*	Indaver/ Barna Waste	13.02
Aeroboard	150102	Barna Waste	0.624
Textiles	200111	Textile Recycling Ltd./ Barna Waste	7.65
Clear Glass	200102	Glassdon	48.54
Metals	200139	Barna Waste	10.34
Wood	200138	Barna Waste	18.22
Total Tonnage			475.04




Figure 3.1: Waste Intake for 2012

Table 3.2 and **Figure 3.2** provide figures for the total tonnage of waste accepted for disposal in previous years. These figures regarding waste intake at the facility are highly approximate as there was no weighbridge on site until shortly before closure in 2001. Data on the composition of the waste for these years is unavailable.

Table 3.2: Total Estimated Waste Intake at Roscommon Landfill up to Close of Facility in 2001

Year	Approximate Waste intake (tonnes)
To end 1997	107,000 (estimate)
1998	7,535
1999	18,000
2000	18,360
2001	18,727
Total	170,000 (approx)




Figure 3.2: Waste Intake for Years Up to Close of Facility in 2001

4 ENVIRONMENTAL MONITORING

During the reporting period of 2004, it was agreed with the EPA that, as the landfill was closed and fully capped, the scale and scope of the Environmental Monitoring Programme could be reduced to reflect the level of current operations at the facility. A site plan showing the revised monitoring locations is included in **Appendix A**.

The following sections summarise the environmental monitoring undertaken at Roscommon Landfill during the reporting period (2011). The Waste Licence for Roscommon Landfill requires that biannual monitoring be carried out in respect of surface water, ground water, leachate and gas. A letter dated the 8th January 2008 was sent to the EPA North Western Regional Office of Environmental Enforcement on behalf of Roscommon County Council. The letter requested a review of the licence. Roscommon County Council suggested that the extent and frequency of monitoring could be decreased in 2008. In this regard it was proposed that quarterly reporting should be reduced to biannual reporting. The EPA agreed the review of the licence in this respect. The first Biannual Report deals with the monitoring period of July – September 2012 and the second Biannual Report deals with the period of October – December 2012.

The AER/PRTR Emissions Data 2012 is included in **Appendix B**.

4.1 SURFACE WATER

For each monitoring period of 2012, samples of surface water were taken by Roscommon County Council from 3 no. monitoring locations. In September 2012 and November 2012 samples were taken from SW1, SW3, & SW7 (see **DG0001F08** in **Appendix A**). All results are tabulated within **Appendix C**. Those parameters which are required to be analysed on an annual basis were monitored in November 2012. The results were compared with the European Community (Quality of Surface Water intended for Abstraction of Drinking Water) Regulations, 1989 (S.I. No. 294 of 1989) and the Fresh Water Fish Directive 78/659/EEC. The following interpretation summarises the overall surface water quality. More detailed interpretations can be found within the biannual monitoring reports which were submitted to the EPA.

4.1.1 Interpretation and Non-Compliance

Throughout the sampling period (Jul-Dec 2012) the most notable exceedances of standards were elevated concentrations of ammonia, chemical oxygen demand (COD), iron and manganese. Overall this is consistent with results obtained in 2011.

Ammonia concentrations were consistent at SW1 throughout the sampling period however ammonia concentrations increased at monitoring points SW3 and SW7 from H1 2012 to H2 2012. At SW1 sampling results were below the limit of 0.2 mg/l on both sampling occasions. Concentrations were elevated above the 1989 Regulations limit of 0.2 mg/l at both SW7 and SW3 in H1 '12. The mean level of ammonia recorded for H1 '12 was 0.21mg/l and this decreased to 0.11mg/l for H2 '12. Overall levels of ammonia have decreased from a mean concentration 0.28mg/l in 2011 to a mean concentration of 0.16mg/l in 2012.

In H1 '12 the **COD** level at SW1 was compliant with the limit of 40mg/l set for water classified as A3. The COD level at SW3 (69mg/l) and at SW7 (67mg/l) exceeded the limit value in H1 '12. In H2 '12 the COD level at all monitoring points was in exceedance of the limit value. The maximum concentration was recorded at SW1 during the H2 '12 with a level of 103mg/l. The mean COD level recorded in H1 '12 was 55mg/l and this increased to 64.33mg/l in H2 '12. Overall levels of COD have increased from a mean concentration 44.92mg/l in 2011 to a mean concentration of 59.67mg/l in 2012.

Dissolved oxygen concentration was compliant with the standard of 5mg/l set by the Freshwater Fish Directive 78/659/EEC (Cyprinid waters) at SW1 (5.3mg/l) in H1 of '12. The level of dissolved oxygen at SW3 (3.6mg/l) and SW7 (4.3mg/l) was below the standard of 5mg/l in H1 '12. Dissolved Oxygen concentrations were above the limit standard of 5mg/l at all monitoring points in H2 2012.

The level of **Suspended Solids** at SW1, SW2 and SW7 were compliant with the required limit of 25mg/l as set by the FW Fish Directive 78/659/EEC in both H1 and H2 '12. This is an improvement on the results obtained in 2011 where all monitoring points were within the required limit with the exception of SW3 in the first half of 2011.

The **BOD** level at all monitoring points was below the upper limit of 5 mg/l respectively for 2012. This is consistent with results obtained in 2011 where the BOD level at all monitoring points was also below the upper limit of 5 mg/l.

All of the sampling points were below the limit for **pH, Chloride, Temperature** and **Electrical Conductivity**.

A visual inspection of the water quality monitoring points was completed. Slight weed growth was noted in SW3 in H2 '12. No discolouration of water was noted at any monitoring point on either occasion. Weed growth and SW3 and SW7 has been noted on previous inspections. No odours were detected at any of the monitoring points.

The concentrations of cadmium, chromium, copper, lead, magnesium, mercury, potassium, sodium, sulphate, total phosphorus, phenols and zinc were under the 1989 Regulations limits. The majority of results were concurrent with those recorded for the previous annual sampling suite taken in the second half of 2011. There has been a notable change in levels of iron which decreased from a mean of 905.1µg/l in '11 to 258.43µg/l for this monitoring period. The level of zinc has decreased from a mean of 51mg/l in H2 '11 to below the limit of detection during H2 2012. The level of manganese has increased from a mean of 0µg/l in H2 '11 to 61.07µg/l for this monitoring period. The levels of phenols detected at all monitoring points were below the limit of detection. A significantly high level of phenols was detected at SW7 (0.15mg/l) in H2 2011. The only exceeding parameters were iron at SW3 and SW7 and manganese at all monitoring points which were above the relevant standards.

The standard limit for manganese is 50µg/l. Exceedances of manganese were noted in SW3 and SW7 in H2 2012. Manganese was below the detectable limit at all monitoring points in H2 2011.

The standard limit for iron is 200µg/l. Levels recorded for this parameter were 298.5µg/l at SW3 and 279µg/l at SW7. The concentration of iron has decreased significantly at SW3 from 2323µg/l in H2 2011 to 298.5µg/l for this monitoring period and has increased slightly at SW7 from 270.4µg/l in H2 2011 to 279µg/l for this monitoring period. The mean iron level has decreased from 905.1µg/l in H2 2011 to 905.1µg/l for this monitoring period.

A summary of the mean concentrations of the key parameters for surface water for the reporting period can be seen in **Figure 4.1**.

4.1.2 Proposals

As the landfill is now capped and the leachate interceptor drain and abstraction system is preventing lateral migration of leachate into the stream, it is likely that contamination in the watercourses is as a result of accumulated contaminants in the banks of the streams. This contamination should decrease over time.




Figure 4.1: Mean Concentrations of Key Parameters for Surface Water for the Reporting Period

4.2 GROUNDWATER

Groundwater monitoring points are situated both upgradient and downgradient of the landfill. The locations of these points are shown on drawing **DG0001-01F08** in **Appendix A**. The groundwater sampling points GW2, GW4 and GW6 were analysed for the suite of parameters agreed with the Agency. The following interpretations summarise the overall water quality for 2011, the results of which are contained within **Appendix C**. Those parameters which require to be analysed on an annual basis were monitored in October 2011. Detailed interpretations can be found within the biannual monitoring reports which were submitted to the EPA.

4.2.1 Interpretation and Non-Compliance

The interim guideline value for **Ammonia** is 0.15 mg/l. The ammonia level at GW4 and GW6 exceeded the guideline value in H1 '12 and H2 '12. This is consistent with results from H1 and H2 '11. The ammonia level has increased at GW4 from 1.79mg/l in H1 '12 to 2.1mg/l in H2 '12 and decreased slightly at GW6 from 3.93mg/l in H1 '12 to 3.9mg/l in H2 '12. GW4 and GW6 were also non compliant in 2011. Sampling point GW2 was compliant with the guideline values throughout 2012. This was also the case with GW2 in 2010. A summary of the results obtained both monitoring periods of 2012 compared against results obtained the corresponding monitoring periods of 2011 and 2010 can be seen in **Figure 4.2** and **Figure 4.3**.

The interim guideline for **Dissolved Oxygen** concentration is that there should be no abnormal change. The minimum, maximum and mean concentrations for DO for the 2012 monitoring periods were 2.05mg/l, 2.4mg/l and 2.18mg/l in H1 and 2.3mg/l, 2.86 and 2.56mg/l in H2. Do levels are consistent with those measured in the corresponding monitoring periods in 2011.

Values for **Electrical Conductivity**, **Temperature** and **pH** were within the guideline limits at all sampling points on all sampling occasions.




Figure 4.2: Ammonia Levels in Groundwater for the Reporting Period (H1)




Figure 4.3: Ammonia Levels in Groundwater for the Reporting Period (H2)

Additional parameters were tested in the second half of 2012. The concentrations of cadmium, chromium, copper, lead, magnesium, manganese, mercury, sodium, sulphate, phosphorus and zinc were all below the standard guideline values set.

The mean concentration of iron decreased slightly from the levels recorded in 2010. The iron level at monitoring locations GW4 and GW6 exceeded the standard of 200µg/l in this monitoring period, with a concentration of 2555.3µg/l at GW4 and 1048.8µg/l at GW6. The concentration of iron at GW2 was within the limit of 200 µg/l in H2 '12. The concentration of lead at all monitoring locations is within the guideline limit value of 10µg/l specified by the guidelines. The level of lead at GW2 has decreased from 25.4µg/l in H2 2010 to 0.8µg/l for this monitoring period.

Concentrations of manganese were above the limit of 50µg/l at all three monitoring locations. Manganese concentrations were below the limit of 50µg/l at all monitoring locations during the same monitoring period in 2011.

The level of potassium at GW4 (17.2mg/l) and GW6 (16.3mg/l) was greater than the limit of 5mg/l specified by the guidelines. The level of potassium noted at GW2 was compliant with the limit guidelines for this monitoring period.

The level of total phosphorus was below the standard limit at GW2 and GW4. An exceedance in the level of total phosphorus was noted at GW6 during this monitoring period. Total phosphorus was below the detectable limit in all monitoring locations in the previous monitoring period of H2 '11.

Concentrations of phenols were below the level of detection at all monitoring locations during this monitoring period. The level of phenols detected has decreased at GW2 from 2.6µg/l in H2 '11 to being below the detectable limit for this monitoring period, at GW4 from 2µg/l in H2 '11 to being below the detectable limit in this monitoring period and at GW6 from 1.4µg/l in H2 '11 to being below the detectable limit in this monitoring period.

Groundwater levels are tabulated in **Appendix C**. On comparing groundwater levels recorded in H2 '12 period with those recorded in H1 '12, levels have decreased at all sampling points with levels decreasing by 0.3, 0.2 and 0.3 meters for GW2, GW4 and GW6 respectively.

4.2.2 Proposals

Leachate abstraction is ongoing from the leachate interceptor drain and from leachate boreholes in the waste body reducing infiltration of leachate to groundwater. As the landfill is capped, there is a minimum amount of leachate being generated. The combined effect of these measures should demonstrate a continual improvement in the quality of the groundwater over time.

4.3 LEACHATE

Samples of leachate were taken by Roscommon County Council from the 3 no. chambers situated on the leachate interceptor drain and at the leachate lagoon (see **DG0001F08** in **Appendix A**). The results of this analysis are contained within **Appendix C**. The following interpretation summarises the overall leachate quality. More detailed interpretations can be found within the biannual monitoring reports which were submitted to the EPA.

4.3.1 Interpretation and Non-Compliance

The leachate level has increased in LMH1 from 2.9m in H1 '12 to 2.4m and at LMH3 from 3.7m in H1 '12 to 1.6m in H2 '12. The leachate level in LMH2 has unchanged in both monitoring periods at 2.6m. The operation of a leachate pumping system installed by Roscommon County Council during the summer of 2004 is set to automatically maintain leachate levels in the landfill and in the interceptor drain.

Levels of ammonia, COD, electrical conductivity and chloride recorded at LMH1, LMH2 and LMH3 in fluctuated between monitoring periods H1 '12 and H2 '12. In H1 '12, ammonia, COD, chloride and electrical conductivity levels decreased significantly at all monitoring locations when compared against the corresponding monitoring period in 2011.

The mean COD level of the three leachate chambers decreased from 32.33mg/l in H1 '11 to 14.67mg/l in H2 '12. The highest COD value in H2 '12 was recorded at LMH3 (23mg/l) which is a decrease on the result recorded for LMH3 in H1 '12 (55mg/l). The COD level has decreased at LMH2 from 22mg/l in H1 '12 to being below the limit of detection in H2 '12. The COD level has decreased at LMH3 from 55mg/l in H1 '12 to 23mg/l in H2 '12. The mean level of COD has decreased during both monitoring periods from the corresponding levels recorded in 2011.

At all sampling locations the BOD level has decreased slightly in H2 '12 from levels recorded in H1 '12. The BOD level decreased at LMH1 from 9.8mg/l in H1 '12 to 2.3mg/l in H2 '12, at LMH2 from 4.9mg/l in H1 '12 to 2.2mg/l in H2 '12 and at LMH3 from 11mg/l in H1 '12 to 2.2mg/l in H2 '12. Overall the mean level of BOD has decreased during H2 '12 from the corresponding level recorded in 2012.

All parameters measured were at the lower end of the expected range of values for leachate (**Table 4.1**). There was an overall decrease in the strength of the leachate over the reporting period (**Figure 4.3**).

Figure 4.4 shows the change in BOD/COD ratio over the reporting period. A maximum BOD/COD ratio of 0.265 was recorded in the first monitoring period of 2012 which is an increase on the value recorded in 2011 (0.104). The BOD/COD ratio is typically assumed to drop from 0.8 to 0.1 over a 30 year period. A BOD/COD ratio of less than 0.25 is typical of the methanogenic phase leachate. The maximum value of 0.063 for BOD/COD is typical of the methanogenic phase leachate. Other contaminants analysed are within the scale in terms of leachate strength as defined in the EPA Landfill Site Design Manual.

Table 4.1: Comparison of Typical Leachate Composition Values and Values at Roscommon Landfill

Determinant	Unit	High values (young landfill)	Low values (old landfill)	Values at Roscommon Landfill for H2 2011
pH	-	6-8	6-8	7.23
Conductivity	µS/cm	5,000-20,000	2,500-10,000	873.3333333
COD	mg/l	8,000-12,000	4,000-6,000	14.67
BOD ₅	mg/l	7,000-10,000	2,000-3,000	2.233333333
Tot – P	mg/l	10-25	1-5	0.08
Chloride	mg/l	1,000-5,000	100-1,000	16.43333333
Magnesium	mg/l	50-1,500	10-50	9.633333333
Potassium	mg/l	500-1,500	50-200	11.46666667
Chromium	mg/l	<1	<0.1	0.000333333
Manganese	mg/l	<5	<0.5	0.207
Iron	mg/l	10-150	1-5	1.665
Copper	mg/l	<1	<1	0.001
Zinc	mg/l	10	1-5	0.00033
Cadmium	mg/l	<0.1	<0.01	0.00013
Mercury	mg/l	<0.01	<0.001	0.000007
Lead	mg/l	1-2	<1	0.0001




Figure 4.3: Mean Concentrations of Key Leachate Parameters over the Reporting Period




Figure 4.4: BOD/COD Ratio in Leachate over the Reporting Period

4.3.2 Proposals

Monitoring of leachate will continue in 3 no. leachate chambers on the interceptor drain as agreed with the EPA.

4.4 DUST

As the facility is a closed and capped landfill and since no construction work is ongoing at the site, it was agreed with the EPA in 2004 that dust monitoring could cease at the facility.

4.5 LANDFILL GAS

Roscommon County Council undertakes landfill gas monitoring on a quarterly basis at 10 no. gas extraction boreholes as shown on DG0001F08 (**Appendix A**). Analysis was performed on each sample for methane (CH₄), carbon dioxide (CO₂), oxygen (O₂), temperature and pressure, the results of which are contained in **Appendix C**. The quality of landfill gas varies somewhat throughout the year with methane concentrations varying between 67.6% and 71.1% v/v and carbon dioxide concentrations between 32.4% v/v and 32.1% v/v. Mean oxygen levels remained constant in general throughout the monitoring period. **Figure 4.5** provides a summary of the mean concentrations of the main components of the landfill gas over the monitoring period.




Figure 4.5: Summary of Mean Concentrations of Main Components of Landfill Gas

4.6 METEOROLOGICAL DATA

The daily meteorological data for 2012 from Knock Airport weather station can be seen in **Appendix D**. This includes rainfall, wind speed, min and max temperature, relative humidity and pressure data.

Figure 4.6 illustrates monthly rainfall data for 2012. A total of 1,367.5mm of rain fell at Knock Airport in 2012.




Figure 4.6: Monthly Rainfall Data for 2011 from Knock Airport Weather Station

5 MASS BALANCE OF SPECIFIED SUBSTANCES

5.1 RESOURCES AND ENERGY CONSUMPTION SUMMARY

12,375 units of electricity were used during the reporting period.

5.2 EMISSIONS TO GROUNDWATER

The landfill operated on a "dilute and disperse" basis with no leachate containment measures put in place whereby the leachate generated was allowed to drain into surface and groundwater, becoming diluted and attenuated. The layers of peat and marl below the waste appear to have been effectively acting as a natural liner. The quality of the groundwater should improve as the landfill is capped and leachate abstraction continues in the leachate interceptor drain being provided around the landfill perimeter.

5.3 MONTHLY WATERBALANCE CALCULATION AND INTERPRETATION

Monthly rainfall data obtained from the nearest Met Eireann weather station at Knock Airport estimated that the site received approximately 1,367.5mm of rainfall for the year 2012.

Prior to capping, it is estimated that, on average, approximately 22,700m³ of leachate was generated on an annual basis at Roscommon Landfill. Records for 2012 indicate that 3,158 tonnes of leachate were tankered to Roscommon WWTP in the period.

5.4 LANDFILL GAS VOLUMES

Under optimum conditions one tonne of degradable waste can theoretically produce 400-500m³ of landfill gas (including moisture content). In practical terms the rate at which landfill gas which may be collected for utilisation purposes may be much lower.

It is estimated that the waste disposed of in Roscommon Landfill contains on average 50% biodegradable waste. It is therefore assumed that the gas production is approximately 200 Nm³ of gas per tonne of waste over a 30 year period.

Landfill gas generation volumes at Roscommon Landfill have been estimated using GASSIM, a gas modelling programme developed by the UK Environment Agency. Total bulk landfill gas generated in 2012 is estimated by GASSIM to be approximately 67m³/hr as shown in **Figure 5.1**.




Figure 5.1: Estimated Total Gas Generation from Roscommon Landfill

A 100 m³/hr enclosed gas flare and 10 no. landfill gas extraction wells and connecting pipework were installed at the landfill in 2003. The gas management system was commissioned during the summer of 2004.

Based on flare run-time records and the quality of gas on site, it is considered that the GASSIM estimate above is too high. Landfill gas generation and quality at Roscommon Landfill has reduced significantly in the last 2-3 years. Bulk landfill gas generation for 2012 is estimated to be **25.1m³/hr**, which equates to 219,859m³/yr.

The landfill gas flare currently runs for a number of hours each day until it is manually shut off due to depleted gas volumes.

6 SITE DEVELOPMENT WORKS

6.1 DEVELOPMENT WORKS DURING THE REPORTING PERIOD

There were no development works during the reporting period for 2012.

6.2 PROPOSED DEVELOPMENT WORKS

There were no proposals for works at the facility for 2012.

7 PROCEDURES

A revised Environmental Management Plan (EMP) for the facility was issued in December 2004.

8 STAFFING AT ROSCOMMON LANDFILL

Table 8.1 shows the site management structure at Roscommon Landfill.

Table 8.1: Site Management Structure at Roscommon Landfill

Position		Employee Contact details
Director of Services Mr Tommy Ryan		Environmental Section, Roscommon County Council, Courthouse, Roscommon. Telephone No: 090 6637100 Fax No: 090 6637108
Senior Engineer Mr. John O Rourke		Environmental Section, Roscommon County Council, Courthouse, Roscommon.
Senior Staff Officer Sarah Scott	Senior Executive Engineer Mr. John Mockler	Environmental Section, Roscommon County Council, Courthouse, Roscommon.
Facility Manager Mr. Noel Martin		Environmental Section, Roscommon County Council, Courthouse, Roscommon.
Deputy Facility Manager/Landfill Caretaker Mr. Joe Casey		Environmental Section, Roscommon County Council, Courthouse, Roscommon.
Site Operatives Mr. Jim Egan/Brian Dervan		Environmental Section, Roscommon County Council, Courthouse, Roscommon.

9 REVIEW OF NUISCANCE CONTROLS

9.1 LITTER ABATEMENT

As waste is no longer being accepted at the site and all landfilled waste is covered, there is no litter problem at the facility. The Recycling Centre is continuously maintained and monitored by Council operatives and all recyclables are deposited into covered, lockable containers. Any loose litter around the facility and its environs is collected.

9.2 NOISE AND DUST

With the closure of the landfill, there is no heavy machinery and little heavy vehicular traffic to the site. Noise and dust do not pose any problems and monitoring ceased in 2004 with the agreement of the Agency.

9.3 VERMIN CONTROL

Capping of the landfill has included the installation of a geosynthetic clay liner tying into the leachate interceptor drain around the waste, thus forming a continuous barrier around the main waste body. This barrier is augmented by a clay cover which is 1m thick resulting in little or no access to the waste for nuisances such as vermin or birds. In addition, Roscommon County Council employs ECOLAB to operate a vermin control programme. During the summer months, AOK pest control is engaged in the control of flies for Roscommon County Council.

9.4 ODOUR

As waste is no longer being accepted at the site and any landfilled waste is covered, there is no odour problem at the facility. The gas flare treats landfill gas at the facility.

10 REPORTS ON FINANCIAL PROVISIONS


Roscommon County Council allocates funding on an annual basis from general resources. The funding will be maintained in an amount always sufficient to underwrite the current Restoration and Aftercare Plan in accordance with Condition 11 of the Waste Licence.

11 ENVIRONMENTAL INCIDENTS AND COMPLAINTS

No incidents or complaints were reported for the year 2012

APPENDIX A

**SITE LAYOUT LOCATIONS OF MONITORING POINTS
(DG0001-01F08)**



Roscommon County Council
 Comhairle Chontae Roscomáin
 Mr. T. Ryan
 Roscommon County Council,
 Court House,
 Roscommon.
 Tel: (090) 6637100 Fax: (090) 6637108



RPS Consulting Engineers
 RPS Consulting Engineers, Lyrr Building, IDA Business & Technology Park, Mervue, Galway, Ireland.
 T: +353 91 534100 - F: +353 91 534199
 E: ireland@rpsgroup.ie W: www.rpsgroup.com/ireland

NOTES

- This drawing is the property of RPS-Consulting Engineers, it is a confidential document and must not be copied, used, or its content divulged without prior written consent.
- All Levels refer to Ordnance Survey Datum, Malin Head.
- DO NOT SCALE, use figured dimensions only, if in doubt ask.

No.	Date	By	Amendment / Issue	App.
F08	06.09.07	CS/SK	Final Issue	W.M.

Roscommon County Council
Roscommon Landfill Environmental Monitoring

Site Layout Locations of Monitoring Points

Drawn by:	C.N.	Job No:	MGE0016
Checked by:	S.A.	File No:	MGE0016DG0001
Approved by:	A.F.	Dir. No:	Rev:
Scale:	1:2000@A3	DG0001-01 F08	
Date:	May '03		

APPENDIX B

AER/PRTR Emissions 2012



[Guidance to completing the PRTR workbook](#)

AER Returns Workbook

Version 1.1.16

REFERENCE YEAR	2012
-----------------------	------

1. FACILITY IDENTIFICATION

Parent Company Name	Roscommon County Council
Facility Name	Roscommon Landfill Facility
PRTR Identification Number	W0073
Licence Number	W0073-01

Waste or IPPC Classes of Activity

No.	class_name
3.1	Deposit on, in or under land (including landfill).
3.11	Blending or mixture prior to submission to any activity referred to in a preceding paragraph of this Schedule.
3.12	Repackaging prior to submission to any activity referred to in a preceding paragraph of this Schedule.
3.13	Storage prior to submission to any activity referred to in a preceding paragraph of this Schedule, other than temporary storage, pending collection, on the premises where the waste concerned is produced.
3.4	Surface impoundment, including placement of liquid or sludge discards into pits, ponds or lagoons.
3.6	Biological treatment not referred to elsewhere in this Schedule which results in final compounds or mixtures which are disposed of by means of any activity referred to in paragraphs 1. to 10. of this Schedule.
3.7	#####
4.13	Storage of waste intended for submission to any activity referred to in a preceding paragraph of this Schedule, other than temporary storage, pending collection, on the premises where such waste is produced.
4.2	Recycling or reclamation of organic substances which are not used as solvents (including composting and other biological transformation processes).
4.3	Recycling or reclamation of metals and metal compounds.
4.4	Recycling or reclamation of other inorganic materials.
Address 1	Killarney Townland
Address 2	Roscommon
Address 3	
Address 4	
	Roscommon
Country	Ireland
Coordinates of Location	-8.15598 53.6378
River Basin District	IEGBNISH
NACE Code	3821
Main Economic Activity	Treatment and disposal of non-hazardous waste
AER Returns Contact Name	John Mockler
AER Returns Contact Email Address	jmockler@roscommoncoco.ie
AER Returns Contact Position	Environment Department
AER Returns Contact Telephone Number	090 663748
AER Returns Contact Mobile Phone Number	087 6977600
AER Returns Contact Fax Number	
Production Volume	0.0
Production Volume Units	
Number of Installations	0
Number of Operating Hours in Year	0
Number of Employees	0
User Feedback/Comments	
Web Address	

2. PRTR CLASS ACTIVITIES

Activity Number	Activity Name
5(d)	Landfills
5(c)	Installations for the disposal of non-hazardous waste
50.1	General

3. SOLVENTS REGULATIONS (S.I. No. 543 of 2002)

Is it applicable?	No
Have you been granted an exemption ?	
If applicable which activity class applies (as per Schedule 2 of the regulations) ?	
Is the reduction scheme compliance route being used ?	

4. WASTE IMPORTED/ACCEPTED ONTO SITE[Guidance on waste imported/accepted onto site](#)

Do you import/accept waste onto your site for on-site treatment (either recovery or disposal activities) ?	
--	--

This question is only applicable if you are an IPPC or Quarry site

4.1 RELEASES TO AIR

[Link to previous years emissions data](#)

SECTION A : SECTOR SPECIFIC PRTR POLLUTANTS

POLLUTANT		METHOD			Please enter all quantities in this section in KGs			
No. Annex II	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
01	Methane (CH4)	C	OTH	Landfill Gas Survey	56073.0	56073.0	0.0	0.0
02	Carbon monoxide (CO)	C	OTH	Landfill Gas Survey	9.51	9.51	0.0	0.0
03	Carbon dioxide (CO2)	C	OTH	Landfill Gas Survey	62893.0	62893.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION B : REMAINING PRTR POLLUTANTS

POLLUTANT		METHOD			Please enter all quantities in this section in KGs			
No. Annex II	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
					0.0	0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION C : REMAINING POLLUTANT EMISSIONS (As required in your Licence)

POLLUTANT		METHOD			Please enter all quantities in this section in KGs			
Pollutant No.	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
					0.0	0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

Additional Data Requested from Landfill operators

For the purposes of the National Inventory on Greenhouse Gases, landfill operators are requested to provide summary data on landfill gas (Methane) flared or utilised on their facilities to accompany the figures for total methane generated. Operators should only report their Net methane (CH4) emission to the environment under T(total) KG/yr for Section A: Sector specific PRTR pollutants above. Please complete the table below:

Landfill:

Roscommon Landfill Facility

Please enter summary data on the quantities of methane flared and / or utilised

T (Total) kg/Year	M/C/E	Method Used		Facility Total Capacity m3 per hour	
		Method Code	Designation or Description		
Total estimated methane generation (as per site model)	74752.0	C	OTH	GasSim and Site records	N/A
Methane flared	0.0	C	OTH	Landfill Gas Survey 2011	100.0 (Total Flaring Capacity)
Methane utilised in engine/s	0.0				0.0 (Total Utilising Capacity)
Net methane emission (as reported in Section A above)	0.0	C	OTH	Generation - Flared = Emiss	N/A

4.4 RELEASES TO LAND

[Link to previous years emissions data](#)

| PRTR# : W0073 | Facility Name : Roscommon Landfill Facility | Filename : W0073_2012.25.03.2013.xls | Return Year : 2012 |

28/03/2013 12:41

SECTION A : PRTR POLLUTANTS

POLLUTANT		RELEASERS TO LAND			Please enter all quantities in this section in KGs		
No. Annex II	Name	M/C/E	METHOD		QUANTITY		
			Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year
					0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION B : REMAINING POLLUTANT EMISSIONS (as required in your Licence)

POLLUTANT		RELEASERS TO LAND			Please enter all quantities in this section in KGs		
Pollutant No.	Name	M/C/E	METHOD		QUANTITY		
			Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year
					0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

4.3 RELEASES TO WASTEWATER OR SEWER

[Link to previous years emissions data](#)

| PRTR#: W0073 | Facility Name : Roscommon Landfill Facility | Filename : W0073_2012.25.03.201

28/03/2013 12:41

SECTION A : PRTR POLLUTANTS

OFFSITE TRANSFER OF POLLUTANTS DESTINED FOR WASTE-WATER TREATMENT OR SEWER					Please enter all quantities in this section in KGs			
POLLUTANT		METHOD			QUANTITY			
No. Annex II	Name	M/C/E	Method Used		Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
			Method Code	Designation or Description				
					0.0	0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION B : REMAINING POLLUTANT EMISSIONS (as required in your Licence)

OFFSITE TRANSFER OF POLLUTANTS DESTINED FOR WASTE-WATER TREATMENT OR SEWER					Please enter all quantities in this section in KGs			
POLLUTANT		METHOD			QUANTITY			
Pollutant No.	Name	M/C/E	Method Used		Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
			Method Code	Designation or Description				
					0.0	0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

4.2 RELEASES TO WATERS

[Link to previous years emissions data](#)

| PRTR# : W0073 | Facility Name : Roscommon Landfill Facility | Filename : W0073_2012.25.03.2013.xls | Return Year : 2012 |

28/03/2013 12:41

SECTION A : SECTOR SPECIFIC PRTR POLLUTANTS

Data on ambient monitoring of storm/surface water or groundwater, conducted as part of your licence requirements, should NOT be submitted under AER / PRTR Reporting as it

RELEASES TO WATERS					Please enter all quantities in this section in KGs			
POLLUTANT		Method Used			QUANTITY			
No. Annex II	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
					0.0	0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION B : REMAINING PRTR POLLUTANTS

RELEASES TO WATERS					Please enter all quantities in this section in KGs			
POLLUTANT		Method Used			QUANTITY			
No. Annex II	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
					0.0	0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION C : REMAINING POLLUTANT EMISSIONS (as required in your Licence)

RELEASES TO WATERS					Please enter all quantities in this section in KGs			
POLLUTANT		Method Used			QUANTITY			
Pollutant No.	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
					0.0	0.0	0.0	0.0

APPENDIX C
Monitoring Results

Surface Water Results

**Roscommon County Council,
Roscommon Landfill**

Date of Monitoring : 29th September 2012

Sampling point	Ammonia mg/l N	BOD mg/l	COD mg/l	Chloride mg/l CL	Conductivity @ 20°C	DO mg/l	pH	Suspended Solids mg/l	Temperature °C
SW1	0.030	1.20	29.0	14.80	599.0	5.30	7.35	BLD	11.60
SW3	0.280	4.60	69.0	15.90	567.0	3.60	7.27	12.00	11.90
SW7	0.320	3.90	67.0	14.70	585.0	4.30	7.36	7.00	11.60

Standard	0.20	5.00	40.00	250.00	1000.00	100% >7 ^{2S} 100% >5 ^{2C}	5.5-8.5 ¹	25.00	25.00
Mean	0.30	4.25	68.0	15.30	576	3.95	7.32	10	11.75
Min	0.030	1.20	29	14.70	567	3.60	7.27	7	11.60
Max	0.320	4.60	69	15.90	599	5.30	7.36	12	11.90

¹Surface Water Regulations 1989 A1 unless otherwise specified

²Freshwater Fish Directive 78/659/EEC as amended

^{2S}Freshwater Fish Directive 78/659/EEC as amended (Salmon)

^{2C}Freshwater Fish Directive 78/659/EEC as amended (Cyprinid)

*NT Not Tested

Surface Water Visual Inspection/Odour Results

Roscommon County Council,
Roscommon Land Licence No. 73-01
Date of Monitoring : 29th September 2012
Weather Conditions : Dry & Windy

Surface w	Time	Results / Findings
SW1	11:40	Clear/No Odour
SW3	12:20	Clear/No Odour
SW7	12:30	Clear/No Odour

*NT Not Tested

Ground Water Results

**Roscommon County Council,
Roscommon Landfill**

Date of Monitoring : 26th September 2012

Sampling point	Ammonia mg/ N	Conductivity @ 20°C	Levels mbgl	DO mg/l	pH	Temperature °C
GW2	0.05	715	1.2	2.08	7.11	12.0
GW4	1.79	739	0.7	2.05	6.94	13.1
GW6	3.93	737	0.6	2.40	6.87	12.8

Standard	0.15	1000.00	-	No abnormal change	6.5-9.5	25.00
Mean	1.92	730.33	0.83	2.18	6.97	12.63
Min	0.05	715.00	0.60	2.05	6.87	12.00
Max	3.93	739.00	1.20	2.40	7.11	13.10

Leachate Results

**Roscommon County Council,
Roscommon Landfill**

Date of Monitoring : 29th September 2012

Sampling point	Ammonia mg/l N	BOD mg/l	COD mg/l	Chloride mg/l CL	Conductivity @ 20°C	Depth mbgl	pH	Temperature °C
LMH1	13.2	9.8	20.0	21.30	966	2.9	6.66	13.3
LMH2	4.6	4.9	22.0	14.70	786	2.6	6.76	13.3
LMH3	0.7	11.0	55.0	23.80	600	3.7	7.18	13.3

Mean	6.17	8.57	32.33	19.93	784.00	3.07	6.87	13.30
Min	0.70	4.90	20.00	14.70	600.00	2.60	6.66	13.30
Max	13.20	11.00	55.00	23.80	966.00	3.70	7.18	13.30

*RNV Result Not Valid

Roscommon Landfill Gas Monitoring

Quarterly Analysis : Date : 20th July 2012

Sampling Pt	Time	Temp	CH ₄	CO ₂	O ₂	Atm Pressure
		(°C)	(% v/v)	(% v/v)	(% v/v)	(m/bars)
LFG 1	12:00	NT	38	25.1	0.1	1013
LFG 2	12:10	NT	55.6	32.4	0.1	1013
LFG 3	12:12	NT	49.9	28.6	0.5	1013
LFG 4	12:14	NT	46	28.9	0.1	1013
LFG 5	12:30	NT	55.2	29.9	1.2	1013
LFG 6	12:32	NT	59.3	21.7	0.1	1013
LFG 7	12:34	NT	60.3	19.3	0.2	1013
LFG 8	12:36	NT	67.6	31.7	0.4	1013
LFG 9	12:38	NT	44.5	21.5	0.2	1013
LFG 10	12:40	NT	51.4	20.5	5.2	1013
Site Office	-	-	-	-	-	-
		Mean	52.78	25.96	0.81	

Overall results	CH ₄ (%v/v)	CO ₂ (%v/v)	O ₂ (%v/v)
Mean	52.78	25.96	0.81
Min	38.0	19.3	0.1
Max	67.6	32.4	5.2

Surface Water Results

**Roscommon County Council,
Roscommon Landfill**

Date of Monitoring : 15th November 2012

Sampling point	Ammonia mg/l N	BOD mg/l	COD mg/l	Chloride mg/l Cl	Conductivity @ 20°C	DO mg/l	pH	Suspended Solids mg/l	Temperature °C	Cadmium ug/l	Chromium ug/l	Copper ug/l	Iron ug/l	Lead ug/l	Magnesium mg/l	Manganese ug/l	Mercury ug/l	Potassium mg/l	Sulphate mg/l	Sodium mg/l	Total Phosphorus mg/l	Phenols mg/l	Zinc ug/l
SW1	0.070	BLD	103.0	11.00	602.0	6.02	7.91	BLD	10.50	BLD	BLD	BLD	197.80	BLD	8.10	78.70	BLD	3.20	6.20	6.80	0.03	BLD	ND
SW3	0.080	1.4	44.0	11.10	542.0	5.48	7.86	BLD	10.50	BLD	BLD	BLD	298.50	BLD	8.20	53.30	BLD	3.00	BLD	6.80	0.06	BLD	BLD
SW7	0.170	1.4	46.0	11.70	563.0	5.80	7.80	9.00	10.90	BLD	BLD	BLD	279.00	0.30	8.80	51.20	BLD	3.30	11.00	7.00	0.07	BLD	BLD

Standard	0.20	5.00	40.00	250.00	1000.00	100% >7 ^{2S} 100% >5 ^{2C}	5.5-8.5 ¹	25.00	25.00	5	50	50	200	50	-	50	1	-	200	-	0.5	0.0005	3000
Mean	0.11	0.93	64.33	11.27	569.00	5.77	7.86	3.00	10.63	0.00	0.00	0.00	258.43	0.10	8.37	61.07	0.00	3.17	5.73	6.87	0.05	0.00	0.00
Min	0.070	1.40	44.0	11.00	542	5.48	7.80	9	10.50	0.000	0.00	0.00	197.80	0.30	8.10	51.20	0.00	3.00	6.20	6.80	0.03	0.00	0.00
Max	0.170	1.40	103	11.70	602	6.02	7.91	9	10.90	0.000	0.00	0.00	298.50	0.30	8.80	78.70	0.00	3.30	11.00	7.00	0.07	0.00	0.00

¹Surface Water Regulations 1989 A1 unless otherwise specified

²Freshwater Fish Directive 78/659/EEC as amended

^{2S}Freshwater Fish Directive 78/659/EEC as amended (Salmon)

^{2C}Freshwater Fish Directive 78/659/EEC as amended (Cyprinid)

*NT Not Tested

Surface Water Visual Inspection/Odour Results

Roscommon County Council,
Roscommon Landfi Licence No. 73-01
Date of Monitoring : 15th November 2012
Weather Conditions : Dry & Mild

Surface w	Time	Results / Findings
SW1	10:30	Clear/No Odour
SW3	10:45	Slightly Overgrown/No Odour
SW7	11:05	Clear/No Odour

*NT Not Tested

Ground Water Results

**Roscommon County Council,
Roscommon Landfill**

Date of Monitoring : 15th November 2012

Sampling point	Ammonia mg//N	Conductivity @ 20°C	Levels mbgl	DO mg//	pH	Temperature °C	Cadmium µg//	Chromium µg//	Copper µg//	Iron µg//	Lead µg//	Magnesium mg//	Manganese µg//	Mercury µg//	Phenols µg//	Potassium mg//	Sodium mg//	Sulphate mg// SO ₄	Phosphorus Total mg// P	Zinc µg//
GW2	0.0	801.0	0.90	2.30	7.25	11.50	BLD	BLD	BLD	33.3	1.9	19.2	62.5	BLD	BLD	3.2	14.1	27.5	BLD	BLD
GW4	2.1	861.0	0.50	2.53	7.13	11.00	BLD	BLD	BLD	2555.3	BLD	18.8	106.8	BLD	BLD	17.2	17.2	14.6	0.03	BLD
GW6	3.9	864.0	0.30	2.86	7.08	11.10	BLD	BLD	BLD	1048.8	0.6	15.0	146.3	BLD	BLD	16.3	16.3	BLD	0.05	BLD

Standard	0.15	1000.00	-	No abnormal change	6.5-9.5	25.00	5.00	30	30	200	10	50000	50	1.00	0.50	5.00	150	200	0.03	100
Mean	2.00	842.00	0.57	2.56	7.15	11.20	0.00	0.00	0.00	1212.47	0.83	17.67	105.20	0.00	0.00	12.23	15.87	14.03	0.03	0.00
Min	0.03	801.00	0.30	2.30	7.08	11.00	0.00	0.00	0.00	33.30	0.60	15.00	62.50	0.00	0.00	3.20	14.10	14.60	0.03	0.00
Max	3.86	864.00	0.90	2.86	7.25	11.50	0.00	0.00	0.00	2555.30	1.90	19.20	146.30	0.00	0.00	17.20	17.20	27.50	0.05	0.00

Leachate Results

**Roscommon County Council,
Roscommon Landfill**

Date of Monitoring : 15th November 2012

Sampling point	Ammonia mg/l N	BOD mg/l	COD mg/l	Chloride mg/l Cl	Conductivity @ 20°C	Depth mbgl	pH	Temperature °C	Cadmium ug/l	Chromium ug/l	Copper ug/l	Iron ug/l	Lead ug/l	Magnesium mg/l	Manganese ug/l	Mercury ug/l	Potassium mg/l	Sulphate mg/l	Sodium mg/l	Phosphorus Total mg/l	Zinc ug/l
LMH1	15.40	2.30	21.00	24.00	1049.00	2.40	7.43	11.60	BLD	BLD	BLD	279.00	0.30	8.80	51.20	BLD	17.40	13.60	21.40	0.02	BLD
LMH2	2.80	2.20	BLD	11.20	743.00	2.60	7.13	10.90	0.20	BLD	BLD	956.30	BLD	9.30	218.50	BLD	9.40	BLD	14.50	0.04	BLD
LMH3	6.50	2.20	23.00	14.10	828.00	1.60	7.13	10.80	0.20	1.00	3.00	3759.00	BLD	10.80	350.60	0.02	7.60	BLD	13.50	0.18	1.00

Mean	8.23	2.23	14.67	16.43	873.33	2.20	7.23	11.10	0.13	0.33	1.00	1664.77	0.10	9.63	206.77	0.01	11.47	4.53	16.47	0.08	0.33
Min	2.80	2.20	21.00	11.20	743.00	1.60	7.13	10.80	0.20	1.00	3.00	279.00	0.30	8.80	51.20	0.02	7.60	13.60	13.50	0.02	1.00
Max	15.40	2.30	23.00	24.00	1049.00	2.60	7.43	11.60	0.20	1.00	3.00	3759.00	0.30	10.80	350.60	0.02	17.40	13.60	21.40	0.18	1.00

*RNV Result Not Valid

Roscommon Landfill Gas Monitoring. October-December 2012

Quarterly Analysis : Date : 27th November 2012

Sampling Pt	Time	Temp	CH ₄	CO ₂	O ₂	Atm Pressure
		(°C)	(% v/v)	(% v/v)	(% v/v)	(m/bars)
LFG 1	10:45	NT	19.0	23.8	0.2	1018
LFG 2	10:50	NT	35.7	26.4	0.1	1018
LFG 3	10:52	NT	45.8	27.9	0.3	1018
LFG 4	10:54	NT	42.0	26.2	0.2	1018
LFG 5	11:00	NT	62.5	32.1	0.6	1018
LFG 6	11:02	NT	35.1	15.6	7.6	1018
LFG 7	11:04	NT	41.3	20.7	2.9	1018
LFG 8	11:06	NT	40.2	20.2	3.3	1018
LFG 9	11:08	NT	40.7	21.4	2.2	1018
LFG 10	11:10	NT	71.1	30.5	0.3	1018
Site Office	11:25	NT	-2.0	20.8	0	1018
		Mean	39.2	24.1	1.61	

Overall results	CH ₄	CO ₂	O ₂
	(%v/v)	(%v/v)	(%v/v)
Mean	39.22	24.15	1.61
Min	-2.0	15.6	0.0
Max	71.1	32.1	7.6

APPENDIX D

Meteorological Data

Knock Airport

Year	Month	Day	Rainfall (mm)	Wind Speed (Knots)	Relative Humidity (%)	MSL Pressure (hPa)	Max. Temp. (Degrees Celsius)	Min. Temp. (Degrees Celsius)
2012	1	1	8.9	10.8	92.0	995.4	6.5	0.5
2012	1	2	9.7	12.7	92.7	997.8	5.4	0.3
2012	1	3	5.8	23.0	82.1	993.4	10.7	2.6
2012	1	4	11.7	22.6	91.3	1009.7	9.3	3.8
2012	1	5	0.7	20.1	78.7	1012.5	9.4	4.6
2012	1	6	2.3	12.2	95.3	1022.9	9.8	3.1
2012	1	7	0.0	12.1	79.6	1024.9	7.3	6.1
2012	1	8	1.5	10.3	97.3	1025.6	9.5	6.7
2012	1	9	4.4	8.3	93.1	1027.3	8.9	3.1
2012	1	10	7.8	9.7	97.8	1027.4	10.1	3.1
2012	1	11	0.8	11.8	97.3	1028.2	10.1	5.5
2012	1	12	1.9	9.2	91.8	1029.6	9.5	4.0
2012	1	13	1.6	5.2	98.3	1032.7	6.5	4.2
2012	1	14	0.0	11.3	95.5	1023.0	5.3	1.9
2012	1	15	0.0	11.4	87.3	1017.9	4.8	0.5
2012	1	16	0.0	11.0	93.0	1019.4	5.8	0.0
2012	1	17	2.9	14.0	98.3	1017.1	9.9	3.5
2012	1	18	2.1	8.9	94.3	1019.5	10.3	4.7
2012	1	19	4.6	14.2	87.7	1019.0	6.3	3.0
2012	1	20	4.4	20.1	95.4	1019.7	9.3	5.1
2012	1	21	1.8	17.1	82.9	1015.5	8.6	5.4
2012	1	22	0.3	15.2	80.0	1016.7	8.3	4.2
2012	1	23	2.6	6.9	91.5	1019.7	7.2	3.1
2012	1	24	9.4	13.3	99.5	1013.5	9.8	7.0
2012	1	25	13.0	15.8	96.2	1000.0	8.8	-0.1
2012	1	26	10.7	10.1	94.5	1001.8	3.8	-0.2
2012	1	27	3.6	11.4	86.8	1020.2	6.4	1.1
2012	1	28	11.8	7.0	95.2	1029.8	6.3	1.1
2012	1	29	10.8	5.8	98.9	1025.5	8.5	5.0
2012	1	30	3.2	12.0	99.8	1020.6	5.0	2.5
2012	1	31	0.1	10.1	91.5	1025.5	3.4	-0.6
2012	2	1	0.0	8.3	81.8	1034.9	2.6	-2.8
2012	2	2	0.0	8.8	89.8	1036.2	1.9	-4.2
2012	2	3	0.5	10.5	91.2	1034.6	4.6	-3.5
2012	2	4	7.8	11.7	93.2	1026.7	7.8	3.0
2012	2	5	1.9	5.8	94.3	1029.1	8.6	2.5
2012	2	6	2.7	5.6	100.0	1033.6	9.7	7.5
2012	2	7	0.4	11.2	98.8	1035.0	8.0	3.7
2012	2	8	11.4	15.6	97.8	1033.6	6.2	3.9
2012	2	9	5.1	9.6	99.8	1034.0	9.7	6.1
2012	2	10	2.7	6.5	99.3	1031.3	9.5	7.2
2012	2	11	1.0	4.5	97.3	1031.7	8.9	3.3
2012	2	12	1.1	3.5	97.9	1036.8	7.0	2.7
2012	2	13	0.7	12.2	92.2	1036.1	7.2	4.2
2012	2	14	0.0	16.9	88.3	1035.9	7.4	5.3
2012	2	15	2.8	14.3	89.0	1035.2	8.1	6.5
2012	2	16	1.6	13.2	93.2	1028.8	8.8	6.5
2012	2	17	3.4	13.0	99.0	1019.5	9.6	6.5
2012	2	18	7.4	14.8	85.8	1012.1	7.5	0.6
2012	2	19	0.2	7.6	83.4	1026.8	6.9	0.9
2012	2	20	2.1	13.6	96.9	1022.8	8.7	3.5

Knock Airport

Year	Month	Day	Rainfall (mm)	Wind Speed (Knots)	Relative Humidity (%)	MSL Pressure (hPa)	Max. Temp. (Degrees Celsius)	Min. Temp. (Degrees Celsius)
2012	2	21	2.1	16.2	98.7	1018.3	9.8	8.5
2012	2	22	12.5	18.6	98.8	1011.7	11.9	9.1
2012	2	23	3.8	13.1	97.1	1019.3	11.3	9.0
2012	2	24	2.4	7.8	84.3	1027.1	9.1	4.1
2012	2	25	0.0	6.8	83.4	1028.7	8.9	3.1
2012	2	26	2.6	10.7	99.7	1025.0	8.9	5.4
2012	2	27	1.9	10.1	99.6	1020.4	10.7	8.6
2012	2	28	0.0	8.9	92.4	1021.5	11.4	7.3
2012	2	28	0.0	11.5	90.5	1018.0	10.2	7.1
2012	3	1	0.9	9.3	91.9	1021.7	9.6	3.4
2012	3	2	0.0	12.3	91.0	1018.7	10.4	4.0
2012	3	3	4.2	13.5	86.4	1009.2	9.3	0.9
2012	3	4	1.3	9.8	84.7	1021.9	6.6	-1.5
2012	3	5	0.1	6.2	86.2	1029.1	8.6	1.5
2012	3	6	2.9	15.9	96.7	1016.7	9.9	2.8
2012	3	7	4.2	15.8	82.3	1014.7	9.7	1.9
2012	3	8	0.0	13.0	87.4	1026.4	10.3	4.0
2012	3	9	2.1	13.4	98.4	1028.4	11.6	8.7
2012	3	10	1.2	10.4	96.6	1037.1	11.9	7.6
2012	3	11	0.6	4.6	95.9	1038.8	10.0	6.1
2012	3	12	0.4	3.3	89.9	1035.3	8.7	6.0
2012	3	13	0.1	3.7	92.9	1033.5	8.2	6.0
2012	3	14	0.0	8.3	88.4	1027.3	10.8	4.9
2012	3	15	6.5	10.8	96.8	1019.1	10.0	5.1
2012	3	16	7.2	8.7	91.8	1010.4	9.9	2.3
2012	3	17	0.1	5.9	87.6	1010.6	7.6	0.8
2012	3	18	0.1	7.0	81.5	1022.3	9.1	1.3
2012	3	19	0.3	11.6	86.0	1028.3	11.3	2.8
2012	3	20	0.3	13.0	85.8	1030.1	10.6	7.5
2012	3	21	0.1	9.3	81.6	1030.7	9.8	6.3
2012	3	22	0.0	10.3	79.9	1026.8	13.5	2.9
2012	3	23	0.2	12.0	88.2	1022.0	10.1	5.4
2012	3	24	0.0	13.7	74.8	1022.6	16.3	4.9
2012	3	25	0.0	8.8	72.0	1029.9	18.2	6.2
2012	3	26	0.0	8.9	69.9	1033.8	17.8	6.1
2012	3	27	0.0	6.2	65.8	1035.5	18.8	6.2
2012	3	28	0.0	3.9	63.5	1035.1	18.8	7.5
2012	3	29	0.0	8.2	74.6	1034.3	15.4	7.3
2012	3	30	0.2	10.1	91.9	1030.2	9.4	7.1
2012	3	31	0.4	8.5	84.5	1025.1	11.4	4.3
2012	4	1	0.0	4.4	83.3	1023.0	10.6	2.8
2012	4	2	3.1	5.2	90.9	1013.9	10.0	5.6
2012	4	3	2.8	12.9	81.1	1011.1	6.5	0.1
2012	4	4	0.0	12.2	64.6	1023.1	7.3	-0.1
2012	4	5	0.7	4.9	78.7	1025.5	9.2	0.6
2012	4	6	1.8	9.8	98.4	1019.9	9.3	4.4
2012	4	7	1.5	12.3	97.2	1018.7	11.0	7.0
2012	4	8	3.5	10.1	91.5	1012.8	8.8	5.7
2012	4	9	7.9	10.3	93.5	989.1	8.4	2.4
2012	4	10	2.0	9.0	83.5	988.7	8.7	1.7
2012	4	11	1.5	9.3	80.8	999.9	11.4	2.4

Knock Airport

Year	Month	Day	Rainfall (mm)	Wind Speed (Knots)	Relative Humidity (%)	MSL Pressure (hPa)	Max. Temp. (Degrees Celsius)	Min. Temp. (Degrees Celsius)
2012	4	12	6.2	5.6	88.1	1006.6	9.3	3.7
2012	4	13	0.0	5.1	74.7	1007.6	10.3	2.0
2012	4	14	0.1	7.5	71.3	1015.3	9.7	1.6
2012	4	15	0.0	4.0	67.5	1026.1	9.1	0.9
2012	4	16	12.8	12.5	90.3	1015.6	8.9	3.5
2012	4	17	6.4	12.2	92.4	989.0	7.8	3.4
2012	4	18	1.4	8.3	87.5	986.3	10.3	3.6
2012	4	19	0.4	7.8	83.6	992.8	10.4	2.8
2012	4	20	1.4	7.8	79.3	993.9	10.2	1.9
2012	4	21	0.5	10.2	75.7	999.2	12.0	3.5
2012	4	22	6.1	6.0	90.3	1001.6	10.4	4.5
2012	4	23	0.0	6.8	82.8	998.4	11.6	4.2
2012	4	24	0.1	5.3	78.7	999.0	11.9	3.9
2012	4	25	0.2	15.0	84.3	989.0	8.8	1.1
2012	4	26	0.1	17.1	78.6	999.6	8.8	2.9
2012	4	27	0.0	9.4	68.4	1016.3	9.2	1.8
2012	4	28	0.0	7.7	67.7	1024.0	10.5	1.0
2012	4	29	0.0	13.6	66.8	1017.8	11.0	0.9
2012	4	30	1.9	13.3	77.6	1014.5	13.0	3.9
2012	5	1	0.2	11.5	78.6	1021.3	15.0	6.6
2012	5	2	0.0	4.2	79.3	1023.8	12.6	6.1
2012	5	3	0.0	8.0	78.6	1015.6	16.7	5.7
2012	5	4	1.6	10.2	85.3	1011.4	9.3	1.8
2012	5	5	0.0	5.4	63.5	1014.7	8.7	1.7
2012	5	6	0.0	5.5	60.1	1013.9	10.2	1.9
2012	5	7	11.6	8.7	85.8	1005.1	11.8	2.9
2012	5	8	0.6	8.3	77.1	1005.9	10.4	3.0
2012	5	9	0.4	6.6	66.3	1006.6	11.9	2.8
2012	5	10	19.7	9.0	95.8	1004.8	7.6	4.8
2012	5	11	1.7	11.0	72.9	1028.1	10.2	3.4
2012	5	12	0.0	9.3	71.6	1039.2	13.6	3.1
2012	5	13	5.1	15.0	85.2	1024.0	10.9	4.0
2012	5	14	3.2	13.8	79.5	1014.8	11.1	1.9
2012	5	15	2.6	11.7	75.6	1023.4	10.0	2.3
2012	5	16	2.7	5.9	83.8	1025.4	9.5	3.1
2012	5	17	2.8	4.6	90.1	1015.2	10.1	4.9
2012	5	18	1.2	6.8	87.5	1010.7	11.2	5.8
2012	5	19	0.0	5.8	82.8	1013.8	10.6	5.8
2012	5	20	0.0	7.5	79.2	1012.2	15.0	5.9
2012	5	21	0.5	9.1	82.4	1010.3	17.1	8.4
2012	5	22	0.9	10.2	89.6	1014.6	17.8	10.2
2012	5	23	0.0	11.2	80.6	1022.5	19.6	9.5
2012	5	24	0.0	4.8	76.2	1027.8	21.3	9.0
2012	5	25	0.0	11.1	64.8	1023.7	25.1	13.4
2012	5	26	0.0	13.6	61.6	1020.1	23.3	12.1
2012	5	27	0.0	9.8	60.3	1018.5	23.6	12.7
2012	5	28	0.0	8.1	67.6	1016.6	21.8	11.3
2012	5	29	0.5	4.3	85.5	1016.9	17.0	8.0
2012	5	30	1.9	5.5	85.6	1016.5	18.2	11.1
2012	5	31	12.9	5.3	96.8	1018.2	15.0	11.0
2012	6	1	0.6	3.8	90.2	1019.6	18.7	11.3

Knock Airport

Year	Month	Day	Rainfall (mm)	Wind Speed (Knots)	Relative Humidity (%)	MSL Pressure (hPa)	Max. Temp. (Degrees Celsius)	Min. Temp. (Degrees Celsius)
2012	6	2	8.1	7.9	90.5	1012.7	15.6	10.3
2012	6	3	6.1	7.6	89.1	1010.9	11.5	8.1
2012	6	4	0.0	5.3	67.8	1017.1	15.2	8.4
2012	6	5	4.5	6.1	96.1	1007.2	12.3	6.8
2012	6	6	4.7	4.3	86.8	998.0	14.9	10.0
2012	6	7	47.4	10.5	97.9	991.2	11.8	10.3
2012	6	8	24.3	20.0	94.4	997.2	10.5	8.2
2012	6	9	0.0	9.3	70.0	1009.3	14.5	7.3
2012	6	10	0.0	3.5	72.6	1008.3	16.7	6.7
2012	6	11	3.2	5.7	85.3	1007.3	17.1	7.3
2012	6	12	5.4	8.4	86.2	1012.5	13.3	8.5
2012	6	13	2.5	6.3	81.6	1015.5	13.4	6.8
2012	6	14	10.9	12.2	93.4	1008.7	13.5	8.7
2012	6	15	26.6	14.4	95.5	994.7	14.1	9.8
2012	6	16	1.9	12.0	94.8	1001.5	10.8	7.3
2012	6	17	0.9	5.3	80.5	1015.6	13.6	6.6
2012	6	18	6.3	5.3	93.5	1014.4	11.6	7.2
2012	6	19	0.7	4.8	80.9	1016.2	15.8	5.5
2012	6	20	9.3	5.6	88.8	1014.6	15.6	8.5
2012	6	21	17.6	8.0	97.9	1004.2	10.9	8.8
2012	6	22	1.8	16.3	87.0	1007.5	14.5	9.5
2012	6	23	6.7	9.6	94.8	1011.7	13.2	9.1
2012	6	24	0.4	7.6	84.5	1013.3	16.8	8.9
2012	6	25	0.0	4.5	79.4	1017.3	17.1	7.4
2012	6	26	2.2	10.6	93.3	1014.2	17.9	11.2
2012	6	27	2.5	7.6	96.6	1012.1	18.0	13.6
2012	6	28	18.2	9.4	89.7	997.6	17.2	12.4
2012	6	29	8.6	11.0	94.0	992.5	15.2	9.7
2012	6	30	8.7	12.4	91.5	1002.7	13.2	8.5
2012	7	1	6.0	8.5	91.9	1008.3	13.0	8.7
2012	7	2	5.0	4.4	94.3	1006.2	18.9	12.1
2012	7	3	8.4	8.0	98.8	1004.4	15.9	9.9
2012	7	4	0.8	5.3	87.8	1004.5	18.6	8.9
2012	7	5	0.4	4.3	86.7	1010.5	17.7	9.9
2012	7	6	0.6	6.3	92.0	1011.1	18.4	12.1
2012	7	7	2.2	10.1	92.0	1010.4	15.5	11.3
2012	7	8	1.3	11.8	95.5	1012.1	12.0	9.2
2012	7	9	2.0	9.8	93.5	1013.6	13.0	9.2
2012	7	10	4.1	10.3	89.7	1013.6	15.1	8.5
2012	7	11	11.7	9.3	90.4	1013.5	13.2	7.2
2012	7	12	0.2	5.8	83.0	1009.1	15.4	7.0
2012	7	13	0.0	7.1	78.0	1004.3	16.7	8.7
2012	7	14	0.0	8.5	76.5	1010.3	14.3	7.8
2012	7	15	1.4	7.6	81.5	1014.4	16.7	5.9
2012	7	16	1.3	8.8	94.3	1014.5	16.6	11.6
2012	7	17	11.7	8.8	99.4	1017.8	15.7	12.1
2012	7	18	5.9	10.8	92.3	1010.8	17.1	10.0
2012	7	19	0.1	8.0	80.8	1014.4	14.5	8.8
2012	7	20	0.0	3.8	76.4	1020.1	15.4	9.0
2012	7	21	0.0	7.0	79.1	1022.8	16.2	8.6
2012	7	22	2.5	15.5	95.9	1017.1	17.9	11.8

Knock Airport

Year	Month	Day	Rainfall (mm)	Wind Speed (Knots)	Relative Humidity (%)	MSL Pressure (hPa)	Max. Temp. (Degrees Celsius)	Min. Temp. (Degrees Celsius)
2012	7	23	11.5	6.3	96.8	1015.6	15.2	12.3
2012	7	24	5.1	4.2	92.8	1017.7	15.6	11.3
2012	7	25	0.2	5.8	83.8	1021.6	18.2	10.5
2012	7	26	0.0	5.8	79.0	1020.4	18.6	10.5
2012	7	27	4.7	10.3	85.8	1017.5	14.3	8.2
2012	7	28	7.2	10.9	90.8	1012.1	13.2	8.3
2012	7	29	5.5	8.8	87.7	1012.1	13.7	6.4
2012	7	30	0.3	4.8	78.2	1013.4	17.4	6.6
2012	7	31	20.4	11.3	98.7	1005.4	14.9	9.0
2012	8	1	3.0	13.3	88.0	996.4	16.0	9.7
2012	8	2	1.2	10.8	88.3	1002.5	16.4	8.7
2012	8	3	4.6	7.6	91.3	1002.7	18.2	11.6
2012	8	4	3.7	9.0	88.9	1006.1	18.7	11.8
2012	8	5	0.3	8.7	91.6	1008.7	13.7	9.5
2012	8	6	3.2	6.0	88.9	1010.3	16.4	9.3
2012	8	7	0.0	2.6	84.9	1017.0	17.9	11.2
2012	8	8	0.0	3.8	81.6	1023.0	22.0	12.3
2012	8	9	0.0	3.5	80.5	1026.5	21.3	13.7
2012	8	10	0.0	6.9	80.8	1025.2	24.4	14.6
2012	8	11	1.8	11.2	80.8	1015.6	22.2	12.9
2012	8	12	7.0	8.0	95.1	1006.7	19.4	13.7
2012	8	13	13.9	10.5	90.0	1000.9	18.7	12.7
2012	8	14	8.4	7.5	85.8	1004.8	20.2	12.4
2012	8	15	14.0	16.7	92.0	993.5	17.2	12.6
2012	8	16	8.7	13.2	90.0	999.9	18.8	11.5
2012	8	17	2.6	6.0	87.9	1003.1	19.9	12.5
2012	8	18	3.5	9.4	88.0	1008.7	20.1	12.1
2012	8	19	4.7	10.0	94.3	1012.5	18.4	12.4
2012	8	20	3.2	9.9	93.7	1014.7	18.4	12.0
2012	8	21	2.1	10.3	92.7	1012.6	17.6	10.5
2012	8	22	4.9	10.5	91.6	1013.8	17.3	11.0
2012	8	23	11.9	7.1	95.1	1009.9	15.2	11.0
2012	8	24	6.9	7.7	95.3	1001.3	15.4	10.7
2012	8	25	0.7	8.8	86.2	1006.9	16.1	9.1
2012	8	26	3.9	9.4	85.9	1012.0	16.8	8.1
2012	8	27	4.7	13.1	89.4	999.7	17.2	9.9
2012	8	28	2.0	10.9	84.6	1004.6	16.2	8.7
2012	8	29	3.8	11.5	93.3	1001.5	14.6	10.1
2012	8	30	0.1	9.4	75.9	1024.6	15.1	8.2
2012	8	31	1.0	10.6	91.3	1028.5	16.7	9.2
2012	9	1	4.3	11.9	93.4	1021.4	15.9	11.8
2012	9	2	0.0	5.9	89.5	1024.4	17.1	11.5
2012	9	3	1.7	11.0	96.1	1023.4	17.0	11.3
2012	9	4	0.1	8.5	82.5	1026.9	16.5	9.6
2012	9	5	0.1	4.2	83.6	1031.0	17.2	8.0
2012	9	6	0.2	10.3	90.8	1025.1	15.9	8.5
2012	9	7	0.5	6.6	95.3	1023.4	18.1	13.2
2012	9	8	0.4	6.3	89.3	1016.9	17.0	9.6
2012	9	9	3.7	10.3	97.4	1002.6	16.1	9.3
2012	9	10	7.1	5.9	94.0	1005.4	12.6	6.8
2012	9	11	3.1	11.5	83.8	1013.4	13.0	5.3

Knock Airport

Year	Month	Day	Rainfall (mm)	Wind Speed (Knots)	Relative Humidity (%)	MSL Pressure (hPa)	Max. Temp. (Degrees Celsius)	Min. Temp. (Degrees Celsius)
2012	9	12	4.2	10.5	87.1	1015.9	13.9	7.0
2012	9	13	2.3	14.2	87.9	1015.6	16.9	7.2
2012	9	14	0.0	13.3	80.9	1014.6	15.6	9.8
2012	9	15	0.3	8.1	87.4	1014.7	13.9	10.1
2012	9	16	6.2	11.0	89.7	1008.0	13.6	8.5
2012	9	17	8.2	11.7	89.3	1007.5	13.5	6.6
2012	9	18	2.4	11.1	83.7	1017.4	12.2	6.2
2012	9	19	0.5	6.2	87.5	1022.0	13.1	5.1
2012	9	20	10.2	8.0	97.5	1015.9	13.8	8.7
2012	9	21	0.1	6.5	83.8	1019.8	12.5	5.9
2012	9	22	0.0	6.6	80.1	1019.3	13.0	4.1
2012	9	23	0.0	8.5	86.2	1007.7	14.1	5.0
2012	9	24	5.2	7.0	94.4	995.8	9.4	7.0
2012	9	25	3.7	15.0	86.3	991.0	11.3	7.4
2012	9	26	0.1	15.7	80.0	1001.6	12.9	7.8
2012	9	27	2.9	8.2	91.0	1009.1	12.4	7.2
2012	9	28	2.2	11.2	88.5	1010.0	12.7	5.5
2012	9	29	5.1	11.7	84.0	1016.5	13.8	5.1
2012	9	30	11.3	12.9	89.0	1007.4	14.9	8.6
2012	10	1	4.8	9.6	92.2	1004.3	11.9	6.7
2012	10	2	13.2	8.3	94.3	998.6	11.5	5.3
2012	10	3	9.0	8.2	93.4	999.8	11.3	5.4
2012	10	4	6.0	7.5	94.1	1003.0	10.6	4.6
2012	10	5	3.2	6.0	89.5	1006.0	12.6	4.1
2012	10	6	0.3	5.4	90.7	1015.9	12.3	3.8
2012	10	7	0.1	6.8	85.5	1021.3	10.9	4.5
2012	10	8	1.0	8.3	86.0	1016.9	11.9	5.1
2012	10	9	0.0	6.2	88.0	1017.4	12.2	4.3
2012	10	10	0.4	7.8	98.9	1010.1	12.5	3.1
2012	10	11	16.0	10.7	88.8	1003.9	12.5	4.4
2012	10	12	0.7	5.6	87.8	1005.6	10.3	2.9
2012	10	13	1.1	6.2	86.0	1005.6	10.8	3.7
2012	10	14	1.1	7.9	91.6	1004.7	11.4	4.8
2012	10	15	10.9	6.2	94.4	998.1	8.9	4.9
2012	10	16	1.6	6.9	88.4	995.8	10.9	4.6
2012	10	17	14.5	9.3	97.0	985.5	9.3	6.0
2012	10	18	9.7	9.1	97.7	993.1	11.8	7.3
2012	10	19	0.1	5.8	88.1	1007.8	11.0	7.2
2012	10	20	0.0	6.3	90.3	1011.3	13.3	5.8
2012	10	21	0.1	9.5	93.3	1016.8	13.2	6.9
2012	10	22	0.3	7.1	95.5	1022.5	11.6	6.2
2012	10	23	0.1	5.2	94.7	1027.6	12.9	7.7
2012	10	24	0.0	7.8	93.4	1024.6	12.0	7.5
2012	10	25	0.0	9.4	84.0	1020.9	10.8	6.9
2012	10	26	0.0	8.1	77.7	1022.9	7.0	1.1
2012	10	27	0.1	7.4	77.2	1026.9	8.1	0.6
2012	10	28	12.3	11.8	97.0	1010.8	8.3	4.9
2012	10	29	0.4	6.5	91.4	1010.6	9.5	4.1
2012	10	30	2.5	10.1	93.6	1001.4	8.7	2.7
2012	10	31	16.9	4.9	94.7	979.2	7.4	1.1
2012	11	1	9.5	9.5	92.1	977.8	5.2	-0.2


Knock Airport

Year	Month	Day	Rainfall (mm)	Wind Speed (Knots)	Relative Humidity (%)	MSL Pressure (hPa)	Max. Temp. (Degrees Celsius)	Min. Temp. (Degrees Celsius)
2012	11	2	4.8	10.0	91.5	985.9	5.5	1.0
2012	11	3	6.0	10.8	93.5	987.3	6.4	0.2
2012	11	4	0.4	7.0	95.3	990.8	6.7	3.0
2012	11	5	0.4	6.8	89.3	1013.6	9.0	2.3
2012	11	6	0.1	10.5	89.0	1023.3	9.9	4.1
2012	11	7	3.5	12.1	95.3	1020.9	10.1	7.2
2012	11	8	3.1	10.1	93.8	1016.6	9.6	5.2
2012	11	9	8.2	9.9	93.0	1000.1	8.5	2.7
2012	11	10	3.3	7.8	93.5	996.0	6.5	3.0
2012	11	11	4.5	7.5	94.0	1011.9	7.7	4.1
2012	11	12	3.7	10.2	99.0	1010.5	11.6	5.0
2012	11	13	21.1	10.8	99.7	1013.4	11.7	8.6
2012	11	14	6.2	3.9	99.7	1021.9	8.6	6.7
2012	11	15	1.2	5.7	97.2	1020.3	8.8	3.8
2012	11	16	1.5	6.2	96.4	1011.4	7.2	4.0
2012	11	17	1.6	6.6	93.0	1008.1	5.6	1.0
2012	11	18	13.5	10.4	97.3	1005.7	9.9	-0.3
2012	11	19	9.3	15.5	99.0	991.9	10.7	7.7
2012	11	20	14.8	12.5	94.8	993.8	9.6	3.0
2012	11	21	1.4	12.8	93.0	1000.9	8.2	1.9
2012	11	22	13.4	11.8	95.6	992.4	8.6	3.4
2012	11	23	4.1	7.3	92.2	1005.7	5.8	1.0
2012	11	24	0.1	3.8	94.9	1010.3	2.5	-1.0
2012	11	25	0.0	5.4	97.7	1002.5	2.8	-1.0
2012	11	26	5.1	12.3	90.2	1011.7	6.8	2.3
2012	11	27	0.5	8.5	85.4	1020.0	6.1	1.8
2012	11	28	0.4	4.7	93.8	1023.5	6.0	1.4
2012	11	29	0.2	3.8	97.5	1016.1	2.5	0.1
2012	11	30	1.1	4.9	99.8	1012.5	4.0	1.3
2012	12	1	0.2	5.0	93.4	1019.5	5.2	2.3
2012	12	2	10.7	6.7	97.8	1012.8	9.0	1.5
2012	12	3	5.9	10.1	92.5	1007.1	7.2	1.4
2012	12	4	2.5	9.5	93.3	1005.6	5.1	0.9
2012	12	5	0.0	5.8	90.4	1016.0	4.6	0.4
2012	12	6	16.1	13.6	93.8	1006.5	5.8	0.7
2012	12	7	0.7	10.6	82.8	1015.6	6.9	2.1
2012	12	8	0.9	8.5	96.0	1026.4	6.9	1.0
2012	12	9	0.7	7.0	93.1	1024.1	6.5	3.1
2012	12	10	0.0	6.3	88.7	1028.0	3.5	-1.6
2012	12	11	0.0	10.2	93.9	1027.1	1.2	-1.6
2012	12	12	1.0	9.3	96.8	1012.9	4.7	0.1
2012	12	13	0.0	12.4	93.3	998.5	4.3	0.1
2012	12	14	9.8	10.0	98.0	976.0	5.8	2.3
2012	12	15	1.0	6.9	98.3	982.1	7.5	3.6
2012	12	16	11.0	9.5	97.5	988.6	6.4	3.8
2012	12	17	5.5	8.0	97.3	998.8	7.2	4.9
2012	12	18	0.4	8.3	99.4	1013.3	5.8	1.7
2012	12	19	8.0	10.8	98.5	1003.7	8.5	4.3
2012	12	20	0.5	4.2	99.8	1000.1	7.0	3.0
2012	12	21	1.7	7.9	99.5	1005.3	7.1	1.8
2012	12	22	15.0	14.3	99.5	990.9	11.2	6.1


Knock Airport

Year	Month	Day	Rainfall (mm)	Wind Speed (Knots)	Relative Humidity (%)	MSL Pressure (hPa)	Max. Temp. (Degrees Celsius)	Min. Temp. (Degrees Celsius)
2012	12	23	3.1	14.0	93.1	994.6	9.8	3.9
2012	12	24	2.5	7.5	98.1	991.1	6.9	2.8
2012	12	25	3.9	7.3	96.0	993.0	5.9	2.5
2012	12	26	9.0	11.4	93.4	996.1	6.5	2.3
2012	12	27	2.8	8.1	90.1	1004.5	6.5	3.0
2012	12	28	9.5	21.4	96.5	996.3	10.9	4.5
2012	12	29	9.4	11.3	90.5	991.3	8.2	0.9
2012	12	30	18.4	16.5	94.2	997.8	9.0	0.5
2012	12	31	3.0	13.6	91.8	993.4	9.1	1.0

Month	Rainfall (mm)
January	138.4
February	78.1
March	33.4
April	62.4
May	70.1
June	230.1
July	120.5
August	125.8
September	86.1
October	126.4
November	143.0
December	153.2
Total	1367.5



Percentage Frequency of Occurrence of Wind Directions



Percentage Frequency of Occurrence of Wind Speeds

+ less than 0.1

0	1-3	4-6	7-10	11-16	17-21	22-27	28-33	34-40	41-47	over 48	knots
0.0	6.6	23.9	35.2	26.5	6.4	1.2	0.3	+	0.0	0.0	%

mean wind speed: 9.3 knots
anemometer height: 12m

standard deviation: 4.6 knots

Met Eireann, Glasnevin Hill, Dublin 9.