

## Licensing Reply - Reg 20(1) Reply Received - 1 for Clondulane and Environs Licence (D0445-01)

**Licence:** Clondulane and Environs (D0445-01)

**Status Reason:** Closed

**Issued On:** 30/05/2013

**Action Type:** Licensing Reply

**Status History Action:** Reg 20(1) Reply Received

Dear Applicant

I refer to your application for a waste water discharge licence relating to agglomeration named Clondulane.

The Agency is giving detailed consideration to your application and to complete this task the following information, particulars and evidence are required in accordance with Regulation 20(1) of the Waste Water Discharge (Authorisation) Regulations 2007, as amended.

### REGULATION 20(1) - FURTHER INFORMATION, PARTICULARS AND EVIDENCE

#### Question

Confirm the location and the grid reference for the primary discharge point from the Clondulane agglomeration.

#### Associated Documents

#### Response

Please see response to request for information in accordance with Reg 20 (1) for Clondulane Agglomeration. Regards, Gillian O'Sullivan Waste Water liaison Engineer

#### Associated Documents

- Reply to EPA Licensing Action - Reg 20(1) Notice Sent 1 -

In the case where any drawings already submitted are subject to revision consequent on this request for further information, a revised drawing should be prepared in each case. It is not sufficient to annotate the original drawing with a textual correction. Where such revised drawings are submitted, provide a list of drawing titles, drawing numbers and revision status, which correlates the revised drawings with the superseded versions.

Your reply to this notice should include a revised non-technical summary which reflects the further information you supply in compliance with the notice, insofar as that information impinges on the relevant non-technical summary.

Please supply the information by 30th May 2013. Please note that all maps/drawings should not exceed A3 in size.

Please direct any queries that you may have in relation to the above to the Inspector Simon Hussey or to OCLR Admin Team E.

Yours sincerely

Environmental Licensing Programme

Office of Climate, Licensing & Resource Use

Tel: 053-9160600

*For inspection purposes only.  
Consent of copyright owner required for any other use.*