

Headquarters, PO Box 3000
Johnstown Castle Estate
County Wexford, Ireland

Ceanncheathrú, Bosca Poist 3000
Eastát Chaisleán Bhaile Sheáin
Contae Loch Garman, Éire

T: +353 53 9160600

F: +353 53 9160699

E: info@epa.ie

W: www.epa.ie

LoCall: 1890 33 55 99

Mr Jim Dowdall
Enviroguide Consulting
93 Upper Georges St
Dun Laoghaire
Co. Dublin

15 August 2013

Waste Licence Application Reg. No.: W0284-01

Re.: Notice in accordance with Article 14(2)(b)(ii) of the Waste Management (Licensing) Regulations 2004, as amended.

Dear Mr Dowdall,

I am to refer to the above referenced application for a waste licence relating to a facility at Ballintrane, Fenagh, Co. Carlow. Having examined the documentation submitted, I am to advise that the Agency is of the view that the documentation does not comply with Article 12 of the Waste Management (Licensing) Regulations.

You are therefore requested, in accordance with Article 14(2)(b)(ii) of the regulations, to take the steps and supply the information detailed below:

ARTICLE 12 COMPLIANCE REQUIREMENTS

Municipal Solid Waste (MSW):

1. Describe the process flow for the treatment of MSW.
2. State whether this process is an MBT process or a drying process.
3. State the outputs of the MSW treatment process and their intended end uses.
4. Demonstrate the ability of both the current scrubber and biofilter, and the proposed odour control unit to adequately abate the emissions from the treatment of MSW.
5. State how the leachate from this process is handled.





ARTICLE 13 COMPLIANCE REQUIREMENTS

1. State on what date the EIS was compiled.
2. Please elaborate on the proposed MSW and gypsum processing systems in all relevant sections of the EIS to ensure that all relevant aspects of the plant are fully assessed in the EIS.
3. State the impact from current and predicted activities on climate.


Your reply to this notice should include a revised non-technical summary (Application Form and EIS) which reflects the information you supply in compliance with the notice, insofar as that information impinges on the non-technical summary.

In the case where any drawings already submitted are subject to revision consequent on this request, a revised drawing should be prepared in each case. It is not sufficient to annotate the original drawing with a textual correction. Where such revised drawings are submitted, provide a list of drawing titles, drawing numbers and revision status, which correlates the revised drawings with the superseded versions.

Please supply the information in the form of a one original plus one copy in hardcopy format within 2 weeks of the date of this notice. In addition please submit two copies of the requested information in electronic searchable PDF format on a CD-ROM to the Agency. Please note that all maps/drawings should not exceed A3 in size.

Please note that the application's register number is **W0284-01**. Please direct all correspondence in relation to this matter to Administration, Licensing Unit, Office of Climate, Licensing & Resource Use, Environmental Protection Agency, Headquarters, PO Box 3000, Johnstown Castle Estate, County Wexford quoting the register number.

Yours sincerely,



Ms Caroline Murphy

Inspector
Environmental Licensing Programme
Office of Climate, Licensing & Resource Use

