


Mr. Gabriel Hynes  
Senior Engineer  
Waterford County Council  
Environment Section  
Civic Offices  
Dungarvan  
Co. Waterford

Headquarters, PO Box 3000  
Johnstown Castle Estate  
County Wexford, Ireland  
Ceanncheathrú, Bosca Poist 3000  
Eastát Chaisleán Bhaile Sheáin  
Contae Loch Garman, Éire  
T: +353 53 9160600  
F: +353 53 9160699  
E: info@epa.ie  
W: www.epa.ie  
LoCall: 1890 33 55 99



Reg. No. W0032-03

30 September 2013

**re: Notice in accordance with Article 14(2)(b)(ii) of the Waste Management (Licensing) Regulations**

Dear Mr. Hynes,

I am to refer to the above referenced application for a waste licence relating to a facility at Dungarvan Waste Disposal Site, Ballynamuck Middle, Dungarvan, Co. Waterford.

Having examined the documentation submitted, I am to advise that the Agency is of the view that the documentation does not comply with Article 12 of the Waste Management (Licensing) Regulations. You are therefore requested, in accordance with Article 14(2)(b)(ii) of the regulations, to take the steps and supply the information detailed below:

**ARTICLE 12 COMPLIANCE REQUIREMENTS**

1. The Agency has determined that due to the nature of the proposed discharge and proximity of the special protection area an Appropriate Assessment is required and notice of that determination is hereby given in accordance with Regulation 42(8)(a) of the European Communities (Birds and Natural Habitats) Regulations 2011 (S.I. No. 477 of 2011). You are thereby required to submit a Natura Impact Statement, as defined in Regulation 2(1) of the aforesaid Regulations.

You are furthermore advised to refer to the document '*Appropriate Assessment of Plans and Projects in Ireland – Guidance for Planning Authorities*', issued in 2009 by the Department of the Environment, Heritage and Local Government, and revised in 2010. This document is available at:

[http://www.npws.ie/publications/archive/NPWS\\_2009\\_AA\\_Guidance.pdf](http://www.npws.ie/publications/archive/NPWS_2009_AA_Guidance.pdf).

Your reply to this notice should include a **revised non-technical summary** which reflects the information you supply in compliance with the notice, insofar as that information impinges on the non-technical summary.


In the case where any drawings already submitted are subject to revision consequent on this request, a revised drawing should be prepared in each case. It is not sufficient to annotate the original drawing

with a textual correction. Where such revised drawings are submitted, provide a list of drawing titles, drawing numbers and revision status, which correlates the revised drawings with the superseded versions.

Please supply the information in the form of a one original plus one copy in hardcopy format within *four weeks* of the date of this notice. In addition please submit two copies of the requested information in electronic searchable PDF format on a CD-ROM to the Agency. Please note that all maps/drawings should not exceed A3 in size.

Please note that the application's register number is **W0032-03**. Please direct all correspondence in relation to this matter to Administration, *Licensing Unit, Office of Climate, Licensing & Resource Use, Environmental Protection Agency, Headquarters, PO Box 3000, Johnstown Castle Estate, County Wexford* quoting the register number.

Yours sincerely,



---

Ewa Babiarczyk  
Inspector  
Office of Climate, Licensing & Resource Use