

Licensing Action - Reg 18(3)(b) Notice Sent - 3 for Carrigtwohill and Environs Licence (D0044-01)

Licence: Carrigtwohill and Environs (D0044-01)

Status Reason: Open

Issued On: 03/10/2013

Due Date: 02/11/2013

Action Type: Licensing Action

Status History Action: Reg 18(3)(b) Notice Sent

Dear Applicant

I refer to your application for a waste water discharge licence relating to an agglomeration named Carrigtwohill and Environs.

Having examined the documentation submitted, I am to advise that the Agency is of the view that the documentation does not comply with Regulation 16 of the Waste Water Discharge (Authorisation) Regulations 2007, as amended.

You are therefore requested, in accordance with Regulation 18(3)(b) of the regulations, to take the steps to supply the information detailed below:

REGULATION 16 COMPLIANCE REQUIREMENTS

Question

Please confirm whether the stormwater holding tanks proposed for the Old Cobh Road and IDA pumping stations will have overflow mechanisms, and if so, please provide detail on the proposed discharge arrangements for these overflows.

Associated Documents

Question

Please confirm the proposed initial capacity of the upgraded WWTP, and whether any additional increased capacity is planned based on potential future requirements.

Associated Documents

The Agency has determined that due to the likelihood of a significant effect on a European Site, an Appropriate Assessment is required and notice of that determination is hereby given in accordance with Regulation 42(8)(a) of the European Communities (Birds and Natural Habitats) Regulations 2011 (S.I. No. 477 of 2011). You are thereby required to submit a Natura Impact Statement, as defined in Regulation 2(1) of the aforesaid Regulations.

You are furthermore advised to refer to the EPA's guidance *Note on Appropriate Assessments for the purposes of the Waste Water Discharge (Authorisation) Regulations, 2007 (S.I. No. 684 of 2007), as amended*, which is available at <http://www.epa.ie/pubs/forms/lic/wwda/wastewaterdischargelicensingappropriateassessmentguidance.html> and to refer to the document '*Appropriate Assessment of Plans and Projects in Ireland – Guidance for Planning Authorities*', issued in 2009 by the Department of the Environment, Heritage and Local Government, and revised in 2010. This document is available at http://www.npws.ie/publications/archive/NPWS_2009_AA_Guidance.pdf.

Your reply to this notice should include a revised non-technical summary which reflects the information you supply in compliance with the notice, insofar as that information impinges on the non-technical summary.

In the case where any drawings already submitted are subject to revision consequent on this request, a revised drawing should be prepared in each case. It is not sufficient to annotate the original drawing with a textual correction. Where such revised drawings are submitted, provide a list of drawing titles, drawing numbers and revision status, which correlates the revised drawings with the superseded versions.

Please supply the information by 02/11/2013. Please note that any maps/drawings should not exceed A3 in size.

Please direct any queries that you may have in relation to the above to the Inspector Sean O'Donoghue or to OCLR Admin Team E.

Yours sincerely

Environmental Licensing Programme

Office of Climate, Licensing & Resource Use

Tel: 053-9160600