Environmental Protection Agency An Ghniomhaireacht um Chaomhnú Comhshaoil

W 0220 - 01

IPPC/Waste Licence Transfer Application Form

This document does not purport to be and should not be considered a legal interpretation of the provisions and requirements of the Waste Management Acts, 1996 to 2012 or Environmental Protection Agency Acts 1992 to 2012.

Environmental Protection Agency

P.O. Box 3000, Johnstown Castle, County Wexford Telephone: Lo-Call 1890 335599; 053-9160600 Fax: 053-9160699

coa

Version 5: 08/10/2012

Section 1 of this application form must be completed by the current Licensee and accompanied by required attachments. Section 2 must be completed by the Proposed Transferee and accompanied by required attachments. Both parties must complete Section 3. The transfer application shall not be regarded as complete and will not be processed unless all information requirements as set out in this form are met in advance of the application being submitted to the EPA.

Section 1: To be Completed by Current Licence Holder (Licensee)

	· · · · ·	
1.1	Register Number of Licence to be Transferred	W0220-01
1.2	Name of Current Licensee	Greenstar Limited (In Receivership)
:		
1.3	Address of Current	Greenstar Limited
	Licensee	Unit 6 Ballyogan Business Park
		Ballyogan Road
1		Sandyford 🥪
		Dublin 18 Mert
		olly and
		nose red to
-		a pure curi
1.4	Contact details for	Malcolm Dowling
, .	nominated person(s) or 💖	Tel: 01 2947969
	persons in relation to the	Email: malcolm.dowling@greenstar.ie
	transfer application	
	1. Seit	

Page 2 of 13 2669988.1

EPA Export 17-01-2014:23:27:06



Version 5: 08/10/2012

	1.5	Class/Nature of Activity	For the operation of a waste transfer
			facility for household, commercial,
			industrial, construction and demolition
			wastes.
	, • .		
	÷.		Activities Licensed:
			Waste Activities (Third Schedule to
· .		• · · · · · · · · · · · · · · · · · · ·	Waste Management Acts 1996 - 2005
		· · ·	("WMAs 1996-2005"):
		•	Class 11: Blending or mixture prior to
			submission to any activity.
			Class 12: Repackaging prior to
۰.			submission to any activity.
			Class 13: Storage prior to submission,
	- p.		other than temporary storage, pending
			the collection from the premises where
			the waste is produced.
			Recovery Activities (Fourth Schedule to
•		· · ·	WMAs 1996-2005):
			Class 2: Recycling or reclamation of
	· · ·		organic 🔊 🔊 substances (including
			compositing and other biological
			processes).
			Glass 3: Recycling or reclamation of
		e e e e e e e e e e e e e e e e e e e	metals and metal compounds.
		THEY	Class 4: Recycling or reclamation of
1		FORPHIC	other inorganic materials.
		5 ⁵⁰	Class 13: Storage of waste intended for
		nsent	submission, other than temporary
		Consent of copyre	storage, pending collection from the
1	•		premises where such waste is
	·		produced.
1	1.6	Location of activity to	Ramstown
		which the licence relates	Gorey
			Co.Wexford
	1.7	Name of Proposed	Starrus Eco Holdings Limited
·	. <u> </u>	Transferee	
	•		
•	1.8	Reason for licence	Starrus Eco Holdings Limited
		transfer request (provide	("Starrus") is currently in the process of
		detail in fifty words or	purchasing the business and assets of
;		less)	Greenstar Holdings Limited (In
13×1	•		Receivership) and certain of its
	· ·		subsidiaries ("Greenstar").
	. •		
. •			As part of the sale process, it is
			necessary for Greenstar to transfer the
	-		waste licences to Starrus.

Page 3 of 13 2669988.1



Version 5: 08/10/2012

1.9 Desired date for proposed The sale process described in response transfer to take effect? auestion 1.8 to is scheduled tó complete in July 2013. No transfer to the proposed transferee should be made before the licensee and the proposed transferee notify the Agency of the desired effective date. 1.10 Has the Licensee arranged for the completion, by an independent and appropriately qualified consultant, of an up-todate and fully costed Yes Risk Assessment of environmental liabilities for the site (ELRA or equivalent), which will address liabilities from past and present activities? anyother And Yes, please see Attachment 1B. Has the Risk Assessment been approved by OEE? (Provide copy of OEE FOR approval letter as ofcop Attachment 1B) 1.11 Has the Licensee prepared an up-to-date and fully detailed and costed the plan for Yes decommissioning or closure¹ (DMP/CRAMP or equivalent) of the site or part thereof? And . Has the Decommissioning /Closure Plan been Yes, please see Attachment 1C. approved by OEE? (Provide copy of OEE approval letter <u>as</u> Attachment_1C)

The plan must show estimated expenditure for each phase of the activity/activities and include:

Page 4 of 13 2669988.1



Section 1 Attachments: The following documents <u>must</u> be provided to the EPA by the current Licensee to support the licence transfer request. Failure to do so will result in the transfer application form being returned.

Attachment 1A	As per Section 47(3) of the Waste Management Acts 1996 to 2012 / Section 94(3) of the Protection of the Environment Acts 1992 to 2012), provide a copy of the licence to be transferred.		
Attachment 1B	Provide a letter of approval from the EPA's Office of Environmental Enforcement (OEE) for the Risk Assessment referred to in Q1.10.		
Attachment 1C	Provide a letter of approval from the EPA's Office of Environmental Enforcement (OEE) for the Decommissioning/Closure Plan described in Q1.11.		
	only any other us		

prinon perposited

of copyright

- (i) Likely costs of abatement installation, control & monitoring;
- (ii) Likely costs of closure & remediation of the site;
- (iii) Likely costs of clean-up following a plausible accident/incident;
- (iv) Likely costs of long-term aftercare for residual environmental liabilities;
- (v) Statement or details of provisions made for the underwriting of these costs/liabilities.

Page 5 of 13 2669988.1



Section 2: To be Completed by Proposed Transferee

2.1	Name of Proposed	Starrus Eco Holdings Limited
• .	Transferee	
2.2	Address of Proposed	Unit 6 Ballyogan Business Park
	Transferee	Ballyogan Road
* . ,		Sandyford
· .		Dublin 18
2.3	Contact details for	Malcolm Dowling (Employee) acting on
	nominated person(s) in	behalf of Starrus Eco Holdings Limited
	relation to the transfer	
	application	PH: 01 2947969
		Fax: 01 2947990
		Email: Malcolm.dowling@greenstar.ie
2.4	General background on the	Under the terms of a Framework
	Proposed Transferee.	Agreement dated 5 April 2013, Starrus
	(approx. 150 words or less)	Holdings Limited, an Irish registered
•	Details to include:	company (Reg. No. 525752) (the
	 Business activity of Proposed Transferee 	"Proposed Rurchaser") agreed to
	Date established	purchase the business and assets of
	(companies only)	Greenstary Holdings Limited (In
	 Most recent details on 	Receivership) and certain of its
	total assets value,	subsidiaries ("Greenstar"), including
	turnover and profit	the facility to which this licence relates
	(where available)	(the "Transaction").
	State whether Proposed	
	Transferee is a holding?	Starrus Eco Holdings Limited (Reg. No.
•.	• Where appropriate,	527552) ("Starrus") was incorporated
-	• where appropriate, provide similar details	on 15 May 2013 to manage waste
	for ultimate parent	activities, and will ultimately become a
	company (also include	subsidiary of the Proposed Purchaser
	jurisdiction where	post completion of the Transaction.
· .	ultimate parent	
	company is registered)	As a newly incorporated company, we
		cannot provide details on asset value,
		turnover and profit. Starrus provided
		proposals to the OEE on 5 June 2013 in
		respect of financial provisioning which
		were approved by the OEE. Please see
		attachment 2D.
		The in internal of these times for
		It is intended that the business of
		Greenstar will remain as is under the
		existing licence in relation to the
		activities carried out under the terms of
		this licence and Greenstar employees
		will continue to operate in their current
<u> </u>		roles where possible.

Licence Transfer Application Form Version 5: 08/10/2012			
2.5	Has the Proposed Transferee/other relevant person been convicted under any of the following:	Yes, please see Attachment 2F for full list of relevant convictions involving Greenstar Directors.	
	 EPA Acts 1992 to 2012? 		
. , . ,	 Waste Management Acts 1996 to 2012? Local Government (Water Pollution) Acts 		
·· ·	1977 and 1990?Air Pollution Act 1987?		
	If yes, provide full details.		
2.6	Provide:	(a) Denise Mullally General Manager	
	 (a) names (b) details of relevant education, training and experience; and (c) responsibilities of all persons to provide management and supervision of the activities authorised by the the licence (in particular the name of the facility manager and any open nominated deputies). 	 (b) Education/Experience Over 9 years waste management experience; FÁS Waste Management Course (c) Management and control of site operations. Compliance with all degislative requirements and company policies, including health and safety and environmental. Maintains operational budgets. Maintains operational standards in compliance with licence conditions. Development and training of staff. (a) Andrew Rinkulis 	
		Operations Supervisor	
 		(b) Education/Experience FÁS Waste Management Course Over 11 years waste management experience	
		(c) Responsible for direct labour supervision within the facility, overall facility housekeeping and ISO systems maintenance.	
· · ·		(a) Aidan Shanahan Head of Operations	
		(b) Education/Experience FÁS Waste Management Course	

0.0



Consent of copyrige

Version 5: 08/10/2012

Over 11 years waste management experience

(c) Overall responsibility for processing and transfer of material in south/southeast.

(a) Malcolm Dowling

Group Environmental Compliance Manager

(b) Education/Experience FÁS Waste Management Course Over 15 years waste management experience with 9 years in waste management;

BSc., MSc., Director of Irish Waste Management Association.

(c) Responsibility for management of environmental compliance and to ensure development and maintenance of high standards.

> Page 8 of 13 2669988.1

> > EPA Export 17-01-2014:23:27:06



5

Licence Transfer Application Form

· · · · ·		· · · · · · · · · · · · · · · · · · ·
2.7	Has the Proposed	
2.1	Transferee made	
	adequate financial	
	provision ² to meet the	
	financial commitments/	
	liabilities that will be	
		No.
	entered into/incurred in	Yes
	carrying on the activity to	
.	which the licence relates	
•	or in consequence of	
,	ceasing to carry on that	
	activity as the licence may	
	specify*?	
. •	Amel	
· · [And	
	Has the financial provision	•
· · ·	been approved by OEE?	
	Deen approved by OEE?	
· · .	(Provide copy of OEE approval	~©.
	letter as Attachment 2D).	et lis
•		Please see Attachment 2D.
	*Defen te l'Ouidence en	Please see Attachment 2D.
	*Refer to 'Guidance on Environmental Liability Risk	os ^e et ^t
	Assessment, Residuals	DUTECTION
	Management Plans and	to the true
	Financial Provision' EPA, 2006	
	and consult with OEE.	
2.8	Provide a statement	
2.0	~	Please see Attachment 2F.
	(signed by the Proposed	
	Transferee) that "the	
	Proposed Transferee has	
	assumed and accepted all	
ľ	liabilities, requirements	· · ·
	and obligations provided	
	for in or arising under the	
	licence, or revised	
	licence, regardless of how	
	and in respect of what	
	period, including a period	
. · ·	prior to the transfer of	
	the licence or revised	4
· · ·	licence they may arise."	

² The amount of financial provision must always be capable of covering the liabilities identified and must have been updated at least within the last twelve months.

Page 9 of 13 2669988.1

a			
ေဝေ	Licence Trans	fer Application Form	Version 5: 08/10/2012
2.9	Has the Proposed Transferee, their parent company or any 'relevant person' had an application for a licence: (a)Granted? (b)Rejected? (c)Revoked? If yes, provide full details.	N/A	
2.10	Has the Proposed Transferee, their parent company or any 'relevant person' been refused by the EPA as a transferee for a licence? If yes, provide full details.	N/A	
· ·	, , p		
		tion puposes only any other use.	
		ion pupositied	
•	Former	LOWIT	
	Consent of		

1.5

Ş

Page 10 of 13 2669988.1



Section 2 Attachments: The following documents <u>must</u> be provided to the EPA by the Proposed Transferee to support the licence transfer request. Failure to do so will result in the transfer application being rejected.

Attachment 2A	Provide a copy of the Certified Copy of Certificate of Incorporation.	
Attachment 2B	Provide particulars of Registered Office of the Company (if not included in 2A above).	
Attachment 2C	Where appropriate provide an organisional chart showing company structure, including parent company, subsidiaries and related addresses.	
Attachment 2D	Provide a letter of approval from the Office of Enforcement for the financial provision described in Q2.7.	

ent of constitution of the realistic for any other

Page 11 of 13 2669988.1



j₽ ⊘

2

Licence Transfer Application Form

Section 3: To be Completed by Both Parties

3.1: Payment of Fee

The licence transfer application can not be processed, unless accompanied by the transfer fee (*please tick*):

Consent of constitution of the real is any other use

Waste Licence Transfer Application €5,000

IPPC Licence Transfer Application €2,000





Version 5: 08/10/2012

Declaration

We, the undersigned, hereby apply to the Environmental Protection Agency, as per Section 47 of the Waste Management Acts 1996 to 2012 for the transfer of licence reg. no. W0220-01 from Greenstar Limited (In Receivership) to Starrus Eco Holdings Limited.

· · · · · · · · · · · · · · · · · · ·		•
Signed:		
Licensee Name:	Greenstar Limited (In Receivership)	
Date:	17/6/13	
Company Seal: (where available)		
	Solid any other use.	
	Solid any Or	
Signed:	wonder for fur	
Proposed Transferee Name:	Starrus Eco Holdings Limited	• •
Date:	1416113	.: · ·
Company Seal: Constant (where available)		o Maior
		and the second s
	SUN CAR	Linte

Page 13 of 13 2669988.1 This licence was amended on 26th January 2012 under Section 42B(1) of the Waste Management Acts, 1996-2011. The details of Amendment A must be read in conjunction with this licence. The amendment document is entitled "Technical Amendment A"



Headquarters P.O. Box 3000 Johnstown Castle Estate County Wexford Ireland

WASTE LICENCE

of copy

Licence Register No:	W0220-01
Licensee:	Greenstar Limited
Location of Facility:	Ramstown, Gorey, County Wexford

Environmental Protection Agency

icence Reg. Nº W0220-01

INTRODUCTION

This introduction is not part of the licence and does not purport to be a legal interpretation of the licence.

This licence relates to the operation of a Waste Transfer Facility by Greenstar Limited at Ramstown, Gorey, County Wexford.

The facility will be allowed to accept up to 30,000 tonnes of waste per annum consisting of household, commercial, industrial and C&D wastes for disposal and recovery off site. Recyclable waste will be segregated on site while the residual fraction will be bulked and sent to landfill for disposal. All wastes handled are non-hazardous in nature however hazardous waste received as part of municipal waste will be segregated and stored within a bunded quarantine area until it can be disposed of at an appropriate facility.

The licensee must manage and operate the facility, which will be fully enclosed, to ensure that the activities do not cause environmental pollution. The licensee is required to carry out regular environmental monitoring and submit all monitoring results, and a wide range of reports on the operation and management of the facility to the Agency.

The licence sets out in detail the conditions under which Greenstar Limited will operate and manage this facility.

Introduction

Environmental Protection Agen

icence Reg. Nº W0220-01

Table of Contents

		I	Page No.
Glossary of Terms	·····		1
Decision & Reasor	ns for the Decisions		5
Part I Schedule of	Activities Licensed		6
Part II Schedule of	Activities Refused		6
Condition 1.	Scope		7
Condition 2.	Management of the Facility		8
Condition 3.	Infrastructure and Operation		9
Condition 4.	Interpretation		14
Condition 5.	Emissions offer		15
Condition 6.	Interpretation Emissions Control and Monitoring		. 15
Condition 7.	Resource Use and Energy Efficiency		18
Condition 8.	Materials Handling on the real		18
Condition 9.	Accident Prevention and Emergency Response		20
Condition 10.	Closure, Restoration and Aftercare		21
Condition 11.	Notifications, Records and Reports	-	21
Condition 12.	Financial Charges and Provisions		23
SCHEDULE A: SCHEDULE B: SCHEDULE C: SCHEDULE D:	Limitations Emission Limits Control & Monitoring Specified Engineering Works		25 25 26 31
SCHEDULE E: SCHEDULE F:	Reporting Annual Environmental Report		31 32
	-		

Contents

Licence Reg. Nº W0220-01

Glossary of Terms

All terms in this licence should be interpreted in accordance with the definitions in the Environmental Protection Agency Acts 1992 – 2003 / Waste Management Acts 1996 to 2005, unless otherwise defined in this section.

Environmental Protection Agency

Aerosol	A suspension of solid or liquid particles in a gaseous medium.
Adequate lighting	20 lux measured at ground level.
AER	Annual Environmental Report.
Agreement	Agreement in writing.
Annually	At approximately twelve monthly intervals.
Attachment	Any reference to Attachments in this licence refers to attachments submitted as part of this licence application.
Application	The application by the licensee for this licence.
Appropriate facility	A waste management facility, duly authorised ander relevant law and technically suitable.
BAT	Best Available Techniques.
Bi-annually	All or part of a period of six consecutive months.
Biennially	Once every two years
Biodegradable waste	Any waste that is capable of undergoing anaerobic or aerobic decomposition, such as food, garden waste, sewage sludge, paper and paperboard.
BOD	5 day Biochemical Oxygen Demand.
CEN	Comité Européen De Normalisation – European Committee for Standardisation.
COD	Chemical Oxygen Demand.
Commercial Waste	As defined in Section 5(1) of the Waste Management Acts 1996 to 2005.
Construction and Demolition Waste	Wastes that arise from construction, renovation and demolition activities: Chapter 17 of the EWC or as otherwise may be agreed.
Containment boom	A boom which can contain spillages and prevent them from entering drains or watercourses or from further contaminating watercourses.
Daily	During all days of plant operation, and in the case of emissions, when emissions are taking place; with at least one measurement on any one day.
Day	Any 24 hour period.
Daytime	0800 hrs to 2200 hrs.
dB(A)	Decibels (A weighted).

Environmental Protection Agency

DO Dissolved Oxygen. **Documentation** Any report, record, result, data, drawing, proposal, interpretation or other document in written or electronic form which is required by this licence. Drawing Any reference to a drawing or drawing number means a drawing or drawing number contained in the application, unless otherwise specified in this licence. EMP Environmental Management Programme. **Emission Limits** Those limits, including concentration limits and deposition rates established in Schedule B: Emission Limits of this licence. Environmental Has the meaning given it in Directive 2004/35/EC. Damåge EPA Environmental Protection Agency. A harmonised, non-exhaustive list of wastes drawn up by the European European Waste Commission and published as Commission Decision 2000/532/EC and any Catalogue (EWC) subsequent amendment published in the Official Journal of the European Community. Facility Any site or premises used for the purposes of the recovery or disposal of waste. A minimum of 24 times per year, at approximately two week intervals. Fortnightly GC/MS Gas Chromatography/Mass Spectroscopy. Green waste Waste wood (excluding timber), plant matter such as grass cuttings, and other vegetation. This term is to be interpreted as set out in "Parameters of Water Quality, **Heavy Metals** Interpretation and Standards" published by the Agency in 2001. ISBN 1-84095-015-3. HFO Heavy Fuel Oil. The hours during which the facility is authorised to be operational. Hours of Operation Hours of Waste The hours during which the facility is authorised to accept waste. Acceptance ICP Inductively Coupled Plasma Spectroscopy. The following shall constitute an incident for the purposes of this licence: Incident (i) an emergency; any emission which does not comply with the requirements of this (ii) licènce: (iii) any exceedence of the daily duty capacity of the waste handling equipment; any trigger level specified in this licence which is attained or (iv) exceeded; and, any indication that environmental pollution has, or may have, taken (v) place.

icence Reg.

Nº W0220-01

Page 2 of 32

icence Reg. Nº W0220-01

Industrial Waste	As defined in Section 5(1) of the Waste Management Acts 1996 to 2005.
Inert waste	Waste that does not undergo any significant physical, chemical or biological transformations. Inert waste will not dissolve, burn or otherwise physically or chemically react, biodegrade or adversely affect other matter with which it comes into contact in a way likely to give rise to environmental pollution or harm human health. The total leachability and pollutant content of the waste and the ecotoxicity of the leachate must be insignificant, and in particular not endanger the quality of surface water and/or groundwater.
IPPC	Integrated Pollution Prevention & Control.
κ :	Kelvin.
(Pa	Kilo Pascals.
Leq	Equivalent continuous sound level.
Licence	A Waste Licence issued in accordance with the Waste Management Acts 1996 to 2005.
Licensee .	Greenstar Limited, La Vallee, Fassaroe, Bray, County Wicklow.
Liquid Waste	Any waste in liquid form and containing less than 2% dry matter.
List I	As listed in the EC Directives 76/464/EEC and 80/68/EEC and amendments.
List II	As listed in the EC Directives 264464/EEC and 80/68/EEC and amendments.
Local Authority	Wexford County Councils net
Maintain	Keep in a fit state, including such regular inspection, servicing, calibration and repair as may be necessary to adequately perform its function.
Mass Flow Limit	An Emission Limit Value which is expressed as the maximum mass of a substance which can be emitted per unit time.
Mass Flow Threshold	A mass flow rate, above which, a concentration limit applies.
Mobile Plant	Self propelled machinery used for the emplacement of wastes or for the construction of specified engineering works.
Monthly	A minimum of 12 times per year, at approximately monthly intervals.
Municipal waste	As defined in Section 5(1) of the Waste Management Acts 1996 to 2005.
Night-time	2200 hrs to 0800 hrs.
Noise Sensitive Location (NSL)	Any dwelling house, hotel or hostel, health building, educational establishment, place of worship or entertainment, or any other facility or area of high amenity which for its proper enjoyment requires the absence of noise at nuisance levels.
Oil Separator	Device installed according to the International Standard I.S.EN 858-2:2003 (Separator systems for light liquids, (e.g. oil and petrol)-Part 2:Selection of nominal size, installation, operation and maintenance.
PER	Pollution Emission Register.

Environmental

rotection Agency

Quarterly	All or part of a period of three consecutive months beginning on the first day of January, April, July or October.
Recyclable Materials	Those waste types, such as cardboard, batteries, gas cylinders, etc, which may be recycled.
Regional Fisheries Board	South Eastern Regional Fisheries Board.
Sanitary Authority	Wexford County Council.
Sanitary Effluent	Waste water from facility toilet, washroom and canteen facilities.
Sample(s)	Unless the context of this licence indicates to the contrary, samples shall include measurements by electronic instruments.
SOP	Standard Operating Procedure.
Specified Emissions	Those emissions listed in Schedule B: Emission Limits of this licence.
Specified Engineering Works	Those engineering works listed in Schedule Dr. Specified Engineering Works of this licence.
Standard Method	A National, European or internationally recognised procedure (eg, I.S. EN, ISO, CEN, BS or equivalent), as an in-house documented procedure based on the above references, a procedure as detailed in the current edition of "Standard Methods for the Examination of Water and Wastewater", (prepared and published jointly by A.P.H.A., A.W.W.A & W.E.F), American Public Health Association, 1015 Fineenth Street, N.W., Washington DC 20005, USA; or, an alternative method as may be agreed by the Agency.
Storm Water	Rain water, tun-off from roof and non-process areas.
Temporary storage	In relation to waste is a period of less than six months as defined in the Waste Management Acts 1996 to 2005.
The Agency	Environmental Protection Agency.
ТОС	Total Organic Carbon.
Trade Effluent	Trade Effluent has the meaning given in the Water Pollution Acts 1977 and 1990.
Trigger Level	A parameter value, the achievement or exceedance of which requires certain actions to be taken by the licensee.
Weekly	During all weeks of plant operation, and in the case of emissions, when emissions are taking place; with at least one measurement in any one week.
WEEE	As defined in S.I. No. 340 of 2005.
WWTP	Waste Water Treatment Plant.

Environmental Protection Agency

Environmental Protection Agency

icence Reg. Nº W0220-01

Decision & Reasons for the Decisions Reasons for the Decision

The Agency is satisfied, on the basis of the information available, that subject to compliance with the conditions of this licence, any emissions from the activity will comply with and will not contravene any of the requirements of Section 40(4) of the Waste Management Acts 1996 to 2005.

In reaching this decision the Environmental Protection Agency has considered the application, supporting documentation and objection received from the applicant, all submissions received from other parties and the reports of its inspectors.

Consent of convidencement convertiged for any other use

Page 5 of 32

Part I Schedule of Activities Licensed

In pursuance of the powers conferred on it by the Waste Management Acts 1996 to 2005, the Environmental Protection Agency (the Agency), under Section 40(1) of the said Acts hereby grants this Waste Licence to Greenstar Limited, La Vallee, Fassroe, Bray, County Wicklow to carry on the waste activities listed below at Ramstown, Gorey, County Wexford subject to conditions, with the reasons therefore and the associated schedules attached thereto set out in the licence.

Licensed Waste Disposal Activities, in accordance with the Third Schedule of the Waste Management Acts 1996 to 2005

Class 11.	Blending or mixture prior to submission to any activity referred to in a preceding paragraph of this Schedule.
Class 12.	Repackaging prior to submission to any activity referred to in a preceding paragraph of this Schedule.
Class 13.	Storage prior to submission to any activity referred to in a preceding paragraph of this Schedule, other than temporary storage, pending collection, on the premises where the waste concerned is produced.

Licensed Waste Recovery Activities, in accordince with the Fourth Schedule of the Waste Management Acts 1996 to 2005

3

Class 2.	Recycling or reclamation of organic substances which are not used as solvents (including composting and other biological processes).
Class 3.	Recycling or reclamation of metals and metal compounds.
Class 4.	Recycling or reclamation of other inorganic materials.
Class 13.	Storage of waste intended for submission to any activity referred to in a preceding paragraph of this Schedule, other than temporary storage, pending collection, on the premises where such waste is produced.

Part II Schedule of Activities Refused

None of the proposed activities as set out in the licence application have been refused.

_____Licence Reg. Nº W0220-01

Environmental Protection Agency

Part III Conditions

Condition 1. Scope

1.1

The facility shall be controlled, operated, and maintained and emissions shall take place as set out in this licence. All programmes required to be carried out under the terms of this licence, become part of this licence.

1.2 Waste Acceptance Hours and Hours of Operation

- 1.2.1 Unless otherwise agreed in writing, the facility shall be operated only during the hours of 0800 and 1800 Monday to Friday inclusive and 0800 to 1400 on Saturdays.
- 1.2.2 The facility shall not operate or accept/despatch waste on Sundays or on Bank Holidays without the agreement of the Agency.
- 1.3 Waste activities at this facility shall be restricted to those listed and described in *Part I Activities Licensed* and shall be as set out in the licence application or as modified under Condition 1.6 of this licence and subject to the conditions of this licence.
- 1.4 Activities at this facility shall be limited as set out of Schedule A: Limitations, of this licence.
- 1.5 For the purposes of this licence, the facility authorised by this licence, is the area of land outlined in red on Drawing No. **B**.22 of the application. Any reference in this licence to "facility" shall mean the area thus outlined in red. The licensed activities shall be carried on only within the area outlined.
- 1.6 No alteration to, or reconstruction in respect of, the activity or any part thereof which would, or is likely to, result in
 - (i) a material change or merease in:
 - The nature or quantity of any emission,
 - The abatement/treatment or recovery systems,
 - The range of processes to be carried out,
 - The fuels, raw materials, intermediates, products or wastes generated, or
 - (ii) any changes in:
 - Site management infrastructure or control with adverse environmental significance,
 - shall be carried out or commenced without prior notice to, and without the agreement of, the Agency.

Ì.7

To clarify the

This licence is for the purposes of waste licensing under the Waste Management Acts 1996 to 2005 only and nothing in this licence shall be construed as negating the licensee's statutory obligations or requirements under any other enactments or regulations.

Page 7 of 32

of this licence

Condition 2. Management of the Facility

2.1 Facility Management

2.1.1 The licensee shall employ a suitably qualified and experienced facility manager who shall be designated as the person in charge. The facility manager or a nominated, suitably qualified and experienced, deputy shall be present on the facility at all times during its operation or as otherwise required by the Agency.

2.1.2 The licensee shall ensure that personnel performing specifically assigned tasks shall be qualified on the basis of appropriate education, training and experience, as required and shall be aware of the requirements of this licence. In addition, the facility manager and his/her deputy shall successfully complete FAS waste management training programme or equivalent agreed by the Agency.

2.2 Environmental Management System (EMS)

- 2.2.1 The licensee shall establish and maintain an Environmental Management System (EMS) within six months of the date of grant of this licence. The EMS shall be updated on an annual basis.
- 2.2.2 The EMS shall include as a minimum the following elements:
 - 2.2.2.1 Management and Reporting Structure.
 - 2.2.2.2 Schedule of Environmental Objectives and Targets.

The licensee shall prepare a Schedule of Environmental Objectives and Targets. The schedule shall as a minimum provide for a review of all operations and processes, including an evaluation of practicable options, for energy and resource efficiency, the use of cleaner technology, cleaner production, and the prevention, reduction and minimisation of waste, and shall include waste reduction targets. The schedule shall include time frames for the achievement of set targets and shall address a five year period as a minimum. The schedule shall be reviewed annually and amendments thereto notified to the Agency for agreement as part of the Annual Environmental Report (AER).

2.2.2.3 Environmental Management Programme (EMP)

The licensee shall, not later than six months from the date of grant of this licence, submit to the Agency for agreement an EMP, including a time schedule, for achieving the Environmental Objectives and Targets prepared under Condition 2.2.2.2. Once agreed the EMP shall be established and maintained by the licensee. It shall include:

- (i) designation of responsibility for targets;
- (ii) the means by which they may be achieved;
- (iii) the time within which they may be achieved.

The EMP shall be reviewed annually and amendments thereto notified to the Agency for agreement as part of the Annual Environmental Report (AER) (Condition 11.11).

A report on the programme, including the success in meeting agreed targets, shall be prepared and submitted to the Agency as part of the AER. Such reports shall be retained on-site for a period

Page 8 of 32

icence Reg. Nº W0220-01

Environmental Protection Agency

of not less than seven years and shall be available for inspection by authorised persons of the Agency.

2.2.2.4 Documentation

- (i) The licensee shall establish and maintain an environmental management documentation system which shall be to the satisfaction of the Agency.
- (ii) The licensee shall issue a copy of this licence to all relevant personnel whose duties relate to any condition of this licence.
- 2.2.2.5 Corrective Action

The licensee shall establish procedures to ensure that corrective action is taken should the specified requirements of this licence not be fulfilled. The responsibility and authority for initiating further investigation and corrective action in the event of a reported nonconformity with this licence shall be defined.

2.2.2.6 Awareness and Training

The licensee shall establish and maintain procedures for identifying training needs, and for providing appropriate training, for all personnel whose work can have a significant effect upon the environment. Appropriate records of training shall be maintained.

2.2.2.7 Communications Programme

The licensee shall establish and maintain a Public Awareness and Communications Programme to ensure that members of the public are informed, and can obtain information at the facility, at all reasonable times, concerning the environmental performance of the facility.

2.3 Maintenance Programme

The licensee shall establish and maintain within six months of the date of grant of this licence a structured programme for maintenance and service of vehicles and equipment. This programme shall be supported by appropriate record keeping systems and diagnostic testing.

Reason To make provision for management of the activity on a planned basis having regard to the desirability of ongoing assessment recording and reporting of matters affecting the environment.

Condition 3. Infrastructure and Operation

- 3.1 The licensee shall, unless otherwise specified, install and operate, by 31 October 2007, all infrastructure necessary to give effect to the terms of this licence.
- 3.2 Unless otherwise agreed in writing, the building (s) to enclose the waste activities shall be constructed as described in the Application.
- 3.3 Specified Engineering Works
 - 3.3.1 The licensee shall submit proposals for all Specified Engineering Works, as defined in *Schedule D: Specified Engineering Works*, of this licence, to the Agency for its agreement at least two months prior to the intended date of commencement of any such works. No such works shall be carried out without the prior agreement of the Agency.

- Environmental Protection Agenc
 - 3.3.2 All specified engineering works shall be supervised by a competent person(s) and that person, or persons, shall be present at all times during which relevant works are being undertaken.
 - 3.3.3 Following the completion of all specified engineering works, the licensee shall complete a construction quality assurance validation. The validation report shall be made available to the Agency on request. The report shall, as appropriate, include the following information:-
 - (i) A description of the works;
 - (ii) As-built drawings of the works;
 - (iii) Any other information requested in writing by the Agency.
 - 3.4 Facility Notice Board
 - 3.4.1 The licensee shall provide and maintain a Facility Notice Board on the facility so that it is legible to persons outside the main entrance to the facility. The minimum dimensions of the board shall be 1200mm by 750mm.
 - 3.4.2 The board shall clearly show:-
 - (i) the name and telephone number of the facility;
 - (ii) the normal hours of operation; o
 - (iii) the name of the licence holder;
 - (iv) an emergency out of hours contact telephone number;
 - (v) the licence reference number; and
 - (vi) where environmental information relating to the facility can be obtained of an
 - 3.4.3 A plan of the facility clearly identifying the location of each storage and treatment area shall be displayed as close as is possible to the entrance to the facility. The plan shall be displayed on a durable material such that it is legible at all times. The plan shall be replaced as material changes to the facility are made.

Facility Security

3.5.4

3.5

cð

- 3.5.1 Security and stockproof fencing and gates shall be installed and maintained. The base of the fencing shall be set in the ground. Subject to the implementation of the restoration and aftercare plan and to the agreement of the Agency, the requirement for such site security may be removed.
- 3.5.2 The licensee shall install a CCTV system which record all truck movement into and out of the facility. The CCTV system shall be operated at all times the facility is in operation and copies of recording kept on site for a minimum of one year and made available to the Agency on request.
- 3.5.3 Gates shall be locked shut when the facility is unsupervised.
 - The licensee shall remedy any defect in the gates and/or fencing as follows:-
 - (i) A temporary repair shall be made by the end of the working day; and
 - (ii) A repair to the standard of the original gates and/or fencing shall be undertaken within three working days.
- 3.5.5 Any boundary facility wall, which also acts as a boundary to a waste processing area, shall be constructed of suitable materials of sufficient strength to withstand a normal operational environment (including impact from mobile plant).

Page 10 of 32

- 3.6 Facility Roads and Site Surfaces
 - 3.6.1 Effective site roads shall be provided and maintained to ensure the safe and nuisance free movement of vehicles within the facility.
 - 3.6.2 The licensee shall provide, and maintain an impermeable hardstanding surface in the areas of the facility shown on Drawing No. 1.1.2 within six months of date of grant of licence. In addition the floor of the buildings and hardstanding areas at the facility shall be concreted and constructed to British Standard 8110 or an alternative as agreed by the Agency. The licensee shall remedy any defect in concrete surfaces within ten working days of such a defect being detected by the licensee.

3.7 Facility Office

- 3.7.1 The licensee shall provide and maintain an office at the facility. The office shall be constructed and maintained in a manner suitable for the processing and storing of documentation.
- 3.7.2 The licensee shall provide and maintain a working telephone and a method for electronic transfer of information at the facility.
- 3.8 Waste Inspection and Quarantine Areas
 - 3.8.1 A Waste Inspection Area and a Waste Quarantine Area shall be provided and maintained at the facility.
 - 3.8.2 These areas shall be constructed and maintained in a manner suitable, and be of a size appropriate, for the inspection of waste and subsequent quarantine if required. The waste inspection area and the waste quarantine area shall be clearly identified and segregated from each other.
 - 3.8.3 Drainage from these areas shall be directed to the on site storage tanks described in condition 3.11.2.

3.9 Weighbridge and Wheel Cleaner

- 3.9.1 The licensee shall provide and maintain a weighbridge and wheel cleaners at the facility.
- 3.9.2 The wheel cleaners shall be used by all vehicles leaving the facility as required to ensure that no trade effluent, or waste is carried off-site. All water from the wheel cleaning area shall be directed to trade effluent drainage network.
- 3.9.3 The wheel-wash shall be inspected on a daily basis and drained as required. Silt, stones and other accumulated material shall be removed as required from the wheel-wash and disposed of appropriately.
- 3.10
- Waste handling, ventilation and processing plant 3.10.1 Items of plant deemed critical to the efficient and
 - 0.1 Items of plant deemed critical to the efficient and adequate processing of waste at the facility (including *inter alia* waste loading vehicles and ejector trailers) shall be provided on the following basis:-
 - (i) 100% duty capacity;
 - (ii) 20% standby capacity available on a routine basis; and
 - (iii) Provision of contingency arrangements and/or back up and spares in the case of breakdown of critical equipment.
- 3.10.2 Within three months from the date of grant of this licence, the licensee shall provide a report for the agreement of the Agency detailing the duty and standby capacity in tonnes per day, of all waste handling and processing equipment to be used at the facility. These capacities shall be based on the licensed waste intake, as per *Schedule A: Limitations*, of this licence.

Page 11 of 32

3.10.3 The quantity of waste to be accepted at the facility on a daily basis shall not exceed the duty capacity of the equipment at the facility. Any exceedance of this intake shall be treated as an incident.

icence Reg. N^o W0220-01

3.11 Wastewater Management

- 3.11.1 All trade effluent/sanitary effluent shall be directed to, and stored in, on-site storage tanks. This trade effluent/sanitary effluent shall be either, transported off-site in fully enclosed road tankers to a designated Local Authority Wastewater Treatment Plant, subject to prior written agreement of the Local Authority, or, treated on-site in a Wastewater Treatment System. The percolation area associated with any on-site treatment system shall satisfy the criteria set out in the Wastewater Treatment Manual, Treatment Systems for Single Houses, published by the Environmental Protection Agency.
- 3.11.2 Prior to the roofing of the yard area, the yard drainage discharge via the holding tanks to percolation areas shall be monitored as per Schedule C.2.2. Following the roofing of the yard area, the outlet from the discharge holding tank to the percolation area shall be closed.
- 3.12 Construction and Demolition Waste Recovery Area
 - 3.12.1 In advance of the commencement of waste activities, the licensee shall provide and maintain a construction and demolition waste recovery area. This infrastructure shall at a minimum comprise the following:-
 - (i) an impermeable concrete slab;
 - (ii) collection and disposal infrastructure for all run-off;
 - (iii) appropriate bunding to provide visual and noise screening;
 - (iv) all stockpiles shall be adequately contained to minimise dust generations
 - (v) in advance of the commencement of waste activities the licensee shall implement measures to minimise dust generation at this facility and shall as instructed by the Agency install a sprinkling inigation system for the control of dust nuisance from the facility.
 Any remedial works necessary to control dust must be implemented within a time-scale to be agreed by the Agency.
 - 3.12.2 Only Construction and Demolition waste shall be accepted at this Area. Wastes which are capable of being recovered shall be separated and shall be stored temporarily in this area prior to being subjected to other recovery activities at the facility or transport off site.
- 3.13 The licensee shall install on all emission points such sampling points or equipment, including any data-logging or other electronic communication equipment, as may be required by the Agency. All such equipment shall be consistent with the safe operation of all sampling and monitoring systems.
- 3.14 Sampling equipment shall be operated and maintained such that sufficient sample is collected to meet both internal monitoring requirements and those of the Agency. A separate composite sample or homogeneous sub-sample (of sufficient volume as advised) should be retained as required for EPA use.

3.15 Dust/Odour Control

3.15.1 All waste for disposal stored overnight at the facility, shall be stored in suitably covered and enclosed containers within the Waste Transfer Building, and shall be removed from the facility within forty eight hours of its arrival at the facility and at Bank Holiday weekends within seventy two hours of its arrival at the facility.

Page 12 of 32

3.15.2 In dry weather, site roads and any other external areas used by vehicles shall be sprayed with water as and when required to minimise airborne dust nuisance.

3.15.3 The licensee shall provide and maintain adequate measures for the control of odours and dust emissions, including fugitive dust emissions, from the facility. Such measures shall at a minimum include the following:-

- 3.15.3.1 Unless otherwise agreed in advance by the Agency dust curtains shall be maintained on the entry/exit points from the waste transfer building. Doors in the waste transfer building shall be kept closed where possible.
- 3.15.3.2 Installation and maintenance of integrity and negative pressure throughout the building to ensure no significant escape of odours or dust.
- 3.15.3.3 Installation of an odour management system.
- 3.15.3.4 Provision of 100% duty capacity and 20% stand by capacity, back ups and spares must be provided for the air handling, ventilation and abatement plant.

3.16 Operational controls

The licensee shall provide and use adequate lighting during the operation of the facility in hours of darkness.

3.17 The licensee shall clearly label and provide safe and permanent access to all on-site sampling and monitoring points and to off-site points as required by the Agency.

3.18 Tank, Container and Drum Storage Areas

- 3.18.1 All tank, container and drum storage areas shall be rendered impervious to the material stored therein. Bunds should be designed having regard to Agency guidelines 'Storage and Transfer of Materials for Scheduled Activities' (2004).
- 3.18.2 All tank and drum storage areas shall, as a minimum, be bunded, either locally or remotely, to a volume not less than the greater of the following:-

3.18.2.1 110% of the capacity of the largest tank or drum within the bunded area; or

- 3.18.2.2 25% of the total volume of substance which could be stored within the bunded area.
- 3.18.3 All drainage from bunded areas shall be treated as hazardous waste unless it can be demonstrated to be otherwise. All drainage from bunded areas shall be diverted for collection and safe disposal.
- 3.18.4 All inlets, outlets, vent pipes, valves and gauges must be within the bunded area.

3.18.5 The integrity and water tightness of all the bunding structures, tanks and containers and their resistance to penetration by water or other materials stored therein shall be tested and demonstrated by the licensee at least once every three years. This testing shall be carried out in accordance with any guidance published by the Agency.

3.18.6 All tanks containers and drums shall be labelled to clearly indicate their contents.

Page 13 of 32

Licence Reg. Nº W0220-01

Environmental Protection Agency

3.19

The licensee shall have in storage an adequate supply of containment booms and/or suitable absorbent material to contain and absorb any spillage at the facility. Once used the absorbent material shall be disposed of at an appropriate facility.

3.20 Silt Traps and Oil Separators

Prior to the commencement of the licensed activity the licensee shall install and maintain silt traps and oil separator at the facility to ensure that all storm water (excluding storm water from roof buildings) and trade effluent discharges from the facility pass through a silt trap and oil separator in advance, of discharge. The separator shall be a Class I full retention separator and the silt traps and separator shall be in accordance with I.S. EN 585-2:2003 (separator systems for light liquids)

3.21 All pump sumps, holding tanks, or other treatment plant chambers from which spillage of environmentally significant materials might occur in such quantities as are likely to breach local or remote containment or separator, shall be fitted with high liquid level alarms (or oil detectors as appropriate) within 3 (three) months from the date of grant of this licence.

- 3.22 The provision of a catchment system to collect any leaks from flanges and valves of all over ground pipes used to transport material other than water shall be examined. This shall be incorporated into a schedule of objectives and targets set out in Condition 2.2 of this licence for the reduction in fugitive emissions.
- 3.23 The wellhead, whose location is shown on Brawing No 1.1.2, Attachment 3 of the application shall be adequately prefected to prevent contamination or physical damage within 3 (three) months from the date of grant of this licence.

3.24 Monitoring Infrastructure

Groundwater

- (i) Within 3 (three) months from the date of grant of this licence, the licensee shall install monitoring facilities to the site well in Recycling Building as shown in Figure 1.1.2 of the application to allow for the sampling and analyses of groundwater.
- (ii) Groundwater monitoring wells shall be constructed having regard to the guidance given in the Agency's landfill manual "Landfill Monitoring".

Reason: To provide for appropriate operation of the facility to ensure protection of the environment?

Condition 4. Interpretation

4.1 Emission limit values for emissions to sewer/waters in this licence shall be interpreted in the following way:-

4.1.1 Continuous monitoring:

- (i) No flow value shall exceed the specified limit.
- (ii) No pH value shall deviate from the specified range.
- (iii) No temperature value shall exceed the limit value.
- Composite Sampling:

4.1.2

(i) No pH value shall deviate from the specified range.

Environmental Protection Agency

(ii) For parameters other than pH and flow, eight out of ten consecutive composite results, based on flow proportional composite sampling, shall not exceed the emission limit value. No individual result similarly calculated shall exceed 1.2 times the emission limit value.

icence Reg. Nº W0220-01

4.1.3 Discrete Sampling

For parameters other than pH and temperature, no grab sample value shall exceed 1.2 times the emission limit value.

4.2

Where the ability to measure a parameter is affected by mixing before emission, then, with agreement from the Agency, the parameter may be assessed before mixing takes place.

4.3 Noise

Noise from the facility shall not give rise to sound pressure levels (Leq,T) measured at noise sensitive locations adjacent to the facility which exceed the limit value(s).

eason - To clarify the interpretation of limit values fixed under the licence

Condition 5. Emissions

5.1 Emissions to Surface Water

Unless otherwise agreed by the Agency, no trade effluent, leachate and/or contaminated storm water shall be discharged to surface water drains and surface water courses.

- 5.2 There shall be no direct emissions to groundwater.
- 5.3 No specified emission from the facility shall exceed the emission limit values set out in *Schedule B: Emission Limits* of this licence. There shall be no other emissions of environmental significance.
- 5.4 The licensee shall ensure that the activities shall be carried out in a manner such that emissions including odours do not result in significant impairment of, and/or significant interference with amenities or the environment beyond the facility boundary.
- 5.5 No substance shall be discharged in a manner, or at a concentration that, following initial dilution, causes tainting of fish or shellfish.
- 5.6 The licensee shall ensure that vermin, birds, flies, mud, dust, litter and odours do not give rise to nuisance at the facility or in the immediate area of the facility. Any method used by the licensee to control any such nuisance shall not cause environmental pollution.

Reason To provide for the protection of the environment by way of control and limitation of the second emissions

Condition 6. Control and Monitoring

- 6.1 Litter Control
 - 6.1.1 The measures and infrastructure as described in the Application documentation for this licence shall be applied to control litter at the facility.

Page 15 of 32

- 6.1.2 All loose litter or other waste, placed on or in the vicinity of the facility, other than in accordance with the requirements of this licence, shall be
 - other than in accordance with the requirements of this licence, shall be removed, subject to the agreement of the landowners, immediately and in any event by 10.00am of the next working day after such waste is discovered.
- 6.1.3 The licensee shall ensure that all vehicles delivering waste to and removing waste and materials from the facility are appropriately covered.

6.2 Dust/Odour Control

- 6.2.1 All waste stored overnight at the facility, shall be stored in suitably covered and enclosed containers within the Waste Transfer Building. Waste for disposal shall be removed from the facility within forty-eight hours of its arrival on site, except at Bank Holiday weekends when waste for disposal shall be removed within seventy-two hours of its arrival on site.
- 6.2.2 In dry weather, site roads and any other areas used by vehicles shall be sprayed with water as and when required to minimise airborne dust nuisance.
- 6.3 Operational Controls
 - 6.3.1 The floor of the waste transfer building shall be cleaned on a weekly basis and on a daily basis where putrescible waste is handled. The floor of the storage bays used for recovered wastes (e.g. waste timber and construction and demolition waste) shall be washed down or cleaned on each occasion such bays are emptied, or as a minimum on a weekly basis.
 - 6.3.2 Scavenging shall not be permitted at the facility.
 - 6.3.3 All tanks and drums shall be labelled to clearly indicate their contents.
 - 6.3.4 There shall be no casual public access to the facility.
 - Monitoring Locations

6.4

6.5

6.7

Within three months of the date of grant of this licence, the licensee shall submit to the Agency an appropriately scaled drawing(s) showing all the monitoring locations that are stipulated in this licence including any noise sensitive locations and private wells to be monitored. The drawing shall include the eight-digit national grid reference of each monitoring point.

Nuisance Monitoring

The licensee shall, at a minimum of one week intervals, inspect the facility and its immediate surrounds for nuisances caused by litter, vermin, birds, flies, mud, dust and odours. The licensee shall maintain a record of all nuisance inspections.

6.6 Vermin and Flies

Prior to the commencement of waste activities, the licensee shall submit to the Agency for its agreement a proposal for the control and eradication of vermin and fly infestations at the facility. This proposal should include as a minimum, operator training, details on the rodenticide(s) and insecticide(s) to be used, mode and frequency of application and measures to contain sprays within the facility boundary.

- The licensee shall carry out such sampling, analyses, measurements, examinations, maintenance and calibrations as set out below and as in accordance with *Schedule C*: *Control & Monitoring* of this licence:
 - 6.7.1 Analysis shall be undertaken by competent staff in accordance with documented operating procedures.
 - 6.7.2 Such procedures shall be assessed for their suitability for the test matrix and performance characteristics determined.
 - 6.7.3 Such procedures shall be subject to a programme of Analytical Quality Control using control standards with evaluation of test responses.

6.7.4 Where analysis is sub-contracted it shall be to a competent laboratory.

- 6.8 All automatic monitors and samplers shall be functioning at all times (except during, maintenance and calibration) when the activity is being carried on unless alternative sampling or monitoring has been agreed in writing by the Agency for a limited period. In the event of the malfunction of any continuous monitor, the licensee shall contact the Agency as soon as practicable, and alternative sampling and monitoring facilities shall be put in place. Agreement for the use of alternative equipment, other than in emergency situations, shall be obtained from the Agency.
- 6.9 Monitoring and analysis equipment shall be operated and maintained as necessary so that monitoring accurately reflects the emission or discharge.
- 6.10 All treatment/abatement and emission control equipment shall be calibrated and maintained, in accordance with the instructions issued by the manufacturer/supplier or installer.
- 6.11 The frequency, methods and scope of monitoring, sampling and analyses, as set out in this licence, may be amended with the agreement of the Agency following evaluation of test results.
- 6.12 The licensee shall prepare a programme, to the satisfaction of the Agency, for the identification and reduction of fugitive emissions. This programme shall be included in the Environmental Management Programme.
- 6.13 All tanks and pipelines shall be maintained impervious to the materials carried out or stored therein. The integrity and water tightness of all underground pipes and tanks and their resistance to penetration by water or other materials carried or stored therein shall be tested and demonstrated by the licensee. This testing shall be carried out by the licensee at least once over three years thereafter and reported to the Agency on each occasion. A written shall be maintained by the licensee.

6.14 Process Effluent

The drainage system, builds, silt traps and oil separators shall be inspected weekly, desludged as necessary and properly maintained at all times. All sludge and drainage from these operations shall be collected for safe disposal.

- 6.15 Storm water
 - 6.15.1 A visual examination of the storm water discharge shall be carried out daily. A log of such inspections shall be maintained.
 - 6.15.2 The licensee shall carry out an investigation into the source of storm water contamination outlined in the Article 16(1) response dated 23rd February 2006. A report detailing the results of this investigation with an assessment and recommendations shall be submitted to the Agency within six months of the date of grant of this licence. Any actions arising out of this report and/or such other works as the Agency considers necessary are to be implemented within a timeframe specified by the Agency.
- 6.16 Ground Water

The licensee shall ensure that all groundwater monitoring infrastructure is available/installed on-site and is fit for purpose at all times. The infrastructure shall be to Agency specifications

6.17 Noise

The licensee shall carry out a noise survey of the site operations annually. The survey programme shall be undertaken in accordance with the methodology specified in the 'Environmental Noise Survey Guidance Document' as published by the Agency.

6.18 Pollution Emission Register (PER)

Environmental Protection Agency

Licence Reg. Nº W0220-01

The licensee shall prepare and maintain a PER for the site. The substances to be included in the PER shall be agreed by the Agency each year by reference to the list specified in the Agency's AER Guidance Note. The PER shall be prepared in accordance with any relevant guidelines issued by the Agency and shall be submitted as part of the AER.

- 6.19 The licensee shall, within six months of the date of grant of this licence, develop and establish a Data Management System for collation, archiving, assessing and graphically presenting the environmental monitoring data generated as a result of this licence.
- 6.20[°]

Sampling and analysis of all pollutants as well as reference measurement methods to calibrate automated measurement systems shall be carried out in accordance with CEN-standards. If CEN standards are not available, ISO, national or international standards which will ensure the provision of data of an equivalent scientific quality shall apply.

Reason: To provide for the protection of the environment by way of treatment and monitoring of emissions

Condition 7. Resource Use and Energy Efficiency

- 7.1 The licensee shall carry out an audit of the energy efficiency of the site within one year of the date of grant of this licence. The audit shall be carried out in accordance with the guidance published by the Agency; "Guidance Note on Energy Efficiency Auditing". The energy efficiency audit shall be repeated at intervals as required by the Agency.
- 7.2 The audit shall identify all opportunities for energy use reduction and efficiency and the recommendations of the audit will be incorporated into the Schedule of Environmental Objectives and Targets under Condition 2 above.
- 7.3 The licensee shall identify opportunities for reduction in the quantity of water used on site including recycling and reuse initiatives, wherever possible. Reductions in water usage shall be incorporated into Schedule of Environmental Objectives and Targets.
- 7.4 The licensee shall undertake an assessment of the efficiency of use of raw materials in all processes, having particular regard to the reduction in waste generated. The assessment should take account of best international practice for this type of activity. Where improvements are identified, these shall be incorporated into the Schedule of Environmental Objectives and Targets.

Reason 😳 To provide for the efficient use of resources and energy in all site operations 📲 👘 🔤

Condition 8. Materials Handling

- 8.1 All waste processing shall be carried out inside the waste transfer building
- 8.2 Waste Acceptance and Characterisation Procedures

8.2.1 Waste shall only be accepted at the facility, from Local Authority waste collection or transport vehicles or holders of waste permits, unless exempted

Page 18 of 32

or excluded, issued under the the Waste Management Acts 1996 to 2005. Copies of these waste collection permits must be maintained at the facility.

8.2.2 Prior to commencement of waste acceptance at the facility, the licensee establish and maintain detailed written procedures for the acceptance and handling of wastes.

8.2.3 Waste arriving at the facility shall be inspected at the point of entry to the facility and subject to this inspection, weighed, documented and directed to the Waste Transfer Building. Each load of waste arriving at the Waste Transfer Building shall be inspected upon tipping within this building. Only after such inspections shall the waste be processed for disposal or recovery.

8.2.4 Any waste deemed unsuitable for processing at the facility and/or in contravention of this licence shall be immediately separated and removed from the facility at the earliest possible time. Temporary storage of such wastes shall be in a designated Waste Quarantine Area. Waste shall be stored under appropriate conditions in the quarantine area to avoid putrefaction, odour generation, the attraction of vermin and any other nuisance or objectionable condition.

8.2.5 Waste shall be accepted at the facility only from known customers or new customers subject to initial waste profiling and waste characterisation offsite. The written records of this off-site waste profiling and characterisation shall be retained by the licensee for all active customers and for a two year period following termination of licensee customer agreements. There shall be no casual public access to the facility.

- 8.3 Disposal or recovery of waste on-site shaft only take place in accordance with the conditions of this licence and in accordance with the appropriate National and European legislation and protocols
- 8.4 Waste sent off-site for recovery of disposal shall be transported only by an authorised waste contractor. The waste shall be transported only from the site of the activity to the site of recovery disposal in a manner that will not adversely affect the environment and in accordance with the appropriate National and European legislation and protocols.
- 8.5 The licensee shall ensure that waste in advance of transfer to another person shall be classified packaged and labelled in accordance with National, European and any other standards which are in force in relation to such labelling.
- 8.6 The loading and unloading of materials shall be carried out in designated areas protected against spillage and leachate run-off.
- 8.7 Waste shall be stored in designated areas, protected as may be appropriate, against spillage and leachate run-off. The waste is to be clearly labelled and appropriately segregated.
- 8.8 No waste classified as green list waste in accordance with the EU Transfrontier Shipment of Waste Regulations (Council Regulation EEC No.259/1993, as amended) shall be consigned for recovery without the agreement of the Agency.
- 8.9 Waste for disposal/recovery off-site shall be analysed in accordance with *Schedule C: Control & Monitoring* of this licence.

8.10 Unless approved in writing by the Agency the licensee is prohibited from mixing a hazardous waste of one category with a hazardous waste of another category or with any other non-hazardous waste.

Page 19 of 32

To provide for the appropriate handling of materials and the protection of the

environment ...

Condition 9. Accident Prevention and Emergency Response

9.1. Emergencies

- 9.1.1. In the event of a breakdown of equipment or any other occurrence which results in the closure of the transfer station building, any waste arriving at or already collected at the facility shall be transferred directly to appropriate landfill sites or any other appropriate facility until such time as the transfer station building is returned to a fully operational status. Such a breakdown event will be treated as an emergency and rectified as soon as possible.
- 9.1.2. All significant spillages occurring at the facility shall be treated as an emergency and immediately cleaned up and dealt with so as to alleviate their effects.
- 9.1.3. No waste shall be burnt within the boundaries of the facility. A fire at the facility shall be treated as an emergency and immediate action shall be taken to extinguish it and notify the appropriate authorities.
- 9.1.4. In the event that monitoring of local wells indicates that the facility is having a significant adverse effect on the quantity and/or quality of the water supply this shall be treated as an emergency and the licensee shall provide an alternative supply of water to those affected.

The licensee shall, in advance of the commencement of the activity, ensure that a documented Accident Prevention Policy is in place which will address the hazards on-site, particularly in relation to the prevention of accidents with a possible impact on the environment. This proceeding shall be reviewed annually and updated as necessary.

The licensee shall, in advance of the date of commencement of the activity ensure that a documented Emergency Response Procedure is in place, which shall address any emergency situation which may originate on-site. This procedure shall include provision for minimising the effects of any emergency on the environment. This procedure shall be reviewed annually and updated as necessary.

9.4 Incidents

9.4.2

9.2

9.3

- 9.4.1 In the event of an incident the licensee shall immediately:-
 - (i) isolate the source of any such emission;
 - (ii) carry out an immediate investigation to identify the nature, source and cause of the incident and any emission arising therefrom;
 - (iii) evaluate the environmental pollution, if any, caused by the incident;
 - (iv) identify and execute measures to minimise the emissions/malfunction and the effects thereof;
 - (v) identify the date, time and place of the incident;
 - (vi) notify the Agency and other relevant authorities.

The licensee shall provide a report to the Agency for its agreement within one month of the incident occurring or as otherwise agreed by the Agency to:-

- (i) identify and put in place measures to avoid reoccurrence of the incident; and
- (ii) identify and put in place any other appropriate remedial action.

EPA Export 17-01-2014:23:27:07

Licence Reg. Nº W0220-01

To provide for the protection of the environment. Reason Condition 10. Closure, Restoration and Aftercare 10.1 Following termination, or planned cessation for a period greater than six months, of use or involvement of all or part of the site in the licensed activity, the licensee shall, to the satisfaction of the Agency, decommission, render safe or remove for disposal/recovery, any soil, subsoils, buildings, plant or equipment, or any waste, materials or substances or other matter contained therein or thereon, that may result in environmental pollution. The licensee shall carry out such tests, investigation or submit certification, as requested by the Agency, to confirm that there is no risk to the environment. Reason: To make provision for the proper closure of the activity ensuring protection of the environment. # Sel Condition 11. Notifications, Records and Reports 11.1 The licensee shall notify the Agency, in writing, one month in advance, of the intended date of commencement of the Scheduled Activity. 11.2 A record shall be kept of each consignment of trade effluent, leachate and/or contaminated storm water removed from the facility. The record shall include the following:-(i): the name of the carrier; the date and the of removal of trade effluent, leachate and/or contaminated (ii) storm water from the facility; (iii) the volume of trade effluent, leachate and/or contaminated storm water, in cubic metres, removed from the facility on each occasion; (iv) the mame and address of the Waste Water Treatment Plant to which the trade effluent, leachate and/or contaminated storm water was transported; and any incidents or spillages of trade effluent, leachate and/or contaminated

(v) any incidents or spillages of trade effluent, leachate and/or contaminated storm water during its removal or transportation.

11.3 Waste Recovery Reports

Environmental Protection Agency

- The licensee shall as part of the EMP submit a report on the contribution by this facility to the achievement of the recovery targets stated in National and European Union waste policies and shall include the following:-
- proposals for the contribution of the facility to the achievement of targets for the reduction of biodegradable waste to landfill as specified in the Landfill Directive;
- (ii) the separation of recyclable materials from the waste;
- (iii) the recovery of Construction and Demolition Waste;
- (iv) the recovery of metal waste and WEEE.

11.4 Vermin and Flies

A record shall be kept at the facility of the programme for the control and eradication of vermin and fly infestations at the facility. A report on the programme shall be prepared and submitted to the Agency as part of the AER.

11.5 The licensee shall notify the Agency by both telephone and either facsimile or electronic mail, if available, to the Agency's Headquarters in Wexford, or to such other Agency office as may be specified by the Agency, as soon as practicable after the occurrence of any of the following:

- (i) Any emission which does not comply with the requirements of this licence.
- (ii) Any malfunction or breakdown of key control equipment or monitoring equipment set out in Schedule C: Control & Monitoring which is likely to lead to loss of control of the abatement system.
- (iii) Any incident with the potential for environmental contamination of surface water or groundwater, or posing an environmental threat to air or land, or requiring an emergency response by the Local Authority.
- (iv) The licensee shall include as part of the notification, date and time of the incident, summary details of the occurrence, and where available, the steps taken to minimise any emissions.
- (v) In the event of any incident which relates to discharges to sewer, having taken place, the licensee shall notify the Local and Sanitary Authority as soon as practicable, after such an incident.
- 11.6 In the event of any incident which relates to discharges to sewer, having taken place, the licensee shall notify the Local and Sanitary Authority as soon as practicable, after such an incident.
- 11.7 In the case of any incident which relates to discharges to water, the licensee shall notify the Local Authority and the South Eastern Regional Fisheries Board as soon as practicable after such an incident.
- 11.8 The licensee shall make a record of any incident. This record shall include details of the nature, extents and impact of, and circumstances giving rise to, the incident. The record shall include all corrective actions taken to; manage the incident, minimise wastes generated and the effect on the environment, and avoid recurrence. The licensee shall as soon as practicable following incident notification, submit to the Agency the incident record.
- 11.9 The licensee shall record all complaints of an environmental nature related to the operation of the activity. Each such record shall give details of the date and time of the complaint, the name of the complainant and give details of the nature of the complaint. A record shall also be kept of the response made in the case of each complaint.
- 11.10 The licensee shall record all sampling, analyses, measurements, examinations, calibrations and maintenance carried out in accordance with the requirements of this licence and all other such monitoring which relates to the environmental performance of the facility.
- 11.11 The licensee shall as a minimum keep the following documents at the site:-
 - (i) the licences relating to the facility;
 - (ii) the current EMS for the facility;
 - (iii) the previous year's AER for the facility;
 - (iv) records of all sampling, analyses, measurements, examinations, calibrations and maintenance carried out in accordance with the requirements of this

Page 22 of 32

licence and all other such monitoring which relates to the environmental performance of the facility;

(v) relevant correspondence with the Agency;

Environmental Protection Agency

 (vi) up to date site drawings/plans showing the location of key process and environmental infrastructure, including monitoring locations and emission points

and this documentation shall be available to the Agency for inspection at all reasonable times.

- 11.12 The licensee shall submit to the Agency, by the 31st March of each year, an AER covering the previous calendar year. This report, which shall be to the satisfaction of the Agency, shall include as a minimum the information specified in *Schedule F*. *Annual Environmental Report* of this licence and shall be prepared in accordance with any relevant guidelines issued by the Agency.
- 11.13 A full record, which shall be open to inspection by authorised persons of the Agency at all times, shall be kept by the licensee on matters relating to the waste management operations and practices at this site. This record shall be maintained on a monthly basis and shall as a minimum contain details of the following:
 - (i) The tonnages and EWC Code for the waste materials imported and/or sent off-site for disposal/recovery.
 - (ii) The names of the agent and carrier of the waste, and their waste collection permit details, if required (to include issuing authority and vehicle registration number).
 - (iii) Details of the ultimate disposal recovery destination facility for the waste and its appropriateness to accept the consigned waste stream, to include its permit/licence details and issuing authority, if required.
 - (iv) Written confirmations of the acceptance and disposal/recovery of any hazardous waste consignments sent off-site.
 - (v) Details of all wastes consigned abroad for Recovery and classified as 'Green' in accordance with the EU Transfrontier Shipment of Waste Regulations (Council Regulation EEC No. 259/1993, as amended). The rationale for the classification must form part of the record.
 - (vi) Details of any rejected consignments.
 - (vii) Details of any approved waste mixing.
 - (viii) The results of any waste analyses required under Schedule C: Control & Monitoring, of this licence.
 - (ix) The tonnages and EWC Code for the waste materials recovered/disposed on-site.

Reason - To provide for the collection and reporting of adequate information on the activity

Condition 12. Financial Charges and Provisions

12.1 Agency Charges

12.1.1

The licensee shall pay to the Agency an annual contribution of €9,989 or such sum as the Agency from time to time determines, having regard to variations in the extent of reporting, auditing, inspection, sampling and analysis or other functions carried out by the Agency, towards the cost of monitoring the activity as the Agency considers necessary for the

Licence Reg. Nº W0220-01.

performance of its functions under the Waste Management Acts 1996 to 2005. The first payment shall be a pro-rata amount for the period from the date of this licence to the 31st day of December, and shall be paid to the Agency within one month from the date of the licence. In subsequent years the licensee shall pay to the Agency such revised annual contribution as the Agency shall from time to time consider necessary to enable performance by the Agency of its relevant functions under the Waste Management Acts 1996 to 2005, and all such payments shall be made within one month of the date upon which demanded by the Agency.

12.1.2 In the event that the frequency or extent of monitoring or other functions carried out by the Agency needs to be increased the licensee shall contribute such sums as determined by the Agency to defraying its costs in regard to items not covered by the said annual contribution.

.2 Environmental Liabilities

12.2.1

The licensee shall as part of the AER provide an annual statement as to the measures taken or adopted at the site in relation to the prevention of environmental damage, and the financial provisions in place in relation to the underwriting of costs for remedial actions following anticipated events (including closure) or accidents/incidents, as may be associated with the carrying on of the activity.

Reason To provide for adequate financing for monitoring and financial provisions for measures to protect the environment of the protection of the environment of the protect of the environment of the protection of the environment of the envir

12.2

<u>Licence Reg. Nº W0220-01</u>

SCHEDULE A: Limitations

The following waste related processes are authorised:

- Sorting, shredding, crushing, baling, repackaging processes
- Non-hazardous C & D waste recovery (incl. crushing, screening, sorting, blending)
- Storage of waste
- Receipt and transfer of waste
- Recovery of Dry Recyclables

No addition to these processes are permitted unless agreed in advance by the Agency.


A.1 Waste Acceptance

Table A.1 Waste Categories and Quantities

	1 · · · · · · · · · · · · · · · · · · ·	
WASTE TYPE Note !	MAXIMUM (TONNES PER ANNUM) ^{Note 2}	
Household waste	18,000	NO ON
Non-hazardous Commercial, Industrial and C&D waste	18,000 12,000 0000000000000000000000000000	97.
TOTAL	30,000 pection let te	

Note 1: Any proposals to accept other compatible waste streams must be agreed in advance by the Agency and the total amount of waste must be within that specified. Note 2: The individual limitation on waste streams may be varied with the agreement of the Agency

subject to the overall total limit staying the same.



SCHEDULE B: Emission Limits

B.1 **Emissions to Air**

There are no Emissions to Air of environmental significance.



B.2 Emissions to Water

There are no Emissions to Water of environmental significance.

Page 25 of 32

Licence Reg. Nº W0220-01

B.3 Emission to Sewer

There are no Process Effluent Emissions to Sewer.

B.4. Noise Emissions

· · · · · · · · · · · · · · · · · · ·	Night-time dB(A) L _{Aeq} (30 minutes)
55 ^{Note 1}	45 ^{Note 1}

Note 1: There shall be no clearly audible tonal component or impulsive component in the noise emission from the activity at any noise sensitive location.

SCHEDULE C: Control & Monitoring

C.1.1 Control of Emissions to Air

There are no Emissions to Air of environmental significance.

C.1.2 Monitoring of Emissions to Air

There are no Emissions to Air of environmental significance.



C.2.1 Control of Emissions to Ground

÷.,

Emission Reference No.:	Discharge holding tank
and the second	

Description of Treatment:

Yard 3-chamber interceptors

Con	trol Parameter	Monitoring	Key Equipment ^{Note 1}
• Desludgir		Visual - weekly	Sludge transfer pumps
Note 1:	The licensee shall maintain a system.	ppropriate access to standby and/or spares to	ensure the operation of the abatement

C.2.2 Monitoring of Emissions to Ground

Emission Point Reference No.:

Discharge holding tank to Percolation Wote I

No.		
Parameter	Monitoring Frequency	Analysis Method/Technique
лрҢ	Daily purpluite	pH electrode/meter and recorder
Electrical Conductivity	Daily purpertedute Daily Monthly Connected to the second s	Standard Method
Chemical Oxygen Demand	Monthly	Standard Method
Sulphate (SO ₄) .	Monthlytielt	Standard Method
Chloride	Monthly	Standard Method
Ammonia (as N)	Monthly	Ion selective electrode
Total Phosphorus (as P)	Quarterly	Standard Method
Metals (specify)	Quarterly	Atomic Absorption/ICP
Organic Solvents Note 2 pt	Quarterly	Gas Chromatography
Oils, fats & greases	Quarterly	Standard Method

Note 1:

This monitoring may cease following the covering of the yard area and cessation of discharge of nin-off to percolation area.

Note 2:

Screening for priority pollutant list substances. (such as US EPA volatile and/or semi-volatile compounds). This analysis shall include those organic solvents in use in the process, which are likely through normal process operations to be diverted to the waste water streams.

Page 27 of 32

C.2.3 Monitoring of Storm Water Emission

Emission Point Reference No.


Following reconfiguration of building and roof drainage, location of storm water emission point to be agreed.

Parameter	Monitoring Frequency	Analysis Method/Technique
Visual Inspection	Weekly	Sample and examine for colour and odour
	······	

C.3.1 Control of Sanitary Waste Water Emissions

Emission Point Reference No.: Waste Water Treatment Plant to Percolation

Description of Treatment: Packaged Waste Water Treatment



C.3.2 Monitoring of Emissions to Sewer

There are no Process Effluent Emissions to Sewer.

Licence Reg. Nº W0220-01

C.4 Waste Monitoring

Waste Class	Frequency	Parameter	Method
Trade effluent from holding	Per consignment	Chloride	Standard method
tank pending off site	Per consignment	Ammonia	Standard method
disposal	Per consignment	COD	Standard method
	Biannually	Metals	Standard method
	Biannually	Organohalogens Note 1	
Sludge	Annually	Oils	Standard method
	Biannually	Metals	Standard method
	Biannually	Organohalogens Note 1	GC-MS
Other Note 2			

Note 1: Screening for priority pollutant list substances (such as US EPA volatile and/or semi-volatile compounds).

Note 2: Analytical requirements to be determined on a case by case basis.

C.5 Noise Monitoring

There is no additional noise monitoring required in this schedule other than as required by Condition 6.17.

C.6

Ambient Monitoring

There is no ambient monitoring required in this licence.

Page 29 of 32

Licence Reg. Nº W0220-01

C.7 Groundwater Monitoring

Location:

Site Well in Recycling Building

Parameter	Monitoring Frequency	Analysis Method/Technique
pH, and the second s	Annually	pH electrode/meter
Conductivity	Annually	Standard Method
Dissolved Oxygen	Annually	Standard Method
Ammoniacal Nitrogen	Annually	Standard Method
Total Cyanide	Annually	Standard Method
Patassium	Annually	Standard Method
Sodium	Annually	Standard Method
Sulphate ²	Annually	Standard Method
Nitrite as NO ₂	Annually	Standard Method
Nitrate as NO ₃	Annually	Standard Method
Chloride	Annually	Standard Method
Fluoride 4	Annually	Standard Method
Total Oxidised Nitrogen	Annually No.	Standard Method
Total Alkalinity as CaCO3	Annually Annually Annually Annually Stel	Standard Method
Total Organic Carbon	Annually ited	Standard Method
Total Solids	Annually	Standard Method
Total Phenois	Annually	Standard Method
Ortho Phosphäte as PO ₄	or install Annually	Standard Method
Metals	For The H Annually Annually Annually Annually	Standard Method
Organohalogens Note 1	Annually	GC-MS
Total Coliforms	Annually	Standard Method
Faecal Coliforms	Annually	Standard Method

Note 1: Screening for priority pollutant list substances (such as US EPA volatile and/or semi-volatile compounds).

Page 30 of 32

EPA Export 17-01-2014:23

Environmental Protection Agency

SCHEDULE D: Specified Engineering Works

Specified Engineering Works

Development of the facility including installation of waste handling processing recycling/recovery infrastructure and installation of increased waste processing capacity as well as any abatement system(s).

Installation of drainage network including silt traps and oil interceptors.

Installation of dust/odour system.

Installation and maintenance of Sanitary Wastewater Treatment System and associated percolation area. Installation/Upgrade of an impermeable hardstanding surface within the area of the facility shown and perimeter wall of the facility shown in Drawing No 1.1.2.

Any other works notified in writing by the Agency.

SCHEDULE E: Reporting

Reports are required to be forwarded as required in the licence and as may be set out below:

Reporting Frequency ^{Note 1}	Report Submission Date	
Annually por	the part of AER.	
Annuallyset	By 31 st March of each year.	
As they occur	Within five days of the incident.	
S As they arise	In advance, of the works commencing.	
Every three years	Six months from the date of grant of licence thereafter as part of the AER.	
As they arise	Prior to the work commencing.	
Quarterly	Ten days after end of the quarter being reported on.	
Quarterly	Ten days after end of the quarter being reported on.	
Annually	As part of AER.	
	Within three months of date of grant of licence.	
As they occur	Within ten days of obtaining results.	
	Frequency Note 1 Annually Diffe Annually Control Annually Control As they arise Every three years As they arise Quarterly Quarterly Annually	

Note 1: Unless altered at the request of the Agency.

Licence Reg. Nº W0220-01

SCHEDULE F: Annual Environmental Report

Annual Environmental Report Content Note 1

Emissions from the facility. Waste management record.

Resource consumption summary.

Complaints summary.

Schedule of Environmental Objectives and Targets.

Environmental management programme - report for previous year.

Environmental management programme - proposal for current year.

Pollution emission register - report for previous year.

Pollution emission register - proposal for current year.

Noise monitoring report summary.

Ambient monitoring summary.

Tank and pipeline testing and inspection report.

Reported incidents summary.

Energy efficiency audit report summary,

Report on the assessment of the efficiency of use of raw materials in processes and the reduction in waste generated. Report on progress made and proposals being developed to minimise water demand and the volume of trade effluent discharge.

Development / Infrastructural works summary (completed in previous year or prepared for current year).

Reports on management and staffing structure of the facility, and a programme for public information.

Statement of measures in relation to prevention of environmental damage and remedial actions (Environmental Liabilities). Any other items specified by the Agency.

Note 1: Content may be revised subject to the agreement of the Agency.

Sealed by the seal of the Agency on this the 1st day of September, 2006

PRESENT when the seal of the Agency was affixed hereto:

Padraic Larkin, Director

Page 32 of 32

ATTACHMENT 2F

Section 2.5 Relevant Convictions

Has the Proposed Transferee/other relevant person been convicted under any of the following:

- the Environmental Protection Agency Acts 1992 to 2012?
- Waste Management Acts 1996 to 2012?
- Local Government (Water Pollution) Acts 1977 and 1990?
- Air Pollution Act 1987?

The cases listed below are described on the following pages:

September 2008 – Wexford County Council v Greenstar Limited November 2008 – EPA v Greenstar Recycling Holdings Limited June 2009 – DPP v South East Recycling Company Limited June 2010 – EPA v Greenstar Holdings Limited October 2010 – EPA v KTK Landfill Limited

The relevant personnel on behalf of the Applicant are:

Chris Bell (Director from July 2009 mwards)

Jerry Dempsey (Director of Greenstar Limited since 16/04/2008. Director of Greenstar Holdings Limited since 17/01/2005, Director of KTK Landfill Limited since 05/08/2008, Director of South East Recycling Company Limited since 05/08/2008)

2791071.1

September 2008 – Wexford County Council v Greenstar Limited

Consent of copyright owner

Wexford County Council prosecuted Greenstar Limited in Wexford District Court 22 September 2008 for contravening the terms of its waste collection permit by collecting dry mixed recyclables in a general waste truck. The background to the case was that Greenstar had taken a pro-active measure of collecting both waste types on the day in question in order to alleviate the situation whereby refuse bags were being left uncollected in the Rosslare Strand area. The action was taken by Greenstar on foot of complaints received from local residents and businesses in relation to environmental nuisance arising from uncollected bags which were being left out by holiday makers.

for any other

A fine of €400 was imposed.

EPA Export 17-01-2014:23:27:08

November 2008 – EPA v Greenstar Recycling Holdings Limited

On the 27 and 28 November 2008 the EPA prosecuted Greenstar Recycling Holdings Limited at Ballinasloe District Court in relation to two offences under Section 39 of the Waste Management Acts for breaches of its Waste Licence for its landfill facility at Kilconnell, County Galway (Connaught Regional Landfill Facility – Licence Registration No. W0178-01).

The offences related to failure to ensure that activities on the site were carried out in a manner such that emissions did not result in significant impairment of or significant interference with the environment beyond the facility boundary and failure to ensure that odours did not give rise to nuisance at the facility or in the immediate area of the facility.

Judgment in this case was delivered on 5 January 2009 and Greenstar Recycling Holdings Limited was found guilty of the charges.

consent of copy

A fine of €3,500 was imposed.

2791071.1

June 2009 – DPP v South East Recycling Company Limited

On 30 June 2009 in Wexford Circuit Court, South East Recycling Company Limited pleaded guilty to offences under Section 39(1) and 39(9) of the Waste Management Act 1996, as amended, for breach of Waste Licence register number W0111-01.

South East Recycling Company Limited pleaded guilty to exceeding the annual waste tonnage limit specified in its licence in 2007.

Following appeal a fine of €200,000 was imposed.

Note that this facility ceased operations in 2011 and the licence was surrendered in 2012.

June 2010 – EPA v Greenstar Holdings Limited

On 9 June 2010 at Navan District Court the EPA prosecuted Greenstar Holdings Limited in relation to two offences under Sections 39 (Sections 39(1) and 39(2) of the Waste Management Acts 1996 to 2010 for breaches of its Waste Licence for its landfill facility in County Meath (Knockharley Landfill – Licence Registration. No. W0146-01).

Greenstar Holdings Limited pleaded guilty to: failing to ensure that the activities on the site were carried out in a manner such that emissions did not result in significant impairment of or significant interference with the environment beyond the facility boundary.

A fine of €500 was imposed.

2791071.1

EPA Export 17-01-2014:23:27:08

October 2010 – EPA v KTK Landfill Limited

On 4 October 2010 KTK Landfill Limited pleaded guilty to four charges brought by EPA in relation to offences under Section 14(6) (c), 39(1) & 39(9) of the Waste Management Act (as amended) for breaches of its Waste Licence for its landfill facility in County Kildare (KTK Landfill – Licence Registration No. W0081-03). The charges related to:

- Providing false and misleading information to an authorised person and the EPA;
- 2. Permitting emissions to surface water which were of environmental significance and were not specified emissions;
- 3. Permitting leachate levels in the waste to exceed a level of 1.0m over the top of the liner at the base of the landfill; and
- Failing to contact the EPA as soon as practicable after the malfunction of a continuous monitor and failing to put in ^{opplace} alternative monitoring facilities.

Fines of €2,000 were imposed in relation to each of the four charges.

consent of con

2791071.1

April 2012 – EPA v Greenstar Limited

On 16 April 2012 the EPA prosecuted Greenstar Limited at Dublin Metropolitan Court for offences under Sections 39(1) and 39(9) of the Waste Management Acts 1996 (as amended) for breaches of its Waste Licence at a transfer station located in Tallaght, County Dublin (W0079-01). The Company pleaded guilty to:

- 1. Failing to direct waste arriving at the facility to the transfer station building and failing to deposit it on the floor of the waste transfer building for visual inspection;
- 2. Placing waste and allowing waste to accumulate outside the transfer buildings other than as permitted or agreed in advance by the Agency; and
- 3. Accepting waste at the facility which had not been subjected to initial waste categorisation off site.

A total fine of €1,000 was imposed.

STATEMENT OF STARRUS ECO HOLDINGS LIMITED

Statement of Starrus Eco Holdings Limited for the purposes of Section 2.8 of the Waste Licence Transfer Application

We, the undersigned, confirm that, as and from the date of licence transfer, we have assumed and accept all liabilities, requirements and obligations provided for in or arising under the licence (No. W0220-01), or revised licence, regardless of how and in respect of what period, including a period prior to the transfer of the licence or revised licence that they may arise.

Signed on the $|\psi|$ day of June 2013

JSent of convient owner required for any other use. David O'Beirne, Director for and on behalf of **Starrus Eco Holdings Limited**

Number 527552

Certificate of Incorporation

I hereby certify that

STARRUS ECO HOLDINGS LIMITED

is this day incorporated under the Companies Acts 1963 to 2012, and that the company is limited.

Given under my hand at Dublin, this Wednesday, the 15th day of May, 2013

Por Del

for Registrar of Companies.

EPA Export 17-01-2014:23:27:08

Vision-Net Company Report

COMPANY NAME:	STARRUS ECO HOLDINGS LIMITED
Company Summary:	Starrus Eco Holdings Limited was set up on Wed the 15th of May 2013. Their current status is Normal. The company's current status conor Swaine and David O'Beirne have been the director of 11.171 offer companies between them - 37 of which are now closed. (12-JUN-2013)
Registered Number:	527552
Company Type:	PRIVATE LIMITED BY SHARES
Incorporated:	15/05/2013
Company Status:	NORMAL
Credit Check:	Accounts Not Filed
May Trade As:	View Businesses Owned By This Company?

Share Cap. Currency: EURO Authorised Capital: 1,000,000

Next Annual Return 15/11/2013 Date: Last AR Filed:

Registered Address: SUITE 3

ONE EARLSFORT CENTRE ON CONTRECT ON CONTRECT.

Principal NACE Code: 74.15 MANAGEMENT ACTIVITIES OF HOLDING COMPANIES View the Top 20 companies in this industry

DIRECTORS AND SECRETARY - AS PER C.R.O. AT 12/06/2013

Name: Title: Address: Date of Birth:	THE SECRETARIAL COMPANY LIMITED Other Directorships? SECRETARY SUITE 3, ONE EARLSFORT CENTRE, LOWER HATCH STREET, DUBLIN 2. 08/02/1991
Name:	CONOR SWAINE Other Directorships?
Title:	DIRECTOR
	AVALON HOUSE
Address:	
	BRIGHTON ROAD
	FOXROCK
	DUBLIN 18
Date of Birth:	02/11/1983
Name:	DAVID O'BEIRNE Other Directorships?
Title:	DIRECTOR
Address:	HEADFORD COTTAGE, 11 AVOCA AVENUE
·	

http://vision-net.ie/displayredirect?companyNumber=527552

EPA 2/06/2013014:23:27:08

Vision-Net Company Report

		· · · ·
	"	BLACKROCK
1 		CO. DUBLIN
ate of Birth:		22/06/1957

Directorship/Secretarial changes in the last 2 years.

APPOINTMENT	S					
TITLE	NAME	DATE OF BIRTH	APPOINTED			
SECRETARY	THE SECRETARIAL COMPANY LIMITED	08/02/1991	15/05/2013			
DIRECTOR	CONOR SWAINE	02/11/1983	15/05/2013			
DIRECTOR	DAVID O'BEIRNE	22/06/1957	15/05/2013			
View Full History Of Directors Report?						

Appointments & Resignations

JUDGMENTS

Judgment Search: Would you like us to carry out a Judgment Search?

MORTGAGES AND CHARGES

None Registered

DOCUMENTS FILED AT C.R.O.

Please send me any future documents filed by Starrus Eco Holdings.

Documents will be sent as soon as they become available and will be charged at the standard document fee.

STATUS	SUBMISSION	EFFECTIVE OR ACCOUNTS TO DATE		SUB NUM	VIEW	PAGES
REG	A1 APPLICATION TO REGISTER AS A NEW COMPANY,	15/05/2013	09/05/20138	3635749/1	PDF	13
REG	MEMORANDUM AND ARTICLES	15/05/2013	09/05/20138	3635749/2	PDF	15
REG	CERTIFICATE - NEW COMPANY WITH MEMO & ARTS WITH CAPITAL DUTY	15/05/2013	09/05/20138	3635749/3	PDF	1

LIQUIDATORS & RECEIVERS

Liquidators		None Registered
Appointed:	4	

ReceiversNone RegisteredAppointed:

[Data in this report is based on CRO data last updated on: 12/06/2013 at 10.00 am]

Page 2 of 2

http://vision-net.ie/displayredirect?companyNumber=527552