

Mr. Tom Leahy
Irish Water
Colville House
24-26 Talbot Street
Dublin 1

Regional Inspectorate, Inniscarra
County Cork, Ireland

Cigireacht Réigiúnach, Inis Cara
Contae Chorcaí, Éire

T: +353 21 487 5540

F: +353 21 487 5545

E: info@epa.ie

W: www.epa.ie

LoCall: 1890 33 55 99

28 March 2014

Reg. No. W0009-03

Re: Technical & Clerical Amendment to an IE Licence in the name of Fingal County Council, for a facility at Balleally Landfill, Balleally, Lusk, Co. Dublin

Dear Mr. Leahy,

I wish to inform you that the Agency received a request from Fingal County Council for a Technical Amendment to their existing licence for the above mentioned facility.


I am to advise that the Agency considered the request for a Technical amendment and a decision was made to technically amend Licence, Reg No: W0009-03. A subsequent Clerical Amendment was issued on 28th March 2014. You are being notified about these amendments as the licence includes a reference to waste water discharge licence D0114-01 Portrane/Donabate for which Irish water are the licensee.

Please find enclosed a copy of the formal Technical and Clerical Amendments which were issued to the above licensee. The Amendments should be read in conjunction with the existing Industrial Emissions Licence Reg. No. W0009-03.

If you have any further queries please contact Brian Meaney, who can be contacted at the following telephone number 053 9160600.

Please note that there is no requirement for you to acknowledge receipt of this letter.

Yours sincerely,



Máire Buckley
Programme Officer
Office of Climate, Licensing & Resource Use

Encl.

