



Mr. Malcolm Dowling,
Starrus Eco Holdings Limited,
T/a Greenstar,
Unit 6, Ballyogan Business Park,
Ballyogan Road,
Sandyford,
Dublin 18.

Headquarters, PO Box 3000
Johnstown Castle Estate
County Wexford, Ireland
Ceanncheathrú, Bóscra Póist 3000
Éastar Chaisleán Bhaile Sheáin
Contae Loch Garman, Éire
T: +353 53 3150600
F: +353 53 3150699
E: info@epa.ie
W: www.epa.ie
LoCall: 1890 33 55 99

22 July 2014

Reg No: W0082-03

Dear Mr. Dowling,

I refer to your application for a licence review, which was received by the Agency on 4 April 2014.

I am to advise in accordance with Regulation 10(2)(b)(ii) of the EPA (Industrial Emissions) (Licensing) Regulations 2013, that the following information is required in support of the application:

1. As required under Regulation 9(4)(d), provide a detailed plan showing the installation boundary.

Describe in detail the reasons for any proposed amendments to the boundary authorised in licence Reg. No. W0082-02.

Provide copies of any letters of agreement concerning such boundary changes.

Justify any proposal that the installation should be authorised as two non-contiguous areas, as opposed to one area of land encompassing all relevant activities or liabilities.

2. As required under Regulation 9(2)(k)(ii), provide specification details of the proposed interceptor serving the "dirty area" as referred to in Condition 4 of Planning Permission (planning reference 13/300). Include a drawing showing the location of this interceptor. Explain its relevance on an ongoing basis given the proposal to divert stormwater from the "dirty area" to sewer.

Note: Any *telephone enquiries* in relation to the above should be directed to **Ewa Babiarczyk** at the number above.
All *written communications and replies* should be directed to **Sonja Smith**, Office of Climate, Licensing, Resources & Research, EPA Regional Inspectorate, Inniscarra, County Cork.



3. As required under Regulation 9(2)(j), provide an updated drawing showing the groundwater monitoring location GW-M3.

In addition to the above please also provide an **updated non-technical summary** to reflect the information provided in your reply.

The requested information should be submitted to the Agency within **five weeks** of the date of this notice, in order to allow the Agency to process and determine your application.

In the circumstances, you should make immediate arrangements to have the required document(s) (1 signed original and 1 copy in hardcopy format, and 2 copies of all files in electronic searchable PDF format on CD-ROM) submitted to the Agency without delay. Your response to this request should quote the register number **W0082-03** and be directed to Ms. Sonja Smith, Administration Officer, Office of Climate, Licensing, Resources & Research.

It should be noted that the eight-week period within which the Agency is to decide the proposed determination will commence on the day on which this notice has been complied with. If you have any further queries please contact Ms. Ewa Babiarczyk at the number above.

Yours sincerely



Ewa Babiarczyk
Inspector
Environmental Licensing Programme
Office of Climate, Licensing, Resources & Research

Note: Any *telephone enquiries* in relation to the above should be directed to **Ewa Babiarczyk** at the number above.
All *written communications and replies* should be directed to **Sonja Smith**, Office of Climate, Licensing, Resources & Research, EPA Regional Inspectorate, Inniscarra, County Cork.