

Ms Louise O'Donnell  
Director  
Patel Tonra Limited  
Environmental Solutions  
3F Fingal Bay Business Park  
Balbriggan  
Co Dublin

Headquarters, PO Box 3000  
Johnstown Castle Estate  
County Wexford, Ireland  
Ceannteathrú, Bosca Poist 3000  
Eastát Chaisleán Bhaile Sheáin  
Contae Loch Garman, Éire  
T: +353 53 9160600  
F: +353 53 9160699  
E: [info@epa.ie](mailto:info@epa.ie)  
W: [www.epa.ie](http://www.epa.ie)  
LoCall: 1890 33 55 99

30 September 2014

Reg. No: W0279-01

Waste Licence Application in respect of Rehab Glassco Limited at Unit 4 Osberstown  
Industrial Park, Caragh Road, Naas, Co Kildare

Dear Ms O'Donnell


I am to acknowledge receipt on 27 July 2011 and 19 November 2012, 30 May 2013, 6 September 2013, 11 September 2013, 4 March 2014 and 19 June 2014, of documents pertaining to your application for a Waste Licence in respect of Rehab Glassco Limited at Unit 4 Osberstown Industrial Park, Caragh Road, Naas, Co Kildare.

I am to advise you in accordance with Regulation 42(8)(a) of the European Communities (Birds and Natural Habitats) Regulations 2011 (S.I. No. 477 of 2011) that the Agency has made a determination that an Appropriate Assessment is not required as the project, individually or in combination with other plans or projects, is not likely to have a significant effect on a European site(s). Notification of this determination is attached for your reference.

The application and associated correspondence, including acknowledgements, notifications and general correspondence are available to view on the Agency website at [www.epa.ie](http://www.epa.ie). You are advised to refer to the website for information on the progress of the application.

Please direct any further correspondence in relation to this matter to Administration, Office of Climate, Licensing & Resource Use, Environmental Protection Agency, Headquarters, P.O. Box 3000, Johnstown Castle Estate, County Wexford.

Yours sincerely



Eve O'Sullivan  
Programme Officer  
Environmental Licensing Programme

## Appropriate Assessment Screening Determination

In accordance with Regulation 42(1) of the European Communities (Birds and Natural Habitats) Regulations, 2011 and 2013, the Agency has undertaken Appropriate Assessment screening to assess, in view of best scientific knowledge and the conservation objectives of the site, if the activity, individually or in combination with other plans or projects is likely to have a significant effect on a European Site(s). In this context, particular attention was paid to the European Site(s) listed below.

### Licence/Permit Application Details:


<b>Reg. No.</b>	W0279-01
<b>Applicant Name:</b>	Rehab Glassco Limited
<b>Location of Facility:</b>	Unit 4, Osberstown Industrial Park, Caragh Road, Naas, County Kildare
<b>Licence / Permit Application Date:</b>	27 July 2011
<b>European Site(s) assessed:</b>	Mouds Bog SAC (Site code: 002331)
	Ballynafagh Bog SAC (Site Code: 000391)
	Pollardstown Fen SAC (Site code: 000396)
	North Dublin Bay SAC (Site code: 000206)
	South Dublin Bay SAC (Site code: 000210)
	North Bull Island SPA (Site code: 004006)
	South Dublin Bay and River Tolka Estuary SPA (Site code: 0040024)
<b>Date of AA Screening Determination:</b>	25 September 2014

### AA Screening Determination:

That the **activity** is not directly connected with or necessary to the management of the site as a European site and that it can be excluded, on the basis of

objective information, that the **activity**, individually or in combination with other plans or projects will have a significant effect on a European site, and accordingly the Agency determined that an Appropriate Assessment of the **activity** was not required.

It has been determined that this facility does not have the potential for significant effects on any European site due to the nature and scale of the operations, the absence of a process emission to water and the distance between the facility and the designated sites



Date: 25/09/2014

\_\_\_\_\_  
Inspector Name  
Office of Climate, Licensing and Resource Use