

Attachment B.10

- OEE CORRESPONDENCE RE REASON FOR REVIEW OF LICENCE
- (EPA) ELP FOLLOW UP CORRESPONDANCE ON REVIEW OF LICENCE
- APPLICATION FORM DRAWING 12 PROPOSED GLEITMO COATING PROCESS LAYOUT AND ELEVATIONS
- APPLICATION FORM DRAWING 6 EMISSION A2-1 BU3 ORIGINAL LOCATION
- APPLICATION FORM DRAWING 7 EMISSION A2-1 BU3 NEW LOCATION
- SCHEDULE OF VARIATIONS AND/OR ADJUSTMENTS
- ALDER APPROVAL NOTICE OF RELOCATED A2-1 EMISSION POINT
- ALDER RESPONSE TO TEMPORARY WAIVER GLEITMO



Office of
Environmental
Enforcement

West/North West Region
Environmental Protection Agency
Regional Inspectorate, John Moore Road
Castlebar, County Mayo, Ireland

Cigreachú Réigiúnach, Bóthar Sheán de Mórda
Caisleán an Bharraigh, Contae Mhaigh Eo, Éire

T: +353 94 904 8440

F: +353 94 904 8499

E: info@epa.ie

W: www.epa.ie

LoCall: 1890 33 55 99

Andrea Pawlowski
Environmental Officer
G. Bruss GmbH Dichtungstechnik
Bruss
Finisklin Road
Sligo

3/9/2012

Our Ref: P0465-01/GC39JG.docx

Dear Ms Pawlowski

I refer to your correspondence dated 08/11/2011, 13/4/2012 and 18/5/2012 received by the Agency in relation to your request for approval for an additional environmental aspect (use of Gleitmo Coating) at the GH Bruss Facility, Finisklin Road, Sligo, Co. Sligo.

The OEE has assessed your proposal and considers that this proposed change cannot be accommodated under Condition 1.2 of your licence.

A Technical Amendment (Section 96(1) of the EPA Acts) or a Review of your licence (Section 90(1) of the EPA Act) will be required to provide for the proposed changes.

To determine if the proposed changes can be accommodated by Technical Amendment the OEE has submitted the details of your request to the Agency's Environmental Licensing Programme (ELP), EPA, P.O. Box 3000, Johnstown Castle Estate, Co. Wexford.

If the alteration is considered to be a significant change and cannot be accommodated by a Technical Amendment, the ELP will notify you of the process for applying for a Review.

Please quote the above reference in any future correspondence in relation to this matter.

Yours sincerely

John Gibbons, Inspector
Office of Environmental Enforcement



Andrea Pawlowski,
Environmetnal Officer,
G.Bruss GmbH Dichtungstechnik,
Finisklin Road
Sligo

Regional Inspectorate, Inniscarra
County Cork, Ireland

Cigreacht Réigiúnach, Inis Cara
Contae Chorcaí, Éire

T: +353 21 487 5540

F: +353 21 487 5545

E: info@epa.ie

W: www.epa.ie

LoCall: 1890 33 55 99

18/09/2012

Reg No: P0465-01

Dear Ms Pawlowski,

I refer to your letter to the Office of Environmental Enforcement dated 08 November 2011 and their response dated 03 September 2012.

It is not clear from the information submitted if you are requesting an amendment to your licence and what that amendment would entail.

Please submit sufficient information regarding the proposed changes to site operations to enable to enable the Agency to determine if a review or technical amendment is appropriate as outlined below:

Details should include:

- Information regarding the proposed process operation
- Relevant existing or new emission points
- Proposed emissions from the operations/emission points
- Substances to be used/emitted
- Assessment of the impact of any proposed emissions

You should review the information/guidance in the licence application form available on the EPA website and submit the details in that format insofar as is possible.

Yours sincerely,



Marie O'Connor

Environmental Licensing Programme
Office of Climate, Licensing & Resource Use





Environmental Protection Agency
An Ghníomhaireacht um Chaomhú Comhsháil

Headquarters, PO Box 3000
Johnstown Castle Estate
County Wexford, Ireland

Ceanncheathrú, Bosca Poist 3000
Eastát Chaisleán Bhaile Sheáin
Contae Loch Garman, Éire

T: +353 53 9160600

F: +353 53 9160699

E: info@epa.ie

W: www.epa.ie

LoCall 1890 33 55 99

Ms Anna Garvey
Environmental Officer
G. Bruss GmbH Dichtungstechnik
Finisklin Road
Sligo

20 February 2014

Dear Ms Garvey

Re: Application for a review of licence – P0465-01

With reference to your application for a review of your Integrated Pollution Control Licence (Reg No. P0465-01) received on 22 May 2013 the Agency would draw your attention to a change in the applicable rules.

Pursuant to the European Union (Industrial Emissions) Regulations 2013, Part IV of the Environmental Protection Agency Act 1992 has been amended and the Agency is now required to determine the application under the new Part IV.

A valid application for a review of licence must now contain the information prescribed in Regulation 9 of the EPA (Integrated Pollution Control) (Licensing) Regulations, 2013 (S.I. 283 of 2013). The Agency is returning your application to review the licence as Regulation 15 of the EPA (Licensing Regs 1994) as amended, is no longer applicable i.e. a Licensee may now make a direct application to the Agency for a review of their licence. The appropriate fee for a review of your licence under class 5.7 is €14,601, which will need to accompany the IPC Application. Please ensure to use the most up-to-date IPC Application Form which is available to download from the Agency's Website at the link: <http://www.epa.ie/pubs/forms/lic/ipc/>

If you need any further assistance, or have any queries in relation to these matters, please contact the Environmental Licensing Programme at licensing@epa.ie.

Yours sincerely

Marie O'Connor
Senior Inspector
Environmental Licensing Programme

