

For the Attention of

Waste Licensing (Applications) Unit Environmental Protection Agency PO Box 3000 Johnstown Castle Estate Co. Wexford Our Ref.:

RG0204/WL Review

Direct Dial:

01 802 0521

Direct Fax:

01 802 0525

e-mail:

vip.patel@pateltonra.com

Date:

20<sup>th</sup> Feb 2015

Dear EPA,

### Re.: Rehab Glassco Ltd. - Application for the Review of Waste Licence W0279-01

Patel Tonra Ltd., Environmental Solutions, is acting for our client, Rehab Glassco Ltd., under the instruction of Mr. Zeki Mustafa, Managing Director of Rehab Glassco Ltd.

Please find enclosed documentation for the purposes of a Waste Licence Review Application for an existing Waste Management Facility at Unit 4, Osberstown Industrial Park, Caragh Road, Naas, Co. Kildare (EPA Licence W0279-01).

The purpose of the Waste Licence Review application is to address a new air emission point located at a new extension to the Main Process building at the facility. The Agency advised (correspondence dated 10<sup>th</sup> December 2014) that a review of Waste Licence W0279-01 was required to regularise this new emission point.

Please note that a related Air Dispersion Model report with finalised and submitted to the Agency under separate cover as soon as possible.

The number of copies of enclosed documentation is detailed below, as per the EPA Instructions for Licence Applicants. Please accept this letter as a declaration that the content of the electronic files on the accompanying CD-ROMs is a true copy of the original.

	Const	Hardcopy	Electronic
•	Waste Licence Application, including Application Form, Attachments and Drawings	1 original + 1 copy	2 copies
•	The complete newspaper in which the advertisement was placed	1 original	Not applicable
	Cheque for the application fee of €6,000, payable to the Environmental Protection Agency		

Patel Tonra Ltd., environmental consultants to Rehab Glassco Ltd., is nominated by Rehab Glassco Ltd. to make submissions in relation to this application and related matters on behalf of the company. The contact details for Patel Tonra Ltd. and for Rehab Glassco Ltd. are as follows:

For Patel Tonra Ltd.:	For Rehab Glassco Ltd.:
Mr. Vip Patel,	Mr Zeki Mustafa
Director,	Managing Director
Patel Tonra Ltd., Environmental Solutions,	Rehab Glassco
3f Fingal Bay Business Park,	Unit 4, Osberstown Industrial Park
Balbriggan,	Caragh Road
Co. Dublin	Naas
	Co. Kildare
Tel. 01 8020521	
Email: vip.patel@pateltonra.com	Tel. 01 6854400
	Email: zeki.mustafa@rehabglassco.ie

As discussed between our client and the EPA at a pre-application consultation meeting in December 2014, Rehab Glassco respectfully requests that the Agency considers a partial reduction or refund of the application fee for the review application, on that basis that Waste Licence W0279-01 was granted only in December 2014, and that the majority of the information contained in the review application has remained unchanged versus the W0279-01 licence application.

consent of copyright owner required If you have any further queries in relation to the application because do not hesitate to contact our office our office.

Vip Patel

Director, Patel Tonra Ltd.



WARNING: IF YOUR ACTIVITY FALLS UNDER THE
INDUSTRIAL EMISSIONS DIRECTIVE 2010/75/EU

DO NOT USE THIS APPLICATION FORM.

PLEASE REFER TO THE ENVIRONMENTAL PROTECTON
AGENCY (INDUSTRIAL EMISSIONS) (LICENSING)
REGULATIONS 2013, S.I. 137 OF 2013
AND

THE EUROPEAN UNION (INDUSTRIAL EMISSIONS)
REGULATIONS 2013, S. 138 OF 2013.
CONTACT THE ENVIRONMENTAL LICENSING PROGRAMME
FOR FURTHER INFORMATION.

# Waste Licence Application Form

EPA Ref. Nº:	
(Office use only)	

This document does not purport to be and should not be considered a legal interpretation of the provisions and requirements of the Waste Management Act 1996, as amended.

## **Environmental Protection Agency**

P.O.Box 5000, Johnstown Castle Estate, County Wexford Telephone: 053-9160600 Fax: 053-9160699



## **Tracking Amendments to Application Form**

Version	Date	Amendment since	Reason
<b>No.</b> V.1	04/09/2012	Amended various sections to take account of the requirements of the European Communities (Waste Directive) Regulations 2011.	To accurately reflect the new requirements in the Regulations which transpose the Waste Framework Directive 2008/98/EC.
V.1	04/09/2012	Amended Section E.5 Noise Emissions, I.7 Noise Impact, Table E.5.(i) and Table I.7.(i) to take account of the document Guidance Note for Noise: Licence Applications, Surveys and Assessments in Relation to Scheduled Activities (NG4) (2012).	To accurately reflect the changes in the document Guidance Note for Noise: Licence Applications, Surveys and Assessments in Relation to Scheduled Activities (NG4) (2012).
V.1	04/09/2012	Amended Section B.3 to take account of the requirements of European of Union (Environmental Impact Assessment) (Integrated Pollution Prevention and Control) Regulations 2012 (SI No 282 of 2012); in terms of Environmental Impact Assessment under the Environmental Impact Assessment Directive (Council Directive 2011/92/EU on the assessment of the effects of certain public and private projects on the environment).  Update references to new legislation	To accurately reflect the European Union (Environmental Impact Assessment) (Integrated Pollution Prevention and Control) Regulations 2012 (SI No 282 of 2012) requirements.



## Environmental Protection Agency Application for a Waste Licence

## WASTE MANAGEMENT ACT 1996, as amended

## **CONTENTS**

		Page
INTRODUCT	TION	4
CHECKLIST		5
PROCEDURI	ES	11
SECTION A	NON-TECHNICAL SUMMARY	13
SECTION B	GENERAL	14
SECTION C	MANAGEMENT OF THE FACILITY OF	24
SECTION D	INFRASTRUCTURE & OPERATION	25
SECTION E	EMISSIONS INSPECTION HE FOR THE FOR TH	31
SECTION F	CONTROL & MONITORING	33
SECTION G	RESOURCES USE & ENERGY EFFICIENCY	36
SECTION H	MATERIALS HANDLING	37
SECTION I	EXISTING ENVIRONMENT & IMPACT OF THE FACILITY	41
SECTION J	ACCIDENT PREVENTION & EMERGENCY RESPONSE	43
SECTION K	REMEDIATION, DECOMMISSIONING, RESTORATION AND AFTERCARE	44
SECTION L	STATUTORY REQUIREMENTS	44
SECTION M	DECLARATION	47

## **ANNEX 1: STANDARD FORMS**



#### INTRODUCTION

A valid application must contain the information prescribed in the Waste Management (Licensing) Regulations 2004 (SI No. 395 of 2004). The applicant is strongly advised to read the *Application Guidance Notes* for Waste Licensing, available from the EPA.

The applicant must conform to the format set out in the guidance notes for applications. Each page of the completed application form must be numbered, e.g. page 5 of 45, etc. Also duplicated pages from the application form should be uniquely numbered, e.g. page 5(i) of 45, etc. **The basic information should for the most part be supplied in the spaces given in application form** and any supporting documentation should be supplied as attachments, as specified. Consistent measurement units must be used throughout.

The applicant should note that the application form has been structured so that it requires information to be presented in an order of progressive detail.

When it is found necessary, additional information may be provided on supplementary attachments which should be clearly cross referenced with the relevant sections in the main document.

While all sections in the application form may not be relevant to the activity concerned, the applicant should look carefully through all aspects of the form and provide the required information, in the greatest possible detail.

All maps/drawings/plans must be no larger than A3 size and scaled appropriately such that they are clearly legible. In exceptional circumstances, where A3 is considered inadequate, a larger size may be requested by the Agency.

Information supplied in this application, including supporting documentation will be put on public display and open to inspection by any person. Should the applicant consider information to be confidential, this information should be submitted in a separate enclosure bearing the legend "In the event that this information is deemed not to be held as confidential, it must be returned to .......". In the event that information is considered to be of a confidential nature, then the nature of this information and the reasons why it is considered confidential (with reference to the "Access to Information on the Environment" Regulations) should be stated in the Application Form, where relevant.

It should be noted that it will not be possible to process or determine the application until the required documents have been provided in sufficient detail and to a satisfactory standard.



## **CHECKLIST**

Articles 12 and 13 of the Waste Management (Licensing) Regulations, 2004 (S.I. No. 395 of 2004) set out the information which must, in all cases, accompany a waste licence application. In order to ensure that the application fully complies with the legal requirements of Articles 12 and 13 of the 2004 Regulations, all applicants should **complete** the following.

In each case, refer to the attachment number(s) of your application which contain(s) the information requested in the appropriate sub-article.

Article 12(1) In the case of an application for a waste licence, the application shall -

(a) give the name, address and, where applicable, any telephone number and telefax of the applicant (and, if different, the operator of the facility concerned), the address to which correspondence relating to the application should be sent and if the applicant or operator is a body corporate, the address of its registered office or principal office,

LOCATION	Section B.1	net	130	
CHECKED	Applicant	X M. Whop	Official	

(b) give the name of the planning authority in whose functional area the relevant activity is or will be carried on,

LOCATION	Section 3.3	
CHECKED	Applicant 🖂	Official

(c) in the case of a discharge of any trade effluent or other matter (other than domestic sewage or storm water) to a sewer of a sanitary authority, give the name of the sanitary authority in which the sewer is vested or by which it is controlled,

LOCATION	Section B.4	
CHECKED	Applicant 🛚	Official

(d) give the location or postal address (including where appropriate, the name of the townland or townlands) and the National Grid reference of the facility or premises to which the application relates,

LOCATION	Section B.2	
CHECKED	<b>Applicant</b>	Official

(e) describe the nature of the facility or premises concerned, including the proposed capacity of the facility or premises, and in the case of application in respect of a landfill of waste, the requirements specified in Annex 1 of the Landfill Directive,



LOCATION	Section B.7	
CHECKED	Applicant 🖂	Official

(f) specify the class or classes of activity concerned, in accordance with the Third and Fourth Schedules of the Act<sup>1</sup> and in the case of an application in respect of the landfill of waste, specify the class of landfill in accordance with Article 4 of the Landfill Directive,

LOCATION	Section B.7	
CHECKED	<b>Applicant</b>	Official

(g) specify, by reference to the relevant European Waste Catalogue codes as presented by Commission Decision 2000/532/EC of 3 May 2000, the quantity and nature of the waste or wastes which will be treated, recovered or disposed of,

LOCATION	Attachment H.1	
CHECKED	<b>Applicant</b>	Official

(h) specify the raw and ancillary materials, substances, preparations, fuels and energy which will be utilised in or produced by the activity,

LOCATION	Attachment 6.1	
CHECKED	Applicant 🛚	Official

(i) describe the plant, methods, processes, ancillary processes, abatement, recovery and treatment systems and operating procedures for the activity,

LOCATION	Attachments D.1, D.2, F.1, H.2	
CHECKED	<b>Applicant</b> $\boxtimes$	Official

(j) provide information for the purpose of enabling the Agency to make a determination in relation to the matters specified in paragraphs (a) to (g) of section 40(4) of the Act,

LOCATION	Attachment L.1	
CHECKED	Applicant 🖂	Official

<sup>&</sup>lt;sup>1</sup> Note that the Third and Fourth Schedules of the Act were amended by the European Communities (Waste Directive) Regulations, 2011.

## Popa

## WASTE Application Form

(k) give particulars of the source, location, nature, composition, quantity, level and rate of emissions arising from the activity and, where relevant, the period or periods during which such emissions are made or are to be made,

LOCATION	Attachment E	
CHECKED	Applicant 🖂	Official

(l) give details and an assessment of the effects, of any existing or proposed emissions on the environment, including any environmental medium other than those into which the emissions are, or are to be made and of proposed measures to prevent or eliminate or, where that is not practicable, to limit or abate such emissions,

LOCATION	Attachment F.1 and I	
CHECKED	<b>Applicant</b> $\boxtimes$	Official

(m) identify monitoring and sampling points and indicate proposed arrangements for the monitoring of emissions and the environmental consequences of any such emissions.

LOCATION	Attachment Fortige	
CHECKED	Applicants X	Official

(n) describe any proposed arrangements for the prevention, minimisation and recovery of waste arising from the activity concerned,

LOCATION	Attachment H.4	
CHECKED	<b>Applicant</b> $\boxtimes$	Official

(o) describe any proposed arrangements for the off-site treatment or disposal of solid or liquid wastes,

LOCATION	Attachment H.4	
CHECKED	<b>Applicant</b> $\boxtimes$	Official

(p) describe the existing or proposed measures, including emergency procedures, to prevent unauthorised or unexpected emissions and minimise the impact on the environment of any such emission,

LOCATION	Attachments E, F, I, J	
CHECKED	<b>Applicant</b> $\boxtimes$	Official

## Poa\_

## WASTE Application Form

(q) describe the proposed measures for the closure, restoration, remediation or aftercare of the facility concerned, after the cessation of the activity in question,

LOCATION	Attachment K	
CHECKED	<b>Applicant</b>	Official

- (r) in the case of an application in respect of the landfilling of waste, give particulars of
  - (i) such financial provision as is proposed to be made by the applicant, having regard to the provisions of Articles (7)(i) and (8)(a)(iv) of the Landfill Directive and section 53(1) of the Act, and

LOCATION	Not applicable	
CHECKED	<b>Applicant</b>	Official

(ii) such charges as are proposed or made having regard to the requirements of section 53A of the Act,

CHECKED	Applicant No.	Official
LOCATION	Not applicable	
	12, 10	

(s) state whether the activity is for the purposes of an establishment to which the European Communities (Control of Major Accident Hazards involving Dangerous Substances) Regulations, 2000 (S.I. No. 476 of 2000) apply,

LOCATION	Section B.8	_
CHECKED	<b>Applicant</b> $\boxtimes$	Official

(t) in the case of an activity which gives rise or could give rise to an emission into an aquifer containing the List I and II substances specified in the Annex to Council Directive 80/68/EEC of 17 December 1979, describe the existing or proposed arrangements necessary to give effect to Articles 3,4,5,6,7,8,9 and 10 of the aforementioned Council Directive,

LOCATION	Attachment I.5	
CHECKED	<b>Applicant</b>	Official



(t bis) describe in outline the main alternatives, if any, to the proposals contained in the application which were studied by the applicant,

LOCATION	Attachment D.2	
CHECKED	<b>Applicant</b> $\boxtimes$	Official

(u) include a non-technical summary of information provided in relation to the matters specified in paragraphs (a) to (t) of this sub-article,

LOCATION	Attachment A	
CHECKED	<b>Applicant</b>	Official

(v) describe how the waste hierarchy in section 21A of the Act is applied.

LOCATION	Attachment L.3	
CHECKED	Applicant 🖂	Official

Article 12(4) Without prejudice to Article 13(1) and (2), an application for a licence shall be accompanied by -

(a) a copy of the relevant page of the newspaper(s) in which the notice in accordance with article thas been published,

	SV V	
LOCATION	Appendix B.6.2	
CHECKED	Applicant 🖂	Official

(b) a copy of the text of the notice or notices erected or fixed in accordance with article 7,

LOCATION	Appendix B.6.1	
CHECKED	Applicant 🖂	Official

(c) where appropriate, a copy of the notice given to a local planning under article 9,

LOCATION	Appendix B.3.5	
CHECKED	<b>Applicant</b> $\boxtimes$	Official

(d) a copy of such plans, (appropriately scaled and no larger than A3 size), including a site plan or plans and location map or maps and such other particulars, reports and supporting documentation as are necessary to identify and describe, as appropriate -

(i) the position of the notice in accordance with article 7,

#### ∂ eρa\_

## WASTE Application Form

LOCATION	Drawing WLR-3	
CHECKED	<b>Applicant</b>	Official

(ii) the point or points from which emissions are made or are to be made, and

LOCATION	Drawing WLR-15	
CHECKED	<b>Applicant</b> $\boxtimes$	Official

(iii) the point or points at which monitoring and sampling are undertaken or are to be undertaken,

LOCATION	Drawing WLR-16	
CHECKED	<b>Applicant</b>	Official

(e) such fee as is appropriate having regard to the provisions of articles 40 and 41.

INCLUDED Y/N	Υ	•
CHECKED	Applicant	Official [

Article 12(5)(a) & (b) An application shall comprise 1 signed original of the application and 2 copies in hardcopy format plus 2 copies of all files in electronic searchaste PDF format on CD-Rom.

activative .				
HARDCOPIES PROVIDED	of XO			
Y/N çoʻ	169			
CHECKED	Applicant		Official	
gent b				
CD OF PDF FILES	Υ			
PROVIDED? Y/N				

Article 13 Where a development requires an Environmental Impact Assessment to be carried out, 1 signed original and 2 copies in hardcopy format of the environmental impact statement plus 16 copies in electronic searchable PDF format on CD-ROM should accompany this application.

EIA REQUIRED? Y/N	N		
CHECKED	Applicant	Official	
3 HARD COPIES OF EIS INCLUDED? Y/N			
CHECKED	Applicant	Official	
16 CD versions of EIS, as PDF files, PROVIDED? Y/N			
CHECKED	Applicant	Official	



## **PROCEDURES**

It is recommended that pre-application consultations with the Agency are undertaken before a formal submission of the waste licence application.

The procedure for making and processing of applications for waste licences and for the processing of reviews of such licences, appear in the Waste Management (Licensing) Regulations 2004 (S.I. No. 395 of 2004) and are summarised below. The application fees that shall accompany an application are listed in the Second Schedule to the Regulations.

Prior to submitting an application the applicant must publish in a local newspaper, and erect on site, a notice of intention to apply. An applicant, other than a local authority in whose functional area the development is located, must also notify the Local Planning Authority, in writing, of their intention to apply.

An application for a licence must be submitted on the appropriate form (available from the Agency) with the correct fee, and should contain relevant supporting documentation as attachments. The application should be based on responses to the form, supporting written text and the appropriate use of tables and drawings. Where point source emissions occur, a system of unique reference numbers should be used to denote each emission point. These should be simple logical and traceable throughout the application.

The application form is divided into a number of sections of related information. The purpose of these divisions being to facilitate both the applicant and the Agency in the provision of the information and sits assessment. Attachments should be clearly numbered, titled and paginated and must contain the required information as set out in the application form. Additional attachments may be included to supply any further information supporting the application. Any references made should be supported by a bibliography.

All questions should be answered. No waste management facility is exactly the same and hence each application will require different information. It is therefore possible that some of the sections of this application form may not be relevant to the activity concerned. Where information is requested in the application form, which is not relevant to the application, the words "not applicable" should be clearly written on the form. The abbreviation "N/A" should not be used.

Additional information may need to be submitted beyond that which is explicitly requested on this form. Any references made should be supported by a bibliography. The Agency may request further information if it considers that its provision is material to the assessment of the application. Advice should be sought from the Agency where there is doubt about the type of information required or the level of detail.

Information supplied in this application, including supporting documentation, will be put on public display and be open to inspection by any person. Should the applicant consider information to be confidential, then the nature of this information and the reasons why it is considered confidential should be clearly stated in an



attachment to the Application Form. This information should be submitted in a separate enclosure bearing the legend "In the event that this information is deemed not to be held as confidential, it must be returned to (representative of the applicant)".

Applicants should be aware that a contravention of the conditions of a waste licence is an offence under Section 39 of the Waste Management Act 1996, as amended.

The provision of information in an application for a waste licence which is false or misleading is an offence under Section 45 of the Waste Management Act 1996, as amended.

*Note: Drawings. The following guidelines are included to assist applicants:* 

- *All drawings submitted should be titled and dated.*
- They should have a <u>unique reference number</u> and should be signed by a clearly identifiable person.
- They should indicate a scale and the direction of north.
- All drawings should, generally, be to a scale of between 1:20 to 1:500, depending upon the degree of detail needed to be shown and the size of the facility. Drawings delineating the boundary can be to a smaller scale of between 1:1000 to 1:10560, but must clearly and accurately present the required level of detail. Drawings showing the site location can be to a scale of between 1:50,000 to 1:126 720. All drawings should, however, be A3 or less and of an appropriate scale such that they are clearly legible. Provide legends on all drawings and maps as appropriate.

The provision of information in an application for a waste licence, which is false or misleading, is an offence under Section 45 of the Acts.



## SECTION A NON-TECHNICAL SUMMARY

A Non-Technical Summary is to be submitted. The summary should include information on those aspects outlined in the Guidance Note and must comply with the requirements of Article 12 (1) (u) of the Waste Management (Licensing) Regulations, S.I. 395 of 2004.

The Non-Technical Summary should form **Attachment A.1**.



## **SECTION B GENERAL**

## **B.1** Applicant's Details

Name*:	Rehab Glassco limited
Address:	Unit 4, Oberstown Industrial Park
	Caragh Road
	Naas
	Co. Kildare
Tel:	01 6854400
Fax:	01 4430621
e-mail:	info@rehabglassco.ie

<sup>\*</sup> This should be the name of the applicant which is current on the date this Waste Licence Application is lodged with the Agency. It should be the name of the legal entity (which can be a limited company or a sole trader). A trading/business name is not acceptable.

## Name and Address for Correspondence

Only application documentation submitted by the applicant and by the nominated person will be deemed to have come from the applicant.

Name:	Mr. Zeki Mustafa
Address:	Rehab Glassco Limited
	Unit 4, Oberstown Industrial Park
	Caragh Road king to the caragh Road
	Naas, Co. Kildare
Tel:	01 6854400 Fot Miles
Fax:	01 4430621
e-mail:	zeki.mustafa@rehabglasscovie
	and the second s

## Address of registered or principal office of Body Corporate (if applicable)

Address:	As above	
Tel: Fax:		
Fax:		
o-mail·		

If the applicant is a body corporate, the following information must be attached as **Attachment B1**:

- a) a Certified Copy of the Certificate of Incorporation or Memorandum and Article of Association;
- b) the Companies Registration Number from the Companies Registry Office; and
- c) a list of the Company Directors.



Has an Article 11 request been submitted previously in relation to this site?

Yes \boxedown \b
If yes, please provide the Article 11 request number:-
State the interest of the applicant in the land which is subject to the application. The applicant is (please check):
Landowner  Lessee  Prospective Purchaser  Other (please specify)
Name and address of all occupiers of the land on which the Activity is situated (if different from applicant named above).
Name: As Applicant
Address:
19. 19. 19. 19. 19. 19. 19. 19. 19. 19.
- Continue of the continue of
Tel:
Fax:
e-mail:
For Philips
Name and address of the current* owner(s) and lessees of the land, buildings and ancillary plant on which the activity is or will be situated (if different from applicant named above). An appropriately scaled drawing ( $\leq A3$ ) showing the above details should be included in Attachment B1.
Name: As Applicant
Address:
Tel:
Fax:
e-mail:

\*Current at the time the application is submitted



Name and address of the primary installation contact for enforcement purposes, where a licence is granted (if different from applicant named above):

Name:	As Applicant
Position in organisation:	
Address:	
Tel:	
Fax:	
e-mail:	

## **B.2** Location of Activity

	Rehab Glassco Limited
Name:	Rehab Glassco Limited
Address*:	Unit 4, Oberstown Industrial Park
	Caragh Road
	Naas
	Co. Kildare Got
Tel:	01 6854400 gree out
Fax:	01 4430621 tot Triell
e-mail:	info@rehabglassco.ie (%)
* Include an	y townland early townland

National Grid Reference	E 286767
(8 digit 4E,4N)	N 220379

Location maps ( $\leq$ A3), appropriately scaled, with legible grid references should be enclosed in **Attachment B.2.** The site boundary must be outlined on the map in colour.

## B.3 Planning Authority and/or Public Authority

Give the name of the planning authority in whose functional area the activity is or will be carried out.

Name:	Kildare County Council
Address:	Áras Chill Dara
	Devoy Park
	Naas
	Co. Kildare
Tel:	(045) 980200

**Fax:** (045) 980240

Has the Planning Authority received written notification from the applicant of the application to the Environmental Protection Agency for a Waste Licence under Article 9 of the Waste Management (Licensing) Regulations?

Planning Authority notified	Yes 🖂
	No

Planning Permission relating to this application:-

B.3(a)	is not required	
B.3(b)	has been obtained	Yes
B.3(c)	is being processed	

Local Authority Planning	14/579
File Reference Nº:	

See Appendix B.3.2

#### **Attachment B.3**

## B.3(a) Planning permission not required

Where the new activity or changes to the existing sactivity which require this licence/review application does not require a grant of planning permission, the following should be included in Attachment  $N^{\circ}$  B.3:

Confirmation in writing from the planning anthority or An Bord Pleanála, as the case may be, that a grant of permission is not required.

#### AND

- Details of previous planning permissions granted for the development comprising the activity, including a copy of the grant of permission and a copy of all conditions.

## **AND EITHER**

(a) Where the planning authority or An Bord Pleanála accepted or required the submission of a copy of an EIS under the Planning and Development Act 2000, as amended, for a previous planning permission application, the required number of copies of the <u>most recent</u> EIS should be submitted. A copy of the planning inspector's report associated with that EIS should also be submitted.

## OR

- (b) Where an EIS was not required for any previous planning permissions granted for the development comprising the activity, submit confirmation in writing from the planning authority or An Bord Pleanála that an environmental impact assessment was not required for the development by or under the Planning and Development Act 2000, as amended.
- Where a grant of planning permission has never been required for the site of the activity, submit confirmation in writing from the planning authority or An Bord Pleanála, as the case may be, of same.



## B.3(b) Planning permission already granted

Where the new activity or changes to the existing activity which require this licence/review application has already been granted planning permission by a planning authority or An Bord Pleanála, the following should be included in Attachment  $N^{0}$  B.3:

- a copy of the grant of permission and either:
  - (a) where the planning authority or An Bord Pleanála accepted or required the submission of a copy of an EIS under the Planning and Development Act 2000, as amended, the required number of copies of that EIS;

#### OR

- (b) confirmation in writing from the planning authority or An Bord Pleanála that an environmental impact assessment was not required for the development by or under the Planning and Development Act 2000, as amended.
- A summary of all previous planning permissions granted for the site of the activity should be provided.

## *B.3(c) Planning permission under consideration*

Where the new activity or changes to the existing activity which require this licence/review application involves development or proposed development that requires a grant of planning permission, and the relevant planning application is under consideration by the planning authority or An Bord Pleanala, the following should be included in **Attachment No B.3**:

- confirmation in writing from a planning authority or An Bord Pleanála, as the case may be, that an application for permission comprising for the purposes of the activity to which the application for a licence relates, is currently under consideration, and either:
  - (a) the required number of copies of the EIS relating to that application for permission, where one is required by or under the Planning and Development Act 2000, as amended;

#### OR

- (b) confirmation in writing from the planning authority or An Bord Pleanála that an environmental impact assessment is not required by or under the Planning and Development Act 2000, as amended.
- A summary of all previous planning permissions granted for the site of the activity should be provided.

For B.3(b) and B.3(c) above, please note that in accordance with Section 42(1C) of the Waste Management Act 1996, as amended, the Agency shall *refuse to consider* the licence application if the applicant does not comply with the requirements of Section 42(1B).

## *Licences and permits*

For existing activities, **Attachment**  $N^0$  **B.3** should also contain a table of references to all licences and permits past and presently in force at the time of submission.



## Appropriate Assessment

Where applicable, provide a copy of any screening for Appropriate Assessment report and Natura Impact Statement (NIS) that was prepared for consideration by any planning/public authority as defined in Regulation 2(1) of the European Communities (Birds and Natural Habitats) Regulations 2011 (S.I. No. 477 of 2011) in relation to the activity. Where a determination that an Appropriate Assessment is required has been made by any planning/public authority in relation to the activity, a copy of that determination and any screening report and Natura Impact Statement (NIS), and any supplemental information furnished in relation to any such report or statement, which has been provided to the planning/public authority for the purposes of the Appropriate Assessment shall be included in **Attachment N^{\Omega} B.3.** 

## **B.4 Sanitary Authority**

In the case of a discharge of any trade effluent or other matter (other than domestic sewage or storm water) to a sewer of a sanitary authority or other body, give the name of the sanitary authority in which the sewer is vested or by which it is controlled and the waste water treatment plant (if any) to which the sewer discharges.

Name:		nty Council (Oberstown Wastewater Treatment
	Plant)	
Address:	Áras Chill Dara	
	Devoy Park	્રહ∙
	Naas	ner to
	Co. Kildare	14. 04. 04.
Tel:	(045) 980200	es of the fact
Fax:	(045) 980240	ito succession

The applicant must enclose, as **Attachment B.4**, accept of any effluent discharge licence and/or agreement between the applicant and the body with responsibility for the sewer.

### **B.5** Other Authorities

The applicant should indicate the **Health Board Region** where the activity is or will be located.

Name:	HSE Dublin Mid-Leinster
Address:	HSE Unit 4 Central Business Park
	Clonminch
	Tullamore, Co. Offaly
Tel:	057 93 57876
Fax:	

## **B.6** Notices and Advertisements

Articles 6 and 7 of the Waste Management (Licensing) Regulations 2004 requires all applicants to advertise the application in a newspaper and by way of a site notice. See *Guidance Note*.

Attachment B.6 should contain a copy of the site notice and an appropriately scaled drawing ( $\leq$ A3) showing its location on site. The original application must include the complete newspaper in which the advertisement was placed. The relevant page of the newspaper containing the advertisement should be included with the original and three copies of the application.



## B.7 Type of Waste Activity, Tonnages & Fees

B.7.1 Specify the class or classes of activity in Table B.7.1, in accordance with the Third Schedule or Fourth Schedule to the Waste Management Acts 1996 to 2010, as amended by the European Communities (Waste Directive) Regulations, 2011, to which the application relates (check the relevant box(es) and mark the principal activity with a 'P').

**Attachment B.7** should identify the principal activity and include a brief technical description of each of the other activities specified. **There can only be one principal activity.** 

TABLE B.7.1 THIRD AND FOURTH SCHEDULES OF THE WASTE MANAGEMENT ACT 1996, AS AMENDED.

	Waste Management Act 1996, as amended.				
	Third Schedule  Waste Disposal Operations  Y/N  Y/N  Waste Recovery Operations		Fourth Schedule Waste Recovery Operations	Y/N	
D 1	Deposit into or on to land (e.g. including landfill, etc.).  Consent of Conse	N inspection	n Puliposes all	Use principally as a fuel or other means to generate energy: This includes incineration facilities dedicated to the processing of municipal solid waste out where their energy efficiency is equal to or above:  - 0.60 for installations in operation and permitted in accordance with applicable Community acts before 1 January 2009, - 0.65 for installations permitted after 31 December 2008, using the following formula, applied in accordance with the reference document on Best Available Techniques for Waste Incineration: Energy efficiency = (Ep - (Ef + Ei)/ (0.97x(Ew+Ef) where—  'Ep' means annual energy produced as heat or electricity and is calculated with energy in the form of electricity being multiplied by 2.6 and heat produced for commercial use multiplied by 1.1(GJ/year),  'Ef' means annual energy input to the system from fuels contributing to the production of steam (GJ/year),  'Ew' means annual energy contained in the treated waste calculated using the net calorific value of the waste (GJ/year),  'Ei' means annual energy imported excluding Ew and Ef(GJ/year),  'O.97' is a factor accounting for energy losses due to bottom ash and radiation.  Solvent reclamation/regeneration.	N
	or sludgy discards in soils, etc.).	IN		-	IV
D 3	Deep injection (e.g. injection of pumpable discards into wells, salt domes or naturally occurring repositories, etc.).	N	,	Recycling /reclamation of organic substances which are not used as solvents (including composting and other biological transformation	N



				processes), which includes gasification and pyrolisis using the components as chemicals.	
D 4	Surface impoundment (e.g. placement of liquid or sludgy discards into pits, ponds or lagoons, etc.).	N	R 4	Recycling/reclamation of metals and metal compounds.	Υ
D 5	Specially engineered landfill (e.g. placement into lined discrete cells which are capped and isolated from one another and the environment, etc.).	N	R 5	Recycling/reclamation of other inorganic materials, which includes soil cleaning resulting in recovery of the soil and recycling of inorganic construction materials.	P
D 6	Release into a water body except seas/oceans.	N	R 6	Regeneration of acids or bases.	N
D 7	Release to seas/oceans including sea-bed insertion.	N	R 7	Recovery of components used for pollution abatement.	N
D 8	Biological treatment not specified elsewhere in this Schedule which results in final compounds or mixtures which are discarded by means of any of the operations numbered D 1 to D 12.	N	R 8	Recovery of components from catalysts.	N
D 9	Physico-chemical treatment not specified elsewhere in this Schedule which results in final compounds or mixtures which are discarded by means of any of the operations numbered D 1 to D 12 (e.g. evaporation, drying, calcinations, etc.).	N	R 9	Oil re-refining or other reuses of oil.	N
D 10	Incineration on land.	N	R 10	Cand treatment resulting in benefit to agriculture or ecological improvement.	N
D 11	Incineration at sea (this operation is prohibited by EU legislation and international conventions).	N Sc	R 10 Sire	Use of waste obtained from any of the operations numbered R 1 to R 10.	N
D 12	conventions).  Permanent storage (e.g. emplacement of containers in a mine, etc).	Negoti Pringle	*R 12	Exchange of waste for submission to any of the operations numbered R 1 to R 11 (if there is no other R code appropriate, this can include preliminary operations prior to recovery including pre-processing such as, amongst others, dismantling, sorting, crushing, compacting, pelletising, drying, shredding, conditioning, repackaging, separating, blending or mixing prior to submission to any of the operations numbered R1 to R11).	Υ
D 13	Blending or mixing prior to submission to any of the operations numbered D 1 to D 12 (if there is no other D code appropriate, this can include preliminary operations prior to disposal including pre-processing such as, amongst others, sorting, crushing, compacting, pelletising, drying, shredding, conditioning or separating prior to submission to any of the operations numbered D1 to D12).	N	R 13	Storage of waste pending any of the operations numbered R 1 to R 12 (excluding temporary storage (being preliminary storage according to the definition of 'collection' in section 5(1)), pending collection, on the site where the waste is produced).	Y
D 14	Repackaging prior to submission to any of the operations numbered D 1 to D 13.	N			
D 15	Storage pending any of the operations numbered D 1 to D 14 (excluding temporary storage (being preliminary storage according to the definition of 'collection' in section 5(1)), pending collection, on the site where the waste is produced).	Y			

## TABLE B.7.2 MAXIMUM ANNUAL TONNAGE

The maximum annual tonnage of waste to be handled at the site should be indicated and the year to which the quantity relates indicated.

<b>Maximum Annual Tonnage (tpa)</b>	150,000		
Year	2018 (estimated)		

#### **B.7.3 FEES**

State each class of activity for which a fee is being submitted as per Part I of the Second Schedule of the Waste Management (Licensing) Regulations 2004, S.I. No. 395 of 2004. Note: two fees are required if disposal and recovery are to occur.

Waste Activity	Fee (in €)
Disposal of Waste (appropriate	€0
disposal activity $1.1 - 3.3$ )	
Recovery of Waste (4)	€6,000
Total	€6,000

TABLE B.7.4 (FOR A LANDFILL APPLICATION) of the land of the land of the sound of th STATE WHICH OF THE FOLLOWING IS RELEVANT TO THE CURRENT APPLICATION.

The Dr	
(a) landfill for hazardous waste	
(b) landfill for non-hazardous waste	
(c) landfill for inert waste	

## TABLE B.7.5 (FOR A LANDFILL APPLICATION)

## **NOT APPLICABLE**

In accordance with the requirements of Article 9(b) of the Landfill Directive, state the total quantity of waste for which authorisation is sought to be deposited in the landfill – complete the following table:

Total quantity of waste to be deposited at the landfill facility	Tonnes*	Void in cubic metres (m³)
(a) Waste deposited to date		
(b) Total waste to be deposited over lifetime of development (including deposited to date)		



\* Explain any conversion/density factors used in calculating tonnage from void, or vice versa.

## **B.8 SEVESO II DIRECTIVE**

State whether the activity is for the purposes of an establishment to which the European Communities (Control of Major Accident Hazards involving Dangerous substances) Regulations, 2006 (S.I. No. 74 of 2006), apply.

Regulations Apply	Yes	No 🖂

If yes, **Attachment B.8** should include the relevant details. Supporting information, as well as copies of any Hazardous Operation Studies (HAZOP) carried out for the site, should also be included in the attachment.





## SECTION C MANAGEMENT OF THE FACILITY

Advice on completing this section is provided in the *Guidance Note*.

## C.1 Technical Competence and Site Management

This information should form **Attachment C 1**.

Details of the applicant's experience and qualifications, along with that of other relevant employees, should be summarised as shown below. Statements of duties, responsibilities, experience and qualifications should be submitted for each position named below. Additional information, including the management structure and an organisational chart, should be included in **Attachment C 1.** 

Name	Position	Duties and Responsibilities	Experience /Qualifications
Please see Attachment C.1		ري.	
		A. M. Od other the	
		of its delta	

## C.2 Environmental Management System

**Attachment C 2** should contain the Environmental Management System (EMS) details required.

Please see Attachment 6.2

## C.3 Hours of Operation

**Attachment C 3** should contain details of hours of operation for the waste facility, civic waste facilities and other facilities.

- (a) Proposed hours of operation.
- (b) Proposed hours of waste acceptance/handling.
- (c) Proposed hours of any construction and development works at the facility and timeframes (required for landfill facilities).
- (d) Any other relevant hours of operation expected.

Please see Attachment C.3



## SECTION D INFRASTRUCTURE & OPERATION

## D.1 Infrastructure

Complete the following table detailing the site infrastructure. **Attachment D 1** should contain the appropriate documentation. Information provided should follow the sequence, and use the headings, established in Table D.1. Additional advice on completing this section is provided in the application *Guidance Note*.

Table D.1. Infrastructure		y/n	Comments
D.1.a	Site security arrangements including gates and fencing	Υ	
<b>D.1.</b> b	Designs for site roads	Υ	
<b>D.1.</b> c	Design of hard-standing areas	Υ	
D.1.d	Plant	Υ	Including new fines processing line (extension to Main Process building)
<b>D.1.e</b>	Wheel-wash  Laboratory facilities  Design and location of fuel storage areas	N	Wheel cleaning/power wash installed
D.1.f	Laboratory facilities  Third reduced for the second	Υ	Quality control lab only
<b>D.1.g</b>	Design and location of fuel storage areas	Υ	
D.1.h	Waste quarantine areas Waste inspection areas	Υ	
<b>D.1.</b> i	Waste inspection areas	Υ	
D.1.j	Traffic control	Υ	
<b>D.1.</b> k	Sewerage and surface water drainage infrastructure	Υ	
D.1.l	All other services	Υ	
<b>D.1.</b> m	Plant sheds, garages and equipment compound	Υ	
D.1.n	Site accommodation	Υ	
D.1.0	A fire control system, including water supply	Υ	
<b>D.1.</b> p	Civic amenity facilities	N	None proposed
D.1.q	Any other waste recovery infrastructure	N	
D.1.r	Composting infrastructure	N	None proposed
<b>D.1.s</b>	Construction and Demolition waste infrastructure	N	None proposed
D.1.t	Incineration infrastructure (if applicable).  Provide information to fulfil Article 4 (2) & (3) of the Incineration of Waste Directive	N	None proposed



D.1.u	Any other infrastructure	N	
-------	--------------------------	---	--

#### D.2Facility Operation

In Attachment D 2 describe the plant, methods, processes and operations of the waste facility, as required by the Guidance Note.

The requirements of article 12(1)(t bis) of the Licensing Regulations should be addressed in Attachment D.2 by outlining the main alternatives to the proposals contained in the application which were studied by the applicant.

Attachment included	yes 🖂	no	not applicable
---------------------	-------	----	----------------

### **LANDFILLS**

#### **NOT APPLICABLE**

The following Sections D3 to D7 should only be completed for Landfill Applications. Reference should be made to the Agency landfill manual, 'Landfill Site Design (2000)', when completing this section.

D.3 Liner System

Complete the following table regarding the liner system to be used for the landfill/landfill extension and detail the information requested as **Attachment D.3**. Items D3c to D3g should only be completed for immediate projects (i.e., years 1 & 2). A schedule of liner construction activities for the medium to long term need only be listed in item D3a below, since Condition 3 of any licences granted will provide reporting requirements for any future projects.

TABLE D.3 LINER SYSTEM

		y/n	Comments
D.3.a	Provide information to fulfil Annex 1 of the Landfill Directive		
D.3.b	What type of liner system is specified?		
D.3.c	Has a Quality Control Plan been specified?		
D.3.d	Has a Quality Assurance Plan been specified?		
D.3.e	Has independent, third-party supervision, testing and controls been specified?		
D.3.f	Have basal gradients for all cells and access		



	ramps to the cells been designed?	
<b>D.3.g</b>	Has a leak detection survey been specified?	

## D.4 Leachate Management

Complete the following table detailing leachate management arrangements. Further information should be included in **Attachment D.4.** 

TABLE D.4.1 LEACHATE MANAGEMENT ARRANGEMENTS

		y/n	Comments
D.4.a	Is there a Leachate Management Plan?		
D.4.b	Have annual quantities of leachate been calculated?		
D.4.c	Has the total quantity of leachate been calculated?		
D.4.d	Has the size of the cells been specified taking account of the water balance calculations?		
D.4.e	Has a leachate collection system been specified?		
<b>D.4.</b> f	Has a leachate storage system been specified?		
D.4.g	Has a system for monitoring the level of leachate in the waste been designed?		
D.4.h	Is leachate recirculation proposed/practised?		
D.4.i	Has leachate treatment on-site been specified?		
D.4.j	Has leachate removal been specified?		

## D 5 Landfill Gas Management

All landfill sites should have suitable arrangements for the management of landfill gas. **Attachment D.5** should contain the appropriate documentation. Information provided should follow the sequence, and use the headings, established in Table D.5. **Items D5g to D5m should only be completed <u>for immediate or current gas collection projects</u> (i.e., years 1 & 2). A schedule of gas management aspects for the medium to long term need only be listed in item D5f below, since Condition 3** 



of any proposed decision/licence will provide reporting requirements for any future projects.



## $WASTE\,Application\,Form$

## Table D.5. Landfill Gas Management

	.s. Landini Gas Management	y/n	Comments
D.5a	Is there a Landfill Gas Management Plan?		
	Provide estimates of the volumes of landfill gas which will be produced by the waste disposed of in the site for the next 20 years, and compare to the EPER list for methane:		
D.5b	Is there a passive venting system?		
D.5c	Does the passive system cover all of the filled area?		
D.5d	Have gas alarm systems been installed in the site buildings?		
<b>D.5</b> e	Have measures been installed to prevent landfill gas migration (e.g. barriers)?	Notheru	e.
D.5f	Has a time-scale been proposed for the installation of landfill gas infrastructure?		
<b>D.5</b> g	Is gas flaring undertaken at the site?		
D.5h	Is there an active (i.e., pumped) landfill gas extraction system?		
D.5i	Does the active system cover all of the filled area?		
D.5j	Is landfill gas used to generate energy at the site?		
D.5k	Have emissions from the flarestack and utilisation plant been assessed for source, composition, quantity and level and rate?		
D.51	Has a maintenance programme for the control system been specified?		
<b>D.5</b> m	Has a condensate removal system been designed?		

## Poa .

## WASTE Application Form

## D.6 Capping System

Complete the following table detailing the design of the capping system. Attachment D.6 should contain the appropriate documentation. *Items D6e to D6k should be completed <u>for immediate projects only</u> (i.e., years 1 & 2). Condition 10 of any proposed decision/licence will provide reporting requirements for capping requirements beyond this timeframe.* 

**Table D.6 Capping System** 

		y/n	Comments
D.			
D.6a	Has the daily cover been specified?		
D.6b	Has the intermediate cover been specified?		
D.6c	Has the temporary capping been specified?		
<b>D.6d</b>	Has the Capping System been designed and	et use.	
	does it meet the requirements of the Landfill Directive Annex 1 (3.3)?		
D.6e	Does the Capping System include a flexible membrane liner?		
D.6f	Have all capping materials been specified?		
D.6g	Has a Method Statement for construction been produced?		
D.6h	Has a Quality Control Plan been produced?		
D.6i	Has a Quality Assurance Plan been produced?		
D.6j	Has a programme for monitoring landfill stability been developed?		
D.6k	Has a programme for monitoring landfill settlement been developed?		



## **SECTION E EMISSIONS**

Give particulars of the source, location, nature, composition, quantity, level and rate of emissions arising from the activity and, where relevant, the period or periods during which such emissions are made or are to be made.

The applicant should address in particular any emission point where the substances listed in the Schedule of S.I. 394 of 2004 are emitted.

Please see Attachment E – Emissions for supporting information.

## E.1 Emissions to Atmosphere

Details of all point emissions to atmosphere should be supplied. Table E.1.(i) (for Landfill Gas Flare emissions) must be completed for all landfills with a flare. Complete Table E.1(ii) and E.1(iii) for <u>all</u> other main emission points, including stack sources (incinerator stacks, landfill gas utilisation plants, air handling unit emissions etc.). Complete Table E.1(iv) for minor/fugitive/ground emission points.

## E.2 Emissions to Surface Waters

**Attachment E.2** Tables E.2(i) and E.2(ii) should be completed, where relevant.

## E.3 Emissions to Sewer

**Attachment E.3** Tables E.3(i) and E.3(ii) should be completed, where relevant.

## E.4 Emissions to Groundwater

Describe the existing or proposed arrangements necessary to give effect to Articles 3, 4, 5, 6, and 7 of Council Directive 80/68/EEC of 17 December 1979 on the protection of groundwater against pollution by certain dangerous substances and the European Communities Environmental Objectives (Groundwater) Regulations 2010 (S.I. No. 9 of 2010.

Table E.4(i) should be completed, as relevant, for each source.

Supporting information should form Attachment E.4

## **E.5 Noise Emissions**

Give particulars of the source, location, nature, level, and the period or periods during which the noise emissions are made or are to be made.

Table E.5 (i) should be completed, as relevant, for each source.

Supporting information should form **Attachment E.5** 

The Agency's Guidance Note for Noise: Licence Applications, Surveys and Assessments in Relation to Scheduled Activities (NG4) (2012) should be consulted



(available on <a href="www.epa.ie">www.epa.ie</a>) where a noise impact assessment is required. A planned programme of improvement towards meeting upgraded standards is required and should have due regard to the noise control and mitigation measures outlined in section 8, and Appendix IX of the *Guidance Note*. This programme should highlight specific goals and a time scale, together with options for modification, upgrading or replacement, as required, to bring the emissions within the limits as set out in the *Guidance Note*.

#### E.6 Environmental Nuisances

**Attachment E.6** should contain the appropriate documentation. Information provided should follow the sequence and use the headings as relevant established in Table D.6. Additional advice on completing this section is provided in the *Guidance Note*.

TABLE E.6 ENVIRONMENTAL NUISANCES

Bird Control	Control method	yes 🖂	no 🗌	not applicable
	specified Attachment included	yes Mari	no	not applicable
Dust Control	Control method specified	ves Ves	no	not applicable
	Attachment included	yes 🖂	no	not applicable
Fire Control	Control method specified	yes 🖂	no	not applicable
	Attachment included	yes 🖂	no	not applicable
Litter Control	Control method specified	yes 🖂	no	not applicable
	Attachment included	yes 🖂	no	not applicable
Traffic Control	Control method specified	yes 🖂	no	not applicable
	Attachment included	yes 🖂	no	not applicable
Vermin Control	Control method specified	yes 🖂	no	not applicable
	Attachment included	yes 🖂	no	not applicable
Road Cleansing	Control method specified	yes 🖂	no	not applicable
	Attachment included	yes 🖂	no	not applicable



## SECTION F CONTROL & MONITORING

## F.1: Treatment, Abatement and Control Systems

Describe the proposed technology and other techniques for preventing or, where this is not possible, reducing emissions from the installation/facility. Details of treatment/abatement systems (air and effluent emissions) should be included, together with appropriately scaled schematics ( $\leq$ A3) as appropriate.

For each Emission Point identified complete Table F.1 of the Annex and include detailed descriptions and appropriately scaled schematics (≤A3) of all abatement systems.

**Attachment F.1** should contain any supporting information.

## F.2- F. 9. Monitoring and Sampling Points

Programmes for environmental monitoring should be submitted as part of the application. These programmes should be provided as **Attachments F.2 to F.6** and meet the advice published by the Agency in the relevant BAT Note. For landfills the additional **Attachments F.7 to F.8** should be completed. Furthermore for a landfill application the applicant <u>must</u> refer to the Agency *Landfill Monitoring Manual* (2003) for further details on monitoring requirements for proposed facilities.

Include details of monitoring/sampling locations and methods.

## F.2 Air - to include Dust, Odour

Monitoring Arrangements specified	yes 🖂	no	not applicable
Monitoring points identified, (plus	yes 🖂	no	not applicable
12-figure grid references)			
Attachment included	yes 🖂	no	not applicable

## F.3 Surface Water

Monitoring of surface water shall be carried out at not less than two points, one upstream from the waste facility and one downstream.

Monitoring Arrangements specified	yes 🖂	no	not applicable
Monitoring points identified, (plus	yes 🖂	no	not applicable
12-figure grid references)			
Attachment included	yes 🖂	no	not applicable



## F.4 Sewer Discharge

Monitoring of sewer discharge shall be carried out at the point specified by the local authority/Agency.

Monitoring Arrangements specified	yes 🗌	no	not applicable⊠
Monitoring points identified, (plus	yes 🗌	no	not applicable⊠
12-figure grid references)			
Attachment included	yes 🗌	no	not applicable⊠

## F.5 Groundwater

Groundwater monitoring is required at all landfill facilities; and certain other waste facilities depending on waste activities and the underlying aquifer vulnerability.

<b>Monitoring Arrangements specified</b>	yes 🗌	no	not applicable⊠
Monitoring points identified, (plus	yes 🗌	no	not applicable⊠
12-figure grid references)			
Attachment included	yes 🗌	no	not applicable⊠

## F.6 Noise

<b>Monitoring Arrangements specified</b>	yes 🔀	no	not applicable
Monitoring points identified, (plus	yes	no	not applicable
12-figure grid references)	an phi redu		
Attachment included	yes 🖂	no	not applicable

## F.7 Meteorological Data

Monitoring Arrangements specified	yes 🗌	no	not applicable $oxtime $
Monitoring points identified, (plus	yes 🗌	no	not applicable⊠
12-figure grid references)			
Attachment included	yes 🗌	no	not applicable⊠

An application for landfill requires the additional Attachments F.7 to F.8, to be completed:

**NOT APPLICABLE** 

### F.8 Leachate

<b>Monitoring Arrangements specified</b>	yes 🗌	no	not applicable
Monitoring points identified, (plus	yes 🗌	no	not applicable
12-figure grid references)			
Attachment included	yes 🗌	no	not applicable



# F.9 Landfill Gas

Complete each of the following tables to show whether information has been included on aspects of landfill gas monitoring. Attachment F.9 should also contain information to show whether the data given in Tables F.9.(a) and F.9(b) below represents actual or anticipated data. Complete Table F.9 as follows:

Table F.9 (a) Landfill Gas Monitoring for existing landfill gas flares / utilisation plants

Parameter	Concentration (mg/Nm³)	Proposed Frequency of Analysis	Information Included Y/N	Method of Analysis	Information Included Y/N
Inlet					
Methane (CH <sub>4</sub> ) % v/v					
Carbon dioxide (CO <sub>2</sub> ) %v/v					
Oxygen (O <sub>2</sub> ) % v/v					
Outlet					
Volumetric Flow Rate					
$SO_2$					
Nox					
CO					
Particulates					
TA Luft Class I, II, III organics					
Hydrochloric acid			.Q.*		
Hydrogen Fluoride			St 112		

Hydrogen Fluoride			* 112			
Table F.9(b) Landfill Gas Monitoring						
Parameter	Proposed Freque	ncy of Analysis	Information Included Y/N	Method of Analysis	Information Included Y/N	
	Gas boreholes / vents/ wells/ perimeter locations	Facility Office.				
Methane (CH <sub>4</sub> ) % v/v	€of	Aligh.				
Carbon Dioxide (CO <sub>2</sub> ) % v/v	ૂંડ	8,				
Oxygen (O <sub>2</sub> ) % v/v	ent of					
Atmospheric Pressure	Cous					
Temperature	_					

Table F.9 (c) Landfill Gas Infrastructure

Equipment	Monitoring Frequency	Information Included Y/N	<b>Monitoring Action</b>	Information Included Y/N
Gas Collection System				
Gas Control System				

Monitoring Arrangements specified	yes 🗌	no	not applicable
Monitoring points identified, (plus	yes 🗌	no	not applicable
12-figure grid references)			
Attachment included	yes 🗌	no	not applicable

# SECTION G RESOURCES USE & ENERGY EFFICIENCY

## G.1 Raw Materials, Substances, Preparations and Energy

**Attachment G.1** should contain a list of all raw, product and ancillary materials, substances, preparations, fuels and energy which will be utilised in or produced by the activity. Information on any insecticides, herbicides or rat poisons, etc., should also be provided with their respective data and safety sheets. The Standard Forms, provided in Annex 1, should be used in the description of these materials, substances, etc., where relevant. Additional advice on completing this section is provided in the *Guidance Note*.

Attachment included	yes 🖂	no	not applicable
G.2 Energy Efficiency			
A description of the energy that Attachment G.2.	ised in or generate	ed by the a	activity must be provided in
Attachment included	yes ko	no	not applicable
c	For inspection with the		



#### SECTION H MATERIALS HANDLING

# H.1 Waste Types and Quantities – Existing & Proposed

Provide an estimation of the quantity of waste likely to be handled in relation to each class of activity applied for. This information should be included in Table H.1(a).

TABLE H.1(A). QUANTITIES OF WASTE IN RELATION TO EACH CLASS OF ACTIVITY APPLIED FOR

	Waste Management Act 1996, as amended.		nent Act 1996, as inded.	
3rd Schedule (Disposal) Operations		4th Schedule (Recovery) Operations		
Class of	Quantity (tpa)	Class of	Quantity (tpa)	
Activity		Activity		
Applied For		Applied For		
Class D 1		Class R 1		
Class D 2		Class R 2		
Class D 3		Class R 3	Ø)*	
Class D 4		Class R 4	3,000	
Class D 5		Class R 5	130,000	
Class D 6		Class R		
Class D 7		Class R 70		
Class D 8		Class R8		
Class D 9		Class R 9		
Class D 10		Glass R 10		
Class D 11	:05	Class R 11		
Class D 12	for at	Class R 12	16,000	
Class D 13	, colo,	Class R 13	500	
Class D 14	atoto			
Class D 15	5,00			

In Table H. 1 (B) provide the annual amount of waste handled/to be handled at the facility. Additional information should be included in **Attachment H.1.** The tonnage per annum should be given of that expected for the life of the licence, with at least the next five years tonnages provided. For landfill licence review applications provide an estimate of the quantity of waste already deposited in (i) lined cells; (ii) unlined cells.

TABLE H.1(B) ANNUAL QUANTITIES AND NATURE OF WASTE

Year	Non-hazardous waste (tonnes per annum)	Hazardous waste	Total annual quantity of
		(tonnes per annum)	waste (tonnes per annum)
2014	122,641	0	122,641
2018 Onwards	150,000	0	150,000



A detailed inventory of the types and quantities of wastes currently handled at the site and proposed to be handled should be submitted as Table H.1 (C).

TABLE H.1 (C) WASTE TYPES AND QUANTITIES

WASTE TYPE	TONNES PER ANNUM (existing)	TONNES PER ANNUM (proposed)	TOTAL (over life of site) tonnes
Household	109,125	133,500	Not known
Commercial	13,516	16,500	Not known
Sewage Sludge			
Construction and Demolition			
Industrial Non- Hazardous Sludges			
Industrial Non- Hazardous Solids			
Hazardous *(Specify detail in Table H 1.2)		Supposes only any other use.  Supposes only any other use.  Supposes only any other use.	
Inert Waste imported for restoration purposes	COMPLETO COMPLETO	uttosticat Let'er Landfill & Cont FACILITIES ONLY	AMINATED LAND

# \* TABLE H.1.2 HAZARDOUS WASTE TYPES AND QUANTITIES

HAZARDOUS WASTE	DETAILED DESCRIPTION	Tonnes Per Annum (Existing)	(Tonnes Per Annum Proposed)	
Waste Oil				
Oil filters				
Asbestos				
Paint and Ink				
Batteries				
Fluorescent Light Bulbs				
<b>Contaminated Soils</b>				
OTHER HAZARDOUS WASTE (APPLICANT TO SPECIFY)				



**Attachment H.1** should contain any relevant additional information.

It should be noted that an applicant may be issued with a licence which restricts the type of wastes which may be accepted.

#### H.2 Waste Acceptance Procedures

Procedures for checking waste loads as they arrive at the facility must be included. These should follow the requirements of the Agency's Waste Acceptance Manual and, for landfills, Council Decision 2003/33/EC. A copy of these procedures and other associated documentation should be included as **Attachment H.2.** 

#### H.3 Waste Handling

Waste handling and the operating procedures used at the facility including waste treatment processes should be described in **Attachment H.3**. Included in the attachment should be information on the plant used on site and on the methods and processes for handling waste on-site. Special requirements hold for contaminated soil facilities, see *Guidance Note*.

In addition, an application for a Landfill requires Section H.3.a to be completed:

## H.3a Waste Handling at the Landfill Facility

State the manner in which it will be verified or assured that waste will be subject to treatment prior to landfilling in accordance with the requirements of article 6 of the Landfill Directive.

Provide information on the quantity of biodegradable municipal waste to be accepted and how the targets of article 5 of the Landfill Directive (1999/31/EC), as they have been adopted in Ireland, are to be achieved. In particular describe how operation of the landfill will contribute to:

- (a) a reduction by 16/07/2010 to 75% by weight of the total amount of biodegradable municipal waste produced in 1995 or the latest year before 1995 for which standardised Eurostat data is available;
- (b)a reduction by 16/07/2013 to 50% by weight of the total amount of biodegradable municipal waste produced in 1995 or the latest year before 1995 for which standardised Eurostat data is available;
- (c)a reduction by 16/07/2016 to 35% by weight of the total amount of biodegradable municipal waste produced in 1995 or the latest year before 1995 for which standardised Eurostat data is available.

Evidence should be provided to show that energy will be used efficiently.



#### H.4 Waste Arisings

Waste Arisings should be considered for all contaminated soil applications. Details of all waste materials generated on the site including, name, description and nature as well as the source(s) should be identified. The quantities of each type of waste generated on an annual/monthly basis should be calculated and stated in Tables H.4(i) and H.4(ii) of the application form. Applicants should also provide conversion factors used to relate volume (m³) and tonnage (t) for their waste stream.

#### H.5 Waste Recycling and Recovery

Applicants should describe in **Attachment H.5** how waste activities will contribute to the requirements of regulation 31(1) and (2) of the European Communities (Waste Directive) Regulations 2011.

Applicants should also describe how they intend complying with the requirements of regulation 29(2A) of the Regulations regarding waste recovery.





#### SECTION I EXISTING ENVIRONMENT & IMPACT OF THE FACILITY

Detailed information is required to enable the Agency to assess the existing environment. This section requires the provision of information on the ambient environmental conditions at the site prior to the commencement of waste management activities or prior to the receipt of a review application.

Where development is proposed to be carried out, being development which is of a class for the time being specified under Article 24 (First Schedule) of the Environmental Impact Assessment Regulations, the information on the state of the existing environment should be addressed in the EIS. In such cases, it will suffice for the purposes of this section to provide adequate cross-references to the relevant sections in the EIS.

#### I.1. Assessment of atmospheric emissions

Describe the existing environment in terms of air quality with particular reference to ambient air quality standards.

Provide a statement whether or not emissions of main polluting substances (as defined in the Schedule of S.I. 394 of 2004) to the atmosphere are likely to impair the environment.

Give summary details and an assessment of the impacts of any existing or proposed emissions on the environment, including environmental media other than those into which the emissions are to be made.

**Attachment I.1** should also contain full details of any dispersion modelling of atmospheric emissions from the activity, where required.

# I.2. Assessment of Impact on Receiving Surface Water

Describe the existing environment in terms of water quality with particular reference to environmental quality standards or other legislative standards. Table I.2(i) should be completed

Provide a statement whether or not emissions of main polluting substances (as defined in the Schedule of S.I. 394 of 2004) to water are likely to impair the environment.

Give summary details and an assessment of the impacts of any existing or proposed emissions on the environment, including environmental media other than those into which the emissions are to be made.

The requirements of and environmental quality standards contained in the European Communities Environmental Objectives (Surface Waters) Regulations 2009 (S.I. No. 272 of 2009) should be considered. Information should be provided on the manner in which these Regulations were taken into account in the assessment of the impact of emissions to surface waters.



Full details of the assessment and any other relevant information on the receiving environment should be submitted as **Attachment I.2.** 

#### I.3. Assessment of Impact of Sewage Discharge.

Give summary details and an assessment of the impacts of any existing or proposed emissions on the environment, including environmental media other than those into which the emissions are to be made.

Full details of the assessment and any other supporting information should form **Attachment I.3.** 

#### I.4 Assessment of impact of ground/groundwater emissions

The scope and detail of this assessment will depend to a large extent on the extent and type of ground emissions at any site, which in turn are related to the risk. Details should be included in **Attachment I.4**. Comprehensive guidelines are contained in the *Application Guidance Note* and include particular requirements for landfill and brownfield facilities.

Describe the existing groundwater quality. Tables I.4(i) should be completed.

The requirements of the European Communities Environmental Objectives (Groundwater) Regulations 2010 (S.I. No. 9 of 2010) should be considered. Information should be provided on the manner in which these Regulations were taken into account in the assessment of the impact of the activity on groundwater.

# I.5 Ground and/or groundwater contamination

Summary details of known ground and/or groundwater contamination, historical or current, on or under the site must be given.

Full details including all relevant investigative studies, assessments, or reports, monitoring results, location and design of monitoring installations, appropriately scaled plans/drawings (≤A3), documentation, including containment engineering, remedial works and any other supporting information should be included in **Attachment I.5**.

The requirements of the European Communities Environmental Objectives (Groundwater) Regulations 2010 (S.I. No. 9 of 2010) should be considered. Information should be provided on the manner in which these Regulations were taken into account in the assessment of groundwater contamination and any remedial works carried out or proposed.

#### I.6 Noise Impact.



Give details and an assessment of the impacts of any existing or proposed emissions on the environment, including environmental media other than those into which the emissions are to be made.

Ambient noise measurements

Complete Table I.6 (i) in relation to the information required below:

- (i) State the maximum Sound Pressure Levels which will be experienced at typical points on the boundary of the operation. (State sampling interval and duration)
- (ii) State the maximum Sound Pressure Levels which will be experienced at typical noise sensitive locations, outside the boundary of the operation.
- (iii) Give details of the background (or residual) noise levels experienced at the site in the absence of noise from this operation.

Prediction models, maps (no larger than A3), diagrams and supporting documents, including details of noise attenuation and noise proposed control measures to be employed, should form **Attachment Nº I.6.** 

# I.7 Assessment of Ecological Impacts & Mitigation Measures

The ecology of the site and the surrounding area should be assessed in the vicinity of the largescale waste facilities such as landful or incinerator developments. An assessment of the ecology should form **Attachment I.7.** Comprehensive guidelines are contained in the *Application Guidance Notes*.

#### SECTION J ACCIDENT PREVENTION & EMERGENCY RESPONSE

Describe the existing or proposed measures, including emergency procedures, to minimise the impact on the environment of an accidental emission or spillage.

Also outline what provisions have been made for response to emergency situations outside of normal working hours, i.e. during night-time, weekends and holiday periods.

Describe the arrangements for abnormal operating conditions including start-up, leaks, malfunctions or momentary stoppages.

Supporting information should form Attachment J.

Attachment included yes \( \sum \) no \( \sum \) not applicable \( \sum \)
--

# SECTION K REMEDIATION, DECOMMISSIONING, RESTORATION AND AFTERCARE

Describe the existing or proposed measures to minimise the impact on the environment after the activity or part of the activity ceases operation, including provision for post-closure care of any potentially polluting residuals.

For Landfill Applications, capping proposals are required, and reference should be made to the *Landfill Manual on 'Restoration and Aftercare'* published by the Agency, when completing this section.

Attachment included	yes 🖂	no	not applicable

#### SECTION L STATUTORY REQUIREMENTS

#### L.1 Section 40(4) WMA

Indicate how all the requirements of Section 40(4)[(a) to (j)] of the Waste Management Act 1996, as amended, will be met.

Undertake a screening for Appropriate Assessment and state whether the activity, individually or in combination with other plans or projects, is likely to have a significant effect on a European Site(s), in view of best scientific knowledge and the conservation objectives of the site(s).

Where it cannot be excluded on the basis of objective scientific information, following screening for Appropriate Assessment, that an activity, either individually or in combination with other plans or projects, will have a significant effect on a European Site, provide a Natura Impact Statement, as defined in Regulation 2(1) of the European Communities (Birds and Natural Habitats) Regulations (S.I. No. 477 of 2011).

Where, based on screening, it is considered that an Appropriate Assessment is not required, provide a reasoned response.

The screening report and Natura Impact Statement, where applicable, shall be provided in **Attachment L.1.** 

Applicants should also describe how the proposed facility will comply with the requirements of BAT. In particular reference should be made to the considerations referred to in Annex IV of Council Directive 96/61/EC concerning integrated pollution prevention and control.

**Attachment L.1** should contain the documentation requested above, along with any relevant additional information.

Attachment included	ves 🖂	no	not applicable
1 1 0 0 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1	J 🕶 🖂		

#### L.2 Fit and Proper Person



The WMA in Section 40(4)(d) specifies that the Agency shall not grant a licence unless it is satisfied that the applicant (if the applicant is not a local authority) is a fit and proper person. Section 40(7) of the WMA specifies the information required to enable a determination to be made by the Agency.

- Indicate whether the applicant or other relevant person has been convicted under the Waste Management Act 1996, as amended, the EPA Act 1992, as amended, the Local Government (Water Pollution) Acts 1977 and 1990 or the Air Pollution Act 1987.
- Provide details of the applicant's technical knowledge and/or qualifications, along with that of other relevant employees (Link to Section C.1 of the application).
- Provide information to show that the person is likely to be in a position to meet any financial commitments or liabilities that may have been or will be entered into or incurred in carrying on the activity to which the application relates or in consequence of ceasing to carry out that activity (Link to Section K of the application).

Supporting information should be included as **Attachment L.2** with reference to where the information can be found in the application.

	Olympia Contraction	
Attachment included	yes no no	not applicable
	on fulfedu.	
I 3 Wasta hiararchy	ectic where	

Section 21A of the Waste Management Act 1996, as amended, as amended, requires that the waste hierarchy shall apply. When applying the waste hierarchy, the Agency is obliged to take measures to encourage the options that deliver the best overall environmental outcome. Any departures from the hierarchy can be justified by life-cycle thinking on the overall impacts of the generation and management of specific waste streams. Applicants should justify any departures from the hierarchy on this basis and as set out in section 21A(2) of the Acts.

Applicants should be aware of the requirements related to recovery of waste set out in section 29(2A) of the Acts. (See section H.5 above).

In accordance with article 12(1)(v) of the Waste Management (Licensing) Regulations, 2004, as amended, describe in **Attachment L.3** how the waste hierarchy is applied in or by the proposed activity.

Attachment included	yes 🖂	no	not applicable

#### L.4 Principles of self-sufficiency and proximity

Applicants should state in **Attachment L.4** how the proposed activity contributes to the requirements of Section 37A of the Waste Management Act 1996, as amended.

Attachment included	ves  X	no	not applicable
	J		

Consent of copyright owner required for any other use.

#### SECTION M DECLARATION

#### Declaration

I hereby make application for a licence / revised licence, pursuant to the provisions of the Waste Management Act 1996, as amended and Regulations made thereunder.

I certify that the information given in this application is truthful, accurate and complete.

I give consent to the EPA to copy this application for its own use and to make it available for inspection and copying by the public, both in the form of paper files available for inspection at EPA and local authority offices and via the EPA's website. This consent relates to this application itself and to any further information, submission, objection, or submission to an objection whether provided by me as Applicant or any person acting on the Applicant's behalf.

Signed by:

(on behalf of the organisation)

Print signature name:

The print signature name:

Mysterial part of the organisation in organisation:

Mysterial part of the organisation in organisation:

Company stamp or seal:

REHAB GLASSCO LIMITED

1 7 FEB 2015

UNIT 4.0SBERSTOWN INDUSTRIAL PARK CARAGH ROAD, NAAS, CO. KILDARE TEL: +353 (0)1-6854400

Consent of copyright owner required for any other use.



# **ANNEX 1 STANDARD FORMS**

Standard forms are provided in this section for the recording and presentation of environmental monitoring and site investigation results

# TARLEF 1(i) I ANDELLI CAS ELABE EMISSIONS TO ATMOSPHERE

Emission Point Ref	f. Nº:	Not Applic	able		
Location:					
Grid Ref. (12 digit,	6E,6N):				
	ameter:	For its pector put	Poses ally ally of	net use.	
Height above Gro	und(m):	tion pu	tegg		
Date of commencer emission:		For its per own			
Characteristics of I					mg/m <sup>2</sup>
Total organic carbo	on (TOC)				mg/m <sup>3</sup>
NOx			0°C. 3	% O <sub>2</sub> (Liquid or Gas), 6	mg/Nm <sup>3</sup> % O <sub>2</sub> (Solid Fuel)
Maximum volume	of emissio	on			m³/hr
Temperature			°C(max)	°C(min)	°C(avg)
		مر ماد نمایی میدن	ssions are t	nade, or are to b	e made
. ,		_		/shutdown to be	



# TABLE E.1(ii) MAIN EMISSIONS TO ATMOSPHERE (1 Page for each emission point)

Emission Point Ref. Nº:	A1 <sup>2</sup>
Source of Emission:	Stack at Drying Plant
Location:	Drying Plant
Grid Ref. (12 digit, 6E,6N):	E286764, N220379
Vent Details	
Diameter:	0.48m
Height above Ground(m):	7.5m
Date of commencement:	

#### **Characteristics of Emission:**

		<u> </u>	
(i) Volume to be	emitted:	ses of the stand	
Average/day	m³/d	Maximum/day	<b>114,000</b> m <sup>3</sup> /d
Maximum rate/hour	9,500m h	Min efflux velocity	m.sec <sup>-1</sup>
(ii) Other factors	at of copy		
Temperature	Conser °C(max)	°C(min)	<b>93.695</b> °C(av g)
For Combustion Source Volume terms express		□ dry.	%O <sub>2</sub>

(iii) Period or periods during which emissions are made, or are to be made, including daily or seasonal variations (*start-up /shutdown to be included*):

Periods of Emission (avg)	hr/day	day/yr
---------------------------	--------	--------

 $<sup>^2</sup>$  Monitoring point A1 is denoted as 'A2-01' in the monitoring report. Elsewhere in the Waste Licence Review Application documentation this point is referred to as A1.



Emission Point Ref. Nº:	A2
Source of Emission:	Stack from new fines processing line in extension to main plant
Location:	Extension to main plant
Grid Ref. (12 digit, 6E,6N):	E286811, N220296
Vent Details	
Diameter:	0.45m
Height above Ground(m):	13.22m
Date of commencement:	

# **Characteristics of Emission:**

Character issues of Line	ission .		
		ather use.	
(i) Volume to be 6	emitted:	es afta any of	
Average/day	m³/d	Maximum/day	m <sup>3</sup> /d
Maximum rate/hour	7,200m h	m.sec <sup>-1</sup>	
(ii) Other factors	at of copy		
Temperature	Conse °C(max)	°C(min)	<b>70</b> °C(avg)
For Combustion Source	ces:		
Volume terms express	sed as: wet.	<b>Y</b> dry	%O <sub>2</sub>

(iii) Period or periods during which emissions are made, or are to be made, including daily or seasonal variations (*start-up /shutdown to be included*):

Periods of Emission (avg)	min/hr	hr/day	day/yr
---------------------------	--------	--------	--------



TABLE E.1(iii): MAIN EMISSIONS TO ATMOSPHERE - Chemical characteristics of the emission (1 table per emission point)

Emission Point Reference Number:	A1	
----------------------------------	----	--

Parameter	Prior to treatment <sup>(1)</sup>		Brief	As discharged <sup>(1)</sup>							
	mg/	Nm³	kg	g/h	description	mg/	/m3	kg	/h.	kg/y	/ear
	Avg	Max	Avg	Max	of treatment	Avg	Max	Avg	Max	Avg	Max
					Extraction fans and bag filtration						
					TPM only any	4.71					
					CO 10 set allo	826.7					
					NO protection	15.1					
				, .	₩QC*	211.9					
				\$0°	SO <sub>2</sub>	17.0					
				Consent of							
				Con							

<sup>1.</sup> Concentrations should be based on Normal conditions of temperature and pressure, (i.e. 0°C,101.3kPa). Wet/dry should be the same as given in Table E.1(ii) unless clearly stated otherwise.



Emission	Point	Reference	Number:	A2	
Liiiissioii	1 Ulli	Rejerence	1 · minoci · _		

Parameter	Prior to treatment <sup>(1)</sup>		Brief	As discharged <sup>(1)</sup>							
	mg/	Nm <sup>3</sup>	kg	g/h	description	mg	/m3	kg	/h.	kg/	year
	Avg	Max	Avg	Max	of treatment	Avg	Max	Avg	Max	Avg	Max
					Extraction fans and bag filtration CO NO2 SO3N Purpose South of the common second for th						
					CO ONLY, SURY OF	20.3					
					NO <sub>2</sub> roses of for	14.7					
					SO <sub>201</sub> tredit	7.8					
				F.OT	vocant right	21.5					
				Consent of Co							

1. Concentrations should be based on Normal conditions of temperature and pressure, (i.e. 0°C,101.3kPa). Wet/dry should be the same as given in Table E.1(ii) unless clearly stated otherwise.

# TABLE E.1(iv): EMISSIONS TO ATMOSPHERE - Minor /Fugitive

Emission point	Description		Emission	details <sup>1</sup>		Abatement system employed
Reference Numbers		material	mg/Nm <sup>3(2)</sup>	kg/h.	kg/year	
		For its section for the section of t	n diffest only.	and other tise.		

<sup>1</sup> The maximum emission should be stated for each material emitted, the concentration should be based on the maximum 30 minute mean.

<sup>2</sup> Concentrations should be based on Normal conditions of temperature and pressure, (i.e. 0°C101.3kPa). Wet/dry should be clearly stated. Include reference oxygen conditions for combustion sources.

TABLE E.2(i): EMISSIONS TO SURFACE WATERS

(One page for each emission)

# **Emission Point:**

Emission Point Ref. Nº:	SW1
Source of Emission:	Discharge from Interceptor#1, which covers the eastern part of the site
Location:	As Drawing WLR-15
Grid Ref. (10 digit, 5E,5N):	E286775, N220372
Name of receiving waters:	Discharges to the storm culvert, which runs adjacent to the north-eastern site boundary.
Flow rate in receiving waters:	Not Knownm³.sec <sup>-1</sup> Dry Weather Flow m³.sec <sup>-1</sup> 95%ile flow
Available waste assimilative capacity:	Not Known kg/day

# **Emission Details:**



(i) Volume to be emitted  Not Known							
Normal/day	m <sup>3</sup>	Maximum/day	m <sup>3</sup>				
Maximum rate/hour	m <sup>3</sup>						

(ii) Period or periods during which emissions are made, or are to be made, including daily or seasonal variations (*start-up/shutdown to be included*):

Pariods of Emission (ava)	min/hr	hr/dox	JOSE DI
Periods of Emission (avg)	mın/hr	hr/day	ay/yr

Waste Application Form 56 ANNEX – Standard Forms

# **Emission Point:**

Emission Point Ref. Nº:	SW2
Source of Emission:	Discharge from Interceptor#2, which covers the western part of the site
Location :	As Drawing WLR-15
Grid Ref. (10 digit, 5E,5N):	E286727, N220398
Name of receiving waters:	Discharges to the storm culvert, which runs adjacent to the north-eastern site boundary.
Flow rate in receiving	Not Known m <sup>3</sup> .sec <sup>-1</sup> Dry Weather Flow
waters:	95%ile flow
Available waste assimilative	Not Known kg/day
capacity:	gent o.

# **Emission Details:**

(i) Volume to be	(i) Volume to be emitted  Not Known						
Normal/day	$m^3$	Maximum/day	$m^3$				



Maximum rate/hour	m <sup>3</sup>		
-------------------	----------------	--	--

(ii) Period or periods during which emissions are made, or are to be made, including daily or seasonal variations (*start-up/shutdown to be included*):

Periods of Emission (avg)	min/hr _	hr/day	day/yr
\ <b>U</b> /			

Consent of copyright owner required for any other use.

# TABLE E.2(ii): EMISSIONS TO SURFACE WATERS - Characteristics of the emission (1 table per emission point)

Emission point reference number : <u>SW1</u>

Parameter	Prior to treatment				% Efficiency				
	Max. hourly average (mg/l)	Max. daily average (mg/l)	kg/day	kg/year	Max. hourly average (mg/l)	Max. daily average (mg/l)	kg/day	kg/year	
рН					Sould a				
Conductivity					purpossorite -				
BOD				ectif	117				
Mineral Oil				cot itight	0.267				
Total suspended solids				For its gar	52				
			Ç	N. C.					



Emission point reference number : <u>SW2</u>

Parameter	Prior to treatment				As discharged				
	Max. hourly average (mg/l)	Max. daily average (mg/l)	kg/day	kg/year	Max. hourly average (mg/l)	Max. daily average (mg/l)	kg/day	kg/year	
рН					7.5 He 1150				
Conductivity					any any				
BOD					to the 12 5				
Mineral Oil				•.0	1 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1				
Total suspended solids				For inspect	12				
			Ć	for its at the first of the fir					



# TABLE E.3(i): EMISSIONS TO SEWER(One page for each emission)

# **Emission Point:**

Emission Point Ref. Nº:	SE1
Location of connection to sewer:	The foul sewer runs from the site offices to the industrial park's sewer system outside the facility entrance
Grid Ref. (10 digit, 5E,5N):	E286740, N220266
Name of sewage undertaker:	Osberstown Wastewater Treatment Plant

#### **Emission Details:**

(i) Volume to be e	emitted		
Normal/day	m <sup>3</sup>	Maximum/day .	m <sup>3</sup>
Maximum rate/hour	$m^3$	South, and of	

(ii) Period or periods during which emissions are made, or are to be made, including daily or seasonal variations (start-up/shutdown to be included):

Periods of Emission (avg)	min/hr	hr/day	day/yr
<u>C</u>			

Consent of convinger to what required for any other use.



TABLE E.3(ii): EMISSIONS TO SEWER - Characteristics of the emission (1 table per emission point)

Emission point reference number: <u>SE1</u>

Parameter	Prior to treatment				As discharged				% Efficiency
	Max. hourly average (mg/l)	Max. daily average (mg/l)	kg/day	kg/year	Max. hourly average (mg/l)	Max. daily average (mg/l)	kg/day	kg/year	
Not Available					For inspection but poses only a	s other the			

Consent of convinger to what required for any other use.

# TABLE E.4(i): EMISSIONS TO GROUNDWATER (1 Page for each emission point)

# **Emission Point or Area:**

Emission Point/Area Ref. Nº:	Not Applicable
Emission Pathway: (borehole, well, percolation area, soakaway, landspreading, etc.)	
Location :	1. A 8 51
Grid Ref. (10 digit, 5E,5N):	Set of totall?
Elevation of discharge: (relative to Ordnance Datum)	to insection burges only and the for the state of the sta
Aquifer classification for receiving groundwater body:	For its dive
Groundwater vulnerability assessment (including vulnerability rating):	Consent
Identity and proximity of groundwater sources at risk (wells, springs, etc):	
Identity and proximity of surface water bodies at risk:	



# **Emission Details:**

(i) Volume to be emitted					
Normal/day	$m^3$	Maximum/day	$m^3$		
Maximum rate/hour	$m^3$				

(ii) Period or periods during which emissions are made, or are to be made, including daily or seasonal variations (start-up/shutdown to be included):

iods of Emission (avg)min/hrhr/dayday/yr
--

Waste Application Form 66 ANNEX – Standard Forms



Table E.5 (i): NOISE EMISSIONS - Noise sources summary sheet

Source	Emission point Ref. No	Equipment Ref. No	Sound Pressure <sup>1</sup> dBA at reference distance	21.5			re <sup>1</sup> Leve	re bands (Fels dB(unw	veighted			ov	Impulsive or tonal qualities	Periods of Emission <sup>2</sup>
Ambient Noise at NSL1	Not Applicable	Not Applicable	Daytime (LAeq,30mi n): 56 dB(A)	31.5	63 <b>31</b>	125 31	32	500 35 <sup>©</sup> · <b>41</b>	1K 49	2K 42	4K 33	8K 21	@16Hz	Daytime
Ambient Noise at NSL1	Not Applicable	Not Applicable	Evening (LAeq,30mi n): 55 dB(A)		100	po 320	30	39	49	40	24	14	@16Hz	Evening
Ambient Noise at NSL1	Not Applicable	Not Applicable	Night-time (LAeq,30mi n): 55 dB(A)	25 oppi	37	33	32	38	50	41	28	12	@16Hz	Night- time

<sup>1.</sup> For items of plant, sound power levels may be used.

<sup>2.</sup> Periods of emission should state if the plant item in question operates on a continuous or intermittent basis. If intermittent then further details of the hours of operation and any potential impulsive components associated with the source should be clearly identified.



# TABLE F.1: ABATEMENT / TREATMENT CONTROL

Emission point reference number .	SW1_
-----------------------------------	------

Control <sup>1</sup> parameter	Equipment <sup>2</sup>	Equipment maintenance	Equipment calibration	Equipment back-up
Petrol/Oils	Klargester Petrol Interceptor	Inspection and emptying as required	Not Applicable	Not Applicable

		<u>.e</u> .	
Control <sup>1</sup> parameter	Monitoring to be carried out <sup>3</sup>	Monitoring equipment	Monitoring equipment calibration
Petrol/Oils	Water sampling for laboratory analysis at frequency specified by licence of the control of the c	Baler Grab sample	Not required (laboratory testing)

<sup>&</sup>lt;sup>1</sup> List the operating parameters of the treatment / abatement system which control its function.
<sup>2</sup> List the equipment necessary for the proper function of the abatement / treatment system.
<sup>3</sup> List the monitoring of the control parameter to be carried out.



# Emission point reference number : \_SW2

Control <sup>1</sup> parameter	Equipment <sup>2</sup>	Equipment maintenance	Equipment calibration	Equipment back-up
Petrol/Oils	Klargester Petrol Interceptor	Inspection and emptying as required	Not Applicable	Not Applicable

Control <sup>1</sup> parameter	Monitoring to be carried out <sup>3</sup>	Monitoring equipment	Monitoring equipment calibration
Petrol/Oils	Water sampling for laboratory analysis at frequency specified by licence	Baler/Grab sample  Baler/Grab sample  Office the sample of	Not required (laboratory testing)

<sup>1</sup> List the operating parameters of the treatment / abatement system which control its function.
2 List the equipment necessary for the proper function of the abatement / treatment system.
3 List the monitoring of the control parameter to be carried out.

# TABLE F.2 to F.8: EMISSIONS MONITORING AND SAMPLING POINTS - (1 table per media)

Emission Point Reference No(s). : A1\_\_\_\_\_\_

Parameter	Monitoring frequency	Accessibility of Sampling Points	. USC.
Oxides of sulphur (as	Biannually	Accessible	ather
SO <sub>2</sub> )			office any
Nitrogen oxides (as	Biannually	Accessible authority	die
NO <sub>2</sub> )		on puredu	
Particulate matter	Biannually	Accessible : 132 ht out of the control of the contr	
Total Organic Carbon	Biannually	Accessible Got Will	
(as C)		a of contract of the contract	
Carbon monoxide	Biannually	Accessible consett	
Temperature	Continuous	Accessible	

As per existing licence (W0279-01) (or as may be amended in future, in consultation with the Agency)



Emission Point Reference No(s). : A2

Parameter	Monitoring frequency	Accessibility of Sampling Points	
Oxides of sulphur (as SO <sub>2</sub> )	Biannually	Accessible	
Nitrogen oxides (as NO <sub>2</sub> )	Biannually	Accessible	Afor any other use.
Particulate matter	Biannually	Accessible	of the any of
Total Organic Carbon (as C)	Biannually	Accessible citation of the cit	die
Carbon monoxide	Biannually	Accessible	
Temperature	Continuous	Accessible Forther Economic Property Control of the	
		anget of	



Emission Point Reference No(s). : S	W1
-------------------------------------	----

Parameter	Monitoring frequency	Accessibility of Sampling Points	
Suspended Solids	Weekly	Accessible	
BOD	Weekly	Accessible	Ø)*
Conductivity	Weekly	Accessible	other use
Mineral Oils	Weekly	Accessible	My, any other use.
Visual Inspection	Daily	Accessible	,o
		in specific which is	
		Ed Ligh	



Emission Point Reference No(s). :	SW2
-----------------------------------	-----

Parameter	Monitoring frequency	Accessibility of Sampling Points	
Suspended Solids	Weekly	Accessible	
BOD	Weekly	Accessible	
Conductivity	Weekly	Accessible	ox Use.
Mineral Oils	Weekly	Accessible	only, any other use.
Visual Inspection	Daily	∆0 <sup>3</sup> . ∧	dior
		ection per legal	
		in in set in the set of the set o	



#### TABLE Ff: Fugitive ENVIRONMENT MONITORING AND SAMPLING LOCATIONS (1 table per media)

Monitoring Point Reference No: NSL1 (E286648, N 220322)

Parameter	Monitoring frequency	Accessibility of Sampling point
Noise (Daytime and Night-time)	Annual	Accessible

Monitoring Point Reference No: D1 (E 286761, N 220258)

Parameter	Monitoring frequency	Accessibility of Sampling point
Dust	Quarterly (Twice during the period May to September)	Accessible



#### Monitoring Point Reference No: D2 (E 286701, N 220410)

Parameter	Monitoring frequency	Accessibility of Sampling point
Dust	Quarterly (Twice during the period May to September)	Accessible

#### Monitoring Point Reference No: D3 (E286772, N220394)

Parameter	Monitoring frequency	Accessibility of Sampling point
Dust	Quarterly (Twice during the period May to September)	Accessible Constant



Table G.1 Details of Process related Raw Materials, Intermediates, Products, etc., used or generated on the site

Ref. Nº or Code	Material/ Substance <sup>(1)</sup>	CAS Number	Danger <sup>(2)</sup> Category	Amount Stored (tonnes)	Annual Usage (tonnes)	Nature of Use	R <sup>(3)</sup> - Phrase	S <sup>(3)</sup> - Phrase
	Not Applicable			Est de s	Nother use.			

Notes: 1.

- In cases where a material comprises a number of distinct and available dangerous substances, please give details for each component substance. c.f. Article 2(2) of SI Nº 77/94 c.f. Schedules 2 and 3 of SI Nº 77/94

  Consent of Conse
- 2. 3.

Waste Application Form 58 ANNEX – Standard Forms

## TABLE H.4(i): WASTE - Hazardous Waste Recovery/Disposal

Waste material	EWC Code	Main source <sup>1</sup>	Quantity		On-site Recovery/Disposal	Off-site Recovery, reuse or recycling	Off-site Disposal
			Tonnes / month	m <sup>3</sup> / month	(Method & Location )	(Method, Location & Undertaker)	(Method, Location & Undertaker)
Not Applicable				and ose of the any other hee.			

 $<sup>^{1}</sup>$  A reference should be made to the main activity / process for each waste.

Consent of convinger to what required for any other use.



#### TABLE H.4(ii) WASTE - Other Waste Recovery/Disposal

Waste material	EWC Code	Main source <sup>1</sup>	Quantity		On-site recovery/disposal <sup>2</sup>	Off-site Recovery, reuse or recycling	Off-site Disposal
			Tonnes / month	m <sup>3</sup> / month	(Method & Location)	(Method, Location & Undertaker)	(Method, Location & Undertaker)
Glass/cans	Various (see Attachment H.1)	Household/ commercial/ institutional	Approx. 12,500 tonnes	Declion purpose	On-site processing and segregation for use offsite	Material used as a product off-site	Small amounts of residual waste consigned for disposal to licensed/permitted facilities only.

A reference should be made to the main activity/ process for each waste.

The method of disposal or recovery should be clearly described and referenced to Attachment H.1



# **Table I.2(i) SURFACE WATER QUALITY**

(Sheet 1 of 2) Monitoring Point/ Grid Reference: \_\_\_\_\_NOT APPLICABLE\_\_\_\_\_

Parameter			sults 1g/l)		Sampling method <sup>2</sup> (grab, drift etc.)	Normal Analytical Range <sup>2</sup>	Analysis method / technique
	Date	Date	Date	Date	atili		
pН					es of for ally alls		
Temperature					es a foi		
Electrical conductivity EC				asi	Postifice		
Ammoniacal nitrogen NH <sub>4</sub> -N				ion of	Keg.		
Chemical oxygen demand				Spect owit			
Biochemical oxygen demand				COT Tight			
Dissolved oxygen DO				E CODY			
Calcium Ca			6	r <sub>o</sub>			
Cadmium Cd			Conse				
Chromium Cr							
Chloride Cl							
Copper Cu							
Iron Fe							
Lead Pb							
Magnesium Mg							
Manganese Mn							
Mercury Hg							



**Surface Water Quality (Sheet 2 of 2)** 

Parameter			sults ng/l)		Sampling method (grab, drift etc.)	Normal Analytical Range	Analysis method / technique
	Date	Date	Date	Date			
Nickel Ni							
Potassium K							
Sodium Na							
Sulphate SO <sub>4</sub>					.ق.		
Zinc Zn					nerile		
<b>Total alkalinity (as CaCO<sub>3</sub>)</b>					14. VA Off		
Total organic carbon TOC					as offer and		
Total oxidised nitrogen TON					20 stred		
Nitrite NO <sub>2</sub>				· 01 70	t <sub>E</sub> gg		
Nitrate NO <sub>3</sub>				Decidentie			
Faecal coliforms ( /100mls)				्य गुरुष्ति			
Total coliforms (/100mls)				te obly			
Phosphate PO <sub>4</sub>				do			

Table I.4(i) GROUNDWATER QUALITY
(Sheet 1 of 2) Monitoring Point/ Grid Reference: NOT APPLICABLE

Parameter			esults ng/l)		Sampling method (composite etc.)	Normal Analytical Range	Analysis method / technique
	Date	Date	Date	Date			
pН							
Temperature							
Electrical conductivity EC							
Ammoniacal nitrogen NH <sub>4</sub> -N							
Dissolved oxygen DO					115°.		
Residue on evaporation (180°C)				B	anyotherus		
Calcium Ca				25 X	•		
Cadmium Cd				201.20			
Chromium Cr				cion pur cour			
Chloride Cl			્રક્ષ્ય	K OWIT			
Copper Cu			For ing				
Cyanide Cn, total			God file				
Iron Fe			ento				
Lead Pb			Couser				
Magnesium Mg							
Manganese Mn							
Mercury Hg							
Nickel Ni							
Potassium K							
Sodium Na							



# GROUNDWATER QUALITY (SHEET 2 OF 2)

Parameter			Results (mg/l)		Sampling method (composite, dipper etc.)	Normal Analytical Range	Analysis method / technique
	Date	Date	Date	Date			
Phosphate PO <sub>4</sub>							
Sulphate SO <sub>4</sub>							
Zinc Zn							
<b>Total alkalinity (as CaCO<sub>3</sub>)</b>							
Total organic carbon TOC							
Total oxidised nitrogen TON					nse.		
Arsenic As					ther		
Barium Ba					917. Stry of		
Boron B				Ę.	Of or a		
Fluoride F				aliposi	Ç <sup>©</sup>		
Phenol				tion or root			
Phosphorus P				espectation participal			
Selenium Se			<b>&amp;</b>	or its light			
Silver Ag			,	ob,			
Nitrite NO <sub>2</sub>			ento				
Nitrate NO <sub>3</sub>			Conser				
Faecal coliforms ( /100mls)							
Total coliforms (/100mls)							
Water level (m OD)							



#### Table I.6 (i): AMBIENT & BACKGROUND NOISE ASSESSMENT

Need to carry out an assessment for tonal and impulsive noise<sup>1</sup>

	National Grid Reference	Sound Pressure Levels (dB)							
	(6N, 6E)	L	'Aeq	L	'A10	$L_{A90}$			
		Ambient	Background <sup>2</sup>	Ambient	Background <sup>2</sup>	Ambient	Background <sup>2</sup>		
1. SITE BOUNDARY <sup>3</sup>									
Location 1:									
Location 2:									
Location 3:									
Location 4:				్డాల.					
2. NOISE SENSITIVE LOCATIONS <sup>3</sup>				die Wolher tie					
Location 1:	NSL1 (E286648, N220322) - Day	56	56 of	ici ag					
Location 2:	NSL1 (E286648, N220322) – Evening	55	56 purpo di di se						
Location 3:	NSL1 (E286648, N220322) - Night		Copyrigh 53						
Location 4:		Sent							

<sup>1.</sup> Refer to section 5 of the Agency's Guidance Note for Noise: Licence Applications, Surveys and Assessments in Relation to Scheduled Activities (NG4) (2012).

<sup>2.</sup> Background noise levels should be determined in the absence of site specific noise. Where an installation is operational on a 24hr basis, estimates may be given for background noise levels, but this should be noted.

<sup>3.</sup> All locations should be identified on accompanying drawings.



Consent of copyright owner required for any other use.