



Re: Notice in accordance with Regulation 20(1) of the Waste Water Discharge (Authorisation) Regulations 2007, as amended.

10/03/2015

Dear Mr. Conroy,

I refer to your application for a waste water discharge licence relating to agglomeration named Whitegate/Aghada, Reg. No. D0423-01.

The Agency is giving detailed consideration to your application and to complete this task the following information, particulars and evidence are required in accordance with Regulation 20(1) of the Waste Water Discharge (Authorisation) Regulations 2007, as amended.

#### **REGULATION 20(1) - FURTHER INFORMATION, PARTICULARS AND EVIDENCE**

- Provide an update of the current situation at the Whitegate/Aghada agglomeration in relation to the proposed Waste Water Treatment Plant /network upgrade.  
In particular, provide a copy of the preliminary report prepared for the agglomeration.

In the case where any drawings already submitted are subject to revision consequent on this request for further information, a revised drawing should be prepared in each case. It is not sufficient to annotate the original drawing with a textual correction. Where such revised drawings are submitted, provide a list of drawing titles, drawing numbers and revision status, which correlates the revised drawings with the superseded versions. Please note that all maps/drawings should not exceed A3 in size.

Your reply to this notice should include a revised non-technical summary which reflects the further information you supply in compliance with the notice, insofar as that information impinges on the relevant non-technical summary.

Please supply the information by 09/04/2015.

**In the event that you are not in a position to submit the above information to the Agency within the one month period, please revert to the Agency before the expiry of the one month period, requesting an additional period, not exceeding 3 months, under Regulation 20(2)(c), within which to submit the necessary information.**

Please direct any queries that you may have in relation to the above to the Inspector Éimer Godsil at 021-4860834 or to OCLR Admin Team A.

Yours sincerely

Éimer Godsil  
Environmental Licensing Programme  
Office of Climate, Licensing & Resource Use  
Environmental Protection Agency  
Inniscarra  
Co. Cork

Tel: 021-4860834