

Facility Information Summary	
AER Reporting Year	2014
Licence Register Number	W0014-01
Name of site	Silliot Hill Integrated Waste Management Facility
Site Location	Kilcullen, Co. Kildare
NACE Code	
Class/Classes of Activity	Third Schedule WMA: Class 4, 6, 7, 11, 12, 13. Fourth Schedule: Class 2, 3, 4, 9, 10, 11, 13.
National Grid Reference (6E, 6 N)	
A description of the activities/processes at the site for the reporting year. This should include information such as production increases or decreases on site, any infrastructural changes, environmental performance which was measured during the reporting year <b>and an overview of compliance with your licence listing all exceedances of licence limits (where applicable) and what they relate to e.g. air, water, noise.</b>	<p>The site comprises a WTS, Civic Amenity Site and a closed Landfill. The In-Vessel Composting Facility and the Sludge Treatment Facility have not been in operation for several years. Oxigen Environmental has been responsible for the operation of the WTS and the Civic Amenity Site since the 8th December 2011, following the awarding of a concession contract. Kildare County Council has no involvement in the day to day operations of these but retains responsibility for the Waste Licence. There is some localised impact on groundwater from the unlined part of the landfill which is identified at groundwater monitoring point BH 4-07. A Groundwater Risk Assessment Report was submitted to the Agency in fulfilment of the requirement under the Technical Amendment issued in January 2013. There is no discharge from the site to surface water and no impact to surface water bodies from the site. There were exceedances for gas trigger levels along the southern boundary of the site during each of the monthly monitoring intervals. Kildare County Council has appointed a consultant to oversee the procurement of a low calorific, low volume enclosed flare for the site. The Consultant recommended further site investigations prior to proceeding with the tender process. These investigations are continuing.</p>

**Declaration:**

All the data and information presented in this report has been checked and certified as being accurate. The quality of the information is assured to meet licence requirements.

_____ Signature Group/Facility manager <small>(or nominated, suitably qualified and experienced deputy)</small>	_____ Date
--	---------------

**AIR-summary template** Lic No: W0014-01 Year 2014

Answer all questions and complete all tables where relevant

1 Does your site have licensed air emissions? If yes please complete table A1 and A2 below for the current reporting year and answer further questions. If **you do not have** licenced emissions and **do not complete a solvent management plan** (table A4 and A5) you do not need to complete the tables

SELECT	Additional information
--------	------------------------

**Periodic/Non-Continuous Monitoring**

2 Are there any results in breach of licence requirements? If yes please provide brief details in the comment section of TableA1 below

SELECT	
--------	--

3 Was all monitoring carried out in accordance with EPA guidance [Basic air monitoring checklist](#) note AG2 and using the basic air monitoring checklist? [AGN2](#)

SELECT	
--------	--

**Table A1: Licensed Mass Emissions/Ambient data-periodic monitoring (non-continuous)**

Emission reference no:	Parameter/ Substance	Frequency of Monitoring	ELV in licence or any revision thereof	Licence Compliance criteria	Measured value	Unit of measurement	Compliant with licence limit	Method of analysis	Annual mass load (kg)	Comments - reason for change in % mass load from previous year if applicable
	SELECT			SELECT		SELECT	SELECT	SELECT		
	SELECT			SELECT		SELECT	SELECT	SELECT		
	SELECT			SELECT		SELECT	SELECT	SELECT		
	SELECT			SELECT		SELECT	SELECT	SELECT		

Note 1: Volumetric flow shall be included as a reportable parameter

<b>AIR-summary template</b>	Lic No: W0014-01	Year: 2014
<b>Continuous Monitoring</b>		

4 Does your site carry out continuous air emissions monitoring?  
 If yes please review your continuous monitoring data and report the required fields below in Table A2 and compare it to its relevant Emission Limit Value (ELV)

5 Did continuous monitoring equipment experience downtime? If yes please record downtime in table A2 below

6 Do you have a proactive service agreement for each piece of continuous monitoring equipment?

7 Did your site experience any abatement system bypasses? If yes please detail them in table A3 below

No	
SELECT	
SELECT	
SELECT	

**Table A2: Summary of average emissions -continuous monitoring**

Emission reference no:	Parameter/ Substance	ELV in licence or any revision thereof	Averaging Period	Compliance Criteria	Units of measurement	Annual Emission	Annual maximum	Monitoring Equipment downtime (hours)	Number of ELV exceedences in current reporting year	Comments
	SELECT			SELECT	SELECT					
	SELECT				SELECT					
	SELECT				SELECT					
	SELECT				SELECT					
	SELECT				SELECT					

note 1: Volumetric flow shall be included as a reportable parameter.

**Table A3: Abatement system bypass reporting table** [Bypass protocol](#)

Date*	Duration** (hours)	Location	Reason for bypass	Impact magnitude	Corrective action

\* this should include all dates that an abatement system bypass occurred

\*\* an accurate record of time bypass beginning and end should be logged on site and maintained for future Agency inspections please refer to bypass protocol link



**AER Monitoring returns summary template-WATER/WASTEWATER(SEWER)** Lic No: W0014-01 Year 2014

<p>1 Does your site have licensed emissions direct to surface water or direct to sewer? If yes please complete table W2 and W3 below for the current reporting year and answer further questions. If <b>you do not have</b> licenced emissions you <u>only</u> need to complete table W1 and or W2 for storm water analysis and visual inspections</p>	<p>Additional information</p>
<p>2 Was it a requirement of your licence to carry out visual inspections on any surface water discharges or watercourses on or near your site? If yes please complete table W2 below summarising <u>only</u> any evidence of contamination noted during visual inspections</p>	<p>SELECT</p>

**Table W1 Storm water monitoring**

Location reference	Location relative to site activities	PRTR Parameter	Licensed Parameter	Monitoring date	ELV or trigger level in licence or any revision thereof*	Licence Compliance criteria	Measured value	Unit of measurement	Compliant with licence	Comments
	SELECT	SELECT	SELECT			SELECT		SELECT	SELECT	
	SELECT	SELECT	SELECT			SELECT		SELECT	SELECT	

\*trigger values may be agreed by the Agency outside of licence conditions

**Table W2 Visual inspections-Please only enter details where contamination was observed.**

Location Reference	Date of inspection	Description of contamination	Source of contamination	Corrective action	Comments
			SELECT		
			SELECT		

**Licensed Emissions to water and /or wastewater(sewer)-periodic monitoring (non-continuous)**

<p>3 Was there any result in breach of licence requirements? If yes please provide brief details in the comment section of Table W3 below</p>	<p>SELECT</p> <p>Additional information</p>
<p>4 Was all monitoring carried out in accordance with EPA guidance and checklists for Quality of Aqueous Monitoring <a href="#">External /Internal</a> Data Reported to the EPA? If no please detail what areas <a href="#">Lab Quality</a> <a href="#">Assessment of</a> require improvement in additional information box <a href="#">checklist</a> <a href="#">results checklist</a></p>	<p>SELECT</p>

**Table W3: Licensed Emissions to water and /or wastewater (sewer)-periodic monitoring (non-continuous)**

Emission reference no:	Emission released to	Parameter/ Substance <sup>Note 1</sup>	Type of sample	Frequency of monitoring	Averaging period	ELV or trigger values in licence or any revision thereof <sup>Note 2</sup>	Licence Compliance criteria	Measured value	Unit of measurement	Compliant with licence	Method of analysis	Procedural reference source	Procedural reference standard number	Annual mass load (kg)	Comments
	SELECT	SELECT	SELECT		SELECT		SELECT		SELECT	SELECT	SELECT	SELECT			

Note 1: Volumetric flow shall be included as a reportable parameter

Note 2: Where Emission Limit Values (ELV) do not apply to your licence please compare results against EQS for Surface water or relevant receptor quality standards

**Continuous monitoring**

5 Does your site carry out continuous emissions to water/sewer monitoring?

If yes please summarise your continuous monitoring data below in Table W4 and compare it to its relevant Emission Limit Value (ELV)

6 Did continuous monitoring equipment experience downtime? If yes please record downtime in table W4 below

7 Do you have a proactive service contract for each piece of continuous monitoring equipment on site?

8 Did abatement system bypass occur during the reporting year? If yes please complete table W5 below

**Table W4: Summary of average emissions -continuous monitoring**

Emission reference no:	Emission released to	Parameter/ Substance	ELV or trigger values in licence or any revision thereof	Averaging Period	Compliance Criteria	Units of measurement	Annual Emission for current reporting year (kg)	% change +/- from previous reporting year	Monitoring Equipment downtime (hours)	Number of ELV exceedences in reporting year	Comments
	<input type="text" value="SELECT"/>	<input type="text" value="SELECT"/>		<input type="text" value="SELECT"/>	<input type="text" value="SELECT"/>	<input type="text" value="SELECT"/>					
	<input type="text" value="SELECT"/>	<input type="text" value="SELECT"/>		<input type="text" value="SELECT"/>	<input type="text" value="SELECT"/>	<input type="text" value="SELECT"/>					

note 1: Volumetric flow shall be included as a reportable parameter.

**Table W5: Abatement system bypass reporting table**

Date	Duration (hours)	Location	Resultant emissions	Reason for bypass	Corrective action*	Was a report submitted to the EPA?	When was this report submitted?
						<input type="text" value="SELECT"/>	

\*Measures taken or proposed to reduce or limit bypass frequency

**Bund testing**

dropdown menu click to see options

Additional information

Are you required by your licence to undertake integrity testing on bunds and containment structures ? if yes please fill out table B1 below listing all **new bunds and containment structures** on site, in addition to **all bunds which failed the integrity test-all bunding structures which failed including mobile bunds must be listed in the table below, please include all bunds outside the licenced testing period** (mobile bunds and chemstore included)

- 1
- 2 Please provide integrity testing frequency period  
Does the site maintain a register of bunds, underground pipelines (including stormwater and foul), Tanks, sumps and containers? (containers refers to "Chemstore" type units and mobile bunds)
- 3 How many bunds are on site?
- 4 How many of these bunds have been tested within the required test schedule?
- 5 How many mobile bunds are on site?
- 6 Are the mobile bunds included in the bund test schedule?
- 7 How many of these mobile bunds have been tested within the required test schedule?
- 8 How many sumps on site are included in the integrity test schedule?
- 9 How many of these sumps are integrity tested within the test schedule?
- 10 **Please list any sump integrity failures in table B1**
- 11 Do all sumps and chambers have high level liquid alarms?
- 12 If yes to Q11 are these failsafe systems included in a maintenance and testing programme?
- 13 Is the Fire Water Retention Pond included in your integrity test programme?

SELECT	
SELECT	
SELECT	
SELECT	
SELECT	
SELECT	
SELECT	
SELECT	
SELECT	
SELECT	
SELECT	

Table B1: Summary details of bund /containment structure integrity test														
Bund/Containment structure ID	Type	Specify Other type	Product containment	Actual capacity	Capacity required*	Type of integrity test	Other test type	Test date	Integrity reports maintained on site?	Results of test	Integrity test failure explanation <50 words	Corrective action taken	Scheduled date for retest	Results of retest(if in current reporting year)
	SELECT					SELECT			SELECT	SELECT		SELECT		
	SELECT					SELECT			SELECT	SELECT		SELECT		

\* Capacity required should comply with 25% or 110% containment rule as detailed in your licence

Has integrity testing been carried out in accordance with licence requirements and are all structures tested in line with BS8007/EPA Guidance?

[bundng and storage guidelines](#)

- 15 Are channels/transfer systems to remote containment systems tested?
- 17 Are channels/transfer systems compliant in both integrity and available volume?

Commentary	
SELECT	
SELECT	
SELECT	

**Pipeline/underground structure testing**

Are you required by your licence to undertake integrity testing\* on underground structures e.g. pipelines or sumps etc ? if yes please fill out table 2 below listing all underground structures and pipelines on site **which failed the integrity test and all which have not been tested within the integrity test period as specified**

- 1 all underground structures and pipelines on site
  - 2 Please provide integrity testing frequency period
- \*please note integrity testing means water tightness testing for process and foul pipelines (as required under your licence)

SELECT	
SELECT	

Table B2: Summary details of pipeline/underground structures integrity test											
Structure ID	Type system	Material of construction:	Does this structure have Secondary containment?	Type of secondary containment	Type integrity testing	Integrity reports maintained on site?	Results of test	Integrity test failure explanation <50 words	Corrective action taken	Scheduled date for retest	Results of retest(if in current reporting year)
	SELECT	SELECT	SELECT	SELECT	SELECT	SELECT	SELECT				SELECT

Please use commentary for additional details not answered by tables/ questions above

<b>Groundwater/Soil monitoring template</b>	Lic No: W0014-01	Year: 2014
---	------------------	------------

				Comments
1 Are you required to carry out groundwater monitoring as part of your licence requirements?	yes			Please provide an interpretation of groundwater monitoring data in the interpretation box below or if you require additional space please include a groundwater/contaminated land monitoring results interpretaion as an additional section in this AER
2 Are you required to carry out soil monitoring as part of your licence requirements?	no			
3 Do you extract groundwater for use on site? If yes please specify use in comment section	no			
4 Do monitoring results show that groundwater generic assessment criteria such as GTVs or IGVs are exceeded or is there an upward trend in results for a substance? If yes, please complete the Groundwater Monitoring Guideline Template <a href="#">Groundwater monitoring template</a> Report (link in cell G8) and submit separately through ALDER as a licensee return AND answer questions 5-12 below.	yes		Localised GW contamination is showing a downward trend. A Groundwater Risk Assessment Report was submitted in 2014.	Please enter interpretation of data here
5 Is the contamination related to operations at the facility (either current and/or historic)	yes		Unlined portion of the landfill	
6 Have actions been taken to address contamination issues? If yes please summarise remediation strategies proposed/undertaken for the site	yes		Landfill capping. Leachate extraction from the unlined area	
7 Please specify the proposed time frame for the remediation strategy	N/A		Ongoing	
8 Is there a licence condition to carry out/update ELRA for the site?	no			
9 Has any type of risk assesment been carried out for the site?	yes		Report submitted 2014	
10 Has a Conceptual Site Model been developed for the site?	yes		Model was updated as part of revised Risk Assessment	
11 Have potential receptors been identified on and off site?	yes			
12 Is there evidence that contamination is migrating offsite?	yes		Localised offsite contamination at BH 4-07	

**Table 1: Upgradient Groundwater monitoring results**

Date of sampling	Sample location reference	Parameter/ Substance	Methodology	Monitoring frequency	Maximum Concentration++	Average Concentration+	unit	GTV's*	IGV	Upward trend in pollutant concentration over last 5 years of monitoring data
2014	PW 2-09	Electrical Conductivity		Quarterly	684	651	uS/cm @20	N/A		no
2014	PW 2-09	Ammonia as N		Quarterly	0.047	0.02	mg/l	175 ug/l		no
2014	PW 2-09	Iron		Quarterly	171	106	ug/l	N/A	200	no
2014	PW 2-09	Potassium		Quarterly	6	5	mg/l	N/A	5	no
2014	PW 2-09	Sodium		Quarterly	23	17.75	mg/l	150	150	no
2014	PW 2-09	Chloride		Quarterly	37.6	29.8	mg/l	N/A	30	no
2014	PW 2-09	TON		Quarterly	15.5	12	mg/l	N/A	NAC	no
2014	PW 2-09	Phenols		Quarterly	<0.5	<0.5	ug/l	N/A	0.5	no



Groundwater/Soil monitoring template				Lic No:	W0014-01	Year	2014		
2014	PW 2-09	Total Coliforms	Quarterly	2	0.5	cfu/100l	N/A	0	no
2014	PW 2-09	Faecal Coliforms	Quarterly	0	0	cfu/100l	N/A	0	no
2014	PW 2-09	TOC	Quarterly	2.67	1.6	mg/l	N/A	NAC	no
2014	BH 9D	Electrical Conductivity	Quarterly	11141	3760.75	uS/cm @20	N/A		no
2014	BH 9D	Ammonia as N	Quarterly	0.501	0.26	mg/l	175 ug/l		no
2014	BH 9D	Iron	Quarterly	2309	1352.5	ug/l	N/A	200	no
2014	BH 9D	Potassium	Quarterly	13	10.25	mg/l	N/A	5	no
2014	BH 9D	Sodium	Quarterly	139	99	mg/l	150	150	no
2014	BH 9D	Chloride	Quarterly	251	205	mg/l	N/A	30	no
2014	BH 9D	TON	Quarterly	10.8	9.27	mg/l	N/A	NAC	no
2014	BH 9D	Phenols	Quarterly	<0.5	<0.5	ug/l	N/A	0.5	no
2014	BH 9D	Total Coliforms	Quarterly	40	12.25	cfu/100l	N/A	0	no
2014	BH 9D	Faecal Coliforms	Quarterly	4	1	cfu/100l	N/A	0	no
2014	BH 9D	TOC	Quarterly	5.47	3.18	mg/l	N/A	NAC	no

.+ where average indicates arithmetic mean

.++ maximum concentration indicates the maximum measured concentration from all monitoring results produced during the reporting year

**Table 2: Downgradient Groundwater monitoring results**

Date of sampling	Sample location reference	Parameter/Substance	Methodology	Monitoring frequency	Maximum Concentration	Average Concentration	unit	GTV's*	SELECT**	Upward trend in yearly average pollutant concentration over last 5 years of monitoring data
2014	BH 3	Electrical Conductivity		Quarterly	667	546.25	uS/cm @20	N/A		no
2014	BH 3	Ammonia as N		Quarterly	0.567	0.46	mg/l	175 ug/l		no
2014	BH 3	Iron		Quarterly	25190	16600	ug/l	N/A	200	no
2014	BH 3	Potassium		Quarterly	12	6.25	mg/l	N/A	5	no
2014	BH 3	Sodium		Quarterly	21	16.75	mg/l	150	150	no
2014	BH 3	Chloride		Quarterly	21.3	19.6	mg/l	N/A	30	no
2014	BH 3	TON		Quarterly	0.593	0.35	mg/l	N/A	NAC	no
2014	BH 3	Phenols		Quarterly	<0.5	<0.5	ug/l	N/A	0.5	no
2014	BH 3	Total Coliforms		Quarterly	1650	415.5	cfu/100l	N/A	0	no
2014	BH 3	Faecal Coliforms		Quarterly	2	0.5	cfu/100l	N/A	0	no
2014	BH 3	TOC		Quarterly	2.5	1.16	mg/l	N/A	NAC	no
2014	BH 4-07	Electrical Conductivity		Quarterly	3.12	2.64	mS/cm @20	N/A		no
2014	BH 4-07	Ammonia as N		Quarterly	269	146.5	mg/l	175 ug/l		no
2014	BH 4-07	Iron		Quarterly	31450	17309	ug/l	N/A	200	no
2014	BH 4-07	Potassium		Quarterly	98	90.67	mg/l	N/A	5	no

**Groundwater/Soil monitoring template** Lic No: W0014-01 Year 2014

2014	BH 4-07	Sodium	Quarterly	276	254.33	mg/l	150	150	no
2014	BH 4-07	Chloride	Quarterly	272	169.53	mg/l	N/A	30	no
2014	BH 4-07	TON	Quarterly	1.96	0.71	mg/l	N/A	NAC	no
2014	BH 4-07	Phenols	Quarterly	<5	<5	ug/l	N/A	0.5	no
2014	BH 4-07	Total Coliforms	Quarterly	203	67.67	cfu/100l	N/A	0	no
2014	BH 4-07	Faecal Coliforms	Quarterly	0	0	cfu/100l	N/A	0	no
2014	BH 4-07	TOC	Quarterly	35.8	82	mg/l	N/A	NAC	no

\*please note exceedance of generic assessment criteria (GAC) such as a Groundwater Threshold Value (GTV) or an Interim Guideline Value (IGV) or an upward trend in results for a substance indicates that further interpretation of monitoring results is required. In addition to completing the above table, please complete the Groundwater Monitoring Guideline Template Report at the link provided and submit separately through ALDER as a licensee return or as otherwise instructed by the EPA. [Groundwater monitoring template.](#)

More information on the use of soil and groundwater standards/ generic assessment criteria (GAC) and risk assessment tools is available in the EPA published [Guidance on the Management of Contaminated Land and Groundwater at EPA Licensed Sites \(EPA 2013\).](#)

\*\*Depending on location of the site and proximity to other sensitive receptors alternative Receptor based Water Quality standards should be used in addition to the GTV e.g. if the site is close to surface water compare to Surface Water Environmental Quality Standards (SWEQS), If the site is close to a drinking water supply compare results to the Drinking Water Standards (DWS)

[Groundwater regulations](#) [Drinking water \(private supply\) standards](#) [Drinking water \(public supply\) standards](#) [Interim Guideline Values \(IGV\)](#)

<b>Groundwater/Soil monitoring template</b>	Lic No: W0014-01	Year: 2014
---	------------------	------------

**Table 3: Soil results**

<i>Date of sampling</i>	<i>Sample location reference</i>	<i>Parameter/ Substance</i>	<i>Methodology</i>	<i>Monitoring frequency</i>	<i>Maximum Concentration</i>	<i>Average Concentration</i>	<i>unit</i>
							SELECT
							SELECT

Where additional detail is required please enter it here in 200 words or less

[Click here to access EPA guidance on Environmental Liabilities and Financial provision](#)

			Commentary
1	ELRA initial agreement status	SELECT	
2	ELRA review status	SELECT	
3	Amount of Financial Provision cover required as determined by the latest ELRA	Specify	
4	Financial Provision for ELRA status	SELECT	
5	Financial Provision for ELRA - amount of cover	Specify	
6	Financial Provision for ELRA - type	SELECT	
7	Financial provision for ELRA expiry date	Enter expiry date	
8	Closure plan initial agreement status	SELECT	
9	Closure plan review status	SELECT	
10	Financial Provision for Closure status	SELECT	
11	Financial Provision for Closure - amount of cover	Specify	
12	Financial Provision for Closure - type	SELECT	
13	Financial provision for Closure expiry date	Enter expiry date	

<b>Environmental Management Programme/Continuous Improvement Programme template</b>		Lic No:	W0014-01	Year	2014
---	--	---------	----------	------	------

Highlighted cells contain dropdown menu click to view		Additional Information	
1	Do you maintain an Environmental Mangement System (EMS) for the site. If yes, please detail in additional information	Yes	
2	Does the EMS reference the most significant environmental aspects and associated impacts on-site	Yes	
3	Does the EMS maintain an Environmental Management Programme (EMP) as required in accordance with the licence requirements	Yes	
4	Do you maintain an environmental documentation/communication system to inform the public on environmental performance of the facility, as required by the licence	Yes	

#### Environmental Management Programme (EMP) report

Objective Category	Target	Status (% completed)	How target was progressed	Responsibility	Intermediate outcomes
Reduction of emissions to Air	Procurement of low calorific, low volume enclosed flare	40	Advertisement of tender has been postponed pending further investigation of the gas field to ensure correct sizing of the flaring requirements	Section Head	Increased compliance with licence conditions
Groundwater protection	Implementation of recommendations of Groundwater Risk Assessment Review	80	Report of GW RA review was submitted in 2014.	Section Head	Increased compliance with licence conditions
Additional improvements	Minimisation of gas migration	70	Modification of gas collection infrastructure has allowed improved control of gas field	Section Head	Increased compliance with licence conditions

<b>Noise monitoring summary report</b>	Lic No: W0014-01	Year	2014
--	------------------	------	------

- 1 Was noise monitoring a licence requirement for the AER period?  
If yes please fill in table N1 noise summary below Yes
- 2 Was noise monitoring carried out using the EPA Guidance note, including completion of the "Checklist for noise measurement report" included in the guidance note as table 6? Yes
- 3 Does your site have a noise reduction plan? No
- 4 When was the noise reduction plan last updated? Enter date
- 5 Have there been changes relevant to site noise emissions (e.g. plant or operational changes) since the last noise survey? No

Noise  
Guidance  
note NG4

**Table N1: Noise monitoring summary**

Date of monitoring	Time period	Noise location (on site)	Noise sensitive location -NSL (if applicable)	LA <sub>eq</sub>	LA <sub>90</sub>	LA <sub>10</sub>	LA <sub>max</sub>	Tonal or Impulsive noise* (Y/N)	If tonal /impulsive noise was identified was 5dB penalty applied?	Comments (ex. main noise sources on site, & extraneous noise ex. road traffic)	Is site compliant with noise limits (day/evening/night)?
26/11/2014	30 mins	N 1	N/A	61.5	46.1	65.7		No	SELECT	Traffic on R448	No
26/11/2014	30 mins	N 2	N/A	47.7	42.3	50.5		No		Traffic on R448	Yes
26/11/2014	30 mins	N 3	N/A	44.5	39.9	45.4		No		Traffic noise, background from Kilsaran & SH	Yes
26/11/2014	30 mins	N 4	N/A	58.1	51.6	57.6		No		Traffic on R448 & Carnalway Rd	No
26/11/2014	30 mins	N 5	N/A	52.2	45.1	53.8		No		Traffic on Carnalway Rd	Yes
26/11/2014	30 mins	N 6	N/A	54.7	48.9	58		No		Traffic on R448, activities in SH	Yes
26/11/2014	30 mins	N 7	N/A	55.7	44.6	60.2		No		Traffic on R448 & Carnalway Rd	No

\*Please ensure that a tonal analysis has been carried out as per guidance note NG4. These records must be maintained onsite for future inspection

If noise limits exceeded as a result of noise attributed to site activities, please choose the corrective action from the following options?

SELECT

** please explain the reason for not taking action/resolution of noise issues?
Any additional comments? (less than 200 words)

## Resource Usage/Energy efficiency summary

Lic No:

W0014-01

Year

2014

1 When did the site carry out the most recent energy efficiency audit? Please list the recommendations in table 3 below

2 Is the site a member of any accredited programmes for reducing energy usage/water conservation such as the SEAI programme linked to the right? If yes please list them in additional information

3 Where Fuel Oil is used in boilers on site is the sulphur content compliant with licence conditions? Please state percentage in additional information

## Additional information

	2009	
No		
N/A		

Table R1 Energy usage on site				
Energy Use	Previous year	Current year	Production +/- % compared to previous reporting year**	Energy Consumption +/- % vs overall site production*
Total Energy Used (MWHrs)				
Total Energy Generated (MWHrs)				
Total Renewable Energy Generated (MWHrs)				
Electricity Consumption (MWHrs)	175000	175000		0
Fossil Fuels Consumption:				
Heavy Fuel Oil (m3)				
Light Fuel Oil (m3)	12000	12000		0
Natural gas (m3)				
Coal/Solid fuel (metric tonnes)				
Peat (metric tonnes)				
Renewable Biomass				
Renewable energy generated on site				

\* where consumption of energy can be compared to overall site production please enter this information as percentage increase or decrease compared to the previous reporting year.

\*\* where site production information is available please enter percentage increase or decrease compared to previous year

Table R2 Water usage on site					Water Emissions	Water Consumption	
Water use	Water extracted Previous year m3/yr.	Water extracted Current year m3/yr.	Production +/- % compared to previous reporting year**	Energy Consumption +/- % vs overall site production*	Volume Discharged back to environment(m <sup>3</sup> /yr):	Volume used i.e not discharged to environment e.g. released as steam m3/yr	Unaccounted for Water:
Groundwater							
Surface water							
Public supply	1000	1000		0		1000	
Recycled water							
Total							

\* where consumption of water can be compared to overall site production please enter this information as percentage increase or decrease compared to the previous reporting year.

\*\* where site production information is available please enter percentage increase or decrease compared to previous year

Table R3 Waste Stream Summary					
	Total	Landfill	Incineration	Recycled	Other
Hazardous (Tonnes)					
Non-Hazardous (Tonnes)					

**Resource Usage/Energy efficiency summary** Lic No: W0014-01 Year 2014

Table R4: Energy Audit finding recommendations								
Date of audit	Recommendations	Description of Measures proposed	Origin of measures	Predicted energy savings %	Implementation date	Responsibility	Completion date	Status and comments
			SELECT					
			SELECT					
			SELECT					

Table R5: Power Generation: Where power is generated onsite (e.g. power generation facilities/food and drink industry)please complete the following information

	Unit ID	Unit ID	Unit ID	Unit ID	Station Total
Technology					
Primary Fuel					
Thermal Efficiency					
Unit Date of Commission					
Total Starts for year					
Total Running Time					
Total Electricity Generated (GWH)					
House Load (GWH)					
KWH per Litre of Process Water					
KWH per Litre of Total Water used on Site					



**Complaints and Incidents summary template** Lic No: W0014-01 Year 2014

Complaints

Additional information

Have you received any environmental complaints in the current reporting year? If yes please complete summary details of complaints received on site in table 1 below

Yes	
-----	--

Table 1 Complaints summary

Date	Category	Other type (please specify)	Brief description of complaint (Free txt <20 words)	Corrective action< 20 words	Resolution status	Resolution date	Further information
28/07/2014	Waste		Build up of waste in the public access area at the rear of recycling shed	Waste was cleared from the bins and the bins were replaced with smaller skips that could be emptied in the WTS.	Complete	01/08/2014	The build up of waste was caused because the loading shovel used to empty the bins broke down. The bins were replaced with smaller skips that could be emptied in the WTS until the loading shovel was repaired
	SELECT				SELECT		
	SELECT				SELECT		
	SELECT				SELECT		
	SELECT				SELECT		
Total complaints open at start of reporting year		0					
Total new complaints received during reporting year		1					
Total complaints closed during reporting year		0					
Balance of complaints end of reporting year		0					

Incidents

Additional information

Have any incidents occurred on site in the current reporting year? Please list all incidents for current reporting year in Table 2 below

Yes	
-----	--

\*For information on how to report and what constitutes an incident

[What is an incident.](#)

Table 2 Incidents summary

Date of occurrence	Incident nature	Location of occurrence	Incident category*please refer to guidance	Receptor	Cause of incident	Other cause(please specify)	Activity in progress at time of	Communication	Occurrence	Corrective action<20 words	Preventative action <20 words	Resolution status	Resolution date	Likelihood of reoccurrence
27/01/2014	Trigger level reached	G103, G104D, G104S,G105,G108, G200-07	2. Limited	Ground	Operational controls		Normal activities	EPA	Recurring	Gas field management	Procurement of new flare	Ongoing		High
28/02/2014	Trigger level reached	G105,G108,G200-07	2. Limited	Ground	Operational controls		Normal activities	EPA	Recurring	Gas field management	Procurement of new flare	Ongoing		High
07/03/2014	Trigger level reached	G104S,G105,G108	2. Limited	Ground	Operational controls		Normal activities	EPA	Recurring	Gas field management	Procurement of new flare	Ongoing		High
28/04/2014	Trigger level reached	G104D,G104S,G105,G108	2. Limited	Ground	Operational controls		Normal activities	EPA	Recurring	Gas field management	Procurement of new flare	Ongoing		High
26/05/2014	Trigger level reached	G104S,G105,G108	2. Limited	Ground	Operational controls		Normal activities	EPA	Recurring	Gas field management	Procurement of new flare	Ongoing		High



<b>WASTE SUMMARY</b>	Lic No: W0014-01	Year: 2014
<b>SECTION A-PRTR ON SITE WASTE TREATMENT AND WASTE TRANSFERS TAB- TO BE COMPLETED BY ALL IPPC AND WASTE FACILITIES</b>	<a href="#">PRTR facility logon</a>	dropdown list click to see options

**SECTION B- WASTE ACCEPTED ONTO SITE-TO BE COMPLETED BY ALL IPPC AND WASTE FACILITIES**

Were any wastes accepted onto your site for recovery or disposal or treatment prior to recovery or disposal within the boundaries of your facility ?; (waste generated within your boundaries is to be captured through PRTR reporting)  
 If yes please enter details in table 1 below

Additional Information	
SELECT	

2 Did your site have any rejected consignments of waste in the current reporting year? If yes please give a brief explanation in the additional information

No	
----	--

3 Was waste accepted onto your site that was generated outside the Republic of Ireland? If yes please state the quantity in tonnes in additional information

No	
----	--

**Table 1 Details of waste accepted onto your site for recovery, disposal or treatment (do not include wastes generated at your site, as these will have been reported in your PRTR workbook)**

Licensed annual tonnage limit for your site (total tonnes/annum)	EWG code <a href="#">European Waste Catalogue EWG codes</a>	Source of waste accepted	Description of waste accepted Please enter an accurate and detailed description - which applies to relevant EWG code <a href="#">European Waste Catalogue EWG codes</a>	Quantity of waste accepted in current reporting year (tonnes)	Quantity of waste accepted in previous reporting year (tonnes)	Reduction/ Increase over previous year +/- %	Reason for reduction/ increase from previous reporting year	Packaging Content (%) - only applies if the waste has a packaging component	Disposal/Recovery or treatment operation carried out at your site and the description of this operation	Quantity of waste remaining on site at the end of reporting year (tonnes)	Comments -

**SECTION C-TO BE COMPLETED BY ALL WASTE FACILITIES (waste transfer stations, Composters, Material recovery facilities etc) EXCEPT LANDFILL SITES**

4 Is all waste processing infrastructure as required by your licence and approved by the Agency in place? If no please list waste processing infrastructure required onsite

Yes	
-----	--

5 Is all waste storage infrastructure as required by your licence and approved by the Agency in place? If no please list waste storage infrastructure required on site

Yes	
-----	--

6 Does your facility have relevant nuisance controls in place?

Yes	
-----	--

7 Do you have an odour management system in place for your facility? If no why?

N/A	
-----	--

8 Do you maintain a sludge register on site?

N/A	
-----	--

**SECTION D-TO BE COMPLETED BY LANDFILL SITES ONLY**

**Table 2 Waste type and tonnage-landfill only**

Waste types permitted for disposal	Authorised/licenced annual intake for disposal (tpa)	Actual intake for disposal in reporting year (tpa)	Remaining licensed capacity at end of reporting year (m3)	Comments

**Table 3 General information-Landfill only**

Area ID	Date landfilling commenced	Date landfilling ceased	Currently landfilling	Private or Public Operated	Inert or non-hazardous	Predicted date to cease landfilling	Licence permits asbestos	Is there a separate cell for asbestos?	Accepted asbestos in reporting year	Total disposal area occupied by waste	Lined disposal area occupied by waste	Unlined area
										SELECT UNIT	SELECT UNIT	SELECT UNIT
Cell 8	1984	2001	No	Public	Non Hazardous	N/A	No	No	No	103000	24000	79000

<b>WASTE SUMMARY</b>	Lic No:	W0014-01	Year	2014
----------------------	---------	----------	------	------

**Table 4 Environmental monitoring-landfill only** [Landfill Manual-Monitoring Standards](#)

Was meteorological monitoring in compliance with Landfill Directive (LD) standard in reporting year +	Was leachate monitored in compliance with LD standard in reporting year	Was Landfill Gas monitored in compliance with LD standard in reporting year	Was SW monitored in compliance with LD standard in reporting year	Have GW trigger levels been established	Were emission limit values agreed with the Agency (ELVs)	Was topography of the site surveyed in reporting year	Has the statement under S53(A)(5) of WMA been submitted in reporting year	Comments
Yes	Yes	Yes	Yes	No	No	No		

+ please refer to Landfill Manual linked above for relevant Landfill Directive monitoring standards

**Table 5 Capping-Landfill only**

Area uncapped*	Area with temporary cap	Area with final cap to LD Standard m <sup>2</sup> ha, a	Area capped other	Area with waste that should be permanently capped to date under licence	What materials are used in the cap	Comments
SELECT UNIT	SELECT UNIT					
0		24000	79000			

\*please note this includes daily cover area

**Table 6 Leachate-Landfill only**

9 Is leachate from your site treated in a Waste Water Treatment Plant?

SELECT

10 Is leachate released to surface water? If yes please complete leachate mass load information below

SELECT

Volume of leachate in reporting year(m <sup>3</sup> )	Leachate (BOD) mass load (kg/annum)	Leachate (COD) mass load (kg/annum)	Leachate (NH <sub>4</sub> ) mass load (kg/annum)	Leachate (Chloride) mass load kg/annum	Leachate treatment on-site	Specify type of leachate treatment	Comments
6023	0.9	2.3	0.11	2.6	Yes	Methane Stripping	

Please ensure that all information reported in the landfill gas section is consistent with the Landfill Gas Survey submitted in conjunction with PRTR returns

**Table 7 Landfill Gas-Landfill only**

Gas Captured & Treated by LFG System m <sup>3</sup>	Power generated (MW / KWh)	Used on-site or to national grid	Was surface emissions monitoring performed during the reporting year?	Comments
327210		0/N/A	No	



| PRTR# : W0014 | Facility Name : Silliot Hill Landfill | Filename : W0014\_2014 PRTR.xls | Return Year : 2014 |

23/03/2015 18:02

[Guidance to completing the PRTR workbook](#)

# AER Returns Workbook

Version 1.1.18

<b>REFERENCE YEAR</b>	2014
-----------------------	------

## 1. FACILITY IDENTIFICATION

Parent Company Name	Kildare County Council
Facility Name	Silliot Hill Landfill
PRTR Identification Number	W0014
Licence Number	W0014-01

### Classes of Activity

No.	class_name
-	Refer to PRTR class activities below

Address 1	Silliot Hill and Brownstown
Address 2	
Address 3	
Address 4	
	Kildare
Country	Ireland
Coordinates of Location	-6.71904 53.1489
River Basin District	IEEA
NACE Code	3821
Main Economic Activity	Treatment and disposal of non-hazardous waste
<b>AER Returns Contact Name</b>	Claire McLaughlin
<b>AER Returns Contact Email Address</b>	cmclaughlin@kildarecoco.ie
<b>AER Returns Contact Position</b>	Site Technician
<b>AER Returns Contact Telephone Number</b>	045 481960
<b>AER Returns Contact Mobile Phone Number</b>	087 2795178
<b>AER Returns Contact Fax Number</b>	
<b>Production Volume</b>	0.0
<b>Production Volume Units</b>	
<b>Number of Installations</b>	0
<b>Number of Operating Hours in Year</b>	0
<b>Number of Employees</b>	0
<b>User Feedback/Comments</b>	
<b>Web Address</b>	

## 2. PRTR CLASS ACTIVITIES

Activity Number	Activity Name
5(d)	Landfills
5(c)	Installations for the disposal of non-hazardous waste
50.1	General

## 3. SOLVENTS REGULATIONS (S.I. No. 543 of 2002)

Is it applicable?	No
Have you been granted an exemption ?	
If applicable which activity class applies (as per Schedule 2 of the regulations) ?	
Is the reduction scheme compliance route being used ?	

## 4. WASTE IMPORTED/ACCEPTED ONTO SITE

[Guidance on waste imported/accepted onto site](#)

Do you import/accept waste onto your site for on-site treatment (either recovery or disposal activities) ?	
--	--

This question is only applicable if you are an IPPC or Quarry site

4.1 RELEASES TO AIR

[Link to previous years emissions data](#)

| PRTR# : W0014 | Facility Name : Silliot Hill Landfill | Filename : W0014\_2014 PRTR.xls | Return Year : 2014 |

23/03/2015 18:02

SECTION A : SECTOR SPECIFIC PRTR POLLUTANTS

POLLUTANT		METHOD			Please enter all quantities in this section in KGs				
No. Annex II	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year	
01 - Methane (CH4)		E		LandGem		3297293.0	3297293.0	0.0	0.0

\* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION B : REMAINING PRTR POLLUTANTS

POLLUTANT		METHOD			Please enter all quantities in this section in KGs				
No. Annex II	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year	
						0.0	0.0	0.0	0.0

\* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION C : REMAINING POLLUTANT EMISSIONS (As required in your Licence)

POLLUTANT		METHOD			Please enter all quantities in this section in KGs				
Pollutant No.	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year	
						0.0	0.0	0.0	0.0

\* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

Additional Data Requested from Landfill operators

For the purposes of the National Inventory on Greenhouse Gases, landfill operators are requested to provide summary data on landfill gas (Methane) flared or utilised on their facilities to accompany the figures for total methane generated. Operators should only report their Net methane (CH4) emission to the environment under T(total) KG/yr for Section A: Sector specific PRTR pollutants above. Please complete the table below:

Landfill:

Silliot Hill Landfill

Please enter summary data on the quantities of methane flared and / or utilised

	T (Total) kg/Year	M/C/E	Method Used		Facility Total Capacity m3 per hour
			Method Code	Designation or Description	
Total estimated methane generation (as per site model)	3520000.0	E	Estimate	LandGem	N/A
Methane flared	222707.0	C	Calculated	Flare Readings	1000.0 (Total Flaring Capacity)
Methane utilised in engine/s	0.0				0.0 (Total Utilising Capacity)
Net methane emission (as reported in Section A above)	3297293.0	E	Estimate	LandGem	N/A

4.2 RELEASES TO WATERS

[Link to previous years emissions data](#)

| PRTR#: W0014 | Facility Name : Silliot Hill Landfill | Filename : W0014\_2014 PRTR.xls | Return Year : 2014 |

23/03/2015 18:02

SECTION A : SECTOR SPECIFIC PRTR POLLUTANTS

Data on ambient monitoring of storm/surface water or groundwater, conducted as part of your licence requirements, should NOT be submitted under AER / PRTR Reporting as this only concerns Releases from your facility

RELEASES TO WATERS					Please enter all quantities in this section in KGs			
POLLUTANT		M/C/E	Method Used		QUANTITY			
No. Annex II	Name		Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
					0.0	0.0	0.0	0.0

\* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION B : REMAINING PRTR POLLUTANTS

RELEASES TO WATERS					Please enter all quantities in this section in KGs			
POLLUTANT		M/C/E	Method Used		QUANTITY			
No. Annex II	Name		Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
					0.0	0.0	0.0	0.0

\* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION C : REMAINING POLLUTANT EMISSIONS (as required in your Licence)

RELEASES TO WATERS					Please enter all quantities in this section in KGs			
POLLUTANT		M/C/E	Method Used		QUANTITY			
Pollutant No.	Name		Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
					0.0	0.0	0.0	0.0

\* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

4.3 RELEASES TO WASTEWATER OR SEWER

[Link to previous years emissions data](#)

| PRTR#: W0014 | Facility Name : Silliot Hill Landfill | Filename : W0014\_2014 PRTR.xls | Return Year : 2

23/03/2015 18:02

**SECTION A : PRTR POLLUTANTS**

OFFSITE TRANSFER OF POLLUTANTS DESTINED FOR WASTE-WATER TREATMENT OR SEWER					Please enter all quantities in this section in KGs			
POLLUTANT		METHOD			QUANTITY			
No. Annex II	Name	M/C/E	Method Used		Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
			Method Code	Designation or Description				
					0.0	0.0	0.0	0.0

\* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

**SECTION B : REMAINING POLLUTANT EMISSIONS (as required in your Licence)**

OFFSITE TRANSFER OF POLLUTANTS DESTINED FOR WASTE-WATER TREATMENT OR SEWER					Please enter all quantities in this section in KGs			
POLLUTANT		METHOD			QUANTITY			
Pollutant No.	Name	M/C/E	Method Used		Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
			Method Code	Designation or Description				
					0.0	0.0	0.0	0.0

\* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button



4.4 RELEASES TO LAND

[Link to previous years emissions data](#)

| PRTR# : W0014 | Facility Name : Silliot Hill Landfill | Filename : W0014\_2014 PRTR.xls | Return Year : 2014 |

23/03/2015 18:02

SECTION A : PRTR POLLUTANTS

RELEASES TO LAND					Please enter all quantities in this section in KGs		
POLLUTANT		METHOD			QUANTITY		
No. Annex II	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year
					0.0	0.0	0.0

\* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION B : REMAINING POLLUTANT EMISSIONS (as required in your Licence)

RELEASES TO LAND					Please enter all quantities in this section in KGs		
POLLUTANT		METHOD			QUANTITY		
Pollutant No.	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year
					0.0	0.0	0.0

\* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

5. ONSITE TREATMENT & OFFSITE TRANSFERS OF WASTE

[ PRTR#: W0014 | Facility Name: Sillit Hill Landfill | Filename: W0014\_2014 PRTR.xls | Return Year: 2014 ]

23/03/2015 18:02

Please enter all quantities on this sheet in Tonnes

3

Transfer Destination	European Waste Code	Hazardous	Quantity (Tonnes per Year)	Description of Waste	Waste Treatment Operation	Method Used		Location of Treatment	Haz Waste - Name and Licence/Permit No of Next Destination Facility Non Haz Waste - Name and Licence/Permit No of Recoverer/Disposer	Haz Waste - Address of Next Destination Facility Non Haz Waste - Address of Recoverer/Disposer	Name and License / Permit No. and Address of Final Recoverer / Disposer (HAZARDOUS WASTE ONLY)	Actual Address of Final Destination i.e. Final Recovery / Disposal Site (HAZARDOUS WASTE ONLY)
						M/C/E	Method Used					
Within the Country	13 02 04	Yes	7.0	mineral-based chlorinated engine, gear and lubricating oils	R9	M	Weighed	Offsite in Ireland	Rilta Environmental Ltd,W0192-03	Block 402,Grant's Drive,Greenogue Business Park,Rathcoole ,Ireland	Rilta Environmental Ltd,W0192-03,Block 402,Grant's Drive,Greenogue Business Park,Rathcoole,Ireland	Block 402,Grant's Drive,Greenogue Business Park,Rathcoole,Ireland
Within the Country	15 01 01	No	1895.0	paper and cardboard packaging	R3	M	Weighed	Offsite in Ireland	Irish Packaging Recycling Ltd t/a Panda Waste Services,WPR 021/2	Ballymount Rd,Walkinstown,,Dublin 12,Ireland		
Within the Country	15 01 02	No	29.0	plastic packaging	R3	M	Weighed	Offsite in Ireland	Irish Packaging Recycling Ltd t/a Panda Waste Services,WPR 021/2	Ballymount Rd,Walkinstown,,Dublin 12,Ireland		
Within the Country	15 01 07	No	41.0	Bottles	R5	M	Weighed	Offsite in Ireland	Rehab Glassco,WCP DC 08-1150-01	Unit 4 Osberstown Business Pk,Caragh Rd,Naas,Co. Kildare,Ireland		
Within the Country	16 01 03	No	18.0	end-of-life tyres	R5	M	Weighed	Offsite in Ireland	Crumb Rubber Ireland Ltd,WCP-DC-08-1136-01	Mooretown,Dromiskin,Dundalk,Co. Louth,Ireland		
Within the Country	17 08 02	No	86.0	gypsum-based construction materials other than those mentioned in 17 08 01	R5	M	Weighed	Offsite in Ireland	Thortons Recycling,WFP-DC-10-0021-02	Osberstown WWTP (D0002-01) Kildare		
Within the Country	19 07 03	No	0.0	landfill leachate other than those mentioned in 19 07 02	D8	E	Volume Calculation	Offsite in Ireland	Irish Packaging Recycling Ltd t/a Panda Waste Services,WPR 021/2	Ballymount Rd,Walkinstown,,Dublin 12,Ireland		
Within the Country	20 01 01	No	35.0	paper and cardboard	R3	M	Weighed	Offsite in Ireland	Irish Packaging Recycling Ltd t/a Panda Waste Services,WPR 021/2	Ballymount Rd,Walkinstown,,Dublin 12,Ireland		
Within the Country	20 01 01	No	137.0	Newspapers & Magazines	R3	M	Weighed	Offsite in Ireland	Irish Packaging Recycling Ltd t/a Panda Waste Services,WPR 021/2	Ballymount Rd,Walkinstown,,Dublin 12,Ireland		
Within the Country	20 01 02	No	2.0	glass	R5	M	Weighed	Offsite in Ireland	Rehab Glassco,WCP DC 08-1150-01	Unit 4 Osberstown Business Pk,Caragh Rd,Naas,Co. Kildare,Ireland		
Within the Country	20 01 11	No	13.0	textiles	R5	M	Weighed	Offsite in Ireland	Textile Recycling,WPR 014/2	Glen Abbey Complex,Belgard Rd,Tallaght,Dublin 24,Ireland		
Within the Country	20 01 21	Yes	0.3	fluorescent tubes and other mercury-containing waste	R4	M	Weighed	Offsite in Ireland	KMK Recyclig Ltd,W0113-03,Cappincur Ind Est,Daingean Rd,Tullamore,Offaly,Ireland	Cappincur Ind Est,Daingean Rd,Tullamore,Offaly,Ireland	KMK Recyclig Ltd,W0113-03,Cappincur Ind Est,Daingean Rd,Tullamore,Offaly,Ireland	Cappincur Ind Est,Daingean Rd,Tullamore,Offaly,Ireland
Within the Country	20 01 27	Yes	21.0	Waste Paint and Varnish (incl containers) batteries and accumulators included in 16 06 01, 16 06 02 or 16 06 03 and unsorted batteries and accumulators containing these	D9	M	Weighed	Offsite in Ireland	Rilta Environmental Ltd,W0192-03	Block 402,Grant's Drive,Greenogue Business Park,Rathcoole ,Ireland	Lower Clondalkin,Dublin 22,Ireland	Ballymount Industrial Estate,Ballymount Rd Lower Clondalkin,Dublin 22,Ireland
Within the Country	20 01 33	Yes	14.0	discarded electrical and electronic equipment other than those mentioned in 20 01 21 and 20 01 23 containing hazardous components	R4	M	Weighed	Offsite in Ireland	KMK Recyclig Ltd,W0113-03,Cappincur Ind Est,Daingean Rd,Tullamore,Offaly,Ireland	Cappincur Ind Est,Daingean Rd,Tullamore,Offaly,Ireland	KMK Recyclig Ltd,W0113-03,Cappincur Ind Est,Daingean Rd,Tullamore,Offaly,Ireland	Cappincur Ind Est,Daingean Rd,Tullamore,Offaly,Ireland
Within the Country	20 01 35	Yes	325.0	components	R4	M	Weighed	Offsite in Ireland	Ratcliffe,WCP-DC-08-1130-01	Ballystrahan,,St Margarets,Co. Dublin,Ireland	Rd,Tullamore,Offaly,Ireland	Cappincur Ind Est,Daingean Rd,Tullamore,Offaly,Ireland
Within the Country	20 01 40	No	154.0	metals	R4	M	Weighed	Offsite in Ireland	Multi Metals Recycling,WFP/Enrich Environmental,WFP/MH/08/004/02	Bollamey,The Murrough,Wicklow,Co. Wicklow,Ireland		
Within the Country	20 02 01	No	893.0	Green Waste	R3	M	Weighed	Offsite in Ireland		...Kilcock,Co. Meath,Ireland		
Within the Country	20 03 01	No	12303.0	mixed municipal waste	D1	M	Weighed	Offsite in Ireland	Oxigen Environmental,W0152	Robinhood Industrial Estate,Robinhood Rd,Ballymount,Dublin 22,Ireland		
Within the Country	20 03 07	No	1897.0	bulky waste	R12	M	Weighed	Offsite in Ireland	Drehid Waste Management Facility,W0201-03	Carbury,,Co. Kildare,,Ireland		
Within the Country	20 01 08	No	516.0	Food Waste	R12	M	Weighed	Offsite in Ireland	Acom Recycling,W0249-01	Littleton,,Co. Tipperary,,Ireland		
Within the Country	15 01 05	No	1.0	Tetrapaks	R3	M	Weighed	Offsite in Ireland	Irish Packaging Recycling Ltd t/a Panda Waste Services,WPR 021/2	Ballymount Rd,Walkinstown,,Dublin 12,Ireland		

\* Select a row by double-clicking the Description of Waste then click the delete button

[Link to previous years waste data](#)

[Link to previous years waste summary data & percentage change](#)

[Link to Waste Guidance](#)