

Facility Information Summary



AER Reporting Year	2014
Licence Register Number	W0199-02
Name of site	Srahmore Peat Repository
Site Location	Bangor-Erris, Co Mayo
NACE Code	3821
Class/Classes of Activity	C1, C4, C13
National Grid Reference (6E, 6 N)	84373.933 323694.525

A description of the activities/processes at the site for the reporting year. This should include information such as production increases or decreases on site, any infrastructural changes, environmental performance which was measured during the reporting year **and an overview of compliance with your licence** listing all exceedances of licence limits (where applicable) and what they relate to e.g. air, water, noise.

This site accepted its last tonne of peat in January 2013. Since then, the site has been decommissioned in accordance with condition 10.1. The main emission to water during the period, suspended Solids, being 100% compliant for 2014 and a reduction in 17% of SS loading. The controlled overflow area in Area 7 was utilised during periods of heavy rainfall. There were no compliants received in 2014. Overall where loading based on 24 hour composite flow proportional sampling could be calculated, there was a reduction of 17% in Suspended solids and reduction of between 4% and 35% in Ammonia, Nitrites/Nitrates and TP. COD increased by 11% over 2013, TDS was up 23% with overall volumetric flow up due to increased rainfall (1056mm in 2013 and 1275mm in 2014). A brief paragraph on bog rehabilitation is attached.

Declaration:

All the data and information presented in this report has been checked and certified as being accurate. The quality of the information is assured to meet licence requirements.

	
Signature Group/Facility manager (or nominated, suitably qualified and experienced deputy)	Date

AIR-summary template Lic No: W0199-02 Year 2014

Answer all questions and complete all tables where relevant

1 Does your site have licensed air emissions? If yes please complete table A1 and A2 below for the current reporting year and answer further questions. If **you do not have** licenced emissions and **do not complete a solvent management plan** (table A4 and A5) you do not need to complete the tables

Additional information	
No	No activity in 2014, so no dust monitoring.

Periodic/Non-Continuous Monitoring

2 Are there any results in breach of licence requirements? If yes please provide brief details in the comment section of TableA1 below

No	
----	--

3 Was all monitoring carried out in accordance with EPA guidance note AG2 and using the basic air monitoring checklist? [Basic air monitoring checklist](#) [AGN2](#)

Yes	
-----	--

Table A1: Licensed Mass Emissions/Ambient data-periodic monitoring (non-continuous)

Emission reference no:	Parameter/ Substance	Frequency of Monitoring	ELV in licence or any revision thereof	Licence Compliance criteria	Measured value	Unit of measurement	Compliant with licence limit	Method of analysis	Annual mass load (kg)	Comments - reason for change in % mass load from previous year if applicable
	SELECT			SELECT		SELECT	SELECT	SELECT		
	SELECT			SELECT		SELECT	SELECT	SELECT		
	SELECT			SELECT		SELECT	SELECT	SELECT		
	SELECT			SELECT		SELECT	SELECT	SELECT		

Note 1: Volumetric flow shall be included as a reportable parameter

AIR-summary template	Lic No:	W0199-02	Year	2014
Continuous Monitoring				

4 Does your site carry out continuous air emissions monitoring?
 If yes please review your continuous monitoring data and report the required fields below in Table A2 and compare it to its relevant Emission Limit Value (ELV)

5 Did continuous monitoring equipment experience downtime? If yes please record downtime in table A2 below

6 Do you have a proactive service agreement for each piece of continuous monitoring equipment?

7 Did your site experience any abatement system bypasses? If yes please detail them in table A3 below

Table A2: Summary of average emissions -continuous monitoring

Emission reference no:	Parameter/ Substance	ELV in licence or any revision thereof	Averaging Period	Compliance Criteria	Units of measurement	Annual Emission	Annual maximum	Monitoring Equipment downtime (hours)	Number of ELV exceedences in current reporting year	Comments

note 1: Volumetric flow shall be included as a reportable parameter.

Table A3: Abatement system bypass reporting table [Bypass protocol](#)

Date*	Duration** (hours)	Location	Reason for bypass	Impact magnitude	Corrective action

* this should include all dates that an abatement system bypass occurred

** an accurate record of time bypass beginning and end should be logged on site and maintained for future Agency inspections please refer to bypass protocol link

Solvent use and management on site

8 Do you have a total Emission Limit Value of direct and fugitive emissions on site? if yes please fill out tables A4 and A5

No

Table A4: Solvent Management Plan Summary	Solvent regulations	Please refer to linked solvent regulations to complete table 5 and 6
Total VOC Emission limit value		

Reporting year	Total solvent input on site (kg)	Total VOC emissions to Air from entire site (direct and fugitive)	Total VOC emissions as %of solvent input	Total Emission Limit Value (ELV) in licence or any revision thereof	Compliance
					SELECT
					SELECT

Table A5: Solvent Mass Balance summary								
	(I) Inputs (kg)	(O) Outputs (kg)						
Solvent	(I) Inputs (kg)	Organic solvent emission in waste	Solvents lost in water (kg)	Collected waste solvent (kg)	Fugitive Organic Solvent (kg)	Solvent released in other ways e.g.	Solvents destroyed onsite through	Total emission of Solvent to air (kg)

Total

Additional information

1 Does your site have licensed emissions direct to surface water or direct to sewer? If yes please complete table W2 and W3 below for the current reporting year and answer further questions. If **you do not have** licensed emissions you only need to complete table W1 and or W2 for storm water analysis and visual inspections

Yes	Surface water sampling results attached as permitted by Agency
Yes	No evidence of contamination noted during weekly inspections

2 Was it a requirement of your licence to carry out visual inspections on any surface water discharges or watercourses on or near your site? If yes please complete table W2 below summarising only any evidence of contamination noted during visual inspections

Table W1 Storm water monitoring

Location reference	Location relative to site activities	PRTR Parameter	Licensed Parameter	Monitoring date	ELV or trigger level in licence or any revision thereof*	Licence Compliance criteria	Measured value	Unit of measurement	Compliant with licence	Comments
	SELECT	SELECT	SELECT			SELECT		SELECT	SELECT	
	SELECT	SELECT	SELECT			SELECT		SELECT	SELECT	

*trigger values may be agreed by the Agency outside of licence conditions

Table W2 Visual inspections-Please only enter details where contamination was observed.

Location Reference	Date of inspection	Description of contamination	Source of contamination	Corrective action	Comments
			SELECT		
			SELECT		

Licensed Emissions to water and /or wastewater(sewer)-periodic monitoring (non-continuous)

3 Was there any result in breach of licence requirements? If yes please provide brief details in the comment section of Table W3 below

No	
Yes	Weekly Grab samples for Sw100 and Sw101, are attached as advised by the EPA

4 Was all monitoring carried out in accordance with EPA guidance and checklists for Quality of Aqueous Monitoring Data Reported to the EPA? If no please detail what areas require improvement in additional information box

[External/Internal Lab Quality checklist](#) [Assessment of results checklist](#)

Table W3: Licensed Emissions to water and /or wastewater (sewer)-periodic monitoring (non-continuous)

Emission reference no:	Emission released to	Parameter/ Substance ^{Note 1}	Type of sample	Frequency of monitoring	Averaging period	ELV or trigger values in licence or any revision thereof ^{Note 2}	Licence Compliance criteria	Measured value	Unit of measurement	Compliant with licence	Method of analysis	Procedural reference source	Procedural reference standard number	Annual mass load (kg)	Comments
	SELECT	SELECT	SELECT		SELECT		SELECT		SELECT	SELECT	SELECT	SELECT			

Note 1: Volumetric flow shall be included as a reportable parameter

Note 2: Where Emission Limit Values (ELV) do not apply to your licence please compare results against EQS for Surface water or relevant receptor quality standards

AER Monitoring returns summary template-WATER/WASTEWATER(SEWER)

Lic No:

W0199-02

Year

2014

Continuous monitoring

5 Does your site carry out continuous emissions to water/sewer monitoring?

Yes	Additional Information
-----	------------------------

If yes please summarise your continuous monitoring data below in Table W4 and compare it to its relevant Emission Limit Value (ELV)

6 Did continuous monitoring equipment experience downtime? If yes please record downtime in table W4 below

No	Additional Information
----	------------------------

7 Do you have a proactive service contract for each piece of continuous monitoring equipment on site?

Yes	Additional Information
-----	------------------------

8 Did abatement system bypass occur during the reporting year? If yes please complete table W5 below

No	Additional Information
----	------------------------

Table W4: Summary of average emissions -continuous monitoring

Emission reference no:	Emission released to	Parameter/ Substance	ELV or trigger values in licence or any revision thereof	Averaging Period	Compliance Criteria	Units of measurement	Annual Emission for current reporting year (kg)	% change +/- from previous reporting year	Monitoring Equipment downtime (hours)	Number of ELV exceedences in reporting year	Comments
SW4	Water	Suspended Solids	35	24 hour	All results < 1.2 times ELV, plus 8 from ten results must be < ELV	mg/L	1482	-17	0	0	
	Water	Ammonia (as N)	NA	24 hour	NA	mg/L	2.2	-39	0	NA	
	Water	COD	NA	Weekly	NA	mg/L	4221	11	0	NA	
	Water	Total Dissolved Solids	NA	Weekly	NA	mg/L	20009	23	0	NA	
	Water	volumetric flow	NA	Weekly	NA	m3/day	575220529	6	0	NA	
	Water	Nitrite (as N)	NA	Weekly	NA	mg/L	0.074	-4.6	0	NA	
	Water	Nitrate (as N)	NA	Weekly	NA	mg/L	7.61	-26	0	NA	
	Water	Total phosphorus	NA	Weekly	NA	mg/L	0.79	-5	0	NA	

note 1: Volumetric flow shall be included as a reportable parameter.

Table W5: Abatement system bypass reporting table

Date	Duration (hours)	Location	Resultant emissions	Reason for bypass	Corrective action*	Was a report submitted to the EPA?	When was this report submitted?
						SELECT	

*Measures taken or proposed to reduce or limit bypass frequency

Bund testing

dropdown menu click to see options

Additional information

Are you required by your licence to undertake integrity testing on bunds and containment structures? If yes please fill out table B1 below listing all **new bunds and containment structures** on site, in addition to all **bunds which failed the integrity test-all bunding structures which failed including mobile bunds must be listed in the table below, please include all bunds outside the licenced testing period** (mobile bunds and chemstore included)

- 1 Does the site maintain a register of bunds, underground pipelines (including stormwater and foul), Tanks, sumps and containers? (containers refers to "Chemstore" type units and mobile bunds)
- 2 How many bunds are on site?
- 3 How many of these bunds have been tested within the required test schedule?
- 4 How many mobile bunds are on site?
- 5 Are the mobile bunds included in the bund test schedule?
- 6 How many of these mobile bunds have been tested within the required test schedule?
- 7 How many sumps on site are included in the integrity test schedule?
- 8 How many of these sumps are integrity tested within the test schedule?
- 9 Please list any sump integrity failures in table B1
- 10 Do all sumps and chambers have high level liquid alarms?
- 11 If yes to Q11 are these failsafe systems included in a maintenance and testing programme?
- 12 Is the Fire Water Retention Pond included in your integrity test programme?

Yes	
3 years	
Yes	
0	
0	
1	
Yes	
1	
0	All removed from site
0	All removed from site
N/A	
N/A	
N/A	

Table B1: Summary details of bund /containment structure integrity test

Bund/Containment structure ID	Type	Specify Other type	Product containment	Actual capacity	Capacity required*	Type of integrity test	Other test type	Test date	Integrity reports maintained on site?	Results of test	Integrity test failure explanation <50 words	Corrective action taken	Scheduled date for retest	Results of retest(if in current reporting year)
	SELECT					SELECT			SELECT	SELECT		SELECT		
	SELECT					SELECT			SELECT	SELECT		SELECT		

* Capacity required should comply with 25% or 110% containment rule as detailed in your licence

Has integrity testing been carried out in accordance with licence requirements and are all structures tested in line with BS8007/EPA Guidance?

- 15 Are channels/transfer systems to remote containment systems tested?
- 16 Are channels/transfer systems compliant in both integrity and available volume?

[bundling and storage guidelines](#)

Commentary	
Yes	Bi- annual as required by licence
No	
No	

Pipeline/underground structure testing

Are you required by your licence to undertake integrity testing* on underground structures e.g. pipelines or sumps etc? If yes please fill out table 2 below listing all underground structures and pipelines on site **which failed the integrity test and all which have not been tested within the integrity test period as specified**

- 1 Please provide integrity testing frequency period
- *Please note integrity testing means water tightness testing for process and foul pipelines (as required under your licence)

No	
SELECT	

Table B2: Summary details of pipeline/underground structures integrity test

Structure ID	Type system	Material of construction:	Does this structure have Secondary containment?	Type of secondary containment	Type integrity testing	Integrity reports maintained on site?	Results of test	Integrity test failure explanation <50 words	Corrective action taken	Scheduled date for retest	Results of retest(if in current reporting year)
	SELECT	SELECT	SELECT	SELECT	SELECT	SELECT	SELECT				SELECT

Please use commentary for additional details not answered by tables/ questions above

Groundwater/Soil monitoring template Lic No: W0199-02 Year 2014

		Comments	
1	Are you required to carry out groundwater monitoring as part of your licence requirements?	yes	GW results are attached
2	Are you required to carry out soil monitoring as part of your licence requirements?	no	
3	Do you extract groundwater for use on site? If yes please specify use in comment section	no	
4	Do monitoring results show that groundwater generic assessment criteria such as GTVs or IGVs are exceeded or is there an upward trend in results for a substance? If yes, please complete the Groundwater Monitoring Guideline Template Groundwater monitoring template Report (link in cell G8) and submit separately through ALDER as a licensee return AND answer questions 5-12 below.	yes	This site has ceased operation, has been decommissioned and is currently being monitored for stabilisation and rehabilitation. Ammonia
5	Is the contamination related to operations at the facility (either current and/or historic)	no	No Contamination on site
6	Have actions been taken to address contamination issues? If yes please summarise remediation strategies proposed/undertaken for the site	no	No Contamination on site
7	Please specify the proposed time frame for the remediation strategy	N/A	
8	Is there a licence condition to carry out/update ELRA for the site?	N/A	
9	Has any type of risk assessment been carried out for the site?	N/A	
10	Has a Conceptual Site Model been developed for the site?	N/A	
11	Have potential receptors been identified on and off site?	N/A	
12	Is there evidence that contamination is migrating offsite?	N/A	

Please provide an interpretation of groundwater monitoring data in the interpretation box below or if you require additional space please include a groundwater/contaminated land monitoring results interpretation as an additional section in this AER

The groundwater results are attached and include the last three years results during and after activities.

Table 1: Upgradient Groundwater monitoring results

Date of sampling	Sample location reference	Parameter/ Substance	Methodology	Monitoring frequency	Maximum Concentration++	Average Concentration+	unit	GTV's*	SELECT**	Upward trend in pollutant concentration over last 5 years of monitoring data
							SELECT			SELECT
							SELECT			SELECT

.+ where average indicates arithmetic mean

++.+ maximum concentration indicates the maximum measured concentration from all monitoring results produced during the reporting year

Table 2: Downgradient Groundwater monitoring results

Date of sampling	Sample location reference	Parameter/ Substance	Methodology	Monitoring frequency	Maximum Concentration	Average Concentration	unit	GTV's*	SELECT**	Upward trend in yearly average pollutant concentration over last 5 years of monitoring data
							SELECT			SELECT
							SELECT			SELECT

Groundwater/Soil monitoring template Lic No: W0199-02 Year: 2014

*please note exceedance of generic assessment criteria (GAC) such as a Groundwater Threshold Value (GTV) or an Interim Guideline Value (IGV) or an upward trend in results for a substance indicates that further interpretation of monitoring results is required. In addition to completing the above table, please complete the Groundwater Monitoring Guideline Template Report at the link provided and submit separately through ALDER as a licensee return or as otherwise instructed by the EPA. [Groundwater monitoring template](#)

More information on the use of soil and groundwater standards/ generic assessment criteria (GAC) and risk assessment tools is available in the EPA published guidance [Guidance on the Management of Contaminated Land and Groundwater at EPA Licensed Sites \(EPA 2013\)](#) (see the link in G31)

**Depending on location of the site and proximity to other sensitive receptors alternative Receptor based Water Quality standards should be used in addition to the GTV e.g. if the site is close to surface water compare to Surface Water Environmental Quality Standards (SWEQS), If the site is close to a drinking water supply compare results to the Drinking Water Standards (DWS)

- [Groundwater regulations](#) [Drinking water \(private supply\) standards](#)
- [Surface water EQS](#) [GTV's](#) [Drinking water \(public supply\) standards](#) [Interim Guideline Values \(IGV\)](#)

Groundwater/Soil monitoring template

Lic No:

W0199-02

Year

2014

Table 3: Soil results

Date of sampling	Sample location reference	Parameter/ Substance	Methodology	Monitoring frequency	Maximum Concentration	Average Concentration	unit
							SELECT
							SELECT

Where additional detail is required please enter it here in 200 words or less

[Click here to access EPA guidance on Environmental Liabilities and Financial provision](#)

			Commentary
1	ELRA initial agreement status	Submitted and not agreed by EPA;	
2	ELRA review status	Review required and completed	
3	Amount of Financial Provision cover required as determined by the latest ELRA	1761136	
4	Financial Provision for ELRA status	Submitted and agreed by EPA	
5	Financial Provision for ELRA - amount of cover	1761136	
6	Financial Provision for ELRA - type	bond	
7	Financial provision for ELRA expiry date	04/04/2015	
8	Closure plan initial agreement status	sure plan submitted and not agreed by EPA	
9	Closure plan review status	Review required and completed	
10	Financial Provision for Closure status	Submitted and not agreed by EPA;	
11	Financial Provision for Closure - amount of cover	1761136	
12	Financial Provision for Closure - type	bond	
13	Financial provision for Closure expiry date	04/04/2015	

Environmental Management Programme/Continuous Improvement Programme template	Lic No:	W0199-02	Year	2014
---	---------	----------	------	------

	Highlighted cells contain dropdown menu click to view	Additional Information	
1	Do you maintain an Environmental Mangement System (EMS) for the site. If yes, please detail in additional information	Yes	Internal unaccredited EMS
2	Does the EMS reference the most significant environmental aspects and associated impacts on-site	Yes	
3	Does the EMS maintain an Environmental Management Programme (EMP) as required in accordance with the licence requirements	Yes	
4	Do you maintain an environmental documentation/communication system to inform the public on environmental performance of the facility, as required by the licence	Yes	

Environmental Management Programme (EMP) report

Objective Category	Target	Status (% completed)	How target was progressed	Responsibility	Intermediate outcomes
Reduction of emissions to Water	On-going programme during the life of the project and as part of aftercare & maintenance.	90	The inspections and monitoring of these emissions were continued during 2014 and are retained on site for inspection.	Individual	Reduced emissions
Reduction of emissions to Air	Reduction of fugitive dust emissions during all operations	90	Site Operations completed in	Individual	Reduced emissions
Reduction of emissions to Air	Protection of Dust sensitive areas.	90	Site Operations completed in	Individual	Reduced emissions
Waste reduction/Raw material usage efficiency	The reuse of all silt pond wastes.	50	As all peat wastes accepted and generated at the site are for landfilling purposes, there is no further use for the silt pond cleanings. These will be incorporated into the peat deposited or if of benefit will be used in the final rehabilitation.	Individual	Increased compliance with licence conditions
Materials Handling/Storage/Bunding	Effective spill/leak management of mobile fuelling units.	90	Only one mobile service tank remains on-site	Individual	Improved Environmental Management Practices

Environmental Management Programme/Continuous Improvement Programme template			Lic No:	W0199-02	Year	2014
Materials Handling/Storage/Bunding	To manage of any dangerous substances as listed in I & II of the Dangerous Substances Directive 80/68/EEC	90	The three oil interceptors and one grit trap were all cleaned by Envva post final deposition.	Individual		Increased compliance with licence conditions
Reduction of emissions to Water	Effective management of flow discharges during periods of high precipitation and flooding.	90	The manual operation of the overflow valve continued in 2014 with flow directed to the controlled overflow area during predicted periods of heavy rain as advised by Met.ie.	Individual		Reduced emissions
Waste reduction/Raw material usage efficiency	Reuse of stone used in internal haul-road construction.	0	The stone peat haulage roads will have to be retained on site for 3 – 5 years so that access can be maintained to the bays for maintenance of drainage, monitoring and assessment.	Individual		Improved Environmental Management Practices

Noise monitoring summary report Lic No: W0199-02 Year 2014

- 1 Was noise monitoring a licence requirement for the AER period?
If yes please fill in table N1 noise summary below Site deposition completed in Jan 13
- 2 Was noise monitoring carried out using the EPA Guidance note, including completion of the "Checklist for noise measurement report" included in the guidance note as table 6? [Noise Guidance note NG4](#)
- 3 Does your site have a noise reduction plan
- 4 When was the noise reduction plan last updated?
- 5 Have there been changes relevant to site noise emissions (e.g. plant or operational changes) since the last noise survey?

Table N1: Noise monitoring summary

Date of monitoring	Time period	Noise location (on site)	Noise sensitive location -NSL (if applicable)	LA _{eq}	LA ₉₀	LA ₁₀	LA _{max}	Tonal or Impulsive noise* (Y/N)	If tonal /impulsive noise was identified was 5dB penalty applied?	Comments (ex. main noise sources on site, & extraneous noise ex. road traffic)	Is <u>site</u> compliant with noise limits (day/evening/night)?
								<input type="button" value="SELECT"/>	<input type="button" value="SELECT"/>		<input type="button" value="SELECT"/>

*Please ensure that a tonal analysis has been carried out as per guidance note NG4. These records must be maintained onsite for future inspection

If noise limits exceeded as a result of noise attributed to site activities, please choose the corrective action from the following options?

** please explain the reason for not taking action/resolution of noise issues?
Any additional comments? (less than 200 words)

Resource Usage/Energy efficiency summary

Lic No:

W0199-02

Year

2014

- 1 When did the site carry out the most recent energy efficiency audit? Please list the recommendations in table 3 below
- 2 Is the site a member of any accredited programmes for reducing energy usage/water conservation such as the SEAI programme linked to the right? If yes please list them in additional information
- 3 Where Fuel Oil is used in boilers on site is the sulphur content compliant with licence conditions? Please state percentage in additional information

[SEAI - Large](#)
[Industry Energy Network \(LIEN\)](#)

Additional information

Not a licence requirement	
Yes	
No	No Boiler on site

Table R1 Energy usage on site

Energy Use	Previous year	Current year	Production +/- % compared to previous reporting year**	Energy Consumption +/- % vs overall site production*
Total Energy Used (MWHrs)	651.47	53.13	-100%	-92%
Total Energy Generated (MWHrs)				
Total Renewable Energy Generated (MWHrs)				
Electricity Consumption (MWHrs)	66.035	37.89	-100%	-42%
Fossil Fuels Consumption:				
Heavy Fuel Oil (m3)				
Light Fuel Oil (m3)	57.616	1.5	-100%	-97%
Natural gas (m3)				
Coal/Solid fuel (metric tonnes)				
Peat (metric tonnes)				
Renewable Biomass				
Renewable energy generated on site				

* where consumption of energy can be compared to overall site production please enter this information as percentage increase or decrease compared to the previous reporting year.

** where site production information is available please enter percentage increase or decrease compared to previous year

Table R2 Water usage on site

Water use	Water extracted Previous year m3/yr.	Water extracted Current year m3/yr.	Production +/- % compared to previous reporting year**	Energy Consumption +/- % vs overall site production*	Water Emissions	Water Consumption	Unaccounted for Water:
					Volume Discharged back to environment(m ³ /yr):	Volume used i.e not discharged to environment e.g. released as steam m3/yr	
Groundwater							
Surface water							
Public supply							
Recycled water							
Total							

* where consumption of water can be compared to overall site production please enter this information as percentage increase or decrease compared to the previous reporting year.

** where site production information is available please enter percentage increase or decrease compared to previous year

Table R3 Waste Stream Summary

	Total	Landfill	Incineration	Recycled	Other
Hazardous (Tonnes)	0	0			
Non-Hazardous (Tonnes)	100	100			

Resource Usage/Energy efficiency summary

Lic No: W0199-02

Year

2014

Table R4: Energy Audit finding recommendations								
Date of audit	Recommendations	Description of Measures proposed	Origin of measures	Predicted energy savings %	Implementation date	Responsibility	Completion date	Status and comments
			SELECT					
			SELECT					
			SELECT					

Table R5: Power Generation: Where power is generated onsite (e.g. power generation facilities/food and drink industry) please complete the following information

	Unit ID	Unit ID	Unit ID	Unit ID	Station Total
Technology					
Primary Fuel					
Thermal Efficiency					
Unit Date of Commission					
Total Starts for year					
Total Running Time					
Total Electricity Generated (GWH)					
House Load (GWH)					
KWH per Litre of Process Water					
KWH per Litre of Total Water used on Site					

WASTE SUMMARY	Lic No:	W0199-02	Year	2014
----------------------	---------	----------	------	------

Table 4 Environmental monitoring-landfill only [Landfill Manual-Monitoring Standards](#)

Was meteorological monitoring in compliance with Landfill Directive (LD) standard in reporting year +	Was leachate monitored in compliance with LD standard in reporting year	Was Landfill Gas monitored in compliance with LD standard in reporting year	Was SW monitored in compliance with LD standard in reporting year	Have GW trigger levels been established	Were emission limit values agreed with the Agency (ELVs)	Was topography of the site surveyed in reporting year	Has the statement under S53(A)(5) of WMA been submitted in reporting year	Comments

→ please refer to Landfill Manual linked above for relevant Landfill Directive monitoring standards

Table 5 Capping-Landfill only

Area uncapped*	Area with temporary cap	Area with final cap to LD Standard m2 ha, a	Area capped other	Area with waste that should be permanently capped to date under licence	What materials are used in the cap	Comments
SELECT UNIT	SELECT UNIT					

*please note this includes daily cover area

Table 6 Leachate-Landfill only

9 Is leachate from your site treated in a Waste Water Treatment Plant?

SELECT

10 Is leachate released to surface water? If yes please complete leachate mass load information below

SELECT

Volume of leachate in reporting year(m3)	Leachate (BOD) mass load (kg/annum)	Leachate (COD) mass load (kg/annum)	Leachate (NH4) mass load (kg/annum)	Leachate (Chloride) mass load kg/annum	Leachate treatment on-site	Specify type of leachate treatment	Comments


Please ensure that all information reported in the landfill gas section is consistent with the Landfill Gas Survey submitted in conjunction with PRTR returns

Table 7 Landfill Gas-Landfill only

Gas Captured&Treated by LFG System m3	Power generated (MW / KWh)	Used on-site or to national grid	Was surface emissions monitoring performed during the reporting year?	Comments
			SELECT	

Comments on liner type

Srahmore Waste Licence W199-02		Munhin River			
2014					
Month:	Date	Up/Stream		D/Stream	
		SS (mg/l)	Ammonia (mg/l)	SS (mg/l)	Ammonia (mg/l)
Jan	06/01/2014	8	0.04	7	0.037
Feb	03/02/2014	7	0.042	2	0.038
March	03/03/2014	2	0.005	2	0.011
April	07/04/2014	3	0.005	2	0.008
May	05/05/2014	4	0.044	3	0.048
June	02/06/2014	2	0.005	2	0.005
July	07/07/2014	2	0.093	2	0.012
Aug	04/08/2014	2	0.135	2	0.084
Sept	08/09/2014	18	0.061	5	0.053
Oct	06/10/2014	11	0.005	19	0.01
Nov	03/11/2014	2	0.005	2	0.017
Dec	08/12/2014	9	0.013	3	0.03



Srahmore Waste Licence W199-02			SW100			
Month: January 2014 - First Quarter						
Date	pH (pH units)	SS (mg/l)	COD (mg/l)	Total Ammonia (mg/l)	Conductivity (20c uS/cm)	Non- Compliance None >42 mg/l
1						
2						
3						
4						
5						
6	6.3	2	10	0.039	174	
7						
8						
9						
10						
11						
12						
13	6	2	29	0.03	132	
14						
15						
16						
17						
18						
19						
20	5.7	2	28	0.033	106	
21						
22						
23						
24						
25						
26						
27	6	2	24	0.025	145	
28						
29						
30						
31						

Srahmore Waste Licence W199-02**SW100****Month: February 2014 - First Quarter**

Date	pH (pH units)	SS (mg/l)	COD (mg/l)	Total Ammonia (mg/l)	Conductivity (20c uS/cm)	Non- Compliance None >42 mg/l
1						
2						
3	6.1	3	13	0.019	178	
4						
5						
6						
7						
8						
9						
10	6	2	12	0.005	132	
11						
12						
13						
14						
15						
16						
17	6.2	2	13	0.019	131	
18						
19						
20						
21						
22						
23						
24	6.3	2	23	0.021	103	
25						
26						
27						
28						
29						

Srahmore Waste Licence W199-02			SW100			
Month: March 2014 - First Quarter						
Date	pH (pH units)	SS (mg/l)	COD (mg/l)	Total Ammonia (mg/l)	Conductivity (20c uS/cm)	Non-Compliance None >42 mg/l
1						
2						
3	5.8	2	10	0.006	107	
4						
5						
6						
7						
8						
9						
10	5.8	2	23	0.005	108	
11						
12						
13						
14						
15						
16						
17	6.8	2	25	0.005	110	
18						
19						
20						
21						
22						
23						
24	7	2	19	0.008	116	
25						
26						
27						
28						
29						
30						
31	6.7	2	77	0.007	101	

Srahmore Waste Licence W199-02			SW100			
Month: April 2014 - Second Quarter						
Date	pH (pH units)	SS (mg/l)	COD (mg/l)	Total Ammonia (mg/l)	Conductivity (20c uS/cm)	Non- Compliance None >42 mg/l
1						
2						
3						
4						
5						
6						
7	6.7	2	127	0.012	109	
8						
9						
10						
11						
12						
13						
14	6.5	2	26	0.01	102	
15						
16						
17						
18						
19						
20						
21	No sample due to no flow					
22						
23						
24						
25						
26						
27						
28	No sample due to no flow					
29						
30						

Srahmore Waste Licence W199-02				SW100		
Month: May 2014 - Second Quarter						
Date	pH (pH units)	SS (mg/l)	COD (mg/l)	Total Ammonia (mg/l)	Conductivity (20c uS/cm)	Non-Compliance None >42 mg/l
1						
2						
3						
4						
5	7	2	31	0.02	114	
6						
7						
8						
9						
10						
11						
12	6	2	38	0.116	96.4	
13						
14						
15						
16						
17						
18						
19	6.7	2	44	0.005	82	
20						
21						
22						
23						
24						
25						
26	No sample due to no flow					
27						
28						
29						
30						
31						

Srahmore Waste Licence W199-02				SW100		
Month: June 2014 - Second Quarter						
Date	pH (pH units)	SS (mg/l)	COD (mg/l)	Total Ammonia (mg/l)	Conductivity (20c uS/cm)	Non-Compliance None >42 mg/l
1						
2	No sample due to no flow					
3						
4						
5						
6						
7						
8						
9	No sample due to no flow					
10						
11						
12						
13						
14						
15						

16	No sample due to no flow					
17						
18						
19						
20						
21						
22						
23	No sample due to no flow					
24						
25						
26						
27						
28						
29						
30	No sample due to no flow					

Srahmore Waste Licence W199-02			SW100			
Month: July 2014 - Third Quarter						
Date	pH (pH units)	SS (mg/l)	COD (mg/l)	Total Ammonia (mg/l)	Conductivity (20c uS/cm)	Non- Compliance None >42 mg/l
1						
2						
3						
4						
5						
6						
7	No sample due to no flow					
8						
9						
10						
11						
12						
13						
14	No sample due to no flow					
15						
16						
17						
18						
19						
20						
21	No sample due to no flow					
22						
23						
24						
25						
26						
27						
28	No sample due to no flow					
29						
30						
31						

Srahmore Waste Licence W199-02			SW100			
Month: August 2014 - Third Quarter						
Date	pH (pH units)	SS (mg/l)	COD (mg/l)	Total Ammonia (mg/l)	Conductivity (20c uS/cm)	Non- Compliance None >42 mg/l
1						
2						
3						
4	No sample due to no flow					
5						
6						
7						
8						
9						
10						
11	No sample due to no flow					
12						
13						
14						
15						
16						
17						
18	No sample due to no flow					
19						
20						
21						
22						
23						
24						
25	No sample due to no flow					
26						
27						
28						
29						
30						
31						

Srahmore Waste Licence W199-02		SW100				
Month: Sept 2014 - Third Quarter						
Date	pH (pH units)	SS (mg/l)	COD (mg/l)	Total Ammonia (mg/l)	Conductivity (20c uS/cm)	Non- Compliance None >42 mg/l
1	No sample due to no flow					
2						
3						
4						
5						
6						
7						
8	No sample due to no flow					
9						
10						
11						
12						
13						
14						
15	No sample due to no flow					
16						
17						
18						
19						
20						
21						
22	No sample due to no flow					
23						
24						
25						
26						
27						
28						
29	No sample due to no flow					
30						

Srahmore Waste Licence W199-02			SW100			
Month: Oct 2014 - Fourth Quarter						
Date	pH (pH units)	SS (mg/l)	COD (mg/l)	Total Ammonia (mg/l)	Conductivity (20c uS/cm)	Non- Compliance None >42 mg/l
1						
2						
3						
4						
5						
6	7.5	14	56	0.005	129	
7						
8						
9						
10						
11						
12	No sample due to no flow					
13						
14						
15						
16						
17						
18						
19						
20	6.8	14	32	0.01	129	
21						
22						
23						
24						
25						
26						
27	5.8	2	38	0.005	118	
28						
29						
30						
31						

Srahmore Waste Licence W199-02			SW100			
Month: Nov 2014 - Fourth Quarter						
Date	pH (pH units)	SS (mg/l)	COD (mg/l)	Total Ammonia (mg/l)	Conductivity (20c uS/cm)	Non-Compliance None >42 mg/l
1						
2						
3	7.1	2	45	0.005	90.4	
4						
5						
6						
7						
8						
9						
10	7.3	2	38	0.033	91	
11						
12						
13						
14						
15						
16						
17	No sample due to no flow					
18						
19						
20						
21						
22						
23	No sample due to no flow					
24						
25						
26						
27						
28						
29						
30						

Srahmore Waste Licence W199-02			SW100			
Month: Dec 2014 - Fourth Quarter						
Date	pH (pH units)	SS (mg/l)	COD (mg/l)	Total Ammonia (mg/l)	Conductivity (20c uS/cm)	Non-Compliance None >42 mg/l
1	6.7	2	38	0.057	88.8	
2						
3						
4						
5						
6						
7						
8	7	2	38	0.014	108	
9						
10						
11						
12						
13						
14						
15	7.3	2	23	0.026	163	

16						
17						
18						
19						
20						
21						
22	8.1	2	34	0.005	130	
23						
24						
25						
26						
27						
28						
29	6.1	2	24	0.008	190	
30						
31						

Srahmore Waste Licence W199-02

SW101

Month: January 2014 - First Quarter

Date	pH (pH units)	SS (mg/l)	COD (mg/l)	Total Ammonia (mg/l)	Conductivity (20c uS/cm)	Non- Compliance None >42 mg/l
1						
2						
3						
4						
5						
6	6.5	27	56	0.131	170	
7						
8						
9						
10						
11						
12						
13	5.3	6	52	0.147	112	
14						
15						
16						
17						
18						
19						
20	5.9	6	60	0.115	103	
21						
22						
23						
24						
25						
26						
27	4.5	4	56	0.143	200	
28						
29						
30						
31						

Srahmore Waste Licence W199-02

SW101

Month: February 2014 - First Quarter

Date	pH (pH units)	SS (mg/l)	COD (mg/l)	Total Ammonia (mg/l)	Conductivity (20c uS/cm)	Non- Compliance None >42 mg/l
1						
2						
3	4.3	26	55	0.116	167	
4						
5						
6						
7						
8						
9						
10	5	4	41	0.057	121	
11						
12						
13						
14						
15						
16						
17	6.2	7	23	0.12	118	
18						
19						
20						
21						
22						
23						
24	6.4	2	48	0.089	94	
25						
26						
27						
28						

Srahmore Waste Licence W199-02			SW101			
Month: March 2014 - First Quarter						
Date	pH (pH units)	SS (mg/l)	COD (mg/l)	Total Ammonia (mg/l)	Conductivity (20c uS/cm)	Non- Compliance None >42 mg/l
1						
2						
3	5.7	11	51	0.083	98	
4						
5						
6						
7						
8						
9						
10	5.7	2	60	0.081	98.1	
11						
12						
13						
14						
15						
16						
17	No sample due to no flow					
18						
19						
20						
21						
22						
23						
24	No sample due to no flow					
25						
26						
27						
28						
29						
30						
31	No sample due to no flow					

Srahmore Waste Licence W199-02				SW101		
Month: April 2014 - Second Quarter						
Date	pH (pH units)	SS (mg/l)	COD (mg/l)	Total Ammonia (mg/l)	Conductivity (20c uS/cm)	Non- Compliance None >42 mg/l
1						
2						
3						
4						
5						
6						
7	No sample due to no flow					
8						
9						
10						
11						
12						
13						
14	No sample due to no flow					
15						
16						
17						
18						
19						
20						
21	No sample due to no flow					
22						
23						
24						
25						
26						
27						
28	No sample due to no flow					
29						
30						
Srahmore Waste Licence W199-02				SW101		

Month: May 2014 - Second Quarter						
Date	pH (pH units)	SS (mg/l)	COD (mg/l)	Total Ammonia (mg/l)	Conductivity (20c uS/cm)	Non- Compliance None >42 mg/l
1						
2						
3						
4						
5	No sample due to no flow					
6						
7						
8						
9						
10						
11						

12	No sample due to no flow					
13						
14						
15						
16						
17						
18						
19	4.8	2	93	0.005	99.1	
20						
21						
22						
23						
24						
25						
26	No sample due to no flow					
27						
28						
29						
30						
31						
Srahmore Waste Licence W199-02			SW101			
Month: June 2014 - Second Quarter						
Date	pH (pH units)	SS (mg/l)	COD (mg/l)	Total Ammonia (mg/l)	Conductivity (20c uS/cm)	Non- Compliance None >42 mg/l
1						
2	No sample due to no flow					
3						
4						
5						
6						
7						
8						
9	No sample due to no flow					
10						
11						
12						
13						
14						
15						
16	No sample due to no flow					
17						
18						
19						
20						
21						
22						
23	No sample due to no flow					
24						
25						
26						
27						

28						
29						
30	No sample due to no flow					

Srahmore Waste Licence W199-02

SW101

Month: July 2014 - Third Quarter

Date	pH (pH units)	SS (mg/l)	COD (mg/l)	Total Ammonia (mg/l)	Conductivity (20c uS/cm)	Non- Compliance None >42 mg/l
1						
2						
3						
4						
5						
6						
7	No sample due to no flow					
8						
9						
10						
11						
12						
13						
14	No sample due to no flow					
15						
16						
17						
18						
19						
20						
21	No sample due to no flow					
22						
23						
24						
25						
26						
27						
28	No sample due to no flow					
29						
30						
31						

Srahmore Waste Licence W199-02

SW101

Month: August 2014 - Third Quarter

Date	pH (pH units)	SS (mg/l)	COD (mg/l)	Total Ammonia (mg/l)	Conductivity (20c uS/cm)	Non- Compliance None >42 mg/l
1						
2						
3						
4	No sample due to no flow					
5						
6						
7						
8						
9						
10						
11	No sample due to no flow					
12						
13						
14						
15						
16						
17						
18	No sample due to no flow					
19						
20						
21						
22						
23						
24						
25	No sample due to no flow					
26						
27						
28						
29						
30						
31						

Srahmore Waste Licence W199-02

SW101

Month: Sept 2014 - Third Quarter

Date	pH (pH units)	SS (mg/l)	COD (mg/l)	Total Ammonia (mg/l)	Conductivity (20c uS/cm)	Non- Compliance None >42 mg/l
1	No sample due to no flow					
2						
3						
4						
5						
6						
7						
8	No sample due to no flow					
9						
10						
11						
12						
13						
14						
15	No sample due to no flow					
16						
17						
18						
19						
20						
21						
22	No sample due to no flow					
23						
24						
25						
26						
27						
28						
29	No sample due to no flow					
30						

Srahmore Waste Licence W199-02				SW101		
Month: Oct 2014 - Fourth Quarter						
Date	pH (pH units)	SS (mg/l)	COD (mg/l)	Total Ammonia (mg/l)	Conductivity (20c uS/cm)	Non- Compliance None >42 mg/l
1						
2						
3						
4						
5						
6	5.8	3	98	0.085	242	
7						
8						
9						
10						
11						
12	No sample due to no flow					
13						
14						
15						
16						
17						
18						
19						
20	No sample due to no flow					
21						
22						
23						
24						
25						
26						
27	4.8	4	61	0.156	185	
28						
29						
30						
31						

Srahmore Waste Licence W199-02


SW101

Month: Nov 2014 - Fourth Quarter

Date	pH (pH units)	SS (mg/l)	COD (mg/l)	Total Ammonia (mg/l)	Conductivity (20c uS/cm)	Non- Compliance None >42 mg/l
1						
2						
3	No sample due to no flow					
4						
5						
6						
7						
8						
9						
10	No sample due to no flow					
11						
12						
13						
14						
15						
16						
17	No sample due to no flow					
18						
19						
20						
21						
22						
23	No sample due to no flow					
24						
25						
26						
27						
28						
29						
30						

Srahmore Waste Licence W199-02				SW101		
Month: Dec 2014 - Fourth Quarter						
Date	pH (pH units)	SS (mg/l)	COD (mg/l)	Total Ammonia (mg/l)	Conductivity (20c uS/cm)	Non- Compliance None >42 mg/l
1	No sample due to no flow					
2						
3						
4						
5						
6						
7						
8	No sample due to no flow					
9						
10						
11						
12						
13						
14						
15	5.6	2	43	0.201	198	
16						
17						
18						
19						
20						
21						
22	No sample due to no flow					
23						
24						
25						
26						
27						
28						
29	6	2	29	0.005	97.5	
30						
31						

Srahmore Waste Licence W199-02						Groundwater		
Month: July 2014								-
Date	BH 1A	BH 1B	BH 2A	BH 2B	BH 3A	BH 3B	BH 4A	BH4B
COD	23	20	99	27	53	22	130	45
Nitrate	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Total Ammonia	2.4	2.4	3	3.8	2	1.8	0.02	2.5
Conductivity	637	638	372	499	4197.6	268.9	152.4	160.3
Diesel Range								
Organics	<10	<10	<10	<10	<10	<10	<10	<10
Mineral Oil								



Bog Restoration Srahmore W0199-02 2014

Monitoring of the revegetation and stabilisation of the deposited peat is ongoing. Peat deposited in 2003/2005 has revegetated well and there is continued spread of *Sphagnum* mosses in all peat deposition bays (Bays 3, 4 and 5). In May 2012, June 2013 and Summer 2014 a series of >700 ponds were excavated in Bays 3, 4 and 5 and inoculated with *Sphagnum cuspidatum* plants following from successful trials established in 2010. These ponds are part of the agreed rehabilitation plan for the site and enhance the spread of *Sphagnum* and other wetland species such as aquatic invertebrates and amphibians, adding to the overall biodiversity of the site. This was agreed following consultation with NPWS, IPCC, IF, BWI, An Taisce and the development will be monitored.

Peat deposited in the period 2011/2012 has been slower to re-vegetate, but progress is steady with a marked increase in vegetation cover in 2014. No pond excavation is planned for this Bay as the peat is considered to be wetter in this part of the site.

In 2014 a vegetation map was completed for the site showing the distribution of ponds across the Bays. The site will continue to be monitored to track changes in vegetation cover and development.

In 2015 we will be developing the next steps for rehabilitation and we will carry out a trial to raise the water level in Bay 4 to assess the potential to increase and encourage peat-forming conditions.

As required by Condition 6.8, a Stability Assessment is required once a bay has been completed. This was measured and mapped post completion in Jan 2013, is currently being prepared by Tobins Consulting Engineers and was submitted to the Agency in July 2014.

As required by Condition 12.2.1 the licence holder is required to submit a statement on the determination of charge for the disposal of waste in accordance with the requirements of S.I. No. 337 of 2002 European Communities Regulation 2002. Following the consultation of this regulation, it is determined that as Srahmore Peat Deposition Site is only accepting waste peat from one permitted contractor, and that this charge has been agreed with the contractor prior to the commencement of the peat deposition and is applicable for the duration of the contract, the provision of this statement does not apply. The price agreed with the contractor is commercially sensitive.

This landfilling activity was completed in January 2013 and the site is now decommissioned and being stabilised.



Environmental Protection Agency

| PRTR# : W0199 | Facility Name : Srahmore Peat Deposition Site | Filename : W0199_2014.xls | Return Year : 2014 |

[Guidance to completing the PRTR workbook](#)

AER Returns Workbook

Version 1.1.18

REFERENCE YEAR	2014
-----------------------	------

1. FACILITY IDENTIFICATION

Parent Company Name	Bord na Mona Energy Limited
Facility Name	Srahmore Peat Deposition Site
PRTR Identification Number	W0199
Licence Number	W0199-02

Classes of Activity

No.	class_name
-	Refer to PRTR class activities below

Address 1	Srahmore and Attavally
Address 2	Bangor-Erris
Address 3	
Address 4	
	Mayo
Country	Ireland
Coordinates of Location	-9.56652 53.2663
River Basin District	IEWE
NACE Code	3821
Main Economic Activity	Treatment and disposal of non-hazardous waste
AER Returns Contact Name	Enda McDonagh
AER Returns Contact Email Address	enda.mcdonagh@bnm.ie
AER Returns Contact Position	Enda McDonagh
AER Returns Contact Telephone Number	057 9345911
AER Returns Contact Mobile Phone Number	086 2370816
AER Returns Contact Fax Number	057 9345160
Production Volume	0.0
Production Volume Units	0
Number of Installations	1
Number of Operating Hours in Year	0
Number of Employees	1
User Feedback/Comments	This site accepted its last tonne of peat in January 2013. Since then, the site has been decommissioned in accordance with condition 10.1. The main emission to water during the period, suspended Solids, being 100% compliant for 2014 and a reduction in 16% of SS loading
Web Address	www.bnm.ie

2. PRTR CLASS ACTIVITIES

Activity Number	Activity Name
50.1	General
50.1	General

3. SOLVENTS REGULATIONS (S.I. No. 543 of 2002)

Is it applicable?	No
Have you been granted an exemption ?	
If applicable which activity class applies (as per Schedule 2 of the regulations) ?	
Is the reduction scheme compliance route being used ?	

4. WASTE IMPORTED/ACCEPTED ONTO SITE

[Guidance on waste imported/accepted onto site](#)

Do you import/accept waste onto your site for on-site treatment (either recovery or disposal activities) ?	No
--	----

4.1 RELEASES TO AIR

[Link to previous years emissions data](#)

| PRTR# : W0199 | Facility Name : Srahmore Peat Deposition Site | Filename : W0199_2014.xls | Return Year : 2014 |

30/03/2015 16:39

SECTION A : SECTOR SPECIFIC PRTR POLLUTANTS

POLLUTANT		METHOD			Please enter all quantities in this section in KGs			
RELEASES TO AIR		METHOD USED			QUANTITY			
No. Annex II	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
					0.0	0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION B : REMAINING PRTR POLLUTANTS

POLLUTANT		METHOD			Please enter all quantities in this section in KGs			
RELEASES TO AIR		METHOD USED			QUANTITY			
No. Annex II	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
					0.0	0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION C : REMAINING POLLUTANT EMISSIONS (As required in your Licence)

POLLUTANT		METHOD			Please enter all quantities in this section in KGs			
RELEASES TO AIR		METHOD USED			QUANTITY			
Pollutant No.	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
					0.0	0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

Additional Data Requested from Landfill operators

For the purposes of the National Inventory on Greenhouse Gases, landfill operators are requested to provide summary data on landfill gas (Methane) flared or utilised on their facilities to accompany the figures for total methane generated. Operators should only report their Net methane (CH4) emission to the environment under T(total) KG/yr for Section A: Sector specific PRTR pollutants above. Please complete the table below:

Landfill: Please enter summary data on the quantities of methane flared and / or utilised	Srahmore Peat Deposition Site			
	T (Total) kg/Year	M/C/E	Method Code	Designation or Description
Total estimated methane generation (as per site model)	0.0			Facility Total Capacity m3 per hour
Methane flared	0.0			0.0 (Total Flaring Capacity)
Methane utilised in engine/s	0.0			0.0 (Total Utilising Capacity)
Net methane emission (as reported in Section A above)	0.0			N/A

4.2 RELEASES TO WATERS

[Link to previous years emissions data](#)

| PRTR# : W0199 | Facility Name : Srahmore Peat Deposition Site | Filename : W0199_2014.xls | Return Year : 2014 |

30/03/2015 16:40

SECTION A : SECTOR SPECIFIC PRTR POLLUTANTS

Data on ambient monitoring of storm/surface water or groundwater, conducted as part of your licence requirements, should NOT be submitted under AER / PRTR Reporting as this only concerns Releases from your facility

POLLUTANT		RELEASURES TO WATERS			Please enter all quantities in this section in KGs			
No. Annex II	Name	M/C/E	Method Used		QUANTITY			
			Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
					0.0	0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION B : REMAINING PRTR POLLUTANTS

POLLUTANT		RELEASURES TO WATERS			Please enter all quantities in this section in KGs			
No. Annex II	Name	M/C/E	Method Used		QUANTITY			
			Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
					0.0	0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION C : REMAINING POLLUTANT EMISSIONS (as required in your Licence)

POLLUTANT		RELEASURES TO WATERS			Please enter all quantities in this section in KGs				QUANTITY		
Pollutant No.	Name	M/C/E	Method Used		SW4 (Location 7)	SW100	SW101	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year	
			Method Code	Designation or Description	Emission Point 1	Emission Point 2	Emission Point 3				Emission Point 4
240	Suspended Solids	M	OTH	G/19 Based on APHA, 1998, 20th Edition, Method 2540D	1482.0	0.0	0.0	0.0	1482.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

4.3 RELEASES TO WASTEWATER OR SEWER

[Link to previous years emissions data](#)

| PRTR# : W0199 | Facility Name : Srahmore Peat Deposition Site | Filename : W0199_2014.xls | Return

30/03/2015 16:41

SECTION A : PRTR POLLUTANTS

OFFSITE TRANSFER OF POLLUTANTS DESTINED FOR WASTE-WATER TREATMENT OR SEWER					Please enter all quantities in this section in KGs			
POLLUTANT		METHOD			QUANTITY			
No. Annex II	Name	M/C/E	Method Used		Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
			Method Code	Designation or Description	0.0	0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION B : REMAINING POLLUTANT EMISSIONS (as required in your Licence)

OFFSITE TRANSFER OF POLLUTANTS DESTINED FOR WASTE-WATER TREATMENT OR SEWER					Please enter all quantities in this section in KGs			
POLLUTANT		METHOD			QUANTITY			
Pollutant No.	Name	M/C/E	Method Used		Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
			Method Code	Designation or Description	0.0	0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

4.4 RELEASES TO LAND

[Link to previous years emissions data](#)

| PRTR# : W0199 | Facility Name : Srahmore Peat Deposition Site | Filename : W0199_2014.xls | Return Year : 2014 |

30/03/2015 16:41

SECTION A : PRTR POLLUTANTS

POLLUTANT		METHOD			QUANTITY		
Name		M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year
No. Annex II					0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION B : REMAINING POLLUTANT EMISSIONS (as required in your Licence)

POLLUTANT		METHOD			QUANTITY		
Name		M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year
Pollutant No.					0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

5. ONSITE TREATMENT & OFFSITE TRANSFERS OF WASTE

| PRTR# : W0199 | Facility Name : Srahmore Peat Deposition Site | Filename : W0199_2014.xls | Return Year : 2014 |

30/03/2015 16:41

Please enter all quantities on this sheet in Tonnes

3

Transfer Destination	European Waste Code	Hazardous	Quantity (Tonnes per Year)	Description of Waste	Waste Treatment Operation	Method Used		Location of Treatment	Haz Waste : Name and Licence/Permit No of Next Destination Facility	Haz Waste : Address of Next Destination Facility	Name and License / Permit No. and Address of Final Recoverer / Disposer (HAZARDOUS WASTE ONLY)	Actual Address of Final Destination i.e. Final Recovery / Disposal Site (HAZARDOUS WASTE ONLY)
						Non Haz Waste: Name and Licence/Permit No of Recover/Disposer	Non Haz Waste: Address of Recover/Disposer					
Within the Country	13 05 02	Yes	0.0	sludges from oil/water separators	D9	M	Weighed	Offsite in Ireland	Enva Ltd,184-1 G&T Loftus Recycling,CW035	Clonminam Industrial Estate,Portlaoise,Laois,.,Ireland	Enva Ltd,184-1,Clonminam Industrial Estate,Portlaoise,Laois,.,Ireland	Clonminam Industrial Estate,Portlaoise,Laois,.,Ireland
Within the Country	20 01 01	No	0.0	paper and cardboard	R11	C	Volume Calculation	Offsite in Ireland	G&T Loftus Recycling,CW035	Rathroeen,Killina,.,Mayo,Ireland	Rathroeen,Killina,.,Mayo,Ireland	Rathroeen,Killina,.,Mayo,Ireland
Within the Country	20 01 08	No	0.1	biodegradable kitchen and canteen waste	R13	C	Volume Calculation	Offsite in Ireland	G&T Loftus Recycling,CW035	Rathroeen,Killina,.,Mayo,Ireland	Rathroeen,Killina,.,Mayo,Ireland	Rathroeen,Killina,.,Mayo,Ireland
Within the Country	20 03 04	No	0.0	septic tank sludge	D9	M	Weighed	Offsite in Ireland	Mayo County Council,.	Belleck,Ballina,.,Mayo,Ireland		

* Select a row by double-clicking the Description of Waste then click the delete button