

Facility Information Summary

AER Reporting Year	2014
Licence Register Number	W0027
Name of site	Pollboy Landfill
Site Location	Pollboy , Ballinasloe, Co. Galway
NACE Code	3821
Class/Classes of Activity	Third schedule 4,5,6,7,11,13. Fourth Schedule 2,3,4,9,10,11,12,13
National Grid Reference (6E, 6 N)	-8.22343 53.3127

A description of the activities/processes at the site for the reporting year. This should include information such as production increases or decreases on site, any infrastructural changes, environmental performance which was measured during the reporting year **and an overview of compliance with your licence listing all exceedances of licence limits (where applicable) and what they relate to e.g. air, water, noise.**

Landfilling ceased at the site on 31st December, 2005 following a court ruling. The entire landfill facility covers an area of approx 23 ha. ha while Cell No.1 the lined cell has an approximate area of 3.6 ha. The unlined landfill portion of the site occupies an area of approximately 7.1 There is currently a civic amenity site in operation adjacent to the landfill site which is operated by Barna Waste. There were no activities or process at the site during 2014 except for monitoring as required by the Licence. Annual noise monitoring was not carried out in 2014, in agreement with the agency. The majority of surface water sampling points were within limits set for compliance parameters including chloride, conductivity, pH and temperature. Elevated COD, ammonia, dissolved oxygen, BOD, TON, Iron and Manganese levels were recorded at SW1, SW6 and SW8. Elevated levels of TON were recorded at SW3 and SW4. Levels of pH, temperature and TOC remained within interim guidelines set out for groundwater. A hydrological assessment was carried out in October 2013 that details groundwater interactions on site. Sampling of leachate was undertaken by the EPA in Q1, Q2, Q3 and Q4 in 2014. The leachate samples were obtained from the leachate lagoon. The results demonstrate that the levels are within the licence limits. The landfill gas in the old cell has been consistent over the past number of years, with the highest concentration of methane being measured in GW's 15,16 and 17. There were 6.no.new gas wells replaced in the new cell in 2010 and are currently producing good quality gas.

Declaration:

All the data and information presented in this report has been checked and certified as being accurate. The quality of the information is assured to meet licence requirements.

	
Signature	Date
Group/Facility manager <small>(or nominated, suitably qualified and experienced deputy)</small>	30/3/2015

AIR-summary template	Lic No: W0027	Year: 2014
-----------------------------	---------------	------------

Answer all questions and complete all tables where relevant

- 1 Does your site have licensed air emissions? If yes please complete table A1 and A2 below for the current reporting year and answer further questions. If **you do not have** licenced emissions and **do not complete a solvent management plan** (table A4 and A5) you do not need to complete the tables

Additional information	
SELECT	1 No. Enclosed ground flare monitored on 10th April 2014.

Periodic/Non-Continuous Monitoring

- 2 Are there any results in breach of licence requirements? If yes please provide brief details in the comment section of TableA1 below
- 3 Was all monitoring carried out in accordance with EPA guidance note AG2 and using the basic air monitoring checklist? [Basic air monitoring checklist](#) [AGN2](#)

Landfilling ceased at	
Yes	

Table A1: Licensed Mass Emissions/Ambient data-periodic monitoring (non-continuous)

Emission reference no:	Parameter/ Substance	Frequency of Monitoring	ELV in licence or any revision thereof	Licence Compliance criteria	Measured value	Unit of measurement	Compliant with licence limit	Method of analysis	Annual mass load (kg)	Comments - reason for change in % mass load from previous year if applicable
Landfill Flare	Carbon monoxide (CO)	Continuous	50 mg/m ³	SELECT	1.24	mg/m ³	yes	SELECT		
Landfill Flare	Nitrogen oxides (NOx/NO2)	Annually	150 mg/m ³	SELECT	88.96	mg/m ³	yes	SELECT		
Landfill Flare	Total Organic Carbon (as C)	Annually	10 mgC/m ³	SELECT	3.12	mgC/m ³	yes	SELECT		
Landfill Flare	Hydrogen Chloride (HCL)		50 mg/m ³	SELECT	0.21	mg/m ³	yes	SELECT		
Landfill Flare	Hydrogen Fluoride (HF)		5 mg/m ³	SELECT	1.11	mg/m ³	yes	SELECT		
Landfill Flare	Sulphur Dioxide (SO ₂)	Annually		SELECT	40.44	mg/m ³	SELECT	SELECT		
Landfill Flare	Oxygen (O ₂)			SELECT	8.43	% v/v	SELECT	SELECT		

Note 1: Volumetric flow shall be included as a reportable parameter

AIR-summary template	Lic No: W0027	Year: 2014
Continuous Monitoring		

<p>4 Does your site carry out continuous air emissions monitoring? If yes please review your continuous monitoring data and report the required fields below in Table A2 and compare it to its relevant Emission Limit Value (ELV)</p>	Yes	Continuous CO monitoring required in Table D.2.2 Landfill Gas Combustion Plant/Enclosed Flare
<p>5 Did continuous monitoring equipment experience downtime? If yes please record downtime in table A2 below</p>	Yes	
<p>6 Do you have a proactive service agreement for each piece of continuous monitoring equipment?</p>	No	
<p>7 Did your site experience any abatement system bypasses? If yes please detail them in table A3 below</p>	Yes	Bypass flare in use at site

Table A2: Summary of average emissions -continuous monitoring

Emission reference no:	Parameter/ Substance	ELV in licence or any revision thereof	Averaging Period	Compliance Criteria	Units of measurement	Annual Emission	Annual maximum	Monitoring Equipment downtime (hours)	Number of ELV exceedences in current reporting year	Comments
Outlet Flare	Volumetric Flow	NA	2014	SELECT	m3/hr	239	325	24.55	NA	
Outlet Flare	Flare Temperature	1000 Degrees C	2014		Degrees C	1015	1030	24.55	None	
Outlet Flare	Carbon dioxide (CO2)	NA	2014		%	22	24.4	24.55	NA	
Outlet Flare	Carbon monoxide (CO)	NA	2014		%	13.8	26.8	24.55	NA	
Outlet Flare	Methane (CH4)	NA	2014		%	33.9	43	24.55	NA	
Outlet Flare	Oxygen	NA	2014		%	2.8	4.9	24.55	NA	

note 1: Volumetric flow shall be included as a reportable parameter.

Table A3: Abatement system bypass reporting table [Bypass protocol](#)

Date*	Duration** (hours)	Location	Reason for bypass	Impact magnitude	Corrective action
11/02/2014	13 hrs 30 mins	Bypass Flare			
20/08/2014	11 hrs 25 mins	Bypass Flare			

* this should include all dates that an abatement system bypass occurred

** an accurate record of time bypass beginning and end should be logged on site and maintained for future Agency inspections please refer to bypass protocol link

AER Monitoring returns summary template-WATER/WASTEWATER(SEWER)

Lic No:

W0027

Year

2014

		Additional information	
1	Does your site have licensed emissions direct to surface water or direct to sewer? If yes please complete table W2 and W3 below for the current reporting year and answer further questions. If you do not have licensed emissions you only need to complete table W1 and or W2 for storm water analysis and visual inspections	Yes	Leachate pumped to sewer and treated in Wastewater Treatment Plant in Ballinasloe
2	Was it a requirement of your licence to carry out visual inspections on any surface water discharges or watercourses on or near your site? If yes please complete table W2 below summarising only any evidence of contamination noted during visual inspections	Yes	Yes, weekly monitoring of surface water as per licence Table D.5.1 'Water and Leachate - Parameters / Frequency'

Table W1 Storm water monitoring

Location reference	Location relative to site activities	PRTR Parameter	Licensed Parameter	Monitoring date	ELV or trigger level in licence or any revision thereof*	Licence Compliance criteria	Measured value	Unit of measurement	Compliant with licence	Comments
	SELECT	SELECT	SELECT	Consent with the agency. The majority of		SELECT		SELECT	SELECT	
	SELECT	SELECT	SELECT			SELECT		SELECT	SELECT	

*trigger values may be agreed by the Agency outside of licence conditions

Table W2 Visual inspections-Please only enter details where contamination was observed.

Location Reference	Date of inspection	Description of contamination	Source of contamination	Corrective action	Comments
			SELECT		
			SELECT		

Licensed Emissions to water and /or wastewater(sewer)-periodic monitoring (non-continuous)

3	Was there any result in breach of licence requirements? If yes please provide brief details in the comment section of Table W3 below	No	Additional information
4	Was all monitoring carried out in accordance with EPA guidance and checklists for Quality of Aqueous Monitoring Data Reported to the EPA? If no please detail what areas require improvement in additional information box	Yes	External/Internal Lab Quality Assessment of results checklist

Table W3: Licensed Emissions to water and /or wastewater (sewer)-periodic monitoring (non-continuous)

Emission reference no:	Emission released to	Parameter/ SubstanceNote 1	Type of sample	Frequency of monitoring	Averaging period	values in licence or any revision	Licence Compliance criteria	Measured value	Unit of measurement	Compliant with licence	Method of analysis	Procedural reference source	reference standard number	Annual mass load (kg)	Comments
Leachate pumped to WWTP	Wastewater/Se wer	volumetric flow	discrete	Daily	24 hour	513 m ³ in any one day	No flow value shall exceed the specific limit.	53,728.29	m ³ /year	yes	SELECT	SELECT			

Note 1: Volumetric flow shall be included as a reportable parameter

Note 2: Where Emission Limit Values (ELV) do not apply to your licence please compare results against EQS for Surface water or relevant receptor quality standards

Continuous monitoring

Does your site carry out continuous emissions to water/sewer monitoring?

5

Additional Information	
No	Licence Table D.5.1 'Water and Leachate - Parameters / Frequency requires continuous monitoring of the level of leachate.

If yes please summarise your continuous monitoring data below in Table W4 and compare it to its relevant Emission Limit Value (ELV)

6 Did continuous monitoring equipment experience downtime? If yes please record downtime in table W4 below

7 Do you have a proactive service contract for each piece of continuous monitoring equipment on site?

8 Did abatement system bypass occur during the reporting year? If yes please complete table W5 below

SELECT	
SELECT	
SELECT	

Table W4: Summary of average emissions -continuous monitoring

Emission reference no:	Emission released to	Parameter/ Substance	ELV or trigger values in licence or any revision thereof	Averaging Period	Compliance Criteria	Units of measurement	Annual Emission for current reporting year (kg)	% change +/- from previous reporting year	Monitoring Equipment downtime (hours)	Number of ELV exceedences in reporting year	Comments
	SELECT	SELECT		SELECT	SELECT	SELECT					
	SELECT	SELECT		SELECT	SELECT	SELECT					

note 1: Volumetric flow shall be included as a reportable parameter.

Table W5: Abatement system bypass reporting table

Date	Duration (hours)	Location	Resultant emissions	Reason for bypass	Corrective action*	Was a report submitted to the EPA?	When was this report submitted?
						SELECT	

*Measures taken or proposed to reduce or limit bypass frequency

Bund testing

dropdown menu click to see options

Additional information

Are you required by your licence to undertake integrity testing on bunds and containment structures? if yes please fill out table B1 below listing all **new bunds and containment structures** on site, in addition to **all bunds which failed** the integrity test **-all bunding structures which failed including mobile bunds must be listed in the table below, please include all bunds outside the licenced testing period** (mobile bunds and chemstore included)

Yes	Carried out on leachate lagoon February 2013
3 years	
No	
0	
0	
0	
SELECT	
Yes	
Yes	
N/A	

- 1 Please provide integrity testing frequency period
 - 2 Does the site maintain a register of bunds, underground pipelines (including stormwater and foul), Tanks, sumps and containers? (containers refers to "Chemstore" type units and mobile bunds)
 - 3 How many bunds are on site?
 - 4 How many of these bunds have been tested within the required test schedule?
 - 5 How many mobile bunds are required by the Licence. Annual noise monitoring was not carried out in 2014, in agreement with the agency. The majority of such bunds are mobile bunds?
 - 6 Are the mobile bunds included in the bund test schedule?
 - 7 How many of these mobile bunds have been tested within the required test schedule?
 - 8 How many sumps on site are included in the integrity test schedule?
 - 9 How many of these sumps are integrity tested within the test schedule?
- Please list any sump integrity failures in table B1**
- 11 Do all sumps and chambers have high level liquid alarms?
 - 12 If yes to Q11 are these failsafe systems included in a maintenance and testing programme?
 - 13 Is the Fire Water Retention Pond included in your integrity test programme?

Table B1: Summary details of bund /containment structure integrity test

Bund/Containment structure ID	Type	Specify Other type	Product containment	Actual capacity	Capacity required*	Type of integrity test	Other test type	Test date	Integrity reports maintained on site?	Results of test	Integrity test failure explanation <50 words	Corrective action taken	Scheduled date for retest	Results of retest (if in current reporting year)
	SELECT					SELECT			SELECT	SELECT		SELECT		
	SELECT					SELECT			SELECT	SELECT		SELECT		

* Capacity required should comply with 25% or 110% containment rule as detailed in your licence
 Has integrity testing been carried out in accordance with licence requirements and are all structures tested in line with BS8007/EPA Guidance?

[bundings and storage guidelines](#)

- 16 Are channels/transfer systems to remote containment systems tested?
- 17 Are channels/transfer systems compliant in both integrity and available volume?

Commentary

SELECT	
SELECT	
SELECT	

Pipeline/underground structure testing

Are you required by your licence to undertake integrity testing* on underground structures e.g. pipelines or sumps etc? if yes please fill out table 2 below listing all underground structures and pipelines on site **which failed the integrity test and all which have not been tested within the integrity test period as specified**

No	
SELECT	

- 2 Please provide integrity testing frequency period
- *please note integrity testing means water tightness testing for process and foul pipelines (as required under your licence)

Table B2: Summary details of pipeline/underground structures integrity test

Structure ID	Type system	Material of construction:	Does this structure have Secondary containment?	Type of secondary containment	Type integrity testing	Integrity reports maintained on site?	Results of test	Integrity test failure explanation <50 words	Corrective action taken	Scheduled date for retest	Results of retest (if in current reporting year)
	SELECT	SELECT	SELECT	SELECT	SELECT	SELECT	SELECT				SELECT

Please use commentary for additional details not answered by tables/ questions above

Groundwater/Soil monitoring template	Lic No: W0027	Year: 2014
---	---------------	------------

		Comments
1	Are you required to carry out groundwater monitoring as part of your licence requirements?	yes
2	Are you required to carry out soil monitoring as part of your licence requirements?	no
3	Do you extract groundwater for use on site? If yes please specify use in comment section	no
4	Do monitoring results show that groundwater generic assessment criteria such as GTVs or IGVs are exceeded or is there an upward trend in results for a substance? If yes, please complete the Groundwater Monitoring Guideline Template Groundwater monitoring template Report (link in cell G8) and submit separately through ALDER as a licensee return AND answer questions 5-12 below.	yes
5	Is the contamination related to operations at the facility (either current and/or historic)	yes
6	Have actions been taken to address contamination issues? If yes please summarise remediation strategies proposed/undertaken for the site	yes
7	Please specify the proposed time frame for the remediation strategy	SELECT
8	Is there a licence condition to carry out/update ELRA for the site?	SELECT
9	Has any type of risk assesment been carried out for the site?	SELECT
10	Has a Conceptual Site Model been developed for the site?	SELECT
11	Have potential receptors been identified on and off site?	SELECT
12	Is there evidence that contamination is migrating offsite?	SELECT

Please provide an interpretation of groundwater monitoring data in the interpretation box below or if you require additional space please include a groundwater/contaminated land monitoring results interpretaion as an additional section in this AER

IGV's have been exceeded and a hydrological assessment has been completed and submitted to the Agency. Correspondance regarding this is ongoing.

IGV's have been exceeded and a hydrological assessment has been completed and submitted to the Agency. Correspondance regarding this is ongoing.

Table 1: Upgradient Groundwater monitoring results

Date of sampling	Sample location reference	Parameter/ Substance	Methodology	Monitoring frequency	Maximum Concentration++	Average Concentration+	unit	GTV's*	SELECT**	Upward trend in pollutant concentration over last 5 years of monitoring data
							SELECT			SELECT
							SELECT			SELECT

.+ where average indicates arithmetic mean

++.+ maximum concentration indicates the maximum measured concentration from all monitoring results produced during the reporting year

Table 2: Downgradient Groundwater monitoring results

Date of sampling	Sample location reference	Parameter/ Substance	Methodology	Monitoring frequency	Maximum Concentration	Average Concentration	unit	GTV's*	SELECT**	Upward trend in yearly average pollutant concentration over last 5 years of monitoring data
							SELECT			SELECT
							SELECT			SELECT

Groundwater/Soil monitoring template	Lic No: W0027	Year: 2014
---	---------------	------------

*please note exceedance of generic assessment criteria (GAC) such as a Groundwater Threshold Value (GTV) or an Interim Guideline Value (IGV) or an upward trend in results for a substance indicates that further interpretation of monitoring results is required. In addition to completing the above table, please complete the [Groundwater Monitoring Guideline Template Report](#) at the link provided and submit separately through ALDER as a licensee return or as otherwise instructed by the EPA.

More information on the use of soil and groundwater standards/ generic assessment criteria (GAC) and risk assessment tools is available in the EPA published guidance [Guidance on the Management of Contaminated Land and Groundwater at EPA Licensed Sites \(EPA 2013\)](#) (see the link in G31)

**Depending on location of the site and proximity to other sensitive receptors alternative Receptor based Water Quality standards should be used in addition to the GTV e.g. if the site is close to surface water compare to Surface Water Environmental Quality Standards (SWEQS), If the site is close to a drinking water supply compare results to the Drinking Water Standards (DWS)

- [Groundwater](#) [Drinking water](#)
- [Surface](#) [regulations](#) [\(private supply\)](#) [Drinking water \(public](#) [Interim Guideline](#)
- [water EQS](#) [GTV's](#) [standards](#) [supply\) standards](#) [Values \(IGV\)](#)

Table 3: Soil results

Date of sampling	Sample location reference	Parameter/ Substance	Methodology	Monitoring frequency	Maximum Concentration	Average Concentration	unit
							SELECT
							SELECT

Where additional detail is required please enter it here in 200 words or less

Environmental Liabilities template	Lic No:	W0027	Year	2014
---	---------	-------	------	------

[Click here to access EPA guidance on Environmental Liabilities and Financial provision](#)

			Commentary
1	ELRA initial agreement status	Required but not submitted	Landfill closed and fully restored.
2	ELRA review status	Review required and not completed;	
3	Amount of Financial Provision cover required as determined by the latest ELRA	NA	
4	Financial Provision for ELRA status	Required but not submitted	
5	Financial Provision for ELRA - amount of cover	NA	
6	Financial Provision for ELRA - type	Other please specify	Aftercare budget held by Ballinasloe Town Council Landfilling ceased at the site on 31st December, 2005
7	Financial provision for ELRA expiry date	Enter expiry date	
8	Closure plan initial agreement status	Closure plan submitted and agreed by EPA	
9	Closure plan review status	Review required and not completed	
10	Financial Provision for Closure status	Submitted and agreed by EPA	
11	Financial Provision for Closure - amount of cover	Aftercare budget held by Ballinaslow Town Council	
12	Financial Provision for Closure - type	Other please specify	
13	Financial provision for Closure expiry date	Enter expiry date	

Environmental Management Programme/Continuous Improvement Programme template	Lic No:	W0027	Year	2014
---	---------	-------	------	------

	Highlighted cells contain dropdown menu click to view	Additional Information
1	Do you maintain an Environmental Mangement System (EMS) for the site. If yes, please detail in additional information	Yes Closed Facility
2	Does the EMS reference the most significant environmental aspects and associated impacts on-site	Yes
3	Does the EMS maintain an Environmental Management Programme (EMP) as required in accordance with the licence requirements	Yes
4	Do you maintain an environmental documentation/communication system to inform the public on environmental performance of the facility, as required by the licence	No Closed Facility

Environmental Management Programme (EMP) report

Objective Category	Target	Status (% completed)	How target was progressed	Responsibility	Intermediate outcomes
SELECT		SELECT		SELECT	SELECT
SELECT		SELECT		SELECT	SELECT
SELECT		SELECT		SELECT	SELECT

Noise monitoring summary report	Lic No: W0027	Year	2014
--	---------------	------	------

1 Was noise monitoring a licence requirement for the AER period?

If yes please fill in table N1 noise summary below

2 Was noise monitoring carried out using the EPA Guidance note, including completion of the "Checklist for noise measurement report" included in the guidance note as table 6?

[Noise Guidance note NG4](#)

3 Does your site have a noise reduction plan

4 When was the noise reduction plan last updated?

5 Have there been changes relevant to site noise emissions (e.g. plant or operational changes) since the last noise survey?

Annual noise monitoring was not carried out in 2014, in agreement with the agency. The majority of surface water sampling points were within limits set for compliance parameters including chloride, conductivity, pH and temperature.

Table N1: Noise monitoring summary

Date of monitoring	Time period	Noise location (on site)	Noise sensitive location -NSL (if applicable)	LA _{eq}	LA ₉₀	LA ₁₀	LA _{max}	Tonal or Impulsive noise* (Y/N)	If tonal /impulsive noise was identified was 5dB penalty applied?	Comments (ex. main noise sources on site, & extraneous noise ex. road traffic)	Is site compliant with noise limits (day/evening/night)?
								SELECT	SELECT		SELECT

*Please ensure that a tonal analysis has been carried out as per guidance note NG4. These records must be maintained onsite for future inspection

If noise limits exceeded as a result of noise attributed to site activities, please choose the corrective action from the following options?

** please explain the reason for not taking action/resolution of noise issues?
Any additional comments? (less than 200 words)

Resource Usage/Energy efficiency summary

Lic No:

W0027

Year

2014

Additional information

- 1 When did the site carry out the most recent energy efficiency audit? Please list the recommendations in table 3 below
- Is the site a member of any accredited programmes for reducing energy usage/water conservation such as the SEAI programme linked to the right? If yes please list them in additional information
- 2 Where Fuel Oil is used in boilers on site is the sulphur content compliant with licence conditions? Please state percentage in additional information
- 3

Enter date of audit	Never
SELECT	
SELECT	

Table R1 Energy usage on site				
Energy Use	Previous year	Current year	Production +/- % compared to previous reporting year**	at the site on 31st December, 2005 following a court ruling. The entire
Total Energy Used (MWHrs)				
Total Energy Generated (MWHrs)				
Total Renewable Energy Generated (MWHrs)				
Electricity Consumption (MWHrs)				
Fossil Fuels Consumption:				
Heavy Fuel Oil (m3)				
Light Fuel Oil (m3)				
Natural gas (m3)				
Coal/Solid fuel (metric tonnes)				
Peat (metric tonnes)				
Renewable Biomass				
Renewable energy generated on site				

* where consumption of energy can be compared to overall site production please enter this information as percentage increase or decrease compared to the previous reporting year.

** where site production information is available please enter percentage increase or decrease compared to previous year

Table R2 Water usage on site					Water Emissions	Water Consumption	
Water use	Water extracted Previous year m3/yr.	Water extracted Current year m3/yr.	Production +/- % compared to previous reporting year**	Energy Consumption +/- % vs overall site production*	Volume Discharged back to environment(m ³ /yr):	Volume used i.e not discharged to environment e.g. released as steam m3/yr	Unaccounted for Water:
Groundwater							
Surface water							
Public supply							
Recycled water							
Total							

* where consumption of water can be compared to overall site production please enter this information as percentage increase or decrease compared to the previous reporting year.

** where site production information is available please enter percentage increase or decrease compared to previous year

Table R3 Waste Stream Summary					
	Total	Landfill	Incineration	Recycled	Other
Hazardous (Tonnes)					
Non-Hazardous (Tonnes)					

Resource Usage/Energy efficiency summary Lic No: W0027 Year 2014

Table R4: Energy Audit finding recommendations								
Date of audit	Recommendations	Description of Measures proposed	Origin of measures	Predicted energy savings %	Implementation date	Responsibility	Completion date	Status and comments
			SELECT					
			SELECT					
			SELECT					

Table R5: Power Generation: Where power is generated onsite (e.g. power generation facilities/food and drink industry) please complete the following information

	Unit ID	Unit ID	Unit ID	Unit ID	Station Total
Technology					
Primary Fuel					
Thermal Efficiency					
Unit Date of Commission					
Total Starts for year					
Total Running Time					
Total Electricity Generated (GWH)					
House Load (GWH)					
KWH per Litre of Process Water					
KWH per Litre of Total Water used on Site					

Complaints and Incidents summary template Lic No: W0027 Year 2014

Complaints

Additional information

Have you received any environmental complaints in the current reporting year? If yes please complete summary details of complaints received on site in table 1 below

No

Landfilling ceased at the site on 31st December, 2005 following a court ruling. The entire landfill facility covers an area of approx 23 ha. ha while Cell No.1 the lined cell has an approxir The unlined landfill portion of the site occupies an area of approximately 7.1

Date	Category	Other type (please specify)	Brief description of complaint (Free txt <20 words)	Corrective action< 20 words	Resolution status	Resolution date	Further information
	SELECT				SELECT		
	SELECT				SELECT		
	SELECT				SELECT		
	SELECT				SELECT		
	SELECT				SELECT		
Total complaints open at start of reporting year							
Total new complaints received during reporting year							
Total complaints closed during reporting year							
complaints end of reporting year							

Incidents

Additional information

Have any incidents occurred on site in the current reporting year? Please list all incidents for current reporting year in Table 2 below

Yes

*For information on how to report and what constitutes an incident [What is an incident](#)

Date of occurrence	Incident nature	Location of occurrence	Incident category*please refer to guidance	Receptor	Cause of incident	Other cause(please specify)	Activity in progress at time of incident	Communication	Occurrence	Corrective action<20 words	Preventative action <20 words	Resolution status	Resolution date	Likelihood of reoccurrence
07/10/2014	Pipe within pump chamber on leachate interceptor drain disconnected	Pump Chamber 1	1. Minor	No Uncontrolled release	Plant or equipment issues		Normal activities	EPA	New	Disconnected pipe was reconnected.	Leachate in chamber diluted and levels low. No risk of pollution. Prices for repair work requested.	Complete	19/11/2014	Low
11/03/2014	AFS Flare went off due to low methane.	Flare	1. Minor	No Uncontrolled release	Gas pipe became disconnected from gas main at gas well 5		Gas being carried in carrier pipes to main AFS gas flare.	EPA	New	Disconnection at GW5 has been reconnected.	Coupling replaced which connects carrier pipe from GW5 to main gas main.	Complete	12/03/2014	Low

Complaints and Incidents summary template														
		Lic No: W0027				Year 2014								
13/01/2014	Temperature of AFS gas flare falling below 1000°C	Flare	1. Minor	Air	Plant or equipment issues		Gas from gas field being flared by 1250m³ AFS flare.	EPA	Recurring	Blower turned up which increased temperature.	Swap existing 1250m³ flare for 750m³ flare.	Complete	28/01/2014	Low
20/08/2014	AFS Gas Flare ceased operation due to low methane alarm.	Flare	1. Minor	No Uncontrolled release	Loose pipe connection.		None	None	Recurring	AFS Flare turned back on. Loose pipe connection tightened.	Check pipe connections on a regular basis.	Complete	20/08/2014	Low
14/01/2014	Amps and pressure on electric pump at landfill is too high.	Rising main from landfill to WWTP.	1. Minor	No Uncontrolled release	Likely obstruction in rising main.		Pumping leachate from landfill to WWTP.	EPA	New	Ongoing opening and cleaning of rising main between landfill and WWTP.	Not required.	Complete	31/01/2014	Low
Total number of incidents current year														
Total number of incidents previous year														
% reduction/increase														

WASTE SUMMARY	Lic No:	W0027	Year	2014
----------------------	---------	-------	------	------

Table 4 Environmental monitoring-landfill only [Landfill Manual-Monitoring Standards](#)

Was meteorological monitoring in compliance with Landfill Directive (LD) standard in reporting year +	Was leachate monitored in compliance with LD standard in reporting year	Was Landfill Gas monitored in compliance with LD standard in reporting year	Was SW monitored in compliance with LD standard in reporting year	Have GW trigger levels been established	Were emission limit values agreed with the Agency (ELVs)	Was topography of the site surveyed in reporting year	Has the statement under S53(A)(5) of WMA been submitted in reporting year	Comments
Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	

-> please refer to Landfill Manual linked above for relevant Landfill Directive monitoring standards

Table 5 Capping-Landfill only

Area uncapped*	Area with temporary cap	Area with final cap to LD Standard m ² ha, a	Area capped other	Area with waste that should be permanently capped to date under licence	What materials are used in the cap	Comments
SELECT UNIT	SELECT UNIT					
All capped						

*please note this includes daily cover area

Table 6 Leachate-Landfill only

9 Is leachate from your site treated in a Waste Water Treatment Plant?

SELECT

10 Is leachate released to surface water? If yes please complete leachate mass load information below

SELECT

Volume of leachate in reporting year(m ³)	Leachate (BOD) mass load (kg/annum)	Leachate (COD) mass load (kg/annum)	Leachate (NH4) mass load (kg/annum)	Leachate (Chloride) mass load kg/annum	Leachate treatment on-site	Specify type of leachate treatment	Comments
53,728.29					Ballinasloe WwTP		

Please ensure that all information reported in the landfill gas section is consistent with the Landfill Gas Survey submitted in conjunction with PRTR returns

Table 7 Landfill Gas-Landfill only

Gas Captured&Treated by LEG System m ³	Power generated (MW / KWh)	Used on-site or to national grid	Was surface emissions monitoring performed during the reporting year?	Comments
650,497			Yes	



Environmental Protection Agency

[Guidance to completing the PRTR workbook](#)

AER Returns Workbook

Version 1.1.18

REFERENCE YEAR	2014
-----------------------	------

1. FACILITY IDENTIFICATION

Parent Company Name	Galway County Council
Facility Name	Pollboy Landfill Facility - Ballinasloe Town Council
PRTR Identification Number	W0027
Licence Number	W0027-02

Classes of Activity

No.	class_name
-	Refer to PRTR class activities below

Address 1	Pollboy
Address 2	Ballinasloe
Address 3	
Address 4	
	Galway
Country	Ireland
Coordinates of Location	-8.22343 53.3127
River Basin District	IEGBNISH
NACE Code	3821
Main Economic Activity	Treatment and disposal of non-hazardous waste
AER Returns Contact Name	Kevin Muirennan
AER Returns Contact Email Address	kmuirennan@galwaycoco.ie
AER Returns Contact Position	Facility Manager
AER Returns Contact Telephone Number	09096 42884/ 087 2909379
AER Returns Contact Mobile Phone Number	087 9178078
AER Returns Contact Fax Number	
Production Volume	0.0
Production Volume Units	
Number of Installations	0
Number of Operating Hours in Year	0
Number of Employees	1
User Feedback/Comments	
Web Address	

2. PRTR CLASS ACTIVITIES

Activity Number	Activity Name
5(d)	Landfills
5(c)	Installations for the disposal of non-hazardous waste
50.1	General

3. SOLVENTS REGULATIONS (S.I. No. 543 of 2002)

Is it applicable?	
Have you been granted an exemption?	
If applicable which activity class applies (as per Schedule 2 of the regulations)?	
Is the reduction scheme compliance route being used?	

4. WASTE IMPORTED/ACCEPTED ONTO SITE

[Guidance on waste imported/accepted onto site](#)

Do you import/accept waste onto your site for on-site treatment (either recovery or disposal activities)?	No
---	----

This question is only applicable if you are an IPPC or Quarry site

4.1 RELEASES TO AIR

[Link to previous years emissions data](#)

SECTION A : SECTOR SPECIFIC PRTR POLLUTANTS

POLLUTANT		METHOD			Please enter all quantities in this section in KGs			
No. Annex II	Name	M/C/E	Method Code	Designation or Description	Flare Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
01	Methane (CH4)	M	OTH	Gas Sim 2.5 Statistics + Site Data	9670.6	603127.64	0.0	593457.04
03	Carbon dioxide (CO2)	M	OTH	Gas Sim 2.5 Statistics + Site Data	18091.35	882390.69	0.0	864299.34
02	Carbon monoxide (CO)	M	OTH	Gas Sim 2.5 Statistics + Site Data	0.0	577.04	0.0	577.04

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION B : REMAINING PRTR POLLUTANTS

POLLUTANT		METHOD			Please enter all quantities in this section in KGs			
No. Annex II	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
15	Chlorofluorocarbons (CFCs)	M	OTH	Gas Sim 2.5 PI Report	0.0	1.72	0.0	1.72
14	Hydrochlorofluorocarbons (HCFCs)	M	OTH	Gas Sim 2.5 PI Report	0.0	1.29	0.0	1.29

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION C : REMAINING POLLUTANT EMISSIONS (As required in your Licence)

POLLUTANT		METHOD			Please enter all quantities in this section in KGs			
Pollutant No.	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
					0.0	0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

Additional Data Requested from Landfill operators

For the purposes of the National Inventory on Greenhouse Gases, landfill operators are requested to provide summary data on landfill gas (Methane) flared or utilised on their facilities to accompany the figures for total methane generated. Operators should only report their Net methane (CH4) emission to the environment under T (total) KG/yr for Section A: Sector specific PRTR pollutants above. Please complete the table below:

T (Total) kg/Year	M/C/E	Method Used		Facility Total Capacity m3 per hour	
		Method Code	Designation or Description		
Total estimated methane generation (as per site model)	1076987.65	C	OTH	Estimated using Gas Sim2 - Statistics	N/A
Methane flared	473869.0	M	OTH	Site data	750.0 (Total Flaring Capacity)
Methane utilised in engine/s	0.0				0.0 (Total Utilising Capacity)
Net methane emission (as reported in Section A above)	603127.65	C	OTH	Calculation : Difference betw	N/A

4.2 RELEASES TO WATERS

[Link to previous years emissions data](#)

SECTION A : SECTOR SPECIFIC PRTR POLLUTANTS

RELEASES TO WATERS	
POLLUTANT	
No. Annex II	Name

* Select a row by double-clicking on the Pollutant Name (Column B)

SECTION B : REMAINING PRTR POLLUTANTS

RELEASES TO WATERS	
POLLUTANT	
No. Annex II	Name

* Select a row by double-clicking on the Pollutant Name (Column B)

SECTION C : REMAINING POLLUTANT EMISSIONS (as required in your Licence)

RELEASES TO WATERS	
POLLUTANT	
Pollutant No.	Name

* Select a row by double-clicking on the Pollutant Name (Column B)

Data on ambient monitoring of storm/surface water or groundwater, conducted as part of your licence requirements, should NOT

Please enter all quantities in this section in KGs				
M/C/E	Method Used		Emission Point 1	T (Total) KG/Year
	Method Code	Designation or Description		
			0.0	0.0

) then click the delete button

Please enter all quantities in this section in KGs				
M/C/E	Method Used		Emission Point 1	T (Total) KG/Year
	Method Code	Designation or Description		
			0.0	0.0

) then click the delete button

Please enter all quantities in this section in KGs				
M/C/E	Method Used		Emission Point 1	T (Total) KG/Year
	Method Code	Designation or Description		
			0.0	0.0

) then click the delete button

OT be submitted under AER / PRTR Reporting as this only concerns Releases from your facility

QUANTITY	
A (Accidental) KG/Year	F (Fugitive) KG/Year
0.0	0.0

QUANTITY	
A (Accidental) KG/Year	F (Fugitive) KG/Year
0.0	0.0

QUANTITY	
A (Accidental) KG/Year	F (Fugitive) KG/Year
0.0	0.0

4.3 RELEASES TO WASTEWATER OR SEWER

[Link to previous years emissions data](#)

| PRTR# : W0027 | Facility Name : Pollboy Landfill Facility - Ballinasloe Town Council | Filename : PI

31/03/2015 15:50

SECTION A : PRTR POLLUTANTS

OFFSITE TRANSFER OF POLLUTANTS DESTINED FOR WASTE-WATER TREATMENT OR SEWER					Please enter all quantities in this section in KGs			
POLLUTANT		METHOD			QUANTITY			
No. Annex II	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
					0.0	0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION B : REMAINING POLLUTANT EMISSIONS (as required in your Licence)

OFFSITE TRANSFER OF POLLUTANTS DESTINED FOR WASTE-WATER TREATMENT OR SEWER					Please enter all quantities in this section in KGs			
POLLUTANT		METHOD			QUANTITY			
Pollutant No.	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
					0.0	0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

4.4 RELEASES TO LAND

[Link to previous years emissions data](#)

SECTION A : PRTR POLLUTANTS

RELEASES TO LAND	
POLLUTANT	
No. Annex II	Name

* Select a row by double-clicking on the Pollutant Name (Column B)

SECTION B : REMAINING POLLUTANT EMISSIONS (as required in your Licence)

RELEASES TO LAND	
POLLUTANT	
Pollutant No.	Name

* Select a row by double-clicking on the Pollutant Name (Column B)

METHOD			Please enter all quantities
M/C/E	Method Code	Designation or Description	Emission Point 1
			0.0

) then click the delete button

METHOD			Please enter all quantities
M/C/E	Method Code	Designation or Description	Emission Point 1
			0.0

) then click the delete button

in this section in KGs	
QUANTITY	
T (Total) KG/Year	A (Accidental) KG/Year
0.0	0.0

in this section in KGs	
QUANTITY	
T (Total) KG/Year	A (Accidental) KG/Year
0.0	0.0

5. ONSITE TREATMENT & OFFSITE TRANSFERS OF WASTE

Please enter all quantities on this sheet in Tonnes

Transfer Destination	European Waste Code	Hazardous	Quantity (Tonnes per Year)	Description of Waste	Waste Treatment Operation	Method Used		Location of Treatment	Haz Waste : Name and Licence/Permit No of Next Destination Facility Non Haz Waste: Name and Licence/Permit No of Recover/Disposer	Haz Waste : Address of Next Destination Facility Non Haz Waste: Address of Recover/Disposer	Name and License / Permit No. and Address of Final Recoverer / Disposer (HAZARDOUS WASTE ONLY)	Actual Address of Final Destination i.e. Final Recovery / Disposal Site (HAZARDOUS WASTE ONLY)
						M/C/E	Method Used					
Within the Country	15 01 01	No	4.04	paper and cardboard packaging	R12	M	Weighed	Offsite in Ireland	Barna Waste,W0106-02	Carrowbrowne,Headford Road,Galway,","Ireland		
Within the Country	20 01 02	No	8.8	glass	R12	M	Weighed	Offsite in Ireland	Barna Waste,W0106-02	Carrowbrowne,Headford Road,Galway,","Ireland		
Within the Country	20 01 23	Yes	0.207	discarded equipment containing chlorofluorocarbons	R12	M	Weighed	Offsite in Ireland	Barna Waste,W0106-02	Carrowbrowne,Headford Road,Galway,","Ireland	WEEE Ireland,,Suite 18,The Mall Beacon Court,Dublin 18,,Ireland	Suite 18,The Mall Beacon Court,Dublin 18,,Ireland
To Other Countries	20 01 27	Yes	3.14	paint, inks, adhesives and resins containing dangerous substances	R12	M	Weighed	Abroad	ENVA Portlaoise,.	..Clonmanim Industrial Estate,Portlaoise,Laois,Ireland	..Clonmanim Industrial Estate,Portlaoise,Laois,Ireland	Louise-Krages-Strasse,10-28237,Bremen,,Germany
Within the Country	20 01 35	Yes	18.071	discarded electrical and electronic equipment other than those mentioned in 20 01 21 and 20 01 23 containing hazardous components	R12	M	Weighed	Offsite in Ireland	Barna Waste,W0106-02	Carrowbrowne,Headford Road,Galway,","Ireland	WEEE Ireland,,Suite 18,The Mall Beacon Court,Dublin 18,,Ireland	Suite 18,The Mall Beacon Court,Dublin 18,,Ireland
Within the Country	20 01 36	No	62.02	discarded electrical and electronic equipment other than those mentioned in 20 01 21, 20 01 23 and 20 01 35	R12	M	Weighed	Offsite in Ireland	Barna Waste,W0106-02	Carrowbrowne,Headford Road,Galway,","Ireland		
Within the Country	20 01 38	No	32.72	wood other than that mentioned in 20 01 37	R12	M	Weighed	Offsite in Ireland	Barna Waste,W0106-02	Carrowbrowne,Headford Road,Galway,","Ireland		
Within the Country	20 02 01	No	42.76	biodegradable waste	R3	M	Weighed	Offsite in Ireland	Barna Waste,W0106-02	Carrowbrowne,Headford Road,Galway,","Ireland		
Within the Country	20 03 01	No	211.81	mixed municipal waste	R12	M	Weighed	Offsite in Ireland	Barna Waste,W0106-02	Carrowbrowne,Headford Road,Galway,","Ireland		
Within the Country	16 05 04	Yes	0.147	gases in pressure containers (including halons) containing dangerous substances	D10	M	Weighed	Offsite in Ireland	Barna Waste,W0106-02	Carrowbrowne,Headford Road,Galway,","Ireland	ENVA,,..Clonmanim Industrial Estate,Portlaoise,Laois,Ireland	..Clonmanim Industrial Estate,Portlaoise,Laois,Ireland
Within the Country	16 06 01	Yes	0.18	lead batteries	R12	M	Weighed	Offsite in Ireland	Barna Waste,W0106-02	Carrowbrowne,Headford Road,Galway,","Ireland	WEEE Ireland,,Suite 18,The Mall Beacon Court,Dublin 18,,Ireland	Suite 18,The Mall Beacon Court,Dublin 18,,Ireland
Within the Country	20 03 07	No	15.58	bulky waste	R12	M	Weighed	Offsite in Ireland	Barna Waste,W0106-02	Carrowbrowne,Headford Road,Galway,","Ireland		
Within the Country	20 01 10	No	1.7	clothes	R12	M	Weighed	Offsite in Ireland	Barna Waste,W0106-02	Carrowbrowne,Headford Road,Galway,","Ireland		
Within the Country	17 04 05	No	23.04	iron and steel	R12	M	Weighed	Offsite in Ireland	Barna Waste,W0106-02	Carrowbrowne,Headford Road,Galway,","Ireland		
Within the Country	16 02 14	No	0.33	discarded equipment other than those mentioned in 16 02 09 to 16 02 13	R12	M	Weighed	Offsite in Ireland	Barna Waste,W0106-02	Carrowbrowne,Headford Road,Galway,","Ireland		
Within the Country	13 02 08	Yes	0.89	other engine, gear and lubricating oils	R9	M	Weighed	Offsite in Ireland	Barna Waste,W0106-02	Carrowbrowne,Headford Road,Galway,","Ireland	ENVA,,..Clonmanim Industrial Estate,Portlaoise,Laois,Ireland	..Clonmanim Industrial Estate,Portlaoise,Laois,Ireland

* Select a row by double-clicking the Description of Waste then click the delete button

[Link to previous years waste data](#)

[Link to previous years waste summary data & percentage change](#)

[Link to Waste Guidance](#)