



OF
LICE

This report has been cleared for submission to the
Director by Senior Inspector Leo Sweeney
Signed: *Patrick P. H.* Date *21/04/2015*

& RESEARCH

LICENSING UNIT MEMORANDUM

TO:	Dara Lynott, Director
FROM:	Michael Martin, Inspector
DATE:	7 th April 2015
RE:	Request for Technical Amendment to Waste Water Discharge Licence Register Number D0296-01 , for Baltimore agglomeration.

Introduction

A Waste Water Discharge Licence was first granted for Baltimore agglomeration by the Environmental Protection Agency (EPA) on the 31st May 2010, Reg No. D0296-01.

Request for Technical Amendment

In correspondence to the Agency dated 19/11/2010, the Applicant requested that a technical amendment of this licence (Reg. No. D0296-01) be undertaken to remove the ELVs for Dissolved Inorganic Nitrogen (as N), Total Oxidised Nitrogen and Ammonia.

Recommendation

I have considered the information submitted to the Agency, which involves removing the ELVs for Dissolved Inorganic Nitrogen (as N), Total Oxidised Nitrogen and Ammonia.

I recommend that the request to technically amend the licence to remove the ELVs for Dissolved Inorganic Nitrogen (as N), Total Oxidised Nitrogen and Ammonia be refused, on the basis that it constitutes a significant change to the existing licence conditions.

Michael Martin
Inspector
OCLRR – Environmental Licensing Programme