

Facility Information Summary	
AER Reporting Year	2015
Licence Register Number	W0163-01
Name of site	Bruscar Bhearna Teoranta
Site Location	Ballaghaderreen, County Roscommon
NACE Code	3821
Class/Classes of Activity	50.1
National Grid Reference (6E, 6 N)	161255E, 295035N

AER Reporting Year	2015
Licence Register Number	W0163-01
Name of site	Bruscar Bhearna Teoranta
Site Location	Ballaghaderreen, County Roscommon
NACE Code	3821
Class/Classes of Activity	50.1
National Grid Reference (6E, 6 N)	161255E, 295035N

A description of the activities/processes at the site for the reporting year. This should include information such as production increases or decreases on site, any infrastructural changes, environmental performance which was measured during the reporting year **and an overview of compliance with your licence listing all exceedances of licence limits (where applicable) and what they relate to e.g. air, water, noise.**

Bruscar Bhearna Teoranta operators a Waste Transfer Facility at Ballaghaderreen Industrial Estate, Ballaghaderreen, County Roscommon. The facility currently operators in accordance with a Waste Licence W0163-01, under this licence Bruscar Bhearna Teoranta is licensed to accept non-hazardous waste consisting of household, commercial, and construction and demolition waste. The maximum annual quantity of waste to be accepted at the facility is 19,700 tpa, the total quantity accepted at the premises in the reporting period was 19,227 tonnes. The primary functions of the facility are to segregate waste, recycle waste and to bulk waste prior to transportation to recovery facilities or licensed landfills/incinerator. No Infrastructure work carried out in 2015. All licence monitoring in 2015 namely Water, Dust and Noise were in compliance with our EPA Licence. We achieved a recycling rate of 54% in 2015 exceeding our target rate of 43%.

**Declaration:**

All the data and information presented in this report has been checked and certified as being accurate. The quality of the information is assured to meet licence requirements.

<p><i>Ann Clarke</i></p> <p>Signature Group/Facility manager (or nominated, suitably qualified and experienced deputy)</p>	<p><i>31st March 2015</i></p> <p>Date</p>
--	---

**AIR-summary template** Lic No: W0163-01 Year 2015

Answer all questions and complete all tables where relevant

1 Does your site have licensed air emissions? If yes please complete table A1 and A2 below for the current reporting year and answer further questions. If **you do not have** licenced emissions and **do not complete a solvent management plan** (table A4 and A5) you do not need to complete the tables

Yes  
 During the reporting period three sets of results were obtained for Dust. Standard Method VD12119 (Measurement of Dustfall, Determination of Dustfall using Bergerhoff Instrument German Engineering Institute) was utilized for analysis. Dust monitoring is carried out three times per year, twice between May and September at three Dust locations namely D1, D2 and D3. No exceedance of licence limit was recorded within monitoring period.

**Periodic/Non-Continuous Monitoring**

2 Are there any results in breach of licence requirements? If yes please provide brief details in the comment section of TableA1 below

Yes  
 Dust monitoring point D2 was elevated in July due to road surface improvements being carried out in the Northern area of the site.

Yes

3 Was all monitoring carried out in accordance with EPA guidance note AG2 and using the basic air monitoring checklist? [Basic air monitoring checklist](#) [AGN2](#)

**Table A1: Licensed Mass Emissions/Ambient data-periodic monitoring (non-continuous)**

Emission reference no:	Parameter/ Substance	Frequency of Monitoring	ELV in licence or any revision thereof	Licence Compliance criteria	Measured value	Unit of measurement	Compliant with licence limit	Method of analysis	Annual mass load (kg)	Comments - reason for change in % mass load from previous year if applicable
Emission Point 1	Dust	3 times a year	No	350 (mg/m <sup>2</sup> /day)	113.3333333	mg/m <sup>2</sup> /day	yes	PER	6800	
Emission Point 2	Dust	3 times a year	No	350 (mg/m <sup>2</sup> /day)	169.3333333	mg/m <sup>2</sup> /day	NO	PER	10160	
Emission Point 3	Dust	3 times a year	No	350 (mg/m <sup>2</sup> /day)	51.33333333	mg/m <sup>2</sup> /day	yes	PER	3080	
	SELECT			SELECT		SELECT	SELECT	SELECT		

Note 1: Volumetric flow shall be included as a reportable parameter

<b>AIR-summary template</b>	Lic No: W0163-01	Year: 2015
<b>Continuous Monitoring</b>		

<p>4 Does your site carry out continuous air emissions monitoring? If yes please review your continuous monitoring data and report the required fields below in Table A2 and compare it to its relevant Emission Limit Value (ELV)</p>	No	
<p>5 Did continuous monitoring equipment experience downtime? If yes please record downtime in table A2 below</p>	SELECT	
<p>6 Do you have a proactive service agreement for each piece of continuous monitoring equipment?</p>	SELECT	
<p>7 Did your site experience any abatement system bypasses? If yes please detail them in table A3 below</p>	SELECT	

**Table A2: Summary of average emissions -continuous monitoring**

Emission reference no:	Parameter/ Substance	ELV in licence or any revision thereof	Averaging Period	Compliance Criteria	Units of measurement	Annual Emission	Annual maximum	Monitoring Equipment downtime (hours)	Number of ELV exceedances in current reporting year	Comments
	SELECT			SELECT	SELECT					
	SELECT				SELECT					
	SELECT				SELECT					
	SELECT				SELECT					
	SELECT				SELECT					

note 1: Volumetric flow shall be included as a reportable parameter.

**Table A3: Abatement system bypass reporting table** [Bypass protocol](#)

Date*	Duration** (hours)	Location	Reason for bypass	Impact magnitude	Corrective action

\* this should include all dates that an abatement system bypass occurred

\*\* an accurate record of time bypass beginning and end should be logged on site and maintained for future Agency inspections please refer to bypass protocol link

**Solvent use and management on site**

8 Do you have a total Emission Limit Value of direct and fugitive emissions on site? if yes please fill out tables A4 and A5

No

**Table A4: Solvent Management Plan Summary Total VOC Emission limit value**

[Solvent regulations](#) Please refer to linked solvent regulations to complete table 5 and 6

Reporting year	Total solvent input on site (kg)	Total VOC emissions to Air from entire site (direct and fugitive)	Total VOC emissions as %of solvent input	Total Emission Limit Value (ELV) in licence or any revision thereof	Compliance
					SELECT
					SELECT

**Table A5: Solvent Mass Balance summary**

Solvent	(I) Inputs (kg)	(O) Outputs (kg)						
	(I) Inputs (kg)	Organic solvent emission in waste	Solvents lost in water (kg)	Collected waste solvent (kg)	Fugitive Organic Solvent (kg)	Solvent released in other ways e.g. by-	Solvents destroyed onsite through	Total emission of Solvent to air (kg)
							Total	

Additional information	
1 Does your site have licensed emissions direct to surface water or direct to sewer? If yes please complete table W2 and W3 below for the current reporting year and answer further questions. If <b>you do not have</b> licensed emissions you <u>only</u> need to complete table W1 and or W2 for storm water analysis and visual inspections	Yes
2 Was it a requirement of your licence to carry out visual inspections on any surface water discharges or watercourses on or near your site? If yes please complete table W2 below summarising <u>only any evidence of contamination noted during visual inspections</u>	Yes

**Table W1 Storm water monitoring**

Location reference	Location relative to site activities	PRTR Parameter	Licensed Parameter	Monitoring date	ELV or trigger level in licence or any revision thereof*	Licence Compliance criteria	Measured value	Unit of measurement	Compliant with licence	Comments
FW1	downstream	None	BOD	March, June, August, December	350	All values < ELV	35.75	mg/L	yes	
FW1	downstream	None	COD	March, June, August, December	500	All values < ELV	131	mg/L	yes	
FW1	downstream	None	Suspended Solids	March, June, August, December	300	All values < ELV	68.5	mg/L	yes	
FW1	downstream	Total phosphorus	Total phosphorus	March, June, August, December	2	All values < ELV	0.9375	mg/L	yes	
SD1	downstream			March, June, August, December						Insufficient Flow For Sampling
SW1	upstream	None	Mineral oils	March, June, August, December	5	All values < ELV	0.168	mg/L	yes	
SW2	downstream	None	Mineral oils	March, June, August, December	5	All values < ELV	0.11375	mg/L	yes	

\*trigger values may be agreed by the Agency outside of licence conditions

**Table W2 Visual inspections-Please only enter details where contamination was observed.**

Location Reference	Date of inspection	Description of contamination	Source of contamination	Corrective action	Comments
			SELECT		
			SELECT		

**Licensed Emissions to water and /or wastewater(sewer)-periodic monitoring (non-continuous)**

3 Was there any result in breach of licence requirements? If yes please provide brief details in the comment section of Table W3 below	SELECT	Additional information
4 Was all monitoring carried out in accordance with EPA guidance and checklists for Quality of Aqueous Monitoring Data Reported to the EPA? If no please detail what areas require improvement in additional information box <a href="#">External/Internal Lab Assessment of Quality checklist</a> <a href="#">Assessment of results checklist</a>	SELECT	

**Table W3: Licensed Emissions to water and /or wastewater (sewer)-periodic monitoring (non-continuous)**

Emission reference no:	Emission released to	Parameter/ Substance Note 1	Type of sample	Frequency of monitoring	Averaging period	ELV or trigger values in licence or any revision thereof <sup>Note 2</sup>	Licence Compliance criteria	Measured value	Unit of measurement	Compliant with licence	Method of analysis	Procedural reference source	Procedural reference standard number	Annual mass load (kg)
	SELECT	SELECT	SELECT		SELECT		SELECT		SELECT	SELECT	SELECT	SELECT		

Note 1: Volumetric flow shall be included as a reportable parameter

Note 2: Where Emission Limit Values (ELV) do not apply to your licence please compare results against EQS for Surface water or relevant receptor quality standards

**Continuous monitoring**

Additional Information

5 Does your site carry out continuous emissions to water/sewer monitoring?

SELECT	
--------	--

If yes please summarise your continuous monitoring data below in Table W4 and compare it to its relevant Emission Limit Value (ELV)

6 Did continuous monitoring equipment experience downtime? If yes please record downtime in table W4 below

SELECT	
--------	--

7 Do you have a proactive service contract for each piece of continuous monitoring equipment on site?

SELECT	
--------	--

8 Did abatement system bypass occur during the reporting year? If yes please complete table W5 below

SELECT	
--------	--

**Table W4: Summary of average emissions -continuous monitoring**

Emission reference no:	Emission released to	Parameter/ Substance	ELV or trigger values in licence or any revision thereof	Averaging Period	Compliance Criteria	Units of measurement	Annual Emission for current reporting year (kg)	% change +/- from previous reporting year	Monitoring Equipment downtime (hours)	Number of ELV exceedances in reporting year	Comments
	SELECT	SELECT		SELECT	SELECT	SELECT					
	SELECT	SELECT		SELECT	SELECT	SELECT					

note 1: Volumetric flow shall be included as a reportable parameter.

**Table W5: Abatement system bypass reporting table**

Date	Duration (hours)	Location	Resultant emissions	Reason for bypass	Corrective action*	Was a report submitted to the EPA?	When was this report submitted?
						SELECT	

\*Measures taken or proposed to reduce or limit bypass frequency

**Bund/Pipeline testing template** Lic No: **W0163-01** Year **2015**

**Bund testing** dropdown menu click to see options

Are you required by your licence to undertake integrity testing on bunds and containment structures ? if yes please fill out table B1 below listing all **new bunds and containment structures** on site, in addition to **all bunds which failed** the integrity test-**all bunding structures which failed including mobile bunds must be listed in the table below, please include all bunds outside the licenced testing period** (mobile bunds and chemstore included)

- 1
- 2 Please provide integrity testing frequency period
- 3 Does the site maintain a register of bunds, underground pipelines (including stormwater and foul), Tanks, sumps and containers? (containers refers to "Chemstore" type units and mobile bunds)
- 4 How many bunds are on site?
- 5 How many of these bunds have been tested within the required test schedule?
- 6 How many mobile bunds are on site?
- 7 Are the mobile bunds included in the bund test schedule?
- 8 How many of these mobile bunds have been tested within the required test schedule?
- 9 How many sumps on site are included in the integrity test schedule?
- 10 How many of these sumps are integrity tested within the test schedule?  
**Please list any sump integrity failures in table B1**
- 11 Do all sumps and chambers have high level liquid alarms?
- 12 If yes to Q11 are these failsafe systems included in a maintenance and testing programme?
- 13 Is the Fire Water Retention Pond included in your integrity test programme?

Additional information	
Yes	
3 years	
Yes	
One	
All	
One	
No	
None	
N/A	
N/A	
N/A	
N/A	
N/A	
N/A	

**Table B1: Summary details of bund /containment structure integrity test**

Bund/Containment structure ID	Type	Specify Other type	Product containment	Actual capacity	Capacity required*	Type of integrity test	Other test type	Test date	Integrity reports maintained on site?	Results of test	Integrity test failure explanation <50 words	Corrective action taken	Scheduled date for retest	Results of retest(if in current reporting year)
Not Applicable	reinforced concrete	N/A	25% of total storage volume: 1.54m³	6.15³	110% of volume of largest vessel: 2.75m³	Other (please specify)	Hydrostatic	10/01/2014	Yes	Pass		SELECT		
	SELECT					SELECT			SELECT	SELECT		SELECT		

\* Capacity required should comply with 25% or 110% containment rule as detailed in your licence

Has integrity testing been carried out in accordance with licence requirements and are all structures tested in line with BS8007/EPA Guidance?

- 15 [bundings and storage guidelines](#)
- 16 Are channels/transfer systems to remote containment systems tested?
- 17 Are channels/transfer systems compliant in both integrity and available volume?

Commentary	
Yes	
Yes	
Yes	

**Pipeline/underground structure testing**

Are you required by your licence to undertake integrity testing\* on underground structures e.g. pipelines or sumps etc. ? if yes please fill out table 2 below listing all underground structures and

- 1 pipelines on site **which failed the integrity test and all which have not been tested within the integrity test period as specified**
- 2 Please provide integrity testing frequency period

\*please note integrity testing means water tightness testing for process and foul pipelines (as required under your licence)

Yes	
3 years	

**Table B2: Summary details of pipeline/underground structures integrity test**

Structure ID	Type system	Material of construction:	Does this structure have Secondary containment?	Type of secondary containment	Type integrity testing	Integrity reports maintained on site?	Results of test	Integrity test failure explanation <50 words	Corrective action taken	Scheduled date for retest	Results of retest(if in current reporting year)
1	Foul	other(please specify) Polyvinyl Chloride	Yes	Pipe in channel	CCTV	Yes	Pass				SELECT
2	Foul	other(please specify) Polyvinyl Chloride	Yes	Pipe in channel	CCTV	Yes	Fail	Foul Man Hole 10 to Gully 18. Position at 5.90 Grade 4:- Broken pipe 9 to 11 O' Clock. Position at 19.90 Grade 4 :- Broken pipe 1 to 4 O' Clock , also Grade 5:- Deformed sewer / drain, 40%	Connaught Drains carried out the repairs to the wastewater drainage system on the 15th of December 2014	2017	
3	Foul	other(please specify) Polyvinyl Chloride	Yes	Pipe in channel	CCTV	Yes	Pass				
4	Foul	other(please specify) Polyvinyl Chloride	Yes	Pipe in channel	CCTV	Yes	Pass				
5	Foul	other(please specify) Polyvinyl Chloride	Yes	Pipe in channel	CCTV	Yes	Pass				
6	Foul	other(please specify) Polyvinyl Chloride	Yes	Pipe in channel	CCTV	Yes	Pass				
7	Foul	other(please specify) Polyvinyl Chloride	Yes	Pipe in channel	CCTV	Yes	Pass				
8	Foul	other(please specify) Polyvinyl Chloride	Yes	Pipe in channel	CCTV	Yes	Pass				
9	Foul	other(please specify) Polyvinyl Chloride	Yes	Pipe in channel	CCTV	Yes	Pass				
10	Foul	other(please specify) Polyvinyl Chloride	Yes	Pipe in channel	CCTV	Yes	Pass				

Bund/Pipeline testing template			Lic No: W0163-01		Year 2015						
11	Foul	other(please specify) Polyvinyl Chloride	Yes	Pipe in channel	CCTV	Yes	Pass				
12	Foul	other(please specify) Polyvinyl Chloride	Yes	Pipe in channel	CCTV	Yes	Pass				
13	Foul	other(please specify) Polyvinyl Chloride	Yes	Pipe in channel	CCTV	Yes	Pass				
14	Foul	other(please specify) Polyvinyl Chloride	Yes	Pipe in channel	CCTV	Yes	Pass				
15	Foul	other(please specify) Polyvinyl Chloride	Yes	Pipe in channel	CCTV	Yes	Pass				
16	Foul	other(please specify) Polyvinyl Chloride	Yes	Pipe in channel	CCTV	Yes	Pass				
17	Foul	other(please specify) Polyvinyl Chloride	Yes	Pipe in channel	CCTV	Yes	Pass				
18	Foul	other(please specify) Polyvinyl Chloride	Yes	Pipe in channel	CCTV	Yes	Pass				
19	Foul	other(please specify) Polyvinyl Chloride	Yes	Pipe in channel	CCTV	Yes	Pass				
20	Foul	other(please specify) Polyvinyl Chloride	Yes	Pipe in channel	CCTV	Yes	Pass				
21	Foul	other(please specify) Polyvinyl Chloride	Yes	Pipe in channel	CCTV	Yes	Pass				
22	Foul	other(please specify) Polyvinyl Chloride	Yes	Pipe in channel	CCTV	Yes	Pass				
23	Foul	other(please specify) Polyvinyl Chloride	Yes	Pipe in channel	CCTV	Yes	Pass				
24	Foul	other(please specify) Polyvinyl Chloride	Yes	Pipe in channel	CCTV	Yes	Pass				
25	Foul	other(please specify) Polyvinyl Chloride	Yes	Pipe in channel	CCTV	Yes	Pass				
1	Storm	other(please specify) Polyvinyl Chloride	Yes	Pipe in channel	CCTV	Yes	Pass				
2	Storm	other(please specify) Polyvinyl Chloride	Yes	Pipe in channel	CCTV	Yes	Pass				
3	Storm	other(please specify) Polyvinyl Chloride	Yes	Pipe in channel	CCTV	Yes	Pass				
4	Storm	other(please specify) Polyvinyl Chloride	Yes	Pipe in channel	CCTV	Yes	Pass				
5	Storm	other(please specify) Polyvinyl Chloride	Yes	Pipe in channel	CCTV	Yes	Pass				
6	Storm	other(please specify) Polyvinyl Chloride	Yes	Pipe in channel	CCTV	Yes	Pass				
7	Storm	other(please specify) Polyvinyl Chloride	Yes	Pipe in channel	CCTV	Yes	Pass				
8	Storm	other(please specify) Polyvinyl Chloride	Yes	Pipe in channel	CCTV	Yes	Pass				
9	Storm	other(please specify) Polyvinyl Chloride	Yes	Pipe in channel	CCTV	Yes	Pass				
10	Storm	other(please specify) Polyvinyl Chloride	Yes	Pipe in channel	CCTV	Yes	Pass				
11	Storm	other(please specify) Polyvinyl Chloride	Yes	Pipe in channel	CCTV	Yes	Pass				
12	Storm	other(please specify) Polyvinyl Chloride	Yes	Pipe in channel	CCTV	Yes	Pass				
13	Storm	other(please specify) Polyvinyl Chloride	Yes	Pipe in channel	CCTV	Yes	Pass				
14	Storm	other(please specify) Polyvinyl Chloride	Yes	Pipe in channel	CCTV	Yes	Pass				
15	Storm	other(please specify) Polyvinyl Chloride	Yes	Pipe in channel	CCTV	Yes	Pass				
16	Storm	other(please specify) Polyvinyl Chloride	Yes	Pipe in channel	CCTV	Yes	Fail	Gully 4 to Storm Man Hole 2. Position at 1.34 Grade 2:- Deformed sewer / drain, 5%.			
17	Storm	other(please specify) Polyvinyl Chloride	Yes	Pipe in channel	CCTV	Yes	Pass				
18	Storm	other(please specify) Polyvinyl Chloride	Yes	Pipe in channel	CCTV	Yes	Pass				

Please use commentary for additional details not answered by tables/ questions above



		Comments
1 Are you required to carry out groundwater monitoring as part of your licence requirements?	no	Please provide an interpretation of groundwater monitoring data in the interpretation box below or if you require additional space please include a groundwater/contaminated land monitoring results interpretation as an additional section in this AER
2 Are you required to carry out soil monitoring as part of your licence requirements?	SELECT	
3 Do you extract groundwater for use on site? If yes please specify use in comment section	SELECT	
4 Do monitoring results show that groundwater generic assessment criteria such as GTVs or IGVs are exceeded or is there an upward trend in results for a substance? If yes, please complete the Groundwater Monitoring Guideline Template Report (link in cell G8) and submit separately through ALDER as a licensee return AND answer questions 5-12 below.	<a href="#">Groundwater monitoring template</a> SELECT	
5 Is the contamination related to operations at the facility (either current and/or historic)	SELECT	
6 Have actions been taken to address contamination issues? If yes please summarise remediation strategies proposed/undertaken for the site	SELECT	
7 Please specify the proposed time frame for the remediation strategy	SELECT	
8 Is there a licence condition to carry out/update ELRA for the site?	SELECT	
9 Has any type of risk assessment been carried out for the site?	SELECT	
10 Has a Conceptual Site Model been developed for the site?	SELECT	
11 Have potential receptors been identified on and off site?	SELECT	
12 Is there evidence that contamination is migrating offsite?	SELECT	

Please enter interpretation of data here

**Table 1: Upgradient Groundwater monitoring results**

Date of sampling	Sample location reference	Parameter/Substance	Methodology	Monitoring frequency	Maximum Concentration++	Average Concentration+	unit	GTV's*	SELECT**	Upward trend in pollutant concentration over last 5 years of monitoring data
							SELECT			SELECT
							SELECT			SELECT

.+ where average indicates arithmetic mean

.++ maximum concentration indicates the maximum measured concentration from all monitoring results produced during the reporting year

**Table 2: Downgradient Groundwater monitoring results**

Date of sampling	Sample location reference	Parameter/Substance	Methodology	Monitoring frequency	Maximum Concentration	Average Concentration	unit	GTV's*	SELECT**	Upward trend in yearly average pollutant concentration over last 5 years of monitoring data
							SELECT			SELECT
							SELECT			SELECT

<b>Groundwater/Soil monitoring template</b>	Lic No: W0163-01	Year: 2015
---	------------------	------------

\*please note exceedance of generic assessment criteria (GAC) such as a Groundwater Threshold Value (GTV) or an Interim Guideline Value (IGV) or an upward trend in results for a substance indicates that further interpretation of monitoring results is required. In addition to completing the above table, please complete the Groundwater Monitoring Guideline Template Report at the link provided and submit separately through ALDER as a licensee return or as otherwise instructed by the EPA. [Groundwater monitoring template](#)

More information on the use of soil and groundwater standards/ generic assessment criteria (GAC) and risk assessment tools is available in the EPA published guidance [Guidance on the Management of Contaminated Land and Groundwater at EPA Licensed Sites \(EPA 2013\)](#) (see the link in G31)

\*\*Depending on location of the site and proximity to other sensitive receptors alternative Receptor based Water Quality standards should be used in addition to the GTV e.g. if the site is close to surface water compare to Surface Water Environmental Quality Standards (SWEQS), If the site is close to a drinking water supply compare results to the Drinking Water Standards (DWS)

[Groundwater](#) [Drinking water](#)  
[Surface water EQS](#) [regulations](#) [\(private supply\)](#) [Drinking water \(public supply\) standards](#) [Interim Guideline Values \(IGV\)](#)

**Groundwater/Soil monitoring template**

Lic No:

W0163-01

Year

2015

**Table 3: Soil results**

Date of sampling	Sample location reference	Parameter/ Substance	Methodology	Monitoring frequency	Maximum Concentration	Average Concentration	unit
							SELECT
							SELECT

Where additional detail is required please enter it here in 200 words or less

**Environmental Liabilities template**

Lic No: W0163-01

Year 2015

[Click here to access EPA guidance on Environmental Liabilities and Financial provision](#)

		Commentary	
1	ELRA initial agreement status	Submitted and agreed by EPA	
2	ELRA review status	Review required and completed	
3	Amount of Financial Provision cover required as determined by the latest ELRA	€215,670.00	
4	Financial Provision for ELRA status	Submitted and agreed by EPA	
5	Financial Provision for ELRA - amount of cover	€215,670.00	
6	Financial Provision for ELRA - type	Bond	
7	Financial provision for ELRA expiry date	Expiry of licence	
8	Closure plan initial agreement status	Closure plan submitted and agreed by EPA	
9	Closure plan review status	Review required and completed	
10	Financial Provision for Closure status	Submitted and agreed by EPA	
11	Financial Provision for Closure - amount of cover	€53,838.00	
12	Financial Provision for Closure - type	Bond	
13	Financial provision for Closure expiry date	Expiry of licence	

Environmental Management Programme/Continuous Improvement Programme template		Lic No: W0163-01 Year 2015	
Highlighted cells contain dropdown menu click to view		Additional Information	
1	Do you maintain an Environmental Management System (EMS) for the site. If yes, please detail in additional information	Yes	Submitted to the EPA on 24.05.2002
2	Does the EMS reference the most significant environmental aspects and associated impacts on-site	Yes	
3	Does the EMS maintain an Environmental Management Programme (EMP) as required in accordance with the licence requirements	Yes	
4	Do you maintain an environmental documentation/communication system to inform the public on environmental performance of the facility, as required by the licence	Yes	Communication Procedure is part of facility EMS

Environmental Management Programme (EMP) report					
Objective Category	Target	Status (% completed)	How target was progressed	Responsibility	Intermediate outcomes
Waste reduction/Raw material usage efficiency	In 2016 we aim to recycle 55% of all waste received in reporting year and review recycling and disposal tonnages on a monthly basis and identify methods to increase rates, if possible.	90	In 2015 we aimed to recycle 43% of all waste received in reporting year, we reviewed our recycling and disposal tonnage on a monthly basis. A recycling rate of 54% was achieved, we achieved our projected target for 2015.	Section Head	Improved Environmental Management Practices
Materials Handling/Storage/Bunding	We aim to handled 19,700 tonnes of waste in reporting period and continue to review our waste tonnage on a monthly basis to comply with our waste licensed acceptance limit. Continue to review and improve our storage of material on site with our weekly stock pile inspection in 2016.	90	In 2015 we aimed to review our waste tonnage on a monthly basis to comply with our waste licence acceptance limit. The maximum annual quantity of waste to be accepted at the facility is 19,700 tpa. The total quantity of waste accepted at the premises in the reporting period was 19,227 tonnes: we achieved our licence acceptance limit for 2015. We submitted a proposal to the Agency to increase site capacity to 24,990 PerAnnual in 2015. Our weekly stock pile inspection improved our management of stock on site. Drainage network is monitored throughout the year.	Section Head	Increased compliance with licence conditions
Environmental Management System	Review current EMS and maintain as necessary to ensure ongoing compliance with the site Waste Licence. Ensuring all departments, processes and procedures are included in the company EMS, and it is updated as necessary with any changes to work practices.	90	The Environmental Management System is reviewed throughout the year to ensure ongoing compliance with EPA licence.	Section Head	Improved Environmental Management Practices
Site Development	Complete development of the yard to the North East of the site. Apply Tar and Chip finish to the North East area of the yard and reschedule the proposal to relocate the civic amenity area to the North East yard.	50	The site development work was not completed in 2015.	Section Head	Installation of infrastructure

**Environmental Management Programme/Continuous Improvement Programme template** Lic No: W0163-01 Year 2015

Training	Review all staff training records on site and devise a training plan to enhance their skillset	90	Staff records are review continually to identify training requirements.	Section Head	Improved Environmental Management Practices
----------	--	----	---	--------------	---

**Noise monitoring summary report**

Lic No: **W0163-01** Year **2015**

**2015**

1 Was noise monitoring a licence requirement for the AER period?

Yes

If yes please fill in table N1 noise summary below

2 Was noise monitoring carried out using the EPA Guidance note, including completion of the "Checklist for noise measurement report" included in the guidance note as table 6?

[Noise Guidance note NG4](#)

Yes

3 Does your site have a noise reduction plan

No

4 When was the noise reduction plan last updated?

Enter date

5 Have there been changes relevant to site noise emissions (e.g. plant or operational changes) since the last noise survey?

No

**Table N1: Noise monitoring summary**

Date of monitoring	Time period	Noise location (on site)	Noise sensitive location -NSL (if applicable)	LA <sub>eq</sub>	LA <sub>90</sub>	LA <sub>10</sub>	LA <sub>max</sub>	Tonal or Impulsive noise* (Y/N)	If tonal /impulsive noise was identified was 5dB penalty applied?	Comments (ex. main noise sources on site, & extraneous noise ex. road traffic)	Is site compliant with noise limits (day/evening/night)?
13.11.14	3X30 Minutes	N1:- Outside main entrance gate		62.2,64.0,63.0	44.4,53.4,48.0	64.3,66.5,64.0	80.7,84.6,95.4	No	SELECT	Heavy vehicles entering and exiting the site and loaders working in the shed. Levels high due to the close proximity of microphone to the passing vehicles.	Yes
13.11.14	3X30 Minutes		N5:- Entrance to industrial Estate	55.6,56.8,56.5	47.5,54.0,53.8	57.5,58.8,57.9	72.5,58.8,53.8	No		Constant generator noise from a tobacco factory close to the location and traffic noise ferom the N5 road and local traffic.	Yes
13.11.14	3X30 Minutes		N6:- 250m North West of the site	47.3,46.7,47.2	42.3,42.5,41.2	47.7,48.9,48.6	67.2,61.7,70.7	No		Noise was mainly noted as coming from the tobacco factory and traffic noise.	Yes
13.11.14	3X30 Minutes		N7:- 200m South West of the site	47.7,44.2,43.3	44.4,40.5,39.0	49.0,45.6,44.6	72.2,62.3,62.9	No		General ambient noise from surrounding county side and town and intermittent bangs and clangs from engineering company adjacent facility.	Yes

\*Please ensure that a tonal analysis has been carried out as per guidance note NG4. These records must be maintained onsite for future inspection

If noise limits exceeded as a result of noise attributed to site activities, please choose the corrective action from the following options?

\*\* please explain the reason for not taking action/resolution of noise issues?

- 1 When did the site carry out the most recent energy efficiency audit? Please list the recommendations in table 3 below  
[SEAI - Large](#)
- 2 Is the site a member of any accredited programmes for reducing energy usage/water conservation such as the SEAI programme linked to the right? If yes please list them in additional information  
[Industry Energy Network \(LIEN\)](#)
- 3 Where Fuel Oil is used in boilers on site is the sulphur content compliant with licence conditions? Please state percentage in additional information

Additional information	
Enter date of audit	Not required by our licence
No	
N/A	

Table R1 Energy usage on site				
Energy Use	Previous year	Current year	Production +/- % compared to previous reporting year**	Energy Consumption +/- % vs overall site production*
Total Energy Used (MWHrs)	N/A	N/A	N/A	
Total Energy Generated (MWHrs)	N/A	N/A	N/A	
Total Renewable Energy Generated (MWHrs)	N/A	N/A	N/A	
Electricity Consumption (MWHrs)	70050	48600	N/A	
Fossil Fuels Consumption:	N/A	N/A	N/A	
Heavy Fuel Oil (m3)	N/A	N/A	N/A	
Light Fuel Oil (m3)	N/A	N/A	N/A	
Natural gas (m3)	N/A	N/A	N/A	
Coal/Solid fuel (metric tonnes)	N/A	N/A	N/A	
Peat (metric tonnes)	N/A	N/A	N/A	
Renewable Biomass	N/A	N/A	N/A	
Renewable energy generated on site	N/A	N/A	N/A	

\* where consumption of energy can be compared to overall site production please enter this information as percentage increase or decrease compared to the previous reporting year.

\*\* where site production information is available please enter percentage increase or decrease compared to previous year

Table R2 Water usage on site					Water Emissions	Water Consumption	
Water use	Water extracted Previous year m3/yr.	Water extracted Current year m3/yr.	Production +/- % compared to previous reporting year**	Energy Consumption +/- % vs overall site production*	Volume Discharged back to environment(m <sup>3</sup> /yr):	Volume used i.e. not discharged to environment e.g. released as steam m3/yr.	Unaccounted for Water:
Groundwater	N/A						
Surface water	N/A						
Public supply	N/A						
Recycled water	N/A						
Total							

\* where consumption of water can be compared to overall site production please enter this information as percentage increase or decrease compared to the previous reporting year.



**Resource Usage/Energy efficiency summary**

Lic No:

W0163-01

Year 2015

\*\* where site production information is available please enter percentage increase or decrease compared to previous year

Table R3 Waste Stream Summary					
	Total	Landfill	Incineration	Recycled	Other
Hazardous (Tonnes)	N/A				
Non-Hazardous (Tonnes)	N/A				

<b>Resource Usage/Energy efficiency summary</b>	Lic No: W0163-01	Year 2015
---	------------------	-----------

Table R4: Energy Audit finding recommendations								
Date of audit	Recommendations	Description of Measures proposed	Origin of measures	Predicted energy savings %	Implementation date	Responsibility	Completion date	Status and comments
Not a requirement of our licence			SELECT					
			SELECT					
			SELECT					

**Table R5: Power Generation: Where power is generated onsite (e.g. power generation facilities/food and drink industry) please complete the following information**

	Unit ID	Unit ID	Unit ID	Unit ID	Station Total
Technology	N/A				
Primary Fuel	N/A				
Thermal Efficiency	N/A				
Unit Date of Commission	N/A				
Total Starts for year	N/A				
Total Running Time	N/A				
Total Electricity Generated (GWH)	N/A				
House Load (GWH)	N/A				
KWH per Litre of Process Water	N/A				
KWH per Litre of Total Water used on	N/A				



<b>WASTE SUMMARY</b>	Lic No: W0163-01	Year: 2015
<b>SECTION A-PRTR ON SITE WASTE TREATMENT AND WASTE TRANSFERS TAB- TO BE COMPLETED BY ALL IPPC AND WASTE FACILITIES</b>	<a href="#">PRTR facility logon</a>	dropdown list click to see options

**SECTION B- WASTE ACCEPTED ONTO SITE-TO BE COMPLETED BY ALL IPPC AND WASTE FACILITIES**

1 Were any wastes accepted onto your site for recovery or disposal or treatment prior to recovery or disposal within the boundaries of your facility?; (waste generated within your boundaries is to be captured through PRTR reporting)

Yes	Additional Information
-----	------------------------

If yes please enter details in table 1 below

2 Did your site have any rejected consignments of waste in the current reporting year? If yes please give a brief explanation in the additional information

No	
No	

3 Was waste accepted onto your site that was generated outside the Republic of Ireland? If yes please state the quantity in tonnes in additional information

**Table 1 Details of waste accepted onto your site for recovery, disposal or treatment (do not include wastes generated at your site, as these will have been reported in your PRTR workbook)**

Licensed annual tonnage limit for your site (total tonnes/annum)	EWC code <a href="#">European Waste Catalogue EWC codes</a>	Source of waste accepted	Description of waste accepted Please enter an accurate and detailed description - which applies to relevant EWC code <a href="#">European Waste Catalogue EWC codes</a>	Quantity of waste accepted in current reporting year (tonnes)	Quantity of waste accepted in previous reporting year (tonnes)	Reduction/ Increase over previous year +/- %	Reason for reduction/ increase from previous reporting year	Packaging Content (%) - only applies if the waste has a packaging component	Disposal/Recovery or treatment operation carried out at your site and the description of this operation	Quantity of waste remaining on site at the end of reporting year (tonnes)	Comments -
19,700	20 03 01	20- MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS	Mixed Municipal Waste	8905	11505		Slightly varies from year to year	0%	D13- Blending or mixing prior to submission to any of the operations numbered D1 to D12	10	
	20 03 01	20- MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS	Mixed Dry Recyclables	3858	3973		Increase in tonnage due to higher recycling rates	33% packaging & 67% non-packaging	R13-Storage of waste pending any of the operations numbered R1 to R12 (excluding temporary storage)	10	
	20 01 08	20- MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS	Biodegradable Kitchen & Canteen Waste	88	137		Decrease in tonnage due to trucks going directly to Envirogrind compost facility.	0%	R3-Recycling/reclamation or organic substances which are not used as solvents(including composting another biological transformation processes)which includes gasification and pyrolysis	0	
	20 01 01	20- MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS	Paper	340	306		Increase in tonnage due to increase in business from companies	52%	R3-Recycling/reclamation or organic substances which are not used as solvents(including composting another biological transformation processes)which includes gasification and pyrolysis	0	
	20 01 10	20- MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS	Clothes	1	1		Slightly varies from year to year	0%	R5-Recycling/reclamation or other inorganic materials which includes soil cleaning resulting in recovery of the soil and recycling of inorganic construction materials	0	
	20 01 36	20- MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS	Discarded Electrical & Electronic Equipment	0	1		Slightly varies from year to year	0%	R13-Storage of waste pending any of the operations numbered R1 to R12 (excluding temporary storage)	2	

	20 01 38	20- MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS	Wood	151	182		Varies from year to year	0%	R11-Use of waste obtained from any of the operations numbered R1 to R10	25
	20 01 39	20- MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS	Plastic	117	68		Slightly varies from year to year	48%	R5-Recycling/reclamation or other inorganic materials which includes soil cleaning resulting in recovery of the soil and recycling of inorganic construction materials	5
	20 01 40	20- MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS	Metals	88	90		Slightly varies from year to year	0%	R4- Recycling/reclamation of metals and metal compounds	10
	20 02 01	20- MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS	Biodegradable Waste	64	90		Slightly varies from year to year	0%	R3-Recycling/reclamation or organic substances which are not used as solvents(including composting another biological transformation processes)which includes gasification and pyrolysis	5
	20 01 02	20- MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS	Glass	5	18		Slightly varies from year to year	0%	R5-Recycling/reclamation or other inorganic materials which includes soil cleaning resulting in recovery of the soil and recycling of inorganic construction materials	0
	20 02 02	20- MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS	Soil & Stone	102	0				R13-Storage of waste pending any of the operations numbered R1 to R12 (excluding temporary storage)	67
	20 03 07	20- MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS	Bulky Waste	3154	0				R13-Storage of waste pending any of the operations numbered R1 to R12 (excluding temporary storage)	0
	15 01 01	15- WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED	Cardboard Packaging	462	629		Slightly varies from year to year	100%	R5-Recycling/reclamation or other inorganic materials which includes soil cleaning resulting in recovery of the soil and recycling of inorganic construction materials	0
	15 01 02	15- WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED	Plastic Packaging	13	30		Slightly varies from year to year	52% Packaging & 48% non-Packaging	R5-Recycling/reclamation or other inorganic materials which includes soil cleaning resulting in recovery of the soil and recycling of inorganic construction materials	0
	16 06 01*	16- WASTES NOT OTHERWISE SPECIFIED IN THE LIST	Lead Batteries	0	0		Slightly varies from year to year	0%	R5-Recycling/reclamation or other inorganic materials which includes soil cleaning resulting in recovery of the soil and recycling of inorganic construction materials	3

	16 01 03	16- WASTES NOT OTHERWISE SPECIFIED IN THE LIST	End-of-life Tyres	1	1	Tyres in skips	0%	R5-Recycling/reclamation or other inorganic materials which includes soil cleaning resulting in recovery of the soil and recycling of inorganic construction materials	31
	17 01 07	17- CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)	Mixture of concrete bricks, tiles & ceramics	0	38	Reduction in separating waste materials in skips	0%	R5-Recycling/reclamation or other inorganic materials which includes soil cleaning resulting in recovery of the soil and recycling of inorganic construction materials	0
	17 02 01	17- CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)	Wood	292	74	Reduction in separating waste materials in skips	0%	R3-Recycling/reclamation or organic substances which are not used as solvents(including composting another biological transformation processes)which includes gasification and pyrolysis	5
	17 04 07	17- CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)	Mixed Metals	22	38	Slightly varies from year to year	0%	R4- Recycling/reclamation of metals and metal compounds	10
	17 08 02	17- CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)	Gypsum	16	28	Slightly varies from year to year	0%	R5-Recycling/reclamation or other inorganic materials which includes soil cleaning resulting in recovery of the soil and recycling of inorganic construction materials	16
	17 09 04	17- CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)	Mixed Construction & Demolition Waste	1546	2469	Slightly varies from year to year	0%	R5-Recycling/reclamation or other inorganic materials which includes soil cleaning resulting in recovery of the soil and recycling of inorganic construction materials	0
	18 01 04	18- WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (except kitchen and restaurant wastes not arising from immediate RESEARCH (except kitchen and restaurant wastes not arising from immediate health care)	Waste whose collection & disposal is not subject to special requirements in order to prevent infection	2	6	Slightly varies from year to year	0%	D13- Blending or mixing prior to submission to any of the operations numbered D1 to D12	8

**SECTION C-TO BE COMPLETED BY ALL WASTE FACILITIES (waste transfer stations, Composters, Material recovery facilities etc.) EXCEPT LANDFILL SITES**

- 4 Is all waste processing infrastructure as required by your licence and approved by the Agency in place? If no please list waste processing infrastructure required onsite
- 5 Is all waste storage infrastructure as required by your licence and approved by the Agency in place? If no please list waste storage infrastructure required on site
- 6 Does your facility have relevant nuisance controls in place?
- 7 Do you have an odour management system in place for your facility? If no why?
- 8 Do you maintain a sludge register on site?

Yes	
Yes	
Yes	
Yes	
N/A	

**SECTION D-TO BE COMPLETED BY LANDFILL SITES ONLY** N/A

**Table 2 Waste type and tonnage-landfill only**

Waste types permitted for disposal	Authorised/licenced annual intake for disposal (tpa)	Actual intake for disposal in reporting year (tpa)	Remaining licensed capacity at end of reporting year (m3)	Comments



**Table 4 Environmental monitoring-landfill only** [Landfill Manual-Monitoring Standards](#)

Was meteorological monitoring in compliance with Landfill Directive (LD) standard in reporting year +	Was leachate monitored in compliance with LD standard in reporting year	Was Landfill Gas monitored in compliance with LD standard in reporting year	Was SW monitored in compliance with LD standard in reporting year	Have GW trigger levels been established	Were emission limit values agreed with the Agency (ELVs)	Was topography of the site surveyed in reporting year	Has the statement under SS3(A)(5) of WMA been submitted in reporting year	Comments
---	---	---	---	---	--	---	---	----------

-> please refer to Landfill Manual linked above for relevant Landfill Directive monitoring standards

**Table 5 Capping-Landfill only**

Area uncapped*	Area with temporary cap	Area with final cap to LD Standard m2 ha, a	Area capped other	Area with waste that should be permanently capped to date under licence	What materials are used in the cap	Comments
SELECT UNIT	SELECT UNIT					

\*please note this includes daily cover area

**Table 6 Leachate-Landfill only**

9 Is leachate from your site treated in a Waste Water Treatment Plant?

SELECT
SELECT

10 Is leachate released to surface water? If yes please complete leachate mass load information below

Volume of leachate in reporting year(m3)	Leachate (BOD) mass load (kg/annum)	Leachate (COD) mass load (kg/annum)	Leachate (NH4) mass load (kg/annum)	Leachate (Chloride) mass load kg/annum	Leachate treatment on-site	Specify type of leachate treatment	Comments
--	-------------------------------------	-------------------------------------	-------------------------------------	--	----------------------------	------------------------------------	----------

Please ensure that all information reported in the landfill gas section is consistent with the Landfill Gas Survey submitted in conjunction with PRTR returns

**Table 7 Landfill Gas-Landfill only**

Gas Captured&Treated by LFG System m3	Power generated (MW / KWh)	Used on-site or to national grid	Was surface emissions monitoring performed during the reporting year?	Comments
---------------------------------------	----------------------------	----------------------------------	---	----------

SELECT





| PRTR# : W0163 | Facility Name : Bruscar Bhearna Teoranta (Ballaghadereen) |  
 Filename : W0163\_2015 PRTR.xls | Return Year : 2015 |

05/04/2016 15:56

[Guidance to completing the PRTR workbook](#)

# PRTR Returns Workbook

Version 1.1.19

<b>REFERENCE YEAR</b>	2015
-----------------------	------

## 1. FACILITY IDENTIFICATION

Parent Company Name	Bruscar Bhearna Teoranta
Facility Name	Bruscar Bhearna Teoranta (Ballaghadereen)
PRTR Identification Number	W0163
Licence Number	W0163-01

Classes of Activity

No.	class_name
-	Refer to PRTR class activities below

Address 1	Ballaghadereen Industrial Estate
Address 2	Ballaghadereen
Address 3	
Address 4	
	Roscommon
Country	Ireland
Coordinates of Location	-8.5906 53.9031
River Basin District	IEGBNISH
NACE Code	3821
Main Economic Activity	Treatment and disposal of non-hazardous waste
<b>AER Returns Contact Name</b>	Ann Clarke
<b>AER Returns Contact Email Address</b>	aclarke@barnarecycling.com
<b>AER Returns Contact Position</b>	Facility Manager
<b>AER Returns Contact Telephone Number</b>	094 9860807
<b>AER Returns Contact Mobile Phone Number</b>	086 3524921
<b>AER Returns Contact Fax Number</b>	094 9860878
<b>Production Volume</b>	0.0
<b>Production Volume Units</b>	
<b>Number of Installations</b>	0
<b>Number of Operating Hours in Year</b>	0
<b>Number of Employees</b>	31
<b>User Feedback/Comments</b>	
<b>Web Address</b>	

## 2. PRTR CLASS ACTIVITIES

Activity Number	Activity Name
50.1	General
50.1	General

## 3. SOLVENTS REGULATIONS (S.I. No. 543 of 2002)

Is it applicable?	
Have you been granted an exemption ?	
If applicable which activity class applies (as per Schedule 2 of the regulations) ?	
Is the reduction scheme compliance route being used ?	

## 4. WASTE IMPORTED/ACCEPTED ONTO SITE

[Guidance on waste imported/accepted onto site](#)

Do you import/accept waste onto your site for on-site treatment (either recovery or disposal activities) ?	
--	--

This question is only applicable if you are an IPPC or Quarry site

4.1 RELEASES TO AIR

[Link to previous years emissions data](#)

| PRTR# : W0163 | Facility Name : Bruscar Bhearna Teoranta (Ballaghadereen) | Filename : W0163\_2015 PRTR.xls | Return Year : 2015 |

05/04/2016 15:56

SECTION A : SECTOR SPECIFIC PRTR POLLUTANTS

POLLUTANT		METHOD			Please enter all quantities in this section in KGs			
No. Annex II	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
					0.0	0.0	0.0	0.0

\* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION B : REMAINING PRTR POLLUTANTS

POLLUTANT		METHOD			Please enter all quantities in this section in KGs			
No. Annex II	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
					0.0	0.0	0.0	0.0

\* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION C : REMAINING POLLUTANT EMISSIONS (As required in your Licence)

POLLUTANT		METHOD			Please enter all quantities in this section in KGs					
Pollutant No.	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	Emission Point 2	Emission Point 3	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
210	Dust	M	PER	Bergerhoff Method	6800.0	10160.0	3080.0	20040.0	0.0	0.0

\* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

Additional Data Requested from Landfill operators

For the purposes of the National Inventory on Greenhouse Gases, landfill operators are requested to provide summary data on landfill gas (Methane) flared or utilised on their facilities to accompany the figures for total methane generated. Operators should only report their Net methane (CH<sub>4</sub>) emission to the environment under T(total) KG/yr for Section A: Sector specific PRTR pollutants above. Please complete the table below:

Landfill:  
Please enter summary data on the quantities of methane flared and / or utilised

Bruscar Bhearna Teoranta (Ballaghadereen)

	T (Total) kg/Year	M/C/E	Method Used		Facility Total Capacity m3 per hour
			Method Code	Designation or Description	
Total estimated methane generation (as per site model)	0.0				N/A
Methane flared	0.0				0.0 (Total Flaring Capacity)
Methane utilised in engines	0.0				0.0 (Total Utilising Capacity)
Net methane emission (as reported in Section A above)	0.0				N/A

4.2 RELEASES TO WATERS

[Link to previous years emissions data](#)

[ PRTR# : W0163 | Facility Name : Bruscar Bhearna Teoranta (Ballaghadereen) | Filename : W0163\_2015 PRTR.xls | Return Year : 2015 |

05/04/2016 15:56

**SECTION A : SECTOR SPECIFIC PRTR POLLUTANTS**

Data on ambient monitoring of storm/surface water or groundwater, conducted as part of your licence requirements, should NOT be submitted under AER / PRTR Reporting as this only concerns Releases from your facility

POLLUTANT		RELEASURES TO WATERS			Please enter all quantities in this section in KGs			
No. Annex II	Name	M/C/E	Method Used		QUANTITY			
			Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
					0.0	0.0	0.0	0.0

\* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

**SECTION B : REMAINING PRTR POLLUTANTS**

POLLUTANT		RELEASURES TO WATERS			Please enter all quantities in this section in KGs			
No. Annex II	Name	M/C/E	Method Used		QUANTITY			
			Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
					0.0	0.0	0.0	0.0

\* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

**SECTION C : REMAINING POLLUTANT EMISSIONS (as required in your Licence)**

POLLUTANT		RELEASURES TO WATERS			Please enter all quantities in this section in KGs				
Pollutant No.	Name	M/C/E	Method Used		QUANTITY				
			Method Code	Designation or Description	Emission Point 1	Emission Point 2	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
303	BOD	M	PER	Gravimetric	60.0	60.0	120.0	0.0	0.0
240	Suspended Solids	M	PER	Gravimetric	120.0	120.0	240.0	0.0	0.0
324	Mineral oils	M	PER	Accredited Lab	10.08	6.825	16.905	0.0	0.0

\* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

4.3 RELEASES TO WASTEWATER OR SEWER

[Link to previous years emissions data](#)

| PRTR# : W0163 | Facility Name : Bruscar Bhearna Teoranta (Ballaghaderreen) | Filename : W0163\_2 | 05/04/2016 15:56

**SECTION A : PRTR POLLUTANTS**

OFFSITE TRANSFER OF POLLUTANTS DESTINED FOR WASTE-WATER TREATMENT OR SEWER					Please enter all quantities in this section in KGs			
POLLUTANT		METHOD			QUANTITY			
No. Annex II	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
					0.0	0.0	0.0	0.0

\* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

**SECTION B : REMAINING POLLUTANT EMISSIONS (as required in your Licence)**

OFFSITE TRANSFER OF POLLUTANTS DESTINED FOR WASTE-WATER TREATMENT OR SEWER					Please enter all quantities in this section in KGs			
POLLUTANT		METHOD			QUANTITY			
Pollutant No.	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
303	BOD	M	PER	Gravimetric	2145.0	2145.0	0.0	0.0
306	COD	M	PER	Gravimetric	7860.0	7860.0	0.0	0.0
<b>240</b>	<b>Suspended Solids</b>	M	PER	Gravimetric	4110.0	4110.0	0.0	0.0

\* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

5. ONSITE TREATMENT & OFFSITE TRANSFERS OF WASTE

| PRTR# : W0163 | Facility Name : Bruscar Bhearna Teoranta (Ballaghadereen) | Filename : W0163\_2015 PRTR.xls | Return Year : 2015 |

05/04/2016 15:56

Please enter all quantities on this sheet in Tonnes

3

Transfer Destination	European Waste Code	Hazardous	Quantity (Tonnes per Year)	Description of Waste	Waste Treatment Operation	Method Used		Location of Treatment	Haz Waste : Name and Licence/Permit No of Next Destination Facility	Haz Waste : Address of Next Destination Facility	Name and License / Permit No. and Address of Final Recoverer / Disposer (HAZARDOUS WASTE ONLY)	Actual Address of Final Destination I.e. Final Recovery / Disposal Site (HAZARDOUS WASTE ONLY)
						Non	Non					
						MC/E	Method Used		Haz Waste : Name and Licence/Permit No of Recover/Disposer	Non Haz Waste : Address of Recover/Disposer		
Within the Country	15 01 01	No	181.0	paper and cardboard packaging	R3	M	Weighed	Offsite in Ireland	Barna Waste,W0106-02	Headford Road,..Co. Galway,..Ireland		
Within the Country	15 01 02	No	7.0	plastic packaging	R3	M	Weighed	Offsite in Ireland	Barna Waste,W0106-02 Duffy Tyre Recycling Ltd,ROC UT 3758 WFP-DL-010-0118-01	Tonyhaboc,N/A,Newtowncunningham,Donegal,Ireland		
Within the Country	16 01 03	No	0.0	end-of-life tyres mixture of concrete, bricks, tiles and ceramics other than those mentioned in 17 01 06	R5	M	Weighed	Offsite in Ireland	Joseph Bell,COR-MO-12-0018-01	Kilmovee,..Co. Mayo,..Ireland		
Within the Country	17 01 07	No	557.0	wood	R10	M	Weighed	Offsite in Ireland	O'Connors Recycling Waste Management ,WFP-RN-10-0001-01	Roxborough,2,Co. Roscommon,..Ireland		
Within the Country	17 02 01	No	342.0	wood	R3	M	Weighed	Offsite in Ireland	Wilton Waste & Recycling Ltd. ,WFP-CN-10-0005-01	Cavan,..Ireland		
Within the Country	17 04 07	No	113.0	mixed metals gypsum-based construction materials other than those mentioned in 17 08 01	R4	M	Weighed	Offsite in Ireland	Joe Mc Loughlin Waste Disposal Ltd. ,W0216-01	Ardcolum,Drumshanbo,Co. Leitrim,..Ireland		
Within the Country	17 08 02	No	0.0	than those mentioned in 17 08 01	R5	M	Weighed	Offsite in Ireland	Barna Waste,W0106-02	Headford Road,..Co. Galway,..Ireland		
Within the Country	20 01 01	No	301.0	paper and cardboard	R3	M	Weighed	Offsite in Ireland	Barna Waste,W0106-02	Headford Road,..Co. Galway,..Ireland		
Within the Country	20 01 02	No	13.0	glass	R5	M	Weighed	Offsite in Ireland	Barna Waste,W0106-02	Headford Road,..Co. Galway,..Ireland		
Within the Country	20 01 08	No	24.0	biodegradable kitchen and canteen waste	R3	M	Weighed	Offsite in Ireland	Barna Waste,W0106-02 Textile Recycling Ltd. ,WPRO14/2	Tallaght,..Dublin 24,..Ireland		
Within the Country	20 01 10	No	1.0	Clothes discarded electrical and electronic equipment other than those mentioned in 20 01 21, 20 01 23 and 20 01 35	R5	M	Weighed	Offsite in Ireland	Electrical Waste Management Ltd. ,WFP-DS-09-0012-01	Rathcoole,..Co. Dublin,..Ireland		
Within the Country	20 01 36	No	0.0	wood other than that mentioned in 20 01 37	R4	M	Weighed	Offsite in Ireland	Barna Waste,W0106-02 O'Connors Recycling Waste Management ,WFP-RN-10-0001-01	Headford Road,..Co. Galway,..Ireland		
Within the Country	20 01 38	No	22.0	wood other than that mentioned in 20 01 37	R1	M	Weighed	Offsite in Ireland	Barna Waste,W0106-02 O'Connors Recycling Waste Management ,WFP-RN-10-0001-01	Roxborough,2,Co. Roscommon,..Ireland		
Within the Country	20 01 38	No	50.0	wood other than that mentioned in 20 01 37	R3	M	Weighed	Offsite in Ireland	Barna Waste,W0106-02 Wilton Waste & Recycling Ltd. ,WFP-CN-10-0005-01	Headford Road,..Co. Galway,..Ireland		
Within the Country	20 01 39	No	23.0	plastics	R12	M	Weighed	Offsite in Ireland	Barna Waste,W0106-02 Wilton Waste & Recycling Ltd. ,WFP-CN-10-0005-01	Crosserlough,..Co. Cavan,..Ireland		
Within the Country	20 01 40	No	226.0	metals	R4	M	Weighed	Offsite in Ireland	Rathroen Landfill,W0067-02	Ballina,..Co. Mayo,..Ireland		
Within the Country	20 01 38	No	79.0	wood other than that mentioned in 20 01 37	D13	M	Weighed	Offsite in Ireland	Barna Waste,W0106-02 Joseph Bell,COR-MO-12-0018-01	Headford Road,..Co. Galway,..Ireland Kilmovee,..Co. Mayo,..Ireland		
Within the Country	20 01 99	No	4255.0	other fractions not otherwise specified soil and stones other than those mentioned in 17 05 03	R3	M	Weighed	Offsite in Ireland	Barna Waste,W0106-02	Headford Road,..Co. Galway,..Ireland		
Within the Country	17 05 04	No	167.0	in 17 05 03	R10	M	Weighed	Offsite in Ireland	Joseph Bell,COR-MO-12-0018-01	Headford Road,..Co. Galway,..Ireland		
Within the Country	15 01 02	No	0.0	plastic packaging	R3	M	Weighed	Offsite in Ireland	Barna Waste,W0106-02	Headford Road,..Co. Galway,..Ireland		
Within the Country	20 02 01	No	35.0	biodegradable waste	R3	M	Weighed	Offsite in Ireland	Barna Waste,W0106-02 Starrus Eco Holding Ltd. (Formerly Greenstar WTS),W0058-01	Deepwater Quay,N/A,Co. Sligo,N/A,Ireland		
Within the Country	20 03 01	No	0.0	mixed municipal waste	R12	M	Weighed	Offsite in Ireland	WTS),W0058-01	Carbury,Naas,Co. Kildare,..Ireland		
Within the Country	20 03 01	No	69.0	mixed municipal waste	D1	M	Weighed	Offsite in Ireland	Drehid Landfill,W0201-03 Rathroen Landfill,W0067-02	Kildare,..Ireland		
Within the Country	20 03 01	No	11548.0	mixed municipal waste	D1	M	Weighed	Offsite in Ireland	Rathroen Landfill,W0067-02	Ballina,..Co. Mayo,..Ireland		
Within the Country	20 03 01	No	419.0	mixed municipal waste	R1	M	Weighed	Offsite in Ireland	Indaver Ireland Ltd. ,W0167-02	Duleek,..Co. Meath,..Ireland		

Transfer Destination	European Waste Code	Hazardous	Quantity (Tonnes per Year)	Description of Waste	Waste Treatment Operation	Method Used		Location of Treatment	Haz Waste : Name and Licence/Permit No of Next Destination Facility	Haz Waste : Name and Licence/Permit No of Recover/Disposer	Haz Waste : Address of Next Destination Facility	Non Haz Waste: Address of Recover/Disposer	Name and License / Permit No. and Address of Final Recoverer / Disposer (HAZARDOUS WASTE ONLY)	Actual Address of Final Destination i.e. Final Recovery / Disposal Site (HAZARDOUS WASTE ONLY)
						M/C/E	Method Used		Non					
Within the Country	20 03 01	No	609.0	mixed municipal waste	R12	M	Weighed	Offsite in Ireland	Barna Waste,W0106-02		Headford Road,..Co. Galway,..Ireland			
Within the Country	20 03 01	No	0.0	mixed municipal waste	D1	M	Weighed	Offsite in Ireland	Limerick Co. Council Gaortadroma	Landfill,W0017-04	Ballyhill,..Co. Limerick,..Ireland			

\* Select a row by double-clicking the Description of Waste then click the delete button

[Link to previous years waste data](#)  
[Link to previous years waste summary data & percentage change](#)  
[Link to Waste Guidance](#)