

Licence Alteration Request

Alteration Details	
Licence	W0033-01 Drogheda Landfill
Licensee	Louth County Council
Title of Alteration	Acceptance of WEEE with hazardous EWC Codes at Drogheda Civic Waste Facility

Screening Report

No.	Question	Answer
1	Does the proposed alteration require a new class of activity or process?	No
2	Does the proposed alteration cause a new / additional main emission point?	No
3	Does the proposed alteration increase or change specified emissions significantly ?	No
4	Does the proposed alteration increase significantly the overall total emission from the installation/facility?	No
5	Does the proposed alteration involve development or proposed development that has already been granted planning permission or requires a grant of planning permission and was/is subject to EIA by the Planning Authority or An Bord Pleanála?	No
6	Did the proposed alteration require the preparation of a Natura Impact Statement (NIS) for consideration by any Planning or Public Authority?	No
7	Does the proposed alteration indicate that the EPA should conduct an Appropriate Assessment (on foot of a screening for Appropriate Assessment)?	No
8	Does the proposed change conflict with BAT as set out in the relevant BAT Conclusions? See here	No
9	Does the proposed alteration adversely affect the energy efficiency of the installation/facility?	No
10	Does the proposed alteration adversely affect the environmental risk of the installation/facility significantly ?	No

Licence Alteration Request

11	Does the proposed alteration cause an increase above the capacity limitations specified in the licence?	No
12	Does the proposed alteration require an extension of operating hours (where controlled by the licence) for an installation/facility where the public is likely to have an interest in such an extension?	No
13	Does the proposed alteration involve the incineration or co-incineration of waste materials displaying hazardous properties that were not previously authorised (as per the WID/IED)?	No
14	Does the proposed alteration introduce materials or techniques which adversely alter the probability, magnitude and duration or complexity of the site transboundary impact?	No
15	Does the proposed alteration constitute a substantial change?	No
16	Does the proposed alteration require a change to a condition or schedule of the Licence?	No

Recommendation

Based on your responses to the forgoing questions, the recommended option is for you to submit a Request for Approval of your proposed change, under Condition 1 of your licence, to the Office of Environmental Enforcement. This 'Request for Approval' should be submitted to your OEE regional team via the 'Request Alteration' which can be accessed via your EDEN log-in in the LMA application.

By selecting the 'Proceed' button within the 'Request Alteration' option, you will find your proposed change listed in the 'Saved Application' list. By choosing the 'Request for Approval' option in this application, you will be directed to complete a 'Licensee Return' to request approval from OEE.

Note: The responses you have provided in this Screening Report will form part of the information record if you decide to progress with this alteration request.

Recommendation Date: 14/07/2015

Licence Alteration Request



Clerical or Technical Amendment Application Details

Proposed Alteration Description

Propose to amend Condition 5.9(d) to allow WEEE with hazardous codes be accepted into the Civic Waste Facility.

The agency have been aware that WEEE has been accepted on site since 2006. During an inspection on 15/6/03 (see attached) the agency looked for weatherproof covering for computers etc. Drogheda Borough Council responded to this on the 14/7/06 with a proposal to cover the WEEE storage area (see Attached). This cover was put in place in 2007.

During subsequent agency inspections this was deemed to be sufficient storage for WEEE.

The inability to accept such WEEE at Drogheda Civic waste facility would be a major blow for recycling in Drogheda as the site accepts approx 390 tonnes of WEE per annum.

Priority	1. Routine
Category of Amendment	(c) Otherwise facilitating the operation of the licence (or certificate) and the making of the amendment does not result in the relevant requirements of section 83(5) of the EPA Act as amended/ section 42B(1) of the Waste Management Act as amended/environmental requirements ceasing to be satisfied

Licence Condition Changes

Condition / Schedule Reference	Current Condition / Schedule Wording	Suggested New Wording
Condition 5.9(d)	5.9(d) No hazardous waste (excluding waste oil collected for recovery), asbestos, liquid waste, sludge or offal shall be deposited at the Civic Waste Facility.	5.9(d) No hazardous waste (excluding waste oil or Waste Electrical and Electronic Equipment (WEEE) collected for recovery), asbestos, liquid waste, sludge or offal shall be deposited at the Civic Waste Facility. WEEE types collected may include fridges/freezers, washing machines, dishwashers, cookers, TV's/Monitors, Toasters, kettles, hair products, shavers, fluorescent tubes, compact fluorescent lights, HID lamps LED lights, batteries etc. WEEE EWC Codes include 20 01 23*, 20 01 36, 20 01 35*, 20 01 21* and 16 06 04.

Questions

Q1	Is planning permission required to support the proposed alteration?	No
Q2	Does the application involve an installation boundary change?	No
Q3	Does the application involve changes to emissions to sewer?	No
Q4	Attach Appropriate Assessment Screening Report here	ScreeningReport_1.pdf

Additional Documentation

EPA Inspection 15-6-06.pdf

Licence Alteration Request



LCC Response Drawings 14-7-06.pdf
LCC Response to EPA 14-7-06.pdf

Final Declaration

Name	Damien Holmes
Position	Executive Scientist

Application Details

Selected by:	Damien Holmes	Selected date:	14/07/2015
Submitted by:	Damien Holmes	Submitted date:	22/07/2015

*For inspection purposes only.
Consent of copyright owner required for any other use.*