

Facility Information Summary

AER Reporting Year	2015
Licence Register Number	W0045-01
Name of site	KeyWaste Managementt Limited
Site Location	Greenview, Greenhills Road, Walkinstown, D12
NACE Code	3811, 3812
Class/Classes of Activity	Collection (& transfer) of non- hazardous and hazardous waste
National Grid Reference (6E, 6 N)	(310577.889, 230453.425)

A description of the activities/processes at the site for the reporting year. This should include information such as production increases or decreases on site, any infrastructural changes, environmental performance which was measured during the reporting year **and an overview of compliance with your licence listing all exceedances of licence limits (where applicable) and what they relate to e.g. air, water, noise.**

The results from this year’s monitoring indicate the site is functioning well. In the first quarter we had a minor breach of ELV at one of our dust monitoring locations. This was quickly rectified with the installation of a new sprinkler system. Since this incident all measured parameters have been significantly below the specified ELVS. As the company is expanding, an increase in the volume of waste transferred through the site has been observed. This increase is still significantly below the permissible 'Maximum Tonnes Per Annum' Listed in Schedule G of the Waste Licence. During the year the office portacabins, truck storage and maintenance areas were all moved to an adjacent site. These changes did not fall under Schedule D, ‘Specified Engineering Works’, of the waste licence. During 2015 two Specified Engineering Works (SEW) were carried out. Throughout the year there had been a number of complaints, primarily regarding noise and odour. KeyWaste have implemented a variety of abatement measures through the generation of a Noise Minimisation Plan and had odour consultants on site; however the company decided to implement some structural changes to mitigate for noise and odour on a more effective, long-term basis. This resulted to the closure of shed 3 & 4. The closure of the waste transfer shed comprised of two main exercises: cladding of the shed, and installation of fast acting roller door.

Declaration:

All the data and information presented in this report has been checked and certified as being accurate. The quality of the information is assured to meet licence requirements.

<hr style="border: none; border-top: 1px solid black;"/>	<hr style="border: none; border-top: 1px solid black;"/>
Signature Group/Facility manager <small>(or nominated, suitably qualified and experienced deputy)</small>	31/03/2016

AIR summary template	Lic No: W0045-01	Year: 2015
-----------------------------	------------------	------------

Answer all questions and complete all tables where relevant

1 Does your site have licensed air emissions? If yes please complete table A1 and A2 below for the current reporting year and answer further questions. If you do not have licensed emissions and do not complete a solvent management plan (table A4 and A5) you do not need to complete the tables

Additional information	
Yes	Quarterly dust monitoring using the Bergerhoff method of dust analysis.

Periodic/Non-Continuous Monitoring

2 Are there any results in breach of licence requirements? If yes please provide brief details in the comment section of Table A1 below

3 Was all monitoring carried out in accordance with EPA guidance note AG2 and using the basic air monitoring checklist? [Basic air monitoring checklist](#) AG2

No	
Yes	

Table A1: Licensed Mass Emissions/Ambient data-periodic monitoring (non-continuous)

Emission reference no.	Parameter/ Substance	Frequency of Monitoring	ELV in licence or any revision thereof	Compliance criteria	Measured value	Unit of measurement	Compliant with licence limit	Method of analysis	Annual mass load (kg)	Comments - reason for change in % mass load from previous year if applicable
D1	Total Particulates	Quarterly	350	Monthly average < ELV	164	mg/m2/day	yes	Bergerhoff	0.0599	License was activated on the 7th Nov 2014. Reporting for the remainder of year.
D3	Total Particulates	Quarterly	350	Monthly average < ELV	130	mg/m2/day	yes	Bergerhoff	0.0475	License was activated on the 7th Nov 2014. Reporting for the remainder of year.
D6	Total Particulates	Quarterly	350	Monthly average < ELV	113	mg/m2/day	yes	Bergerhoff	0.0412	License was activated on the 7th Nov 2014. Reporting for the remainder of year.

Note 1: Volumetric flow shall be included as a reportable parameter

Continuous Monitoring

4 Does your site carry out continuous air emissions monitoring?

If yes please review your continuous monitoring data and report the required fields below in Table A2 and compare it to its relevant Emission Limit Value (ELV)

5 Did continuous monitoring equipment experience downtime? If yes please record downtime in table A2 below

6 Do you have a proactive service agreement for each piece of continuous monitoring equipment?

7 Did your site experience any abatement system bypasses? If yes please detail them in table A3 below

No	
SELECT	
SELECT	
SELECT	

Table A2: Summary of average emissions - continuous monitoring

Emission reference no.	Parameter/ Substance	Averaging Period	Compliance Criteria	Units of measurement	Annual Emission	Annual maximum	Monitoring Equipment downtime (hours)	Number of ELV exceedences in current reporting year	Comments
	SELECT	ELV in licence or any revision thereof	SELECT	SELECT					
	SELECT			SELECT					
	SELECT			SELECT					
	SELECT			SELECT					
	SELECT			SELECT					

Note 1: Volumetric flow shall be included as a reportable parameter.

Table A3: Abatement system bypass reporting table

Date*	Duration** (hours)	Location	Reason for bypass	Impact magnitude	Corrective action

* this should include all dates that an abatement system bypass occurred

** an accurate record of time bypass beginning and end should be logged on site and maintained for future Agency inspections please refer to bypass protocol line

Solvent use and management on site

8 Do you have a total Emission Limit Value of direct and fugitive emissions on site? If yes please fill out tables A4 and A5

No	
----	--

Table A4: Solvent Management Plan Summary

Total VOC Emission limit value				
Reporting year	Total solvent input on site (kg)	Total VOC emissions to Air from entire site (direct and fugitive)	Total VOC emissions as % of solvent input	Compliance
			Total Emission Limit Value (ELV) in licence or any revision thereof	SELECT
				SELECT

Table A5: Solvent Mass Balance summary

(I) Inputs (kg)		(O) Outputs (kg)					
Solvent	(I) Inputs (kg)	Organic solvents emission in waste	Solvents lost in water (kg)	Collected waste solvent (kg)	Fugitive Organic Solvent (kg)	Solvent released in other ways e.g destroyed onsite	Total emission of Solvent to air (kg)
Total							

Does your site have licensed emissions direct to surface water or direct to sewer? If yes please complete table W2 and W3 below for the current reporting year and answer further questions. If you do not have licensed emissions you only need to complete table W1 and W2 for storm water analysis and visual inspections

Was it a requirement of your licence to carry out visual inspections on any surface water discharges or watercourses on or near your site? If yes please complete table W2 below summarising any evidence of contamination noted during visual inspections

Yes	Additional Information
No	Emission to sewer

Table W1 Storm water monitoring

Location reference	Location relative to site activities	PRTR Parameter	Licence Parameter	Monitoring date	ELV or trigger level in licence or any revision thereof*	Licence Compliance criteria	Measured value	Unit of measurement	Compliant with licence	Comments
SELECT	SELECT	SELECT	SELECT			SELECT		SELECT	SELECT	
SELECT	SELECT	SELECT	SELECT			SELECT		SELECT	SELECT	

*trigger values may be agreed by the Agency outside of licence conditions

Table W2 Visual inspections-Please only enter details where contamination was observed.

Location Reference	Date of inspection	Description of contamination	Source of contamination	Corrective action	Comments
			SELECT		
			SELECT		

Licensed Emissions to water and /or wastewater(sewer)-periodic monitoring (non-continuous)

Was there any result in breach of licence requirements? If yes please provide brief details in the comment section of Table W3 below

Was all monitoring carried out in accordance with EPA guidance and checklists for Quality of Aqueous Monitoring Data Reported to the EPA? If no please detail what areas require improvement in additional information box

No	Additional Information
Yes	External/Internal Lab Quality Assessment of results checklist

Table W3: Licensed Emissions to water and /or wastewater (sewer)-periodic monitoring (non-continuous)

Emission reference no:	Emission released to	Parameter/ Substance/Code 1	Type of sample	Frequency of monitoring	Averaging period	ELV or trigger values in licence or any revision thereof*	Licence Compliance criteria	Measured value	Unit of measurement	Compliant with licence	Method of analysis	Procedural reference source	Procedural reference standard number	Annual mass load (kg)	Comments
Sump A	Wastewater/Sewer	BOD	discrete	Quarterly	24 hour	2500	All values < ELV	1293	mg/L	yes	Other (please describe)	UK SCA "Blue Book" series	SOP 1090	2448	5 Day incubation at 20°C
Sump A	Wastewater/Sewer	COD	discrete	Quarterly	24 hour	7500	All values < ELV	1778	mg/L	yes	Other (please describe)	UK SCA "Blue Book" series	SOP 1100	3366	Dichromate oxidation, colorimetry
Sump A	Wastewater/Sewer	Ammonia (as N)	discrete	Quarterly	24 hour	100	All values < ELV	24.23	mg/L	yes	Other (please describe)	UK SCA "Blue Book" series	SOP 1220	45.87	Automated colorimetric with Aquakem 600
Sump A	Wastewater/Sewer	Suspended Solids	discrete	Quarterly	24 hour	1000	All values < ELV	183	mg/L	yes	Other (please describe)	UK SCA "Blue Book" series	SOP 1030	346	Glass fibre filter with measurement of residue after dried at 105°C
Sump A	Wastewater/Sewer	Sulphate	discrete	Quarterly	24 hour	500	All values < ELV	109	mg/L	yes	Other (please describe)	UK SCA "Blue Book" series	SOP 1220	206	Automated colorimetric with Aquakem 600
Sump A	Wastewater/Sewer	pH	discrete	Quarterly	24 hour	6 - 10	No pH value shall deviate from the specified range.	6.6	pH units	yes	pH Meter (Electrode)	UK SCA "Blue Book" series	SOP 1010	N/a	
Sump A	Wastewater/Sewer	Temperature	discrete	Quarterly	24 hour	42	No temperature value shall exceed the limit value.	16	degrees C	yes	Other (please describe)	APHA / AWWA "Standard Methods"		N/a	Thermometer
Sump A	Wastewater/Sewer	Detergents (as MBAS)	discrete	Quarterly	24 hour	100	All values < ELV	2.72	mg/L	yes	pectrophotometry (Colorimetry)	UK SCA "Blue Book" series	SOP 1770	5.15	Solvent extraction and colorimetric measurement
Sump A	Wastewater/Sewer	Fats, Oils and Greases	discrete	Quarterly	24 hour	100	All values < ELV	11.49	mg/L	yes	Gravimetric analysis	UK SCA "Blue Book" series	SOP 1025	21.75	Solvent extraction and gravimetric analysis

Note 1: Volumetric flow shall be included as a reportable parameter
 Note 2: Where Emission Limit Values (ELV) do not apply to your licence please compare results against EQs for Surface water or relevant receptor quality standards

Continuous monitoring

Does your site carry out continuous emissions to water/sewer monitoring?

If yes please summarise your continuous monitoring data below in Table W4 and compare it to its relevant Emission Limit Value (ELV)

Did continuous monitoring equipment experience downtime? If yes please record downtime in table W4 below

Do you have a proactive service contract for each piece of continuous monitoring equipment on site?

Did abatement system bypass occur during the reporting year? If yes please complete table W5 below

No	Additional Information
SELECT	
SELECT	
SELECT	

Table W4: Summary of average emissions -continuous monitoring

Emission reference no:	Emission released to	Parameter/ Substance	ELV or trigger values in licence or any revision thereof	Averaging Period	Compliance Criteria	Units of measurement	Annual Emission for current reporting year (kg)	% change +/- from previous reporting year	Monitoring Equipment downtime (hours)	Number of ELV exceedences in reporting year	Comments
	SELECT	SELECT		SELECT	SELECT	SELECT					
	SELECT	SELECT		SELECT	SELECT	SELECT					

note 1: Volumetric flow shall be included as a reportable parameter.

Table W5: Abatement system bypass reporting table

Date	Duration (hours)	Location	Resultant emissions	Reason for bypass	Corrective action*	Was a report submitted to the EPA?	When was this report submitted?
						SELECT	

*Measures taken or proposed to reduce or limit bypass frequency

Bund testing dropdown menu click to see options

- Are you required by your licence to undertake integrity testing on bunds and containment structures? If yes please fill out table B1 below listing all **new bunds and containment structures** on site. In addition to all bunds which failed the integrity test **all bunding structures which failed including mobile bunds must be listed in the table below, please include all bunds outside the licensed testing period** (mobile bunds and chemstore included)
- 1 Please provide integrity testing frequency period
 - 2 Does the site maintain a register of bunds, underground pipelines (including stormwater and foul), Tanks, sumps and containers? (containers refers to "Chemstore" type units and mobile bunds)
 - 3 How many bunds are on site?
 - 4 How many of these bunds have been tested within the required test schedule?
 - 5 How many mobile bunds are on site?
 - 6 Are the mobile bunds included in the bund test schedule?
 - 7 How many of these mobile bunds have been tested within the required test schedule?
 - 8 How many sumps on site are included in the integrity test schedule?
 - 9 How many of these sumps are integrity tested within the test schedule?
 - 10 **Please list any sump integrity failures in table B1**
 - 11 Do all sumps and chambers have high level liquid alarms?
 - 12 If yes to Q11 are these failsafe systems included in a maintenance and testing programme?
 - 13 Is the Fire Water Retention Pond included in your integrity test programme?

Additional information	
Yes	Fuel (1)
3 years	
Yes	
3	2 Chemical, 1 Fuel
3	
2	Chemical Bunds
No	Not specified in licence (tested anyway)
2	
2	Sump A and D
2	Every 5 Years
N/A	Only required for interceptor
N/A	
N/A	

Table B1: Summary details of bund /containment structure integrity test

Bund/Containment structure ID	Type	Specify Other type	Product containment	Actual capacity	Capacity required*	Type of integrity test	Other test type	Test date	Integrity reports maintained on site?	Results of test	Integrity test failure explanation <50 words	Corrective action taken	Scheduled date for retest	Results of retest(if in current reporting year)
Diesel	reinforced concrete		Diesel	9636 L	5500L (110% containment); 1875L (25% Total)	Hydraulic test		30/01/2015	Yes	Pass		SELECT		
Chemical Bund 1	other (please specify)	Steel Skip (Rain holes welded shut)	Chemical (Engine Oil etc)	2360 L	1100L (110% containment); 525L (25% total)	Hydraulic test		09/03/2015	Yes	Pass		SELECT		
Chemical Bund 2	other (please specify)	Steel Skip (Rain holes welded shut)	Chemical (Engine Oil etc)	2360 L	1100L (110% containment); 525L (25% total)	Hydraulic test		16/03/2015	Pass	Pass		SELECT		

* Capacity required should comply with 25% or 110% containment rule as detailed in your licence
 Has integrity testing been carried out in accordance with licence requirements and are all structures tested in line with [bunding and storage guidelines](#)

- 15 BS8007/EPA Guidance?
- 16 Are channels/transfer systems to remote containment systems tested?
- 17 Are channels/transfer systems compliant in both integrity and available volume?

Commentary	
Yes	
SELECT	n/a
SELECT	n/a

Pipeline/underground structure testing

- Are you required by your licence to undertake integrity testing* on underground structures e.g. pipelines or sumps etc? If yes please fill out table 2 below listing all underground structures and 1 pipelines on site **which failed the integrity test and all which have not been tested within the integrity test period as specified**
- 2 Please provide integrity testing frequency period
- *please note integrity testing means water tightness testing for process and foul pipelines (as required under your licence)

Yes	
Other (please specify)	Every 5 years

Table B2: Summary details of pipeline/underground structures integrity test

Structure ID	Type system	Material of construction:	Does this structure have Secondary containment?	Type of secondary containment	Type integrity testing	Integrity reports maintained on site?	Results of test	Integrity test failure explanation <50 words	Corrective action taken	Scheduled date for retest	Results of retest(if in current reporting year)
Pipe Network	Foul	pvc	No	N/A	CCTV	Yes	Fail	Medium open joint identified	Patch repair	Immediate - Completed	Pass
Sumps A and D	Foul	concrete	No	N/A	Hydraulic	Yes	Pass				

Please use commentary for additional details not answered by tables/ questions above

		Comments
1	Are you required to carry out groundwater monitoring as part of your licence requirements?	no
2	Are you required to carry out soil monitoring as part of your licence requirements?	no
3	Do you extract groundwater for use on site? If yes please specify use in comment section	no
4	Do monitoring results show that groundwater generic assessment criteria such as GTVs or IGVs are exceeded or is there an upward trend in results for a substance? If yes, please complete the Groundwater Monitoring Guideline Template Report (link in cell G8) and submit separately through ALDER as a licensee return AND answer questions 5-12 below.	Groundwater monitoring template SELECT
5	Is the contamination related to operations at the facility (either current and/or historic)	SELECT
6	Have actions been taken to address contamination issues? If yes please summarise remediation strategies proposed/undertaken for the site	SELECT
7	Please specify the proposed time frame for the remediation strategy	SELECT
8	Is there a licence condition to carry out/update ELRA for the site?	SELECT
9	Has any type of risk assessment been carried out for the site?	SELECT
10	Has a Conceptual Site Model been developed for the site?	SELECT
11	Have potential receptors been identified on and off site?	SELECT
12	Is there evidence that contamination is migrating offsite?	SELECT

Please provide an interpretation of groundwater monitoring data in the interpretation box below or if you require additional space please include a groundwater/contaminated land monitoring results interpretation as an additional section in this AER

Please enter interpretation of data here

Table 1: Upgradient Groundwater monitoring results

Date of sampling	Sample location reference	Parameter/ Substance	Methodology	Monitoring frequency	Maximum Concentration++	Average Concentration+	unit	GTV's*	SELECT**	Upward trend in pollutant concentration over last 5 years of monitoring data
							SELECT			SELECT
							SELECT			SELECT

+ where average indicates arithmetic mean

++ maximum concentration indicates the maximum measured concentration from all monitoring results produced during the reporting year

Table 2: Downgradient Groundwater monitoring results

Date of sampling	Sample location reference	Parameter/ Substance	Methodology	Monitoring frequency	Maximum Concentration	Average Concentration	unit	GTV's*	SELECT**	Upward trend in yearly average pollutant concentration over last 5 years of monitoring data
							SELECT			SELECT
							SELECT			SELECT

* please note exceedance of generic assessment criteria (GAC) such as a Groundwater Threshold Value (GTV) or an Interim Guideline Value (IGV) or an upward trend in results for a substance indicates that further interpretation of monitoring results is required. In addition to completing the above table, please complete the Groundwater Monitoring Guideline Template Report at the link provided and submit separately through ALDER as a licensee return or as otherwise instructed by the EPA.

[Groundwater monitoring template](#)

More information on the use of soil and groundwater standards/ generic assessment criteria (GAC) and risk assessment tools is available in the EPA published guidance (see the link in G31)

[Guidance on the Management of Contaminated Land and Groundwater at EPA Licensed Sites \(EPA 2013\)](#)

** Depending on location of the site and proximity to other sensitive receptors alternative Receptor based Water Quality standards should be used in addition to the GTV e.g. if the site is close to surface water compare to Surface Water Environmental Quality Standards (SWEQS), if the site is close to a drinking water supply compare results to the Drinking Water Standards (DWS)

[Groundwater](#) [Drinking water](#)
[Surface regulations](#) [\(private supply\)](#) [Drinking water \(public supply\) standards](#) [Interim Guideline Values \(IGV\)](#)
[water EQS](#) [GTV's](#) [standards](#)

Table 3: Soil results

Date of sampling	Sample location reference	Parameter/ Substance	Methodology	Monitoring frequency	Maximum Concentration	Average Concentration	unit
							SELECT
							SELECT

Where additional detail is required please enter it here in 200 words or less

[Click here to access EPA guidance on Environmental Liabilities and Financial provision](#)

			Commentary
1	ELRA initial agreement status	Submitted and agreed by EPA	
2	ELRA review status		
3	Amount of Financial Provision cover required as determined by the latest ELRA	€53,575	Estimated 'Most likely scenario'
4	Financial Provision for ELRA status	Submitted and agreed by EPA	
5	Financial Provision for ELRA - amount of cover	1,000,000	
6	Financial Provision for ELRA - type	Environmental Impairment Liability insurance	
7	Financial provision for ELRA expiry date	08/09/2016	
8	Closure plan initial agreement status	Closure plan submitted and agreed by EPA	
9	Closure plan review status	Review required and completed	
10	Financial Provision for Closure status	Submitted and agreed by EPA	
11	Financial Provision for Closure - amount of cover	€141,400	€25,000 of which was added (In agreement with EPA) as the integrity of the underground pipes and sumps was not assessed. This has now been rectified.
12	Financial Provision for Closure - type	bond	
13	Financial provision for Closure expiry date	Enter expiry date	

Environmental Management Programme/Continuous Improvement Programme template	Lic No:	W0045-01	Year	2015
---	---------	----------	------	------

	Highlighted cells contain dropdown menu click to view	Additional Information
1	Do you maintain an Environmental Mangement System (EMS) for the site. If yes, please detail in additional information	Yes
2	Does the EMS reference the most significant environmental aspects and associated impacts on-site	Yes
3	Does the EMS maintain an Environmental Management Programme (EMP) as required in accordance with the licence requirements	Yes
4	Do you maintain an environmental documentation/communication system to inform the public on environmental performance of the facility, as required by the licence	Yes

Environmental Management Programme (EMP) report

Objective Category	Target	Status (% completed)	How target was progressed	Responsibility	Intermediate outcomes
Additional improvements	Continually review and assess all nuisance control procedures to ensure minimal impact on surroundings	Ongoing	Continual Mointoring	Section Head	Improved Environmental Management Practices
Additional improvements	Ensure yard is cleaned at the end of each working day	Ongoing	Continual Mointoring	Section Head	Improved Environmental Management Practices
Additional improvements	Maintain EMS documentation at the facility	Ongoing	Regular maintenance update of EMS where necessary.	Section Head	Improved Environmental Management Practices
Noise Reduction	Complete Noise Minimisation Plan	Complete	Site evaluation through daily noise assessment resulted in the generation of noise minimisation plan. Golder also carried out noise mointoring surveys	Section Head	Reduced Emissions
Shed Closure	Closer of the shed as an noise abatement measure.	Complete	Installed	Section Head	Reduced Emissions
Shed Closure	Closing the shed as an odour abatement measure.	Complete	Installed	Section Head	Reduced Emissions
Additional improvements	Complete vermin control plan	Ongoing	Orkin Pest control have regulary scheduled visits o ensure vermin do not become a problem.	Section Head	Improved Environmental Management Practices

Noise monitoring summary report Lic No: W0045-01 Year 2015

- 1 Was noise monitoring a licence requirement for the AER period?
If yes please fill in table N1 noise summary below
- 2 Was noise monitoring carried out using the EPA Guidance note, including completion of the "Checklist for noise measurement report" included in the guidance note as table 6? [Noise Guidance note NG4](#)
- 3 Does your site have a noise reduction plan
- 4 When was the noise reduction plan last updated?
- 5 Have there been changes relevant to site noise emissions (e.g. plant or operational changes) since the last noise survey?

Table N1: Noise monitoring summary

Date of monitoring	Time period	Noise location (on site)	Noise sensitive location -NSL (if applicable)	LA ₉₀	LA ₅₀	LA ₁₀	LA _{max}	Tonal or impulsive noise* (Y/N)	If tonal /impulsive noise was identified was 5dB penalty applied?	Comments (ex. main noise sources on site, & extraneous noise ex. road traffic)	Is site compliant with noise limits (day/evening/night)?
27/02/2015	13:35 (30 min)	N1	N/A	78.7	68.2	82.3	93.4	No	N/A	The dominant contributors to ambient noise levels were identified to be from off-site sources (traffic).	Yes
27/02/2015	12:26 (30 min)	N2	N/A	66.2	52.7	69.9	85.6	No	N/A	The dominant contributors to ambient noise levels were identified to be from off-site sources (traffic).	Yes
27/02/2015	11:08 (30 min)	N3	N/A	62.3	53.6	59.9	94.1	No	N/A	The dominant contributors to ambient noise levels were identified to be from off-site sources (traffic).	Yes
27/02/2015	10:32 (30 min)	N4	N/A	59.9	57.8	61.2	75.2	No	N/A	The dominant contributors to ambient noise levels were identified to be from off-site sources (traffic).	Yes
27/02/2015	09:58 (30 min)	N5	N/A	62.6	59.1	64.6	73.2	No	N/A	The dominant contributors to ambient noise levels were identified to be from off-site sources (traffic).	Yes
27/02/2015	13:01 (30 min)	N6	N/A	75.1	64.5	78.5	86.2	No	N/A	The dominant contributors to ambient noise levels were identified to be from off-site sources (traffic).	Yes
27/02/2015	11:50 (30 min)	N7	N/A	63.2	52.2	65.1	83.7	No	N/A	The dominant contributors to ambient noise levels were identified to be from off-site sources (traffic).	Yes
25/08/2015	10:31 (30 min)	N1	N/A	78	67.3	82	89.6	No	N/A	The dominant contributors to ambient noise levels were identified to be from off-site sources (traffic).	Yes
25/08/2015	11:05 (30 min)	N2	N/A	63.7	50.6	68	75.9	No	N/A	The dominant contributors to ambient noise levels were identified to be from off-site sources (traffic).	Yes
26/08/2015	11:01 (30 min)	N3	N/A	60	53.8	61.5	87.6	No	N/A	The dominant contributors to ambient noise levels were identified to be from off-site sources (traffic).	Yes
26/08/2015	09:53 (30 min)	N4	N/A	53.9	51.6	55.2	67	No	N/A	The dominant contributors to ambient noise levels were identified to be from off-site sources (traffic).	Yes
26/08/2015	10:28 (30 min)	N5	N/A	66.2	58.3	66.2	96.6	No	N/A	The dominant contributors to ambient noise levels were identified to be from off-site sources (traffic).	Yes
25/08/2015	09:58 (30 min)	N6	N/A	75.9	62.4	80	88	No	N/A	The dominant contributors to ambient noise levels were identified to be from off-site sources (traffic).	Yes
26/08/2015	09:10 (30 min)	N7	N/A	64.3	52.7	66.3	90.2	No	N/A	The dominant contributors to ambient noise levels were identified to be from off-site sources (traffic).	Yes

*Please ensure that a tonal analysis has been carried out as per guidance note NG4. These records must be maintained onsite for future inspection

If noise limits exceeded as a result of noise attributed to site activities, please choose the corrective action from the following options?

Any additional comments? (less than 200 words)

Resource Usage/Energy efficiency summary

Lic No:

W0045-01

Year

2015

Additional information

1 When did the site carry out the most recent energy efficiency audit? Please list the recommendations in table 3 below

Enter date of audit	
---------------------	--

2 Is the site a member of any accredited programmes for reducing energy usage/water conservation such as the SEAI programme linked to the right? If yes please list them in additional information

[SEAI - Large Industry Energy Network \(LIEN\)](#)

SELECT	
--------	--

3 Where Fuel Oil is used in boilers on site is the sulphur content compliant with licence conditions? Please state percentage in additional information

SELECT	
--------	--

Table R1 Energy usage on site

Energy Use	Previous year	Current year	Production +/- % compared to previous reporting year**	Energy Consumption +/- % vs overall site production*
Total Energy Used (MWHrs)				
Total Energy Generated (MWHrs)				
Total Renewable Energy Generated (MWHrs)				
Electricity Consumption (MWHrs)				
Fossil Fuels Consumption:				
Heavy Fuel Oil (m3)				
Light Fuel Oil (m3)				
Natural gas (m3)				
Coal/Solid fuel (metric tonnes)				
Peat (metric tonnes)				
Renewable Biomass				
Renewable energy generated on site				

* where consumption of energy can be compared to overall site production please enter this information as percentage increase or decrease compared to the previous reporting year.

** where site production information is available please enter percentage increase or decrease compared to previous year

Table R2 Water usage on site

Water use	Water extracted Previous year m3/yr.	Water extracted Current year m3/yr.	Production +/- % compared to previous reporting year**	Energy Consumption +/- % vs overall site production*	Water Emissions		Water Consumption	
					Volume Discharged back to environment(m ³ /yr)	Volume used i.e not discharged to environment e.g. released as steam m3/yr	Unaccounted for Water:	
Groundwater								
Surface water								
Public supply								
Recycled water								
Total								

* where consumption of water can be compared to overall site production please enter this information as percentage increase or decrease compared to the previous reporting year.

** where site production information is available please enter percentage increase or decrease compared to previous year

Table R3 Waste Stream Summary

	Total	Landfill	Incineration	Recycled	Other
Hazardous (Tonnes)					
Non-Hazardous (Tonnes)					

Table R4: Energy Audit finding recommendations

Date of audit	Recommendations	Description of Measures proposed	Origin of measures	Predicted energy savings %	Implementation date	Responsibility	Completion date	Status and comments
			SELECT					
			SELECT					
			SELECT					

Table R5: Power Generation: Where power is generated onsite (e.g. power generation facilities/food and drink industry)please complete the following information

	Unit ID	Unit ID	Unit ID	Unit ID	Station Total
Technology					
Primary Fuel					
Thermal Efficiency					
Unit Date of Commission					
Total Starts for year					
Total Running Time					
Total Electricity Generated (GWH)					
House Load (GWH)					
KWH per Litre of Process Water					
KWH per Litre of Total Water used on Site					

Complaints and Incidents summary template

Lic No: W0045-01

Year

2015

Complaints

Additional Information

Have you received any environmental complaints in the current reporting year? If yes please complete summary details of complaints received on site in table 1 below

Yes

Table 1 Complaints summary							
Date	Category	Other type (please specify)	Brief description of complaint (Free txt <20 words)	Corrective action< 20 words	Resolution status	Resolution date	Further information
25/02/2015	Noise		Noise occurring for some weeks before this - possibly from wood chipping. Started to lessen but still irritable on occasions.	Minimised use of machinery & tipping, Noise Minimisation Plan, briefing with all staff regarding noise generating activities, minimise beeping and mitigation measures.	Complete		
27/04/2015	Noise		The site causing noise nuisance in the morning times (March - mid-April 15) Waste processing taking place after mid-night on a number of occasions during this period.	Documents uploaded: Timeline for Noise Complaint. Summary Timeline for Noise Complaint. Close	Complete		
29/04/2015	Noise		Loud banging and clanging.	As per our previous correspondence, all of the same noise minimising measures are still in place. Noise Minimisation Plan is under review.	Complete		
23/05/2015	Noise		Loud noises from trucks returning, trucks being emptied and waste being processed in building #3	KeyWaste does not process waste at night. Looking into a variety of noise abatement measures, in addition to all the measures currently in place.	Complete		
23/05/2015	Odour		Smell coming from this facility (building #3). The building is open air/non enclosed.	Yard was washed down and purchased equipment that has since been used twice daily to spray the yard. Implemented EPA Note AGS for odour monitoring.	Complete		
24/05/2015	Noise		Excessive noise pollution at 11pm, trucks returning, emptying skips, trucks emptying waste	Assessed records and one truck tipped at approx. 23.50. Skip service does not operate at night. KeyWaste does not process any waste at night.	Complete		
26/05/2015	Air		Dust and dirt being thrown up into the air coming from shed #3	C&D was not loaded that day. We operate a dust suppression system on site which is operated during dry periods or during the loading of C&D waste.	Complete		
27/05/2015	Odour		An odour of "rotting waste / dirty nappies" detected at the complainant's property from 07:00 - 12:00	Purchased equipment for spraying down the yard with a specifically designed cleaner. The yard is being washed twice daily.	Complete		
27/05/2015	Air		JCB truck lifting and dropping large amounts of waste from a non-enclosed building (#3) Dust and dirt being thrown up into the air.	Dust suppression protocol put in place. Suppression system will be activated at during dry periods and when loading C&D. Vehicle hosed down during dry weather to minimise any dust arising.	Complete		
28/05/2015	Odour		High level of bird activity in the area. Odour has also being an issue.	Hawk Kite was erected. Odour abatement measures put in place.	Complete		
31/05/2015	Noise		Excessive noise from birds (scavengers ie sea gulls etc) attracted to waste in Key Waste building	Installed a hawk kite and also using a distress call sound specific to the species on site	Complete		
03/06/2015	Noise		Noises being made by KeyWaste after 10pm. Constantly over 45dB	Do not operate a skip service at night. Possible that the noise came from a vehicle crossing our weighbridge.	Complete		
03/06/2015	Air		Dust and dirt plumes in the air from a skip/truck being emptied at building #3	Timber was being at this time. Dust from this type of waste is minimal, for future loading of timber the system as a precautionary measure.	Complete		
06/06/2015	Noise		Noise from trucks/JCBs coming from building #3	Engineer on site as we are looking into closing the shed. Closing the shed will help to mitigate a variety of issues, including noise and dust.	Complete		
12/06/2015	Noise		Waste truck returning to the depot, emptying waste out the back of his truck after 10pm. Loud bangs coming from building #3.	A noise survey of our night operations on two consecutive nights and results indicate that we were operating within the conditions of our licence. Full report given to EPA for review.	Complete		
17/06/2015	Noise		Truck returning to depot at 11:30pm Loudly emptying waste.	Results from the noise monitoring survey indicate that KeyWaste is operating below 45dB at night. The 45dB limit was not exceeded during this time.	Complete		
18/06/2015	Noise		Loud crushing noises and machinery noises from the facility from 6-8.30pm	A security handrail being installed on the site adjacent to the waste site. Whilst these sites are both owned by KeyWaste, the office site is not part of the licensed site.	Complete		
18/06/2015	Noise		Excessive noise coming from recycling site. Loud banging, metal and other materials banging.	A security handrail being installed on the site adjacent to the waste site. Whilst these sites are both owned by KeyWaste, the office site is not part of the licensed site.	Complete		
19/06/2015	Noise		Noise and Communication Complaint Extremely loud noise since 8am up until 2pm, jackhammers cutting up builders rubble and clouds of white dust all over the area.	Our normal office hours are from 9:00 - 17:30 Monday to Friday and 9:00 - 13:00 Saturday	Complete		
20/06/2015	Noise		Jackhammers operating since 8am, dust all over the estate.	Noise caused by the resurfacing of the ramp in the office site which connects to the waste site.	Complete		
20/06/2015	Noise		Running Jack hammers at 7:45-8am until at least 1pm	The ramp in our office site was being resurfaced. It was also a source of dust which required spraying down several times per day so it needed to be replaced with a dust-free surface.	Complete		
20/06/2015	Air		Dust and dirt being thrown up into the air.	The ramp in our office site that connects to our waste site was being resurfaced.	Complete		
23/06/2015	Odour		Odour of rubbish/ a dump was detectable in the area.	Operations were as normal. We strictly adhere to the conditions of our licence regarding the length of time waste is kept on site.	Complete		
25/06/2015	Odour		disgusting odour emanating from facility (09.00 and 12.30)	An EPA enforcement carried out an inspection at approximately 13.30 and found KeyWaste to be compliant with odour regulations at that time.	Complete		
26/06/2015	Noise		Excessive noise crashes and metallic bangs. All taking place outdoors! No sound damping, no enclosed buildings.	Operations were as normal on the day and time. Submitted a request for approval with the EPA to proceed with closing our shed. Planted Leylandii along the rear border of office site.	Complete		
26/06/2015	Air		Dust and dirt being thrown up into the Air after numerous trucks returned and dumped waste out onto the ground. Trucks dumping waste onto ground outside of building number#3. At least 5 or 6 trucks returning in succession.	Trucks only tip waste in the designated areas within our sheds. Closure of our sheds as soon as possible.	Complete		
01/07/2015	Noise		Excessive noise.	There was no abnormal activity on site on that day. Normal site activities include the tipping of waste in our sheds and then loading waste for removal to another site.	Complete		
02/07/2015	Waste		Waste pile build up. Rotting.	The only waste pile that is visible to the complainant is our inert C&D waste. The nature of this waste type means that it does not rot.	Complete		
03/07/2015	Noise		Dumping waste, Loud metallic bangs and crashes, No sound damping, no door or shutter on building #3.	Waste has only ever been tipped in the designated areas. Site operating as normal. Our dust suppression system was active many times during the day on that date.	Complete		
03/07/2015	Air		Numerous trucks returning to depot dumping waste one by one onto the floor outside of an UNENCLOSED building.	Site was operating as normal. Waste is never tipped outside of our sheds. We operate a dust suppression system both when waste is being tipped in our shed and when waste is being loaded for removal from site.	Complete		
10/07/2015	Air		Dust being thrown up into the air outside of Building number #3.	No unusual activity on site at this time. Dust suppression sprinkler system activated. We also spray down the main routes on site.	Complete		

Complaints and Incidents summary template Lic No: W0045-01 Year: 2015

10/07/2015	Noise		Excessive noise caused by Keywaste at 2:30pm and still going at 3pm.	Waste is tipped in the sheds during the day and waste is also removed regularly in order to maintain compliance with our licence. Waiting on approval to close the shed.	Complete		
10/07/2015	Waste		Waste building up higher and higher in building number #3.	This waste is our inert C&D. The nature of this waste means it does not rot. All waste is removed from site in a timely manner, in compliance with our licence conditions.	Complete		
10/07/2015	Noise		Noise caused by waste hitting the ground and smashing and crashing together.	There was no abnormal activity on site on the day. Normal site activities include the tipping of waste in our sheds and then loading waste for removal. Our plan is to enclose our shed.	Complete		
15/07/2015	Noise		Staff at keywaste driving and revving JCB at 6am. Noise is extremely loud Crashing of metal waste and rubble being smashed.	No machinery was in operation at that time. The building in question contains C&D waste, will all waste and waste operations taking place within.	Complete		
15/07/2015	Noise		Staff a keywaste driving and revving JCB at 7am. Crashing of metal waste and rubble being smashed in/out building/shed #3	No machinery was in operation at that time. The building in question contains C&D waste, will all waste and waste operations taking place within.	Complete		
15/07/2015	Noise		Crashing of metal waste and rubble being smashed in/out building/shed #3, JCB collecting waste and dropping it from a height into a 40ftplus long truck.	No waste activities take place outside of our shed. Our Manitou primarily operates to load waste into trucks for removal. The trucks park within the shed as the Manitou loads.	Complete		
15/07/2015	Noise		Crashing of metal waste and rubble being smashed in/out building/shed #3. Trucks returning and causing excessive noise emptying waste in building number 3	There was no unusual activity on site at the time. Any waste activities take place within the confines of our shed. In the preliminary stages of closing our shed.	Complete		
15/07/2015	Noise		Crashing of metal waste and rubble being smashed in/out building/shed #3. All taking place outdoors. Can be heard echoing around the neighbourhood from 7am most mornings	None of our waste activity takes place outdoors. We do not operate any of our site machinery at that time. Trucks do not leave base until 06.30-06.45	Complete		
15/07/2015	Noise		Crashing of metal waste and rubble being smashed in/out building/shed #3.	one of our waste activity takes place outdoors. We do not operate any of our site machinery at that time. Trucks do not leave base until 06.30-06.45	Complete		
15/07/2015	Noise		JCB's causing excessive noise collecting and dropping loud waste on the ground outside in open area (Building 3)	None of our waste activity takes place outdoors. Our drivers are regularly briefed in relation to noise generating activities, and avoid reversing where possible in the mornings.	Complete		
15/07/2015	Air		Dust and dirt being thrown up into the air at 3pm due to C&D waste being processed outdoors.	Bulky waste was being tipped in shed 3. However, the dust suppression sprinkler system was active as per protocol. Any dust leaving the building is sprayed down. It is also possible that the complainant saw the mist from the sprinklers.	Complete		
15/07/2015	Noise		Crashing of metal waste and rubble being smashed in/out building/shed #3.	The day shift at KeyWaste finishes between 16.00 and 17.30 depending on a number of factors including traffic levels. The vast majority of our fleet do not collect C&D waste.	Complete		
15/07/2015	Noise		Excessive noise caused by JCB, loud engines revving, picking up and dropping of waste from a height.	Our Manitou does not drop waste from a height onto the ground. It does however drop waste into trucks for removal. This is all completed within the confines of the shed.	Complete		
16/07/2015	Noise		JCB driver making excessive noise at 5:45am	The first activity on site that morning was the fleet leaving base between 6.30 and 6.45. No waste activity takes place outdoors at KeyWaste, everything is confined within our sheds.	Complete		
16/07/2015	Air		JCB driver making excessive noise between 5:45am-6:30am collecting and smashing waste inside and outside of building 3.	Morning shift leaves between 6.30-6.45. The drivers adhere to the 5km/hr speed limit on site, avoid reversing where possible, and avoid unnecessary beeping. Recent set of monitoring data for dust (analysed by an independent party) indicates that we are compliant	Complete		
16/07/2015	Noise		Excessive noise between 8 & 8:30am Trucks collecting and dropping off waste, JCB smashing waste inside and outside of building 3	Site activity was as normal. KeyWaste are compliant with all environmental testing. This includes both noise and dust which have been measured during this time period. Plans are in place to close of shed 3	Complete		
16/07/2015	Noise		Excessive noise being caused by large metal skips being collected and dropped onto trucks.	When we know in advance, we do our best to load skips onto trucks at the end of the day to minimise noise creation in the morning, however this is not always feasible.	Complete		
20/08/2015	Odour		Air, Noise and Odour, 24hrs a day, 7 days a week.	Construction work to close our waste shed has begun. This closure will minimise noise, odour and dust generated from activities on site. Dust monitoring for Q2 was within limits (submitted to EPA). We have been inspected for odour several times and have been deemed to be compliant on each occasion.	Complete		
08/12/2015	Odour		A foul odour was detectable this morning at the complainants residence located on Greenhills Road	An odour assessment was carried out by KeyWaste straight after complaint was received. Found to be complaint	Complete		

Total complaints open at start of reporting year	0
Total new complaints received during reporting year	51
Total complaints closed during reporting year	51
Balance of complaints end of reporting year	0

Incidents		Additional information
Have any incidents occurred on site in the current reporting year? Please list all incidents for current reporting year in Table 2 below		Yes

*For information on how to report and what constitutes an incident [What is an incident](#)

Table 2 Incidents summary

Date of occurrence	Incident nature	Location of occurrence	Incident category* please refer to guidance	Receptor	Cause of incident	Other cause(please specify)	Activity in progress at time of incident	Communication	Occurrence	Corrective action<20 words	Preventative action <20 words	Resolution status	Resolution date	Likelihood of reoccurrence
--------------------	-----------------	------------------------	---	----------	-------------------	-----------------------------	--	---------------	------------	----------------------------	-------------------------------	-------------------	-----------------	----------------------------

WASTE SUMMARY	Lic No:	W0045-01	Year	2015
SECTION A-PRTR ON SITE WASTE TREATMENT AND WASTE TRANSFERS TAB- TO BE COMPLETED BY ALL IPPC AND WASTE FACILITIES		PRTR Facility Name:	dropdown list click to see options	

SECTION B- WASTE ACCEPTED ONTO SITE-TO BE COMPLETED BY ALL IPPC AND WASTE FACILITIES

Were any wastes accepted onto your site for recovery or disposal or treatment prior to recovery or disposal within the boundaries of your facility?; (waste generated within your boundaries is to be captured through PRTR reporting)

1 If yes please enter details in table 1 below

2 Did your site have any rejected consignments of waste in the current reporting year? If yes please give a brief explanation in the additional information

3 Was waste accepted onto your site that was generated outside the Republic of Ireland? If yes please state the quantity in tonnes in additional information

Table 1 Details of waste accepted onto your site for recovery, disposal or treatment (do not include wastes generated at your site, as these will have been reported in your PRTR workbook)

Licensed annual tonnage limit for your site (total tonnes/annum)	EWC code	Source of waste accepted	Description of waste accepted Please enter an accurate and detailed description - which applies to relevant EWC code	Quantity of waste accepted in current reporting year (tonnes)	Quantity of waste accepted in previous reporting year (tonnes)	Reduction/ Increase over previous year +/- %	Reason for reduction/ increase from previous reporting year	Packaging Content (%) - only applies if the waste has a packaging component	Disposal/Recovery or treatment operation carried out at your site and the description of this operation	Quantity of waste remaining on site at the end of reporting year (tonnes)	Comments -
	European Waste Catalogue EWC codes		European Waste Catalogue EWC codes								
300000	15 01 01	15- WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED	Paper and Cardboard packaging	831.25	108.8	640%	Licence was activated on the 7th Nov 2014.	N/A	R12-Exchange of waste for submission to any of the operations numbered R1 to R11 (if there is no other R code appropriate, this can include preliminary operations prior to recovery including pre-processing such as amongst others, dismantling, sorting, crushing, compacting, pelleting, drying, shredding, conditioning, repackaging, separating, blending or mixing prior to submission to any of the operations numbered R1 to R11)	0	Waste Transfer Station
300000	15 01 02	15- WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED	Plastic packaging	9.92	1.8	450%	Licence was activated on the 7th Nov 2014.	N/A	R12-Exchange of waste for submission to any of the operations numbered R1 to R11 (if there is no other R code appropriate, this can include preliminary operations prior to recovery including pre-processing such as amongst others, dismantling, sorting, crushing, compacting, pelleting, drying, shredding, conditioning, repackaging, separating, blending or mixing prior to submission to any of the operations numbered R1 to R11)	0	Waste Transfer Station
300000	15 01 03	15- WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED	Wooden packaging	1099.27	76.5	1337%	Licence was activated on the 7th Nov 2014.	N/A	R12-Exchange of waste for submission to any of the operations numbered R1 to R11 (if there is no other R code appropriate, this can include preliminary operations prior to recovery including pre-processing such as amongst others, dismantling, sorting, crushing, compacting, pelleting, drying, shredding, conditioning, repackaging, separating, blending or mixing prior to submission to any of the operations numbered R1 to R11)	0	Waste Transfer Station
300000	15 01 06	15- WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED	Mixed packaging	-	26.1	0%	Licence was activated on the 7th Nov 2014.	N/A		0	Waste Transfer Station
300000	17 02 07	17- CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)	Mixture of concrete,bricks, tiles and ceramics other than those mentioned in 17 01 06	-	14.5	0%	Licence was activated on the 7th Nov 2014.	N/A		0	Waste Transfer Station
300000	17 09 04	17- CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)	Other C&D Wastes	17.12	334.5	-95%	Licence was activated on the 7th Nov 2014.	N/A		0	Waste Transfer Station
300000	19 12 02	19- WASTES FROM WASTE MANAGEMENT FACILITIES, OFF-SITE WASTE WATER TREATMENT PLANTS AND THE PREPARATION OF WATER INTENDED FOR HUMAN CONSUMPTION AND WATER FOR INDUSTRIAL USE	Ferrous Metal	1.74	9.94	-82%	Licence was activated on the 7th Nov 2014.	N/A	the operations numbered R1 to R11 (if there is no other R code appropriate, this can include preliminary operations prior to recovery including pre-processing such as amongst others, dismantling, sorting, crushing, compacting, pelleting, drying, shredding, conditioning, repackaging, separating, blending	0	Waste Transfer Station

Additional Information

No

No

No

WASTE SUMMARY	Lic No:	W0045-01	Year	2015
----------------------	---------	----------	------	------

Table 4 Environmental monitoring-landfill only [Landfill Manual-Monitoring Standards](#)

Was meteorological monitoring in compliance with Landfill Directive (LD) standard in reporting year +	Was leachate monitored in compliance with LD standard in reporting year	Was Landfill Gas monitored in compliance with LD standard in reporting year	Was SW monitored in compliance with LD standard in reporting year	Have GW trigger levels been established	Were emission limit values agreed with the Agency (ELVs)	Was topography of the site surveyed in reporting year	Has the statement under SS3(A)(5) of WMA been submitted in reporting year	Comments
---	---	---	---	---	--	---	---	----------

-> please refer to Landfill Manual linked above for relevant Landfill Directive monitoring standards

Table 5 Capping-Landfill only

Area uncapped*	Area with temporary cap			Area with waste that should be permanently capped to date under licence	What materials are used in the cap	Comments
SELECT UNIT	SELECT UNIT	Area with final cap to LD Standard m2 ha, a	Area capped other			

*please note this includes daily cover area

Table 6 Leachate-Landfill only

9 Is leachate from your site treated in a Waste Water Treatment Plant?

SELECT

10 Is leachate released to surface water? If yes please complete leachate mass load information below

SELECT

Volume of leachate in reporting year(m3)	Leachate (BOD) mass load (kg/annum)	Leachate (COD) mass load (kg/annum)	Leachate (NH4) mass load (kg/annum)	Leachate (Chloride) mass load kg/annum	Leachate treatment on-site	Specify type of leachate treatment	Comments
--	-------------------------------------	-------------------------------------	-------------------------------------	--	----------------------------	------------------------------------	----------

Please ensure that all information reported in the landfill gas section is consistent with the Landfill Gas Survey submitted in conjunction with PRTR returns

Table 7 Landfill Gas-Landfill only

Gas Captured&Treated by LFG-System m3	Power generated (MW / KWh)	Used on-site or to national grid	Was surface emissions monitoring performed during the reporting year?	Comments
			SELECT	



[Guidance to completing the PRTR workbook](#)

PRTR Returns Work

Version 1.1.1B

REFERENCE YEAR	2015
-----------------------	------

1. FACILITY IDENTIFICATION

Parent Company Name	Key Waste Management Limited
Facility Name	Key Waste Management Limited
PRTR Identification Number	W0045
Licence Number	W0045-01

Classes of Activity

No.	class_name
-	Refer to PRTR class activities below

Address 1	Greenview
Address 2	Greenhills Rd.
Address 3	Walkinstown
Address 4	Dublin 12
	Dublin
Country	Ireland
Coordinates of Location	-6.34124 53.3129
River Basin District	IEEA
NACE Code	3821
Main Economic Activity	Treatment and disposal of non-hazardous waste
AER Returns Contact Name	Brona Dunne
AER Returns Contact Email Address	brona.dunne@keywaste.ie
AER Returns Contact Position	Compliance Co-ordinator
AER Returns Contact Telephone Number	(01) 429 9846
AER Returns Contact Mobile Phone Number	0860736810
AER Returns Contact Fax Number	N/a
Production Volume	0.0
Production Volume Units	
Number of Installations	0
Number of Operating Hours in Year	0
Number of Employees	55
User Feedback/Comments	Dust levels were up on last year. This was because our licence only became activated on the 7th November 2014. Wastewater or Sewer: Licence only became activated on 7th Nov 2014.
Web Address	www.keywaste.ie

2. PRTR CLASS ACTIVITIES

Activity Number	Activity Name
5(c)	Installations for the disposal of non-hazardous
5(c)	Installations for the disposal of non-hazardous
50.1	General

3. SOLVENTS REGULATIONS (S.I. No. 543 of 2002)

Is it applicable?	No
Have you been granted an exemption ?	
If applicable which activity class applies (as per Schedule 2 of the regulations) ?	
Is the reduction scheme compliance route being used ?	

4. WASTE IMPORTED/ACCEPTED ONTO SITE [Guidance on waste imported/accepted onto site](#)

Do you import/accept waste onto your site for on-site treatment (either recovery or disposal activities) ?	Yes
--	-----

This question is only applicable if you are an IPPC or Quarry site

SECTION A : SECTOR SPECIFIC PRTR POLLUTANTS

RELEASERS TO AIR		METHOD			Please enter all quantities in this section in KGs			
POLLUTANT		Method Used			QUANTITY			
No. Annex II	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
					0.0	0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION B : REMAINING PRTR POLLUTANTS

RELEASERS TO AIR		METHOD			Please enter all quantities in this section in KGs			
POLLUTANT		Method Used			QUANTITY			
No. Annex II	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
					0.0	0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION C : REMAINING POLLUTANT EMISSIONS (As required in your Licence)

RELEASERS TO AIR		METHOD			Please enter all quantities in this section in KGs					
POLLUTANT		Method Used			QUANTITY					
Pollutant No.	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	Emission Point 2	Emission Point 3	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
210	Dust	M	ALT	Bergerhoff Method	0.000164	0.00013	0.000113	0.000407	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

Additional Data Requested from Landfill operators

For the purposes of the National Inventory on Greenhouse Gases, landfill operators are requested to provide summary data on landfill gas (Methane) flared or utilised on their facilities to accompany the figures for total methane generated. Operators should only report their Net methane (CH4) emission to the environment under T(total) KG/yr for Section A: Sector specific PRTR pollutants above. Please complete the table below:

Landfill: [Key Waste Management Limited](#)

Please enter summary data on the quantities of methane flared and / or utilised

	T (Total) kg/Year	M/C/E	Method Used		Facility Total Capacity m3 per hour
			Method Code	Designation or Description	
Total estimated methane generation (as per site model)	0.0				N/A
Methane flared	0.0				0.0 (Total Flaring Capacity)
Methane utilised in engine/s	0.0				0.0 (Total Utilising Capacity)
Net methane emission (as reported in Section A above)	0.0				N/A

4.2 RELEASES TO WATERS

[Link to previous years emissions data](#)

| PRTR# : W0045 | Facility Name : Key Waste Management Limited | Filename : AER summary amd PRTR 2015.xls | Return Year : 2015 |

13/07/2016 11:04

SECTION A : SECTOR SPECIFIC PRTR POLLUTANTS

Data on ambient monitoring of storm/surface water or groundwater, conducted as part of your licence requirements, should NOT be submitted under AER / PRTR Reporting as this only concerns Releases from your facility

RELEASES TO WATERS					Please enter all quantities in this section in KGs			
POLLUTANT		Method Used			QUANTITY			
No. Annex II	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
					0.0	0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION B : REMAINING PRTR POLLUTANTS

RELEASES TO WATERS					Please enter all quantities in this section in KGs			
POLLUTANT		Method Used			QUANTITY			
No. Annex II	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
					0.0	0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION C : REMAINING POLLUTANT EMISSIONS (as required in your Licence)

RELEASES TO WATERS					Please enter all quantities in this section in KGs			
POLLUTANT		Method Used			QUANTITY			
Pollutant No.	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
					0.0	0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION A : PRTR POLLUTANTS

OFFSITE TRANSFER OF POLLUTANTS DESTINED FOR WASTE-WATER TREATMENT OR SEWER					Please enter all quantities in this section in KGs			
POLLUTANT		METHOD			QUANTITY			
No. Annex II	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
					0.0	0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION B : REMAINING POLLUTANT EMISSIONS (as required in your Licence)

OFFSITE TRANSFER OF POLLUTANTS DESTINED FOR WASTE-WATER TREATMENT OR SEWER					Please enter all quantities in this section in KGs			
POLLUTANT		METHOD			QUANTITY			
Pollutant No.	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
303	BOD	M	ALT	5 Day BOD Test	0.001293	0.001293	0.0	0.0
306	COD	M	OTH	Blue Book Series	0.001778	0.001778	0.0	0.0
238	Ammonia (as N)	M	OTH	Blue Book Series	0.00002423	0.00002423	0.0	0.0
240	Suspended Solids	M	OTH	Blue Book Series	0.000183	0.000183	0.0	0.0
343	Sulphate	M	OTH	Blue Book Series	0.000109	0.000109	0.0	0.0
308	Detergents (as MBAS)	M	OTH	Blue Book Series	0.00000272	0.00000272	0.0	0.0
314	Fats, Oils and Greases	M	OTH	Blue Book Series	0.00001149	0.00001149	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

4.4 RELEASES TO LAND

[Link to previous years emissions data](#)

| PRTR# : W0045 | Facility Name : Key Waste Management Limited | Filename : AER summary amd PRTR 2015.xls | Return Year : 2015 |

13/07/2016 11:04

SECTION A : PRTR POLLUTANTS

POLLUTANT		RELEASURES TO LAND			Please enter all quantities in this section in KGs		
POLLUTANT		METHOD			QUANTITY		
		Method Used					
No. Annex II	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year
					0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION B : REMAINING POLLUTANT EMISSIONS (as required in your Licence)

POLLUTANT		RELEASURES TO LAND			Please enter all quantities in this section in KGs		
POLLUTANT		METHOD			QUANTITY		
		Method Used					
Pollutant No.	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year
					0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

5. ONSITE TREATMENT & OFFSITE TRANSFERS OF WASTE

| PRTR#: W0045 | Facility Name : Key Waste Management Limited | Filename : AER summary amd PRTR 2015.xls | Return Year : 2015 |

13/07/2016 11:04

Please enter all quantities on this sheet in Tonnes

0

Transfer Destination	European Waste Code	Hazardous	Quantity (Tonnes per Year)	Description of Waste	Waste Treatment Operation	Method Used		Location of Treatment	Haz Waste : Name and Licence/Permit No of Next Destination Facility Non-Haz Waste: Name and Licence/Permit No of Recover/Disposer	Haz Waste : Address of Next Destination Facility Non-Haz Waste: Address of Recover/Disposer	Name and License / Permit No. and Address of Final Recoverer / Disposer (HAZARDOUS WASTE ONLY)	Actual Address of Final Destination i.e. Final Recovery / Disposal Site (HAZARDOUS WASTE ONLY)
						M/C/E	Method Used					
Within the Country	15 01 01	No	831.25	paper and cardboard packaging	R12	M	Weighed	Offsite in Ireland	Thorntons Recycling ,WFP-DC-10-0021-01	Henry Road,Unit 51,Park West Business Park,Dublin 12,Ireland		
Within the Country	15 01 03	No	1099.27	wooden packaging mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03	R12	M	Weighed	Offsite in Ireland	Starrus Eco Holdings Ltd (Fassaroe),W0053-03	Bray Depot ,La vallee House Fassaroe ,Bray ,Co. Wicklow ,Ireland		
Within the Country	17 09 04	No	17.12	09 02 and 17 09 03	R12	M	Weighed	Offsite in Ireland	Callan Recycling Ltd,WFP-KE-09-0355-01	Drennanstown,,Rathangan, County Kildare,Ireland		
Within the Country	19 12 02	No	1.74	ferrous metal	R12	M	Weighed	Offsite in Ireland	Multimetals Recycling Ltd,WFP-WW-09-0014-01	Murrough Industrial Estate,,Bollanney,Wicklow,Ireland		
Within the Country	19 12 07	No	2.38	wood other than that mentioned in 19 12 06	R12	M	Weighed	Offsite in Ireland	Clonmel Waste Disposal,WFP-TS-11-0001-01	,,Lawlesstown,County Tipperary,Ireland		
Within the Country	20 01 08	No	2419.29	biodegradable kitchen and canteen waste	R12	M	Weighed	Offsite in Ireland	Granville Ecopark Ltd,P0413/12A	Granville Industrial Estate,,Dungannon,Co. Tyrone,Ireland		
Within the Country	20 01 99	No	608.045	other fractions not otherwise specified	R12	M	Weighed	Offsite in Ireland	Irish Packaging Recycling Ltd,W0263-01	Ballymount Road,Irish Packaging Recycling Ltd,Walkinstown,D12,Ireland		
Within the Country	20 01 99	No	608.045	other fractions not otherwise specified	R12	M	Weighed	Offsite in Ireland	Thorntons Waste Disposal Ltd,W0044-02	Road,,Ballyfermot,Dublin 10,Ireland		
Within the Country	20 03 01	No	6146.13	mixed municipal waste	D10	M	Weighed	Offsite in Ireland	Callan Recycling Ltd,WFP-KE-09-0355-01	Drennanstown,,Rathangan, County Kildare,Ireland		
Within the Country	20 03 01	No	2390.15	mixed municipal waste	D10	M	Weighed	Offsite in Ireland	Oxigen Environmental Ltd,W0152-03	Robinhood Road,Robinhood Industrial Estate,Ballymount,Dublin 22,Ireland		
Within the Country	20 03 07	No	7787.17	bulky waste	D12	M	Weighed	Offsite in Ireland	Bord Na Móna,W0201-02	Drehid Waste Management Facility,Main Street ,Newbridge,Co. Kildare,Ireland		
Within the Country	15 01 02	No	9.92	plastic packaging	D12	M	Weighed	Offsite in Ireland	Leinster Environmental ,WP2008/06	16,Francis Street ,Dundalk ,Co. Louth ,Ireland		

* Select a row by double-clicking the Description of Waste then click the delete button

[Link to previous years waste data](#)

[Link to previous years waste summary data & percentage change](#)

[Link to Waste Guidance](#)