

Licence Alteration Request

Alteration Details	
Licence	W0192-03 Rilta Environmental Limited
Licensee	Rilta Environmental Limited
Title of Alteration	Technical Amendment

Screening Report

No.	Question	Answer
1	Does the proposed alteration require a new class of activity or process?	No
2	Does the proposed alteration cause a new / additional main emission point?	No
3	Does the proposed alteration increase or change specified emissions significantly ?	No
4	Does the proposed alteration increase significantly the overall total emission from the installation/facility?	No
5	Does the proposed alteration involve development or proposed development that has already been granted planning permission or requires a grant of planning permission and was/is subject to EIA by the Planning Authority or An Bord Pleanála?	No
6	Did the proposed alteration require the preparation of a Natura Impact Statement (NIS) for consideration by any Planning or Public Authority?	No
7	Does the proposed alteration indicate that the EPA should conduct an Appropriate Assessment (on foot of a screening for Appropriate Assessment)?	No
8	Does the proposed change conflict with BAT as set out in the relevant BAT Conclusions? See here	No
9	Does the proposed alteration adversely affect the energy efficiency of the installation/facility?	No
10	Does the proposed alteration adversely affect the environmental risk of the installation/facility significantly ?	No

Licence Alteration Request

11	Does the proposed alteration cause an increase above the capacity limitations specified in the licence?	No
12	Does the proposed alteration require an extension of operating hours (where controlled by the licence) for an installation/facility where the public is likely to have an interest in such an extension?	No
13	Does the proposed alteration involve the incineration or co-incineration of waste materials displaying hazardous properties that were not previously authorised (as per the WID/IED)?	No
14	Does the proposed alteration introduce materials or techniques which adversely alter the probability, magnitude and duration or complexity of the site transboundary impact?	No
15	Does the proposed alteration constitute a substantial change?	No
16	Does the proposed alteration require a change to a condition or schedule of the Licence?	Yes

Recommendation

Based on your responses to the forgoing questions the recommended option is for you to submit a 'Request Licence Amendment' for this proposed alteration.

To submit this request to the EPA you should locate it in the 'Request Alteration' area in LMA. Click on 'Proceed' against this saved request, and then click on the 'Request Licence Amendment' button (in STEP 2 of the process). Then you will be required to provide more detailed information about your proposed amendment.

Note: The responses you have provided in this Screening Report will form part of the information record if you decide to proceed with this alteration request.

Recommendation Date: 28/10/2016

Licence Alteration Request



Clerical or Technical Amendment Application Details

Proposed Alteration Description

We have proposed 3 changes:

1. Change to Condition 6 - add Condition 6.26 - for the control of ash waste residues. This new Condition 6 is intended to provide adequate operational measures to ensure protection of the environment;
2. Change Schedule A2 – A waste type compatible with the facility has been added, namely ash waste residues; and
3. Change to Schedule C – add Table C.10 - Additional air monitoring to establish air quality in the waste transfer building.

Priority	3. Urgent
Category of Amendment	(b) Facilitating the doing of any thing pursuant to a condition attached to the licence where the doing of that thing may reasonably be regarded as having been contemplated by the terms of the condition or the terms of the licence taken as a whole but which was not expressly provided for in the condition

Licence Condition Changes

Condition / Schedule Reference	Current Condition / Schedule Wording	Suggested New Wording
Condition 6	Condition 6 Control and Monitoring	See Attachment 2 of this submission
Schedule A	Schedule A2 Waste Acceptance	See Attachment 2 of this submission
Schedule C	Schedule C Control and Monitoring	See Attachment 2 of this submission

Questions

Q1	Is planning permission required to support the proposed alteration?	No
Q2	Does the application involve an installation boundary change?	No
Q3	Does the application involve changes to emissions to sewer?	No
Q4	Attach Appropriate Assessment Screening Report here	Attachment 4 AA Screening RILTA W0192-03 FINAL.pdf

Additional Documentation

Attachment 1 Detailed Report on Changes to W0192-03 (Bagging Only).pdf
Attachment 1 Detailed Report on Changes to W0192-03 (Bagging Only)_1.pdf
Attachment 2 TA Changes to W0192-03.pdf
Attachment 2 TA Changes to W0192-03_1.pdf
Attachment 3 EIS Review for TA changes to W0192-03 (Bagging only).pdf
Attachment 3 EIS Review for TA changes to W0192-03 (Bagging only)_1.pdf
Attachment 4 AA Screening RILTA W0192-03 (Bagging Only).pdf
Attachment 4 AA Screening RILTA W0192-03 (Bagging Only)_1.pdf

Licence Alteration Request



RILTA TA Submission_Cover Letter W0192-03 (Bagging Only).pdf

RILTA TA Submission_Cover Letter W0192-03 (Bagging Only)_1.pdf

ScreeningReport.pdf

Final Declaration

Name

Conor Wall

Position

Head of EHSS Clearcircle (includes RILTA Environmental Ltd.)

Application Details

Selected by:

Colm Hussey

Selected date:

28/10/2016

Submitted by:

Colm Hussey

Submitted date:

28/10/2016

*For inspection purposes only.
Consent of copyright owner required for any other use.*