

Mr. Derek Luby,
Technical Director,
SLR Consulting Ireland,
7 Dundrum Business Park,
Windy Arbour,
Dundrum,
Dublin 14.

Headquarters, PO Box 3000
Johnstown Castle Estate
County Wexford, Ireland

Ceanncheathrú, Bosca Poist 3000
Eastát Chaisleán Bhaile Sheáin
Contae Loch Garman, Éire

T: +353 53 9160600

F: +353 53 9160699

E: info@epa.ie

W: www.epa.ie

LoCall: 1890 33 55 99

20th January 2017

Reg. No. W0277-02

re: Notice in accordance with Article 14(2)(b)(ii) of the Waste Management (Licensing) Regulations

Dear Mr. Luby,

I am to refer to the above referenced application for a waste licence relating to a facility at Huntstown Quarry, Huntstown, Kilshane and Johnstown Townlands, Finglas, Dublin 11. Having examined the documentation submitted, I am to advise that the Agency is of the view that the documentation does not comply with Article 12 of the Waste Management (Licensing) Regulations.

You are therefore requested, in accordance with Article 14(2)(b)(ii) of the regulations, to take the steps and supply the information detailed below:

ARTICLE 12 COMPLIANCE REQUIREMENTS

1. Schedule C.1.2 of the licence Reg. No. W0277-01 requires weekly monitoring of temperature, pH, BOD, suspended solids, ammonia and orthophosphate in the discharge W4. Please provide all available monitoring results at W4.
2. It is apparent from GIS plotting that GW04 will be outside the proposed revised facility boundary. Please clarify. If outside, please state the arrangements to access the monitoring point for sampling.

Your reply to this notice should include a revised non-technical summary (Application Form and EIS) which reflects the information you supply in compliance with the notice, insofar as that information impinges on the non-technical summary.

In the case where any drawings already submitted are subject to revision consequent on this request, a revised drawing should be prepared in each case. It is not sufficient to

annotate the original drawing with a textual correction. Where such revised drawings are submitted, provide a list of drawing titles, drawing numbers and revision status, which correlates the revised drawings with the superseded versions.

Please supply the information in the form of a one (1) original plus one (1) copy in hardcopy format within four weeks of the date of this notice. In addition submit two (2) copies of the requested information to the Agency in electronic searchable PDF format on CD-ROM. Please note that all maps/drawings should not exceed A3 in size.

Please note that the application's register number is **W0277-02**. Please direct all correspondence in relation to this matter to *Administration, Environmental Licensing Programme, Office of Environmental Sustainability, Environmental Protection Agency, Headquarters, PO Box 3000, Johnstown Castle Estate, County Wexford* quoting the register number.

Yours sincerely,



Ewa Babiarczyk
Inspector
Environmental Licensing Programme
Office of Environmental Sustainability