

Facility Information Summary

AER Reporting Year	2016
Licence Register Number	W0049-02
Name of site	Clonbullogue Ash Repository
Site Location	Cloncreen Clonbullogue Co Offaly
NACE Code	3821
Class/Classes of Activity	3.1
National Grid Reference (6E, 6 N)	259444, 225189

A description of the activities/processes at the site for the reporting year. This should include information such as production increases or decreases on site, any infrastructural changes, environmental performance which was measured during the reporting year **and an overview of compliance with your licence** listing all exceedances of licence limits (where applicable) and what they relate to e.g. air, water, noise.

The facility is licensed to accept 70,000 tonnes per annum of bottom and fly ash generated from the combustion of Peat/Biomass/MBM at Edenderry Power Ltd. In the reporting year a total of 30,555 tonnes of ash was delivered and placed in the site. This was made up of 1,765 tonnes of bottom ash and 28,790 tonnes of fly ash. There were no complaints during the reporting period. In relation to site monitoring and laboratory analysis, all results were fully compliant. Cell 3A was successfully capped as per the submitted SEW with the new improved capping system. It is hoped to cap Cell 4 during 2017 using the same system as agreed with the Agency. The leachate management works as submitted were 90% complete at the end of the reporting period and seem to be working well. Future cell development was ongoing during the reporting period with Cell 5 coming near completion, this involved forming the embankments around the perimeter and shaping the floor area to direct the leachate to the collection sump. It is envisaged that this cell will be lined during 2017 to receive ash. A new bunded lock up was purchased to maintain oil barrels on site in an environmentally safe manner.

Declaration:

All the data and information presented in this report has been checked and certified as being accurate. The quality of the information is assured to meet licence requirements.

<i>S. Mullally</i>	10-2-17
Signature Group/Facility manager (or nominated, suitably qualified and experienced deputy)	Date

AIR-summary template Lic No: 49-02 Year 2016

Answer all questions and complete all tables where relevant

1 Does your site have licensed air emissions? If yes please complete table A1 and A2 below for the current reporting year and answer further questions. If **you do not have** licenced emissions and **do not complete a solvent management plan** (table A4 and A5) you do not need to complete the tables

Additional information	
No	Fugitive Dust Monitoring. Results entered in Table A2 as instructed by the Agency

Periodic/Non-Continuous Monitoring

2 Are there any results in breach of licence requirements? If yes please provide brief details in the comment section of TableA1 below

No	
----	--

3 Was all monitoring carried out in accordance with EPA guidance note AG2 and using the basic air monitoring checklist? [Basic air monitoring checklist](#) [AGN2](#)

Yes	
-----	--

Table A1: Licensed Mass Emissions/Ambient data-periodic monitoring (non-continuous)

Emission reference no:	Parameter/ Substance	Frequency of Monitoring	ELV in licence or any revision thereof	Licence Compliance criteria	Measured value	Unit of measurement	Compliant with licence limit	Method of analysis	Annual mass load (kg)	Comments - reason for change in % mass load from previous year if applicable
	SELECT			SELECT		SELECT	SELECT	SELECT		
	SELECT			SELECT		SELECT	SELECT	SELECT		
	SELECT			SELECT		SELECT	SELECT	SELECT		

Note 1: Volumetric flow shall be included as a reportable parameter

AIR-summary template	Lic No: 49-02	Year	2016
Continuous Monitoring			

<p>4 Does your site carry out continuous air emissions monitoring? If yes please review your continuous monitoring data and report the required fields below in Table A2 and compare it to its relevant Emission Limit Value (ELV)</p>	No	
<p>5 Did continuous monitoring equipment experience downtime? If yes please record downtime in table A2 below</p>	No	
<p>6 Do you have a proactive service agreement for each piece of continuous monitoring equipment?</p>	No	
<p>7 Did your site experience any abatement system bypasses? If yes please detail them in table A3 below</p>	No	

Table A2: Summary of average emissions -continuous monitoring

Emission reference no:	Parameter/ Substance	ELV in licence or any revision thereof	Averaging Period	Compliance Criteria	Units of measurement	Annual Emission	Annual maximum	Monitoring Equipment downtime (hours)	Number of ELV exceedences in current reporting year	Comments
DM-01	Total Particulates	350 mg/m2/day	140	Daily average < ELV	mg/m2/day	542	200	0	0	
DM-02	Total Particulates	350 mg/m2/day	140	Daily average < ELV	mg/m2/day	439	215	0	0	
DM-03	Total Particulates	350 mg/m2/day	140	Daily average < ELV	mg/m2/day	673	258	0	0	
DM-04	Total Particulates	350 mg/m2/day	140	Daily average < ELV	mg/m2/day	512	267	0	0	
	SELECT				SELECT					

note 1: Volumetric flow shall be included as a reportable parameter.

Table A3: Abatement system bypass reporting table [Bypass protocol](#)

Date*	Duration** (hours)	Location	Reason for bypass	Impact magnitude	Corrective action

* this should include all dates that an abatement system bypass occurred

** an accurate record of time bypass beginning and end should be logged on site and maintained for future Agency inspections please refer to bypass protocol link

AER Monitoring returns summary template-WATER/WASTEWATER(SEWER) Lic No: 49-02 Year 2016

Additional information

1 Does your site have licensed emissions direct to surface water or direct to sewer? If yes please complete table W2 and W3 below for the current reporting year and answer further questions. **If you do not have** licensed emissions you only need to complete table W1 and or W2 for storm water analysis and visual inspections

2 Was it a requirement of your licence to carry out visual inspections on any surface water discharges or watercourses on or near your site? If yes please complete table W2 below summarising only any evidence of contamination noted during visual inspections

Yes	All monitoring results are attached seperately as advised by the EPA
Yes	All monitoring results are attached seperately as advised by the EPA

Table W1 Storm water monitoring

Location reference	Location relative to site activities	PRTR Parameter	Licensed Parameter	Monitoring date	ELV or trigger level in licence or any revision thereof*	Licence Compliance criteria	Measured value	Unit of measurement	Compliant with licence	Comments
	SELECT	SELECT	SELECT			SELECT		SELECT	SELECT	
	SELECT	SELECT	SELECT			SELECT		SELECT	SELECT	

*trigger values may be agreed by the Agency outside of licence conditions

Table W2 Visual inspections-Please only enter details where contamination was observed.

Location Reference	Date of inspection	Description of contamination	Source of contamination	Corrective action	Comments
			SELECT		
			SELECT		

Licensed Emissions to water and /or wastewater(sewer)-periodic monitoring (non-continuous)

3 Was there any result in breach of licence requirements? If yes please provide brief details in the comment section of Table W3 below

4 Was all monitoring carried out in accordance with EPA guidance and checklists for Quality of Aqueous Monitoring Data Reported to the EPA? If no please detail what areas require improvement in additional information box [External/Internal Lab Quality checklist](#) [Assessment of results checklist](#)

No	
Yes	

Table W3: Licensed Emissions to water and /or wastewater (sewer)-periodic monitoring (non-continuous)

Emission reference no:	Emission released to	Parameter/ Substance ^{Note 1}	Type of sample	Frequency of monitoring	Averaging period	ELV or trigger values in licence or any revision thereof ^{Note 2}	Licence Compliance criteria	Measured value	Unit of measurement	Compliant with licence	Method of analysis	Procedural reference source	Procedural reference standard number	Annual mass load (kg)	Comments

Note 1: Volumetric flow shall be included as a reportable parameter

Note 2: Where Emission Limit Values (ELV) do not apply to your licence please compare results against EQS for Surface water or relevant receptor quality standards

Continuous monitoring

5 Does your site carry out continuous emissions to water/sewer monitoring? Additional Information

No	
----	--

If yes please summarise your continuous monitoring data below in Table W4 and compare it to its relevant Emission Limit Value (ELV)

6 Did continuous monitoring equipment experience downtime? If yes please record downtime in table W4 below

NA	
----	--

7 Do you have a proactive service contract for each piece of continuous monitoring equipment on site?

NA	
----	--

8 Did abatement system bypass occur during the reporting year? If yes please complete table W5 below

NA	
----	--

Table W4: Summary of average emissions -continuous monitoring

Emission reference no:	Emission released to	Parameter/ Substance	ELV or trigger values in licence or any revision thereof	Averaging Period	Compliance Criteria	Units of measurement	Annual Emission for current reporting year (kg)	% change +/- from previous reporting year	Monitoring Equipment downtime (hours)	Number of ELV exceedences in reporting year	Comments
	SELECT	SELECT		SELECT	SELECT	SELECT					
	SELECT	SELECT		SELECT	SELECT	SELECT					

note 1: Volumetric flow shall be included as a reportable parameter.

Table W5: Abatement system bypass reporting table

Date	Duration (hours)	Location	Resultant emissions	Reason for bypass	Corrective action*	Was a report submitted to the EPA?	When was this report submitted?
						SELECT	

*Measures taken or proposed to reduce or limit bypass frequency

Bund testing

dropdown menu click to see options

Additional information

Are you required by your licence to undertake integrity testing on bunds and containment structures ? if yes please fill out table B1 below listing all **new bunds and containment structures** on site, in addition to **all bunds which failed the integrity test-all bunding structures which failed including mobile bunds must be listed in the table below, please include all bunds outside the licenced testing period** (mobile bunds and chemstore included)

- 1 Please provide integrity testing frequency period
- 2 Does the site maintain a register of bunds, underground pipelines (including stormwater and foul), Tanks, sumps and containers? (containers refers to "Chemstore" type units and mobile bunds)
- 3 How many bunds are on site?
- 4 How many of these bunds have been tested within the required test schedule?

Yes	
2 Yearly	
Yes	
0	
NA	
5	This includes barrel trays located within lock up container and a new 8 barrel mobile lock-up bund.
No	
NA	
NA	
NA	
No	
NA	
SELECT	

- 6 How many mobile bunds are on site?
- 7 Are the mobile bunds included in the bund test schedule?
- 8 How many of these mobile bunds have been tested within the required test schedule?
- 9 How many sumps on site are included in the integrity test schedule?
- 10 How many of these sumps are integrity tested within the test schedule?
- Please list any sump integrity failures in table B1**
- 11 Do all sumps and chambers have high level liquid alarms?
- 12 If yes to Q11 are these failsafe systems included in a maintenance and testing programme?
- 13 Is the Fire Water Retention Pond included in your integrity test programme?

Table B1: Summary details of bund /containment structure integrity test

Bund/Containment structure ID	Type	Specify Other type	Product containment	Actual capacity	Capacity required*	Type of integrity test	Other test type	Test date	Integrity reports maintained on site?	Results of test	Integrity test failure explanation <50 words	Corrective action taken	Scheduled date for retest	Results of retest (if in current reporting year)
	SELECT					SELECT			SELECT	SELECT		SELECT		
	SELECT					SELECT			SELECT	SELECT		SELECT		

* Capacity required should comply with 25% or 110% containment rule as detailed in your licence
 Has integrity testing been carried out in accordance with licence requirements and are all structures tested in line with BS8007/EPA Guidance? [bundings and storage guidelines](#)

- 15 Are channels/transfer systems to remote containment systems tested?
- 16 Are channels/transfer systems compliant in both integrity and available volume?

SELECT	
SELECT	
SELECT	

Pipeline/underground structure testing

Are you required by your licence to undertake integrity testing* on underground structures e.g. pipelines or sumps etc ? if yes please fill out table 2 below listing all underground structures and pipelines on site **which failed the integrity test and all which have not been tested within the integrity test period as specified**

- 1 Please provide integrity testing frequency period
- *please note integrity testing means water tightness testing for process and foul pipelines (as required under your licence)

SELECT	
SELECT	

Table B2: Summary details of pipeline/underground structures integrity test

Structure ID	Type system	Material of construction:	Does this structure have Secondary containment?	Type of secondary containment	Type integrity testing	Integrity reports maintained on site?	Results of test	Integrity test failure explanation <50 words	Corrective action taken	Scheduled date for retest	Results of retest (if in current reporting year)
	SELECT	SELECT	SELECT	SELECT	SELECT	SELECT	SELECT				SELECT

Please use commentary for additional details not answered by tables/ questions above

Groundwater/Soil monitoring template	Lic No: 49-02	Year 2016
---	---------------	-----------

		Comments	
1	Are you required to carry out groundwater monitoring as part of your licence requirements?	yes	Monitoring results are attached separately as advised by the EPA
2	Are you required to carry out soil monitoring as part of your licence requirements?	no	
3	Do you extract groundwater for use on site? If yes please specify use in comment section	no	
4	Do monitoring results show that groundwater generic assessment criteria such as GTVs or IGVs are exceeded or is there an upward trend in results for a substance? If yes, please complete the Groundwater Monitoring Guideline Template Groundwater monitoring template Report (link in cell G8) and submit separately through ALDER as a licensee return AND answer questions 5-12 below.	no	
5	Is the contamination related to operations at the facility (either current and/or historic)	no	
6	Have actions been taken to address contamination issues? If yes please summarise remediation strategies proposed/undertaken for the site	NA	
7	Please specify the proposed time frame for the remediation strategy	NA	
8	Is there a licence condition to carry out/update ELRA for the site?	yes	
9	Has any type of risk assessment been carried out for the site?	yes	
10	Has a Conceptual Site Model been developed for the site?	no	
11	Have potential receptors been identified on and off site?	yes	
12	Is there evidence that contamination is migrating offsite?	no	
			Please provide an interpretation of groundwater monitoring data in the interpretation box below or if you require additional space please include a groundwater/contaminated land monitoring results interpretation as an additional section in this AER
			Please enter interpretation of data here

Table 1: Upgradient Groundwater monitoring results

Date of sampling	Sample location reference	Parameter/ Substance	Methodology	Monitoring frequency	Maximum Concentration++	Average Concentration+	unit	GTV's*	SELECT**	Upward trend in pollutant concentration over last 5 years of monitoring data
							SELECT			SELECT
							SELECT			SELECT

.+ where average indicates arithmetic mean

.++ maximum concentration indicates the maximum measured concentration from all monitoring results produced during the reporting year

Table 2: Downgradient Groundwater monitoring results

Date of sampling	Sample location reference	Parameter/ Substance	Methodology	Monitoring frequency	Maximum Concentration	Average Concentration	unit	GTV's*	SELECT**	Upward trend in yearly average pollutant concentration over last 5 years of monitoring data
							SELECT			SELECT
							SELECT			SELECT

*please note exceedance of generic assessment criteria (GAC) such as a Groundwater Threshold Value (GTV) or an Interim Guideline Value (IGV) or an upward trend in results for a substance indicates that further interpretation of monitoring results is required. In addition to completing the above table, please complete the Groundwater Monitoring Guideline Template Report at the link provided and submit separately through ALDER as a licensee return or as otherwise instructed by the EPA. [Groundwater monitoring template](#)

More information on the use of soil and groundwater standards/ generic assessment criteria (GAC) and risk assessment tools is available in the EPA published guidance (see the link in G31). [Guidance on the Management of Contaminated Land and Groundwater at EPA Licensed Sites \(EPA 2013\)](#).

**Depending on location of the site and proximity to other sensitive receptors alternative Receptor based Water Quality standards should be used in addition to the GTV e.g. if the site is close to surface water compare to Surface Water Environmental Quality Standards (SWEQS), If the site is close to a drinking water supply compare results to the Drinking Water Standards (DWS)

[Groundwater regulations](#) [Drinking water \(private supply\) standards](#) [Drinking water \(public supply\) standards](#) [Interim Guideline Values \(IGV\)](#)

Table 3: Soil results

Date of sampling	Sample location reference	Parameter/ Substance	Methodology	Monitoring frequency	Maximum Concentration	Average Concentration	unit
							SELECT
							SELECT

Where additional detail is required please enter it here in 200 words or less

[Click here to access EPA guidance on Environmental Liabilities and Financial provision](#)

			Commentary
1	ELRA initial agreement status	Submitted and agreed by EPA	
2	ELRA review status		
3	Amount of Financial Provision cover required as determined by the latest ELRA		
4	Financial Provision for ELRA status		
5	Financial Provision for ELRA - amount of cover		
6	Financial Provision for ELRA - type		
7	Financial provision for ELRA expiry date		
8	Closure plan initial agreement status	Closure plan submitted and agreed by EPA	
9	Closure plan review status		
10	Financial Provision for Closure status		
11	Financial Provision for Closure - amount of cover		
12	Financial Provision for Closure - type		
13	Financial provision for Closure expiry date	2034	

Environmental Management Programme/Continuous Improvement Programme template		Lic No:	49-02	Year	2016
Highlighted cells contain dropdown menu click to view		Additional Information			
1	Do you maintain an Environmental Management System (EMS) for the site. If yes, please detail in additional information	Yes			
2	Does the EMS reference the most significant environmental aspects and associated impacts on-site	Yes			
3	Does the EMS maintain an Environmental Management Programme (EMP) as required in accordance with the licence requirements	Yes			
4	Do you maintain an environmental documentation/communication system to inform the public on environmental performance of the facility, as required by the licence	Yes	Unaccredited internal EMS		

Environmental Management Programme (EMP) report					
Objective Category	Target	Status (% completed)	How target was progressed	Responsibility	Intermediate outcomes
Additional improvements	Conduct all operations on site in accordance with the schedules and conditions of the waste licence and also in conjunction with the restoration and aftercare programme	90	All site operations were carried out in compliance with licence conditions.	Individual	Increased compliance with licence conditions
Materials Handling/Storage/Bunding	Future cell development	90	Construction works took place at cell 5. This work comprised of stripping back the cell floor to formation level and the formation of cell embankments with the material.	Section Head	Installation of infrastructure
Reduction of emissions to Water	Improved capping system	90	Cell 3A was fully recapped to the specification submitted. Initial observations would suggest this was successful. It is a priority to complete the capping of Cell 4 in the 2017 reporting year.	Section Head	Reduced emissions
Additional improvements	Leachate Management Plan	80	An improved Leachate management system is currently in operation. This allows for better leachate management.	Individual	Increased compliance with licence conditions
Materials Handling/Storage/Bunding	Alternative Ash/Leachate use	70	The viability of alternative uses for both ash and leachate is ongoing.	Section Head	Improved Environmental Management Practices

Noise monitoring summary report	Lic No: 49-02	Year	2016
--	---------------	------	------

1 Was noise monitoring a licence requirement for the AER period?

If yes please fill in table N1 noise summary below

2 Was noise monitoring carried out using the EPA Guidance note, including completion of the "Checklist for noise measurement report" included in the guidance note as table 6?

[Noise Guidance note NG4](#)

3 Does your site have a noise reduction plan

4 When was the noise reduction plan last updated?

5 Have there been changes relevant to site noise emissions (e.g. plant or operational changes) since the last noise survey?

Table N1: Noise monitoring summary

Date of monitoring	Time period	Noise location (on site)	Noise sensitive location -NSL (if applicable)	LA _{eq}	LA ₉₀	LA ₁₀	LA _{max}	Tonal or Impulsive noise* (Y/N)	If tonal /impulsive noise was identified was 5dB penalty applied?	Comments (ex. main noise sources on site, & extraneous noise ex. road traffic)	Is site compliant with noise limits (day/evening/night)?
								SELECT	SELECT		SELECT

*Please ensure that a tonal analysis has been carried out as per guidance note NG4. These records must be maintained onsite for future inspection

If noise limits exceeded as a result of noise attributed to site activities, please choose the corrective action from the following options?

** please explain the reason for not taking action/resolution of noise issues?

Any additional comments? (less than 200 words)

Resource Usage/Energy efficiency summary

Lic No:

49-02

Year

2016

Additional information

- 1 When did the site carry out the most recent energy efficiency audit? Please list the recommendations in table 3 below

Enter date of audit	
Yes	
NA	

- 2 Is the site a member of any accredited programmes for reducing energy usage/water conservation such as the SEAI programme linked to the right? If yes please list them in additional information [SEAI - Large Industry Energy Network \(LIEN\)](#)
- 3 Where Fuel Oil is used in boilers on site is the sulphur content compliant with licence conditions? Please state percentage in additional information

Energy Use	Previous year	Current year	Production +/- % compared to previous reporting year**	Energy Consumption +/- % vs overall site production*
Total Energy Used (MWHrs)	1770.98	1770.98		
Total Energy Generated (MWHrs)				
Total Renewable Energy Generated (MWHrs)				
Electricity Consumption (MWHrs)	2	2		
Fossil Fuels Consumption:				
Heavy Fuel Oil (m3)				
Light Fuel Oil (m3)	174.096	174.096		
Natural gas (m3)				
Coal/Solid fuel (metric tonnes)				
Peat (metric tonnes)				
Renewable Biomass				
Renewable energy generated on site				

* where consumption of energy can be compared to overall site production please enter this information as percentage increase or decrease compared to the previous reporting year.

** where site production information is available please enter percentage increase or decrease compared to previous year

Water use	Water extracted Previous year m3/yr.	Water extracted Current year m3/yr.	Production +/- % compared to previous reporting year**	Energy Consumption +/- % vs overall site production*	Water Emissions	Water Consumption	Unaccounted for Water:
					Volume Discharged back to environment(m ³ /yr):	Volume used i.e not discharged to environment e.g. released as steam m3/yr	
Groundwater							
Surface water							
Public supply							
Recycled water							
Total							

* where consumption of water can be compared to overall site production please enter this information as percentage increase or decrease compared to the previous reporting year.

** where site production information is available please enter percentage increase or decrease compared to previous year

Table R3 Waste Stream Summary					
	Total	Landfill	Incineration	Recycled	Other
Hazardous (Tonnes)	0	0	0	0	0
Non-Hazardous (Tonnes)	1.606	1.606	0	0	0

Table R4: Energy Audit finding recommendations								
Date of audit	Recommendations	Description of Measures proposed	Origin of measures	Predicted energy savings %	Implementation date	Responsibility	Completion date	Status and comments
			SELECT					
			SELECT					
			SELECT					

Table R5: Power Generation: Where power is generated onsite (e.g. power generation facilities/food and drink industry)please complete the following information

	Unit ID	Unit ID	Unit ID	Unit ID	Station Total
Technology					
Primary Fuel					
Thermal Efficiency					
Unit Date of Commission					
Total Starts for year					
Total Running Time					
Total Electricity Generated (GWH)					
House Load (GWH)					
KWH per Litre of Process Water					
KWH per Litre of Total Water used on Site					

WASTE SUMMARY		Lic No:	49-02	Year	2016
SECTION A-PRTR ON SITE WASTE TREATMENT AND WASTE TRANSFERS TAB- TO BE COMPLETED BY ALL IPPC AND WASTE FACILITIES			PRTR facility logon	dropdown list click to see options	

SECTION B- WASTE ACCEPTED ONTO SITE-TO BE COMPLETED BY ALL IPPC AND WASTE FACILITIES

1 Were any wastes **accepted onto** your site for recovery or disposal or treatment prior to recovery or disposal within the boundaries of your facility ?; (waste generated within your boundaries is to be captured through PRTR reporting)
If yes please enter details in table 1 below

Additional Information	
Yes	

2 Did your site have any rejected consignments of waste in the current reporting year? If yes please give a brief explanation in the additional information

No	
No	

3 Was waste accepted onto your site that was generated outside the Republic of Ireland? If yes please state the quantity in tonnes in additional information

Table 1 Details of waste accepted onto your site for recovery, disposal or treatment (do not include wastes generated at your site, as these will have been reported in your PRTR workbook)

Licensed annual tonnage limit for your site (total tonnes/annum)	EWC code European Waste Catalogue EWC codes	Source of waste accepted	Description of waste accepted Please enter an accurate and detailed description - which applies to relevant EWC code European Waste Catalogue EWC codes	Quantity of waste accepted in current reporting year (tonnes)	Quantity of waste accepted in previous reporting year (tonnes)	Reduction/ Increase over previous year +/- %	Reason for reduction/ increase from previous reporting year	Packaging Content (%)- only applies if the waste has a packaging component	Disposal/Recovery or treatment operation carried out at your site and the description of this operation	Quantity of waste remaining on site at the end of reporting year (tonnes)	Comments -
70,000	100103	10- WASTES FROM THERMAL PROCESSES	Fly Ash from Peat and Untreated Wood.	28,790	22,301	29%	More tonnes of peat/biomass used at Power Station	NA	D5- Specially engineered landfill	488,310	Total tonnes deposited since 2000. Fly & Bottom ash
70,000	100101	10- WASTES FROM THERMAL PROCESSES	Bottom Ash	1765	2,068	Minus 14%	More tonnes of biomass used at Power Station resulting in less bottom ash	NA	D5- Specially engineered landfill		

SECTION C-TO BE COMPLETED BY ALL WASTE FACILITIES (waste transfer stations, Composters, Material recovery facilities etc) EXCEPT LANDFILL SITES

4 Is all waste processing infrastructure as required by your licence and approved by the Agency in place? If no please list waste processing infrastructure required onsite

N/A	
-----	--

5 Is all waste storage infrastructure as required by your licence and approved by the Agency in place? If no please list waste storage infrastructure required on site

N/A	
-----	--

6 Does your facility have relevant nuisance controls in place?

N/A	
-----	--

7 Do you have an odour management system in place for your facility? If no why?

N/A	
-----	--

8 Do you maintain a sludge register on site?

N/A	
-----	--

WASTE SUMMARY	Lic No:	49-02	Year	2016
----------------------	---------	-------	------	------

SECTION D-TO BE COMPLETED BY LANDFILL SITES ONLY
Table 2 Waste type and tonnage-landfill only

Waste types permitted for disposal	Authorised/licenced annual intake for disposal (tpa)	Actual intake for disposal in reporting year (tpa)	Remaining licensed capacity at end of reporting year (m3)	Comments
Fly & Bottom Ash	70,000	30,555	627,894	Tonnes

Table 3 General information-Landfill only

Area ID	Date landfilling commenced	Date landfilling ceased	Currently landfilling	Private or Public Operated	Inert or non-hazardous	Predicted date to cease landfilling	Licence permits asbestos	Is there a separate cell for asbestos?	Accepted asbestos in reporting year	Total disposal area occupied by waste	Lined disposal area occupied by waste	Unlined area	Comments on liner type
										ha	ha	SELECT UNIT	
Clonbullogue Ash Repository	Nov-00	Ongoing	Yes	Private	Inert		No	No	No	8.84	8.84	NA	HDPPE & GCL

Table 4 Environmental monitoring-landfill only
[Landfill Manual-Monitoring Standards](#)

Was meteorological monitoring in compliance with Landfill Directive (LD) standard in reporting year +	Was leachate monitored in compliance with LD standard in reporting year	Was Landfill Gas monitored in compliance with LD standard in reporting year	Was SW monitored in compliance with LD standard in reporting year	Have GW trigger levels been established	Were emission limit values agreed with the Agency (ELVs)	Was topography of the site surveyed in reporting year	Has the statement under S53(A)(5) of WMA been submitted in reporting year	Comments
Yes	Yes	NA	Yes	Yes	Yes	Yes	No	The waste is not subject to a landfill levy

+ please refer to Landfill Manual linked above for relevant Landfill Directive monitoring standards

Table 5 Capping-Landfill only

Area uncapped*	Area with temporary cap	Area with final cap to LD Standard m2 ha, a	Area capped other	Area with waste that should be permanently capped to date under licence	What materials are used in the cap	Comments
ha	SELECT UNIT					
2.73		0 NA	6.11		Capped as per licence condition 10.3.0 80/20 Peat/Subsoil	Agreed lining system on cells 1,2,3A and 3B.

*please note this includes daily cover area

Table 6 Leachate-Landfill only

9 Is leachate from your site treated in a Waste Water Treatment Plant?

No

10 Is leachate released to surface water? if yes please complete leachate mass load information below

Yes

Volume of leachate in reporting year(m3)	Leachate (BOD) mass load (kg/annum)	Leachate (COD) mass load (kg/annum)	Leachate (NH4) mass load (kg/annum)	Leachate (Chloride) mass load kg/annum	Leachate treatment on-site	Specify type of leachate treatment	Comments
26006.4	n/a	1003.41	9.763	n/a	26006400 litres	Dilution with SW	

Please ensure that all information reported in the landfill gas section is consistent with the Landfill Gas Survey submitted in conjunction with PRTR returns

Table 7 Landfill Gas-Landfill only

Gas Captured & Treated by LFG System m3	Power generated (MW / KWh)	Used on-site or to national grid	Was surface emissions monitoring performed during the reporting year?	Comments
N/A			SELECT	

Ecological Survey Report – Cloncreen Ash Site			
Bog Name:	<u>Cloncreen</u>	Area (ha):	
Works Name:	Derrygreenagh	County:	Offaly
Recorder(s):	B'OL	Survey Date(s):	15 th February 2017
Photos:	Photos taken – see L:\AI_Data\Boora\Ecology Team\Photos\Cloncreen		
Introduction			
<p>The main objective of this survey was to carry out a walkover survey of Cells 1, 2 & 3 at the Cloncreen Ash Site to determine the extent of vegetation cover and habitat development following capping works undertaken at Cell 3 and the removal and replacing of the capping system at Cells 1 & 2 during 2015 & 2016 respectively. This ecological survey forms part of the EPA requirement for reporting on the site.</p>			
Results			
<p>Cell 1 and Cell 2 were initially capped prior to 2015 and a grass seed mixture was applied. However, the capping system was removed in 2015 and subsequently replaced with a more effective capping system in line with current best practice and industry standards. Cell 3 was initially capped in 2015 and works were completed in 2016. Vegetation is now well established in all three cells (Figures 1-3).</p> <p>The cells have been managed to allow for the natural colonisation of grasses and broadleaved herbs. There has been no application of seed mixture since capping and recapping works were undertaken in 2015-2016. The current habitat present in all three cells conforms to the Fossitt (2000) habitat category “Dry meadows and grassy verges (GS2)”. The site is unmanaged in its current state and is dominated by grasses including Creeping Bent (<i>Agrostis stolonifera</i>) and Yorkshire Fog (<i>Holcus lanatus</i>). Other grasses comprised Reed Canary Grass (<i>Phalaris arundinacea</i>), False oat-grass (<i>Arrhenatherum elatius</i>), Rye-grass (<i>Lolium</i> sp.) and Cock’s Foot (<i>Dactylis glomerata</i>). The site also supports stands of Willowherb (<i>Epilobium</i> sp.), Broadleaved Dock (<i>Rumex obtusifolius</i>), Spear Thistle (<i>Cirsium vulgare</i>) and Creeping Thistle (<i>Cirsium arvense</i>) scattered throughout and along peripheral margins. Other species recorded typically comprised waste ground colonisers and broadleaved herbs such as Long-leaved Plantain (<i>Plantago major</i>), Scented Mayweed (<i>Matricaria chamomilla</i>), Red Clover (<i>Trifolium pratense</i>), Black Medick (<i>Medicago lupulina</i>), Weld (<i>Reseda luteola</i>), Creeping Buttercup (<i>Ranunculus repens</i>) Creeping cinquefoil (<i>Potentilla reptans</i>), Meadow Vetchling (<i>Lathyrus pratensis</i>), Nettle (<i>Urtica</i> Sp.), Cleavers (<i>Galium aparine</i>) and the moss, Pointed Spear-moss (<i>Calliergonella cuspidata</i>).</p> <p>In addition, scrub species such as Common Gorse (<i>Ulex europaeus</i>), Willow sp. (<i>Salix</i> sp.) and Bracken (<i>Pteridium aquilinum</i>) have established along the southern embankment of Cell 3 and along the eastern boundary of Cell 1. Willow (<i>Salix</i> sp.) saplings and Bramble (<i>Rubus fruticosus</i> agg.) have started to establish within areas of rank grassland dominated by Creeping Bent in Cell 1.</p> <p>The vegetation onsite forms a dense rank sward of creeping grasses and broadleaved herbs. An absence of management practices such as grazing and mowing has resulted in the rapid establishment of plant species and allowed for root systems to develop thereby binding soil particles together to give the site stability.</p> <p>There was some bird life on the site with Meadow Pipit, Rook and Songthrush (aural registrations recorded from nearby scrub) recorded during the walkover survey. The open grassland would be expected to provide suitable breeding habitat for ground-nesting birds such as Meadow Pipit in the spring and summer months thereby enhancing the overall ecological value of the site to avifauna groups.</p> <p>With the establishment of scrub species, the site is expected to offer potential suitable foraging habitat for resident mammals in the vicinity of the site. Evidence and signs of non-volant mammals (i.e. badger, fox, etc.) have previously been recorded along the peripheral margins of Cloncreen Bog.</p> <p>The vegetation cover on all three cells is now well established and the site has since stabilised. The grassland habitat is likely to continue to mature into the future and scrub such as Gorse, Birch and Willow can be expected to spread slowly within the cell compartments over time.</p> <p>Continued regular monitoring of vegetation cover on the site is not now required as the ground cover of both cells is assessed as being stable. It is recommended that monitoring now take place at a 5-yearly interval.</p>			



Figure 1: Cell 1 has developed to support the Fossitt (2000) habitat category “dry meadows and grassy verges (GS2)”. Scrub species such as Bramble and Willow saplings have started to encroach on areas of rank grassland.



Figure 2: Cell 2 supports the habitat “dry meadows and grassy verges (GS2)”. The site is characterised by an absence of management practices thereby allowing rapid plant growth and establishment of root systems to give the site stability.



Figure 3: View of Cell 3 (south-facing) since capping works were undertaken in 2015-2016. The Cell supports a diverse mix of grasses and broadleaved herbs and conforms to the Fossitt (2000) habitat category “dry meadows and grassy verges (GS2)”.

Cloncreen Ash Repository					
Monitoring Results					
Monitoring Location: SW4					
Parameter	Date	18/03/2016	27/05/2016	15/09/2016	15/11/2016
Ammonia mg/l	Quarterly	0.54	0.29	0.03	0.31
COD (mg/l)	Quarterly	34	33	53	39
pH (pH units)	Quarterly	7.9	8.4	8.2	9.3
Total Suspended Solids (mg/l)	Quarterly	14	9	6	5

Cloncreen Ash Repository					
Monitoring Results					
Monitoring Location: SW5					
Parameter	Date	15/03/2016	02/06/2016	21/09/2016	19/10/2016
Ammonia mg/l	Quarterly	0.26	0.09	0.03	0.15
COD (mg/l)	Quarterly	36	30	71	81
pH (pH units)	Quarterly	8.4	7.8	7.9	7.8
Total Suspended Solids (mg/l)	Quarterly	6	5	6	5

Cloncreen Ash Repository					
Monitoring Results					
Monitoring Location: SW6					
Parameter	Date	15/03/2016	02/06/2016	21/09/2016	19/10/2016
Ammonia mg/l	Quarterly	0.26	0.07	0.02	0.13
COD (mg/l)	Quarterly	24	31	62	73
pH (pH units)	Quarterly	8.3	7.7	7.9	7.7
Total Suspended Solids (mg/l)	Quarterly	6	7	5	10

Cloncreen Ash Repository					
Monitoring Results					
Monitoring Location: SW7					
Parameter	Date	15/03/2016	02/06/2016	21/09/2016	19/10/2016
Ammonia mg/l	Quarterly	0.37	0.08	0.02	0.09
COD (mg/l)	Quarterly	23	34	64	78
pH (pH units)	Quarterly	8.2	7.8	7.8	7.7
Suspended Solids (mg/l)	Quarterly	6	6	5	17

Cloncreen Ash Repository					
Monitoring Results					
Monitoring Location: SW8					
Parameter	Date	18/03/2016	27/05/2016	15/09/2016	15/11/2016
Ammonia mg/l	Quarterly	0.55	0.02	0.03	0.27
COD (mg/l)	Quarterly	31	37	64	39
pH (pH units)	Quarterly	7.7	7.9	8.1	9.2
Suspended Solids (mg/l)	Quarterly	11	9	6	9

Cloncreen Ash Repository**Monitoring Results****Monitoring Location: SWR1**

Parameter	Date	18/03/2015	27/05/2016	15/09/2016	15/11/2016
Ammonia mg/l	Quarterly	1.4	0.08	0.15	0.59
COD (mg/l)	Quarterly	38	45	52	35
pH (pH units)	Quarterly	7.7	7.8	7.4	7.7
Suspended Solids (mg/l)	Quarterly	13	6	5	17

CLONCREEN ASH REPOSITORY					
MONITORING RESULTS					
Monitoring Location: LC1A					
Parameter	Date	23/02/2007	15/03/2016	04/11/2016	28/07/2016
COD (mg/l)	Bi-Annually	416	354	319	
Amonical nitrogen (mg/l NH4-N)	Bi-Annually	8.1	15	9.1	
Temperature (0C)	Bi-Annually	11.01	6.9	10	
Electrical Conductivity (µS/cm)	Bi-Annually	14.73	9780	11880	
pH (pH units)	Bi-Annually	10.38	12.7	12.56	
C yanide (mg/l)	Annually				0.05
Total oxidised nitrogen (mg/l)	Annually				0.9
Boron (µg/l)	Annually				135
Arsenic (µg/l)	Annually				41.3
Silver (µg/l)	Annually				2
Aluminium (µg/l)	Annually				159
Berylium (µg/l)	Annually				1
Barium (µg/l)	Annually				855
calcium (mg/l)	Annually				320
chromium (µg/l)	Annually				3
Cadmium (µg/l)	Annually				2
Cobalt (µg/l)	Annually				2.59
Copper (µg/l)	Annually				7.8
Iron (mg/l)	Annually				0.024
Potassium (mg/l)	Annually				543
Magnesium (mg/l)	Annually				0.077
Manganese (µg/l)	Annually				2
Sodium (mg/l)	Annually				565
Nickel (µg/l)	Annually				73.1
Lead (µg/l)	Annually				2
Antimony (µg/l)	Annually				4
Selenium (µg/l)	Annually				156
Tin (µg/l)	Annually				3
Zinc (µg/l)	Annually				109
Phosphorus (mg/l)	Annually				0.07
Flouride (mg/l)	Annually				44
PO4-P (mg/l)	Annually				0.01
VOC's USEPA 524.2 (µg/l)	Annually				All < 1*
SVOC'S (µg/l)	Annually				All < 1**
Comb Pesticide suite (µg/l)	Annually				All < 0.01
VOC's by GC-FID	Annually				All < 0.5***

*Dichloromethene = <3

**Phenol = 25

**Bis(2-ethylhexyl)phthalate = < 2

**4-Methylphenol = 1.46

***Methanol = 5.63

***Ethanol = 1.8

Cloncreen Ash Repository					
Monitoring Results					
Monitoring Location: LC2A					
Parameter	Date	23/02/2007	15/03/2016	04/11/2016	28/07/2016
COD (mg/l)	Bi-Annually	666	30	162	
Amonical nitrogen (mg/l NH4)	Bi-Annually	3.21	1.2	3	
Temperature (0C)	Bi-Annually	11.4	6.6	10.1	
Electrical Conductivity (µS/cm)	Bi-Annually	30.2	18390	18740	
pH (pH units)	Bi-Annually	10.4	12.89	12.72	
Cyanide mg/l	Annually				0.05
Total oxidised nitrogen (mg/l)	Annually				0.2
Boron (µg/l)	Annually				135
Arsenic (µg/l)	Annually				68.4
Silver (µg/l)	Annually				2
Aluminium (µg/l)	Annually				50
Beryllium (µg/l)	Annually				1
Barium (µg/l)	Annually				351
calcium (mg/l)	Annually				282
chromium (µg/l)	Annually				3
Cadmium (µg/l)	Annually				2
Cobalt (µg/l)	Annually				2
Copper (µg/l)	Annually				26.3
Iron (mg/l)	Annually				0.24
Potassium (mg/l)	Annually				1410
Magnesium (mg/l)	Annually				0.5
Manganese (µg/l)	Annually				2.2
Sodium (mg/l)	Annually				1400
Nickel (µg/l)	Annually				32.8
Lead (µg/l)	Annually				4.5
Antimony (µg/l)	Annually				4
Selenium (µg/l)	Annually				281
Tin (µg/l)	Annually				3
Zinc (µg/l)	Annually				181
Phosphorus (mg/l)	Annually				0.05
Flouride (mg/l)	Annually				10
PO4-P (mg/l)	Annually				0.01
VOC's USEPA 524.2 (µg/l)	Annually				All < 1*
SVOC'S (µg/l)	Annually				All < 1**
Comb Pesticide suite (µg/l)	Annually				All < 0.01
VOC's by GC-FID	Annually				All < 0.5***

*Dichloromethane = <3

**Bis(2-ethylhexyl)phthalate = < 2

**Phenol = 10.7

***Methanol = 1.339

Cloncreen Ash Repository				
Monitoring Results				
Monitoring Location: LC3A				
Parameter	Date	15/03/2016	04/11/2016	28/07/2016
COD (mg/l)	Bi-Annually	10	189	
Amonical nitrogen (mg/l NH4)	Bi-Annually	0.25	2.7	
Temperature (0C)	Bi-Annually	6.8	10.1	
Electrical Conductivity (µS/cm)	Bi-Annually	1345	25480	
pH (pH units)	Bi-Annually	11.48	12.78	
Cyanide mg/l	Annually			0.05
Total oxidised nitrogen (mg/l)	Annually			3.7
Boron (µg/l)	Annually			135
Arsenic (µg/l)	Annually			10.6
Silver (µg/l)	Annually			2
Aluminium (µg/l)	Annually			50
Berylium (µg/l)	Annually			1
Barium (µg/l)	Annually			23.7
calcium (mg/l)	Annually			6.51
chromium (µg/l)	Annually			3
Cadmium (µg/l)	Annually			2
Cobalt (µg/l)	Annually			2
Copper (µg/l)	Annually			4
Iron (mg/l)	Annually			0.0618
Potassium (mg/l)	Annually			354
Magnesium (mg/l)	Annually			2.88
Manganese (µg/l)	Annually			3.98
Sodium (mg/l)	Annually			203
Nickel (µg/l)	Annually			2
Lead (µg/l)	Annually			2
Antimony (µg/l)	Annually			4
Selenium (µg/l)	Annually			40.4
Tin (µg/l)	Annually			3
Zinc (µg/l)	Annually			206
Phosphorus (mg/l)	Annually			0.05
Flouride (mg/l)	Annually			0.1
PO4-P (mg/l)	Annually			0.03
VOC's USEPA 524.2 (µg/l)	Annually			All < 1*
SVOC'S (µg/l)	Annually			All < 1**
Comb Pesticide suite (µg/l)	Annually			All < 0.01
VOC's by GC-FID	Annually			All < 0.5

*Dichloromethane = <3

**Bis(2-ethylhexyl)phthalate = < 2

Clonreen Ash Repository				
Monitoring Results				
Monitoring Location: LC3B				
Parameter	Date	15/03/2016	04/11/2016	28/07/2016
COD (mg/l)	Bi-Annually	63	185	
Amonical nitrogen (mg/l NH4)	Bi-Annually	3.1	2.6	
Temperature (0C)	Bi-Annually	6.9	8.2	
Electrical Conductivity (µS/cm)	Bi-Annually	16480	27360	
pH (pH units)	Bi-Annually	12.83	12.82	
Cyanide mg/l	Annually			0.05
Total oxidised nitrogen (mg/l)	Annually			0.2
Boron (µg/l)	Annually			135
Arsenic (µg/l)	Annually			116
Silver (µg/l)	Annually			2
Aluminium (µg/l)	Annually			50
Berylium (µg/l)	Annually			1
Barium (µg/l)	Annually			118
calcium (mg/l)	Annually			216
chromium (µg/l)	Annually			3
Cadmium (µg/l)	Annually			2
Cobalt (µg/l)	Annually			2
Copper (µg/l)	Annually			4.7
Iron (mg/l)	Annually			0.24
Potassium (mg/l)	Annually			2730
Magnesium (mg/l)	Annually			0.5
Manganese (µg/l)	Annually			3.3
Sodium (mg/l)	Annually			1580
Nickel (µg/l)	Annually			16.7
Lead (µg/l)	Annually			2
Antimony (µg/l)	Annually			4
Selenium (µg/l)	Annually			507
Tin (µg/l)	Annually			3
Zinc (µg/l)	Annually			146
Phosphorus (mg/l)	Annually			0.05
Flouride (mg/l)	Annually			16
PO4-P (mg/l)	Annually			0.01
VOC's USEPA 524.2 (µg/l)	Annually			All < 1*
SVOC'S (µg/l)	Annually			All < 1**
Comb Pesticide suite (µg/l)	Annually			All < 0.01
VOC's by GC-FID	Annually			All < 0.5

*Dichloromethane = <3

**Phenol = 10.9

**Bis(2-ethylhexyl)phthalate = < 2

Cloncreen Ash Repository				
Monitoring Results				
Monitoring Location: LC4A				
Parameter	Date	15/03/2016	04/11/2016	28/07/2016
COD (mg/l)	Bi-Annually	10	162	
Amonical nitrogen (mg/l NH4)	Bi-Annually	0.02	0.37	
Temperature (0C)	Bi-Annually	7.1	8.7	
Electrical Conductivity (µS/cm)	Bi-Annually	7160	18290	
pH (pH units)	Bi-Annually	12.39	10.82	
Cyanide mg/l	Annually			0.05
Total oxidised nitrogen (mg/l)	Annually			0.53
Boron (µg/l)	Annually			135
Arsenic (µg/l)	Annually			51.7
Silver (µg/l)	Annually			2
Aluminium (µg/l)	Annually			2700
Berylium (µg/l)	Annually			1
Barium (µg/l)	Annually			25.9
calcium (mg/l)	Annually			1.78
chromium (µg/l)	Annually			7.37
Cadmium (µg/l)	Annually			2
Cobalt (µg/l)	Annually			2
Copper (µg/l)	Annually			5.05
Iron (mg/l)	Annually			0.0645
Potassium (mg/l)	Annually			2030
Magnesium (mg/l)	Annually			0.26
Manganese (µg/l)	Annually			5.08
Sodium (mg/l)	Annually			331
Nickel (µg/l)	Annually			2
Lead (µg/l)	Annually			2
Antimony (µg/l)	Annually			4
Selenium (µg/l)	Annually			218
Tin (µg/l)	Annually			331
Zinc (µg/l)	Annually			179
Phosphorus (mg/l)	Annually			0.24
Flouride (mg/l)	Annually			0.18
PO4-P (mg/l)	Annually			0.02
VOC's USEPA 524.2 (µg/l)	Annually			All < 1*
SVOC'S (µg/l)	Annually			All < 1**
Comb Pesticide suite (µg/l)	Annually			All < 0.01
VOC's by GC-FID	Annually			All < 0.5

*Dichloromethane = <3

**Bis(2-ethylhexyl)phthalate = < 2

Clonreen Ash Repository				
Monitoring Results				
Monitoring Location: L1				
Parameter	Date	15/03/2016	04/11/2016	04/11/2016
COD (mg/l)	Bi-Annually	26	50	
Amonical nitrogen (mg/l NH4)	Bi-Annually	0.52	0.32	
Temperature (0C)	Bi-Annually	7.9	7.7	
Electrical Conductivity (µS/cm)	Bi-Annually	607	651	
pH (pH units)	Bi-Annually	9.6	8.4	
Cyanide mg/l	Annually			0.05
Total oxidised nitrogen (mg/l)	Annually			0.2
Arsenic (µg/l)	Annually			3.95
Silver (µg/l)	Annually			2
Aluminium (µg/l)	Annually			50
Beryllium (µg/l)	Annually			1
Barium (µg/l)	Annually			88.4
calcium (mg/l)	Annually			93.8
chromium (µg/l)	Annually			3
Cadmium (µg/l)	Annually			0.5
Cobalt (µg/l)	Annually			0.5
Copper (µg/l)	Annually			4
Iron (mg/l)	Annually			0.124
Potassium (mg/l)	Annually			20
Magnesium (mg/l)	Annually			5.26
Manganese (µg/l)	Annually			40.2
Sodium (mg/l)	Annually			25.9
Nickel (µg/l)	Annually			7.47
Lead (µg/l)	Annually			0.5
Antimony (µg/l)	Annually			4
Selenium (µg/l)	Annually			10.1
Tin (µg/l)	Annually			3
Phosphorus (mg/l)	Annually			0.05
Flouride (mg/l)	Annually			2.2
PO4-P (mg/l)	Annually			0.16
VOC's USEPA 524.2 (µg/l)	Annually			All<1*
SVOC'S (µg/l)	Annually			All<1**
Comb Pesticide suite (µg/l)	Annually			All<0.01
VOC's by GC-FID	Annually			All < 0.5

*Dichloromethane = <3

** Bis(2-ethylhexyl)phthalate = <2

Cloncreen Ash Repository						
Monitoring Results						
Monitoring Location: L2						
Parameter	Date	18/03/2016	27/05/2016	29/08/2016	15/11/2016	27/07/2016
COD (mg/l)	Quarterly	27	35	53	36	
Dissolved oxygen (%)	Quarterly	21.1	32.2	25.8	23.8	
Dissolved oxygen (mg/l)	Quarterly	2.64	2.96	2.91	2.73	
Electrical Conductivity (µS/cm)	Quarterly	639	682	877	737	
Ammoniacal Nitrogen (mg/l NH4)	Quarterly	0.26	0.32	0.31	0.37	
pH (pH units)	Quarterly	9.7	8.7	9.8	9.7	
Total Suspended Solids (mg/l)	Quarterly	6	9	10	5	
Boron	Annually					2
Arsenic (µg/l)	Annually					2
Silver (µg/l)	Annually					2
Aluminium (µg/l)	Annually					2
Beryllium (µg/l)	Annually					2
Barium (µg/l)	Annually					170
calcium (mg/l)	Annually					3
chromium (µg/l)	Annually					2
Cadmium (µg/l)	Annually					2
Cobalt (µg/l)	Annually					2
Copper (µg/l)	Annually					2
Iron (mg/l)	Annually					0.1
Potassium (mg/l)	Annually					55
Magnesium (mg/l)	Annually					3.1
Manganese (µg/l)	Annually					60
Sodium (mg/l)	Annually					42
Nickel (µg/l)	Annually					2
Lead (µg/l)	Annually					58
Antimony (µg/l)	Annually					2
Selenium (µg/l)	Annually					2
Tin (µg/l)	Annually					2
Zinc (µg/l)	Annually					20
Mercury (µg/l)	Annually					1
PO4-P (mg/l)	Annually					0.01
VOC's USEPA 524.2 (µg/l)	Annually					All < 1*
SVOC'S (µg/l)	Annually					All < 1**
Comb Pesticide suite (µg/l)	Annually					All < 0.01
VOC's by GC-FID	Annually					All < 0.5

*Dichloromethane = < 3

**Bis(2-ethylhexyl)phthalate = < 2

Cloncreen Ash Repository													
Monitoring Results													
Monitoring Location: MW02													
Parameter	Date	27/01/2016	10/02/2016	18/03/2016	21/04/2016	18/05/2016	09/06/2016	07/07/2016	11/08/2016	15/09/2016	05/10/2016	02/11/2016	01/12/2016
Visual/Odour	Monthly	Clear no odour	Clear no odour	Clear no odour	Clear no odour	Clear no odour	Clear no odour	Clear no odour	Clear no odour	Clear no odour	Clear no odour	Clear no odour	Clear no odour
Groundwater level (m AOD)	Monthly	68.652	68.652	68.502	68.402	68.202	67.752	68.252	67.802	68.402	68.352	68.352	68.452
pH (pH units)	Monthly	7.5	7.5	7.4	7.4	7.3	7.4	7.5	7.2	7.3	7.3	7.5	7.3
Electrical Conductivity (µS/cm)	Monthly	593	682	689.5	753	754	759	774	820	782	844	828	769
Total Ammonia mg/l	Monthly	6	5.9	5.6	5.7	5.9	3.3	6.1	5.9	6.4	6.5	3.8	5.4
Sulphate(SO4) mg/l	Monthly	8.6	8.7	7.4	3.7	3.3	5.7	2	1.9	4.8	3.3	72	3.2
Arsenic (µg/l)	Annually							5.06					
Boron (µg/l)	Annually							16.7					
Silver (µg/l)	Annually							2					
Aluminium (µg/l)	Annually							2					
Beryllium (µg/l)	Annually							2					
Barium (µg/l)	Annually							808					
calcium (mg/l)	Annually							31.1					
chromium (µg/l)	Annually							2					
Cadmium (µg/l)	Annually							2					
Cobalt (µg/l)	Annually							2					
Copper (µg/l)	Annually							2					
Iron (mg/l)	Annually							0.1					
Potassium (mg/l)	Annually							2.17					
Magnesium (mg/l)	Annually							18.1					
Manganese (µg/l)	Annually							2					
Sodium (mg/l)	Annually							9.13					
Nickel (µg/l)	Annually							3.77					
Lead (µg/l)	Annually							2					
Antimony (µg/l)	Annually							2					
Selenium (µg/l)	Annually							2					
Zinc (µg/l)	Annually							2.65					
Mercury (µg/l)	Annually							1					
Flouride (mg/l)	Annually							0.16					
PO4-P (mg/l)	Annually							0.01					
VOC's USEPA 524.2 (µg/l)	Annually							All <1 *					
SVOC'S (µg/l)	Annually							All <1 **					
Comb Pesticide suite (µg/l)	Annually							All < 0.01					
VOC's by GC-FID	Annually							All < 0.5					

*Except Dichloromethane <3

**Except Bis(2-ethylhexyl)phthalate <2

Cloncreen Ash Repository													
Monitoring Results													
Monitoring Location: MW03													
Parameter	Date	27/01/2016	10/02/2016	18/03/2016	21/04/2016	18/05/2016	09/06/2016	07/07/2016	11/08/2016	15/09/2016	05/10/2016	02/11/2016	01/12/2016
		Milky yellow, no odour	Milky yellow, no odour	Milky yellow, no odour	Milky with no odour	Milky yellow, no odour	Milky with no odour	Milky with no odour	Milky with no odour	Milky yellow, no odour	Milky with no odour	Milky with no odour	Milky with no odour
Visual/Odour	Monthly												
Groundwater level (m AOD)	Monthly	68.556	68.556	68.156	68.106	67.956	67.606	68.106	67.656	68.308	68.056	67.956	68.056
pH (pH units)	Monthly	7.5	7.6	7.4	7.4	7	7.2	7.5	7	7.4	7.1	7.3	7.2
Electrical Conductivity (µS/cm)	Monthly	456	382	511	608	868	870	778	914	519	770	830	647
Total Ammonia mg/l	Monthly	0.11	0.02	0.08	0.02	0.24	0.1	0.17	0.18	0.03	0.26	0.24	0.08
Sulphate(SO4) mg/l	Monthly	44	22	47	53	84	81	91	100	56	87	88	81
Arsenic (µg/l)	Annually							2					
Boron (µg/l)	Annually							47.6					
Silver (µg/l)	Annually							2					
Aluminium (µg/l)	Annually							2.77					
Beryllium (µg/l)	Annually							2					
Barium (µg/l)	Annually							96.6					
calcium (mg/l)	Annually							80.1					
chromium (µg/l)	Annually							2					
Cadmium (µg/l)	Annually							2					
Cobalt (µg/l)	Annually							2					
Copper (µg/l)	Annually							2					
Iron (mg/l)	Annually							0.1					
Potassium (mg/l)	Annually							1					
Magnesium (mg/l)	Annually							6.65					
Manganese (µg/l)	Annually							2					
Sodium (mg/l)	Annually							5.73					
Nickel (µg/l)	Annually							2					
Lead (µg/l)	Annually							2					
Antimony (µg/l)	Annually							2.22					
Selenium (µg/l)	Annually							2					
Zinc (µg/l)	Annually							3.5					
Mercury (µg/l)	Annually							1					
Flouride (mg/l)	Annually							0.1					
PO4-P (mg/l)	Annually							0.01					
VOC's USEPA 524.2 (µg/l)	Annually							All <1 *					
SVOC'S (µg/l)	Annually							All <1 **					
Comb Pesticide suite (µg/l)	Annually							All < 0.01					
VOC's by GC-FID	Annually							All < 0.5					

*Except Dichloromethane <3

**Except Bis(2-ethylhexyl)phthalate <2

Cloncreen Ash Repository													
Monitoring Results													
Monitoring Location: MW05													
Parameter	Date	27/01/2016	10/02/2016	18/03/2016	21/04/2016	18/05/2016	09/06/2016	07/07/2016	11/08/2016	15/09/2016	05/10/2016	02/11/2016	01/12/2016
Visual/Odour	Monthly	Milky with peat odour	Milky with peat odour	Milky with peat odour	Milky with peat odour	Milky with peat odour	Milky with peat odour	Milky with peat odour	Milky with peat odour	Milky with peat odour	Milky with peat odour	Milky with peat odour	Milky with peat odour
Groundwater level (m AOD)	Monthly	66.584	66.584	66.434	66.384	66.234	66.084	66.334	66.184	66.434	66.334	66.334	66.384
pH (pH units)	Monthly	7.2	7.3	7.2	7.2	7.1	7.2	7.6	7.1	7.2	7.1	7.4	7.1
Electrical Conductivity (µS/cm)	Monthly	497	565	550	622	624	623	588	621	590	634	607	582
Total Ammonia mg/l	Monthly	5.7	5.8	5.5	5.4	5.7	2.2	5.4	4.3	5.3	5.6	2.8	6
Sulphate(SO4) mg/l	Monthly	0.5	0.63	2.5	2	2	2	0.5	0.5	0.5	0.86	105	0.5
Arsenic (µg/l)	Annually							2					
Boron (µg/l)	Annually							7.7					
Silver (µg/l)	Annually							1					
Aluminium (µg/l)	Annually							11.5					
Beryllium (µg/l)	Annually							2					
Barium (µg/l)	Annually							40.1					
calcium (mg/l)	Annually							86.7					
chromium (µg/l)	Annually							2					
Cadmium (µg/l)	Annually							2					
Cobalt (µg/l)	Annually							2					
Copper (µg/l)	Annually							4.34					
Iron (mg/l)	Annually							0.1					
Potassium (mg/l)	Annually							1					
Magnesium (mg/l)	Annually							6.12					
Manganese (µg/l)	Annually							5.82					
Sodium (mg/l)	Annually							9.68					
Nickel (µg/l)	Annually							3.69					
Lead (µg/l)	Annually							2					
Antimony (µg/l)	Annually							2					
Selenium (µg/l)	Annually							2					
Zinc (µg/l)	Annually							2					
Mercury (µg/l)	Annually							1					
Flouride (mg/l)	Annually							0.17					
PO4-P (mg/l)	Annually							0.01					
VOC's USEPA 524.2 (µg/l)	Annually							All <1 *					
SVOC'S (µg/l)	Annually							All <1 **					
Comb Pesticide suite (µg/l)	Annually							All < 0.01					
VOC's by GC-FID	Annually							All < 0.5					

*Except Dichloromethane <3

**Except Bis(2-ethylhexyl)phthalate <2

Clonreen Ash Repository													
Monitoring Results													
Monitoring Location: MW06													
Parameter	Date	27/01/2016	10/02/2016	18/03/2016	21/04/2016	18/05/2016	09/06/2016	07/07/2016	11/08/2016	15/09/2016	05/10/2016	02/11/2016	01/12/2016
Visual/Odour	Monthly	Slightly yellow, no odour	Slightly yellow, no odour	Slightly yellow, no odour	Slightly yellow, no odour	Slightly yellow, no odour	Slightly yellow, no odour	Clear no odour	Slightly yellow, no odour	Slightly milky, no odour	Clear no odour	Clear no odour	Slightly yellow, no odour
Groundwater level (m AOD)	Monthly	68.413	68.463	68.313	68.213	68.113	67.963	68.063	67.963	68.213	68.163	68.113	68.163
pH (pH units)	Monthly	7	7.1	6.9	6.8	6.5	7	7.1	6.8	6.7	6.8	7	6.9
Electrical Conductivity (µS/cm)	Monthly	576	561	744	833	867	864	817	894	860	915	878	840
Total Ammonia mg/l	Monthly	5.1	4.6	6.1	6.5	7.3	3.7	6.9	8	8.6	8.7	4.6	8.4
Sulphate(SO4) mg/l	Monthly	6.7	7	3.3	2	2	2	0.57	0.5	0.5	0.5	28	7.3
Arsenic (µg/l)	Annually							2					
Boron (µg/l)	Annually							8.67					
Silver (µg/l)	Annually							2					
Aluminium (µg/l)	Annually							2					
Beryllium (µg/l)	Annually							2					
Barium (µg/l)	Annually							124					
calcium (mg/l)	Annually							135					
chromium (µg/l)	Annually							2					
Cadmium (µg/l)	Annually							2					
Cobalt (µg/l)	Annually							2					
Copper (µg/l)	Annually							2					
Iron (mg/l)	Annually							0.13					
Potassium (mg/l)	Annually							1					
Magnesium (mg/l)	Annually							4.19					
Manganese (µg/l)	Annually							2					
Sodium (mg/l)	Annually							10.2					
Nickel (µg/l)	Annually							8.87					
Lead (µg/l)	Annually							2					
Antimony (µg/l)	Annually							2					
Selenium (µg/l)	Annually							2					
Zinc (µg/l)	Annually							2					
Mercury (µg/l)	Annually							1					
Flouride (mg/l)	Annually							0.17					
PO4-P (mg/l)	Annually							0.01					
VOC's USEPA 524.2 (µg/l)	Annually							All <1 *					
SVOC'S (µg/l)	Annually							All <1 **					
Comb Pesticide suite (µg/l)	Annually							All < 0.01					
VOC's by GC-FID	Annually							All < 0.5					

*Except Dichloromethane <3
**Except Bis(2-ethylhexyl)phthalate <2

Clonreen Ash Repository
Monitoring Results
Monitoring Location: MW07

		Clear no odour	Clear no odour	Clear no odour	Clear, very slight gas odour	Slightly yellow, no odour	Slightly yellow, no odour	Clear no odour	Clear no odour	Clear no odour	Clear no odour	Clear no odour	Clear no odour
Visual/Odour	Monthly												
Groundwater level (m AOD)	Monthly	67.316	67.666	67.516	67.466	67.166	66.716	66.866	66.766	67.066	66.966	66.866	67.116
pH (pH units)	Monthly	7	7	6.9	7	6.7	7.1	7.2	7	7	6.9	7.2	7
Electrical Conductivity (µS/cm)	Monthly	928	934	884	1056	1011	1045	1059	1092	1107	1109	1120	1129
Total Ammonia mg/l	Monthly	3.1	2.4	2.2	2.2	2.6	2.8	3	2.7	3.1	3.2	1.8	3.5
Sulphate(SO4) mg/l	Monthly	2.5	4.5	3.7	2	2	2	0.73	0.5	0.6	1	48	0.81
Arsenic (µg/l)	Annually							2					
Boron (µg/l)	Annually							11.5					
Silver (µg/l)	Annually							2					
Aluminium (µg/l)	Annually							2					
Beryllium (µg/l)	Annually							0					
Barium (µg/l)	Annually							192					
calcium (mg/l)	Annually							119					
chromium (µg/l)	Annually							2					
Cadmium (µg/l)	Annually							2					
Cobalt (µg/l)	Annually							2					
Copper (µg/l)	Annually							2					
Iron (mg/l)	Annually							0.16					
Potassium (mg/l)	Annually							39.3					
Magnesium (mg/l)	Annually							8.26					
Manganese (µg/l)	Annually							2					
Sodium (mg/l)	Annually							48.5					
Nickel (µg/l)	Annually							2					
Lead (µg/l)	Annually							2					
Antimony (µg/l)	Annually							2					
Selenium (µg/l)	Annually							2					
Zinc (µg/l)	Annually							2.39					
Mercury (µg/l)	Annually							1					
Flouride (mg/l)	Annually							0.14					
PO4-P (mg/l)	Annually							0.01					
VOC's USEPA 524.2 (µg/l)	Annually							All <1 *					
SVOC'S (µg/l)	Annually							All <1 **					
Comb Pesticide suite (µg/l)	Annually							All < 0.01					
VOC's by GC-FID	Annually							All < 0.5					

*Except Dichloromethane <3

**Except Bis(2-ethylhexyl)phthalate <2

Cloncreen Ash Repository													
Monitoring Results													
Monitoring Location: MW08													
Parameter	Date	27/01/2016	10/02/2016	18/03/2016	21/04/2016	18/05/2016	09/06/2016	07/07/2016	11/08/2016	15/09/2016	05/10/2016	02/11/2016	01/12/2016
Visual/Odour	Monthly	Clear no odour	Clear no odour	Clear no odour	Clear no odour	Clear no odour	Clear no odour	Clear no odour	Clear no odour	Clear no odour	Clear no odour	Clear no odour	Clear no odour
Groundwater level (m AOD)	Monthly	68.812	69.012	68.512	68.262	67.862	67.512	67.562	67.362	67.612	67.612	67.612	67.862
pH (pH units)	Monthly	6.7	6.8	6.9	7	6.7	7	7.2	7	7.1	6.9	7.1	7
Electrical Conductivity (µS/cm)	Monthly	903	835	772	897	895	864	848	955	861	941	903.5	865
Total Ammonia mg/l	Monthly	1.7	0.91	1.6	1.8	2.3	1.8	2.2	2.4	3.2	2.9	1.6	2.6
Sulphate(SO4) mg/l	Monthly	79	76	59	42	49	49	51	52	54	63	46	49
Arsenic (µg/l)	Annually							2					
Boron (µg/l)	Annually							16.3					
Silver (µg/l)	Annually							2					
Aluminium (µg/l)	Annually							2					
Beryllium (µg/l)	Annually							2					
Barium (µg/l)	Annually							267					
calcium (mg/l)	Annually							73.7					
chromium (µg/l)	Annually							2					
Cadmium (µg/l)	Annually							2					
Cobalt (µg/l)	Annually							2					
Copper (µg/l)	Annually							2					
Iron (mg/l)	Annually							0.1					
Potassium (mg/l)	Annually							1					
Magnesium (mg/l)	Annually							4.89					
Manganese (µg/l)	Annually							2					
Sodium (mg/l)	Annually							5.14					
Nickel (µg/l)	Annually							8.29					
Lead (µg/l)	Annually							2					
Antimony (µg/l)	Annually							2					
Selenium (µg/l)	Annually							2					
Zinc (µg/l)	Annually							2					
Mercury (µg/l)	Annually							1					
Flouride (mg/l)	Annually							0.13					
PO4-P (mg/l)	Annually							0.01					
VOC's USEPA 524.2 (µg/l)	Annually							All <1 *					
SVOCS (µg/l)	Annually							All <1 **					
Comb Pesticide suite (µg/l)	Annually							All < 0.01					
VOC's by GC-FID	Annually							All < 0.5					

*Except Dichloromethane <3

**Except Bis(2-ethylhexyl)phthalate <2

Cloncreen Ash Repository
Monitoring Results
Monitoring Location: MW09

Parameter	Date	27/01/2016	10/02/2016	18/03/2016	21/04/2016	18/05/2016	09/06/2016	07/07/2016	11/08/2016	15/09/2016	05/10/2016	02/11/2016	01/12/2016
Visual/Odour	Monthly	Clear no odour	Clear no odour	Clear no odour	Clear no odour	Clear no odour	Clear no odour	Clear no odour	Clear no odour	Clear no odour	Clear no odour	Clear no odour	Clear no odour
Groundwater level (m AOD)	Monthly	67.668	67.768	67.468	67.268	66.968	66.568	66.718	66.468	67.218	67.118	67.018	67.268
pH (pH units)	Monthly	6.8	7	7	7	7	7.1	7.2	7	7	6.9	7.1	6.9
Electrical Conductivity (µS/cm)	Monthly	751	713	796	863	844.5	792	789	829	836	890	866	838
Total Ammonia mg/l	Monthly	2.4	2.4	2.4	2	2.3	2.4	2.5	2.6	2.4	2.4	1	4.4
Sulphate(SO4) mg/l	Monthly	9.1	6.4	6.8	6.6	4.7	4.3	6.5	5.4	9.1	9.9	74	9.9
Arsenic (µg/l)	Annually							3.89					
Boron (µg/l)	Annually							10					
Silver (µg/l)	Annually							2					
Aluminium (µg/l)	Annually							2					
Beryllium (µg/l)	Annually							2					
Barium (µg/l)	Annually							258					
calcium (mg/l)	Annually							135					
chromium (µg/l)	Annually							2					
Cadmium (µg/l)	Annually							2					
Cobalt (µg/l)	Annually							2					
Copper (µg/l)	Annually							2					
Iron (mg/l)	Annually							1					
Potassium (mg/l)	Annually							1					
Magnesium (mg/l)	Annually							4.8					
Manganese (µg/l)	Annually							2					
Sodium (mg/l)	Annually							102					
Nickel (µg/l)	Annually							14.4					
Lead (µg/l)	Annually							2					
Antimony (µg/l)	Annually							2					
Selenium (µg/l)	Annually							2					
Zinc (µg/l)	Annually							2.33					
Mercury (µg/l)	Annually							1					
Flouride (mg/l)	Annually							0.23					
PO4-P (mg/l)	Annually							0.01					
VOC's USEPA 524.2 (µg/l)	Annually							All <1 *					
SVOC'S (µg/l)	Annually							All <1 **					
Comb Pesticide suite (µg/l)	Annually							All < 0.01					
VOC's by GC-FID	Annually							All < 0.5					

*Except Dichloromethane <3
**Except Bis(2-ethylhexyl)phthalate <2

Cloncreen Ash Repository
Monitoring Results
Monitoring Location: MW10

Parameter	Date	27/01/2016	10/02/2016	18/03/2016	21/04/2016	18/05/2016	09/06/2016	07/07/2016	11/08/2016	15/09/2016	05/10/2016	02/11/2016	01/12/2016
Visual/Odour	Monthly	Clear no odour	Clear no odour	Clear no odour	Clear no odour	Clear no odour	Clear no odour	Clear no odour	Clear no odour	Clear no odour	Clear no odour	Clear no odour	Clear no odour
Groundwater level. (m AOD)	Monthly	68.34	68.34	68.19	68.14	68.04	67.84	67.94	67.89	68.09	68.04	67.99	67.99
pH (pH units)	Monthly	7	7.1	7	7.1	7	7.1	7.2	7	7	7	7.2	7
Electrical Conductivity (µS/cm)	Monthly	721	717	726	784	794	785	737	813	777	808	801	786
Total Ammonia mg/l	Monthly	3.1	3	3.1	2.7	2.9	2.9	3.2	3.1	4.5	3.8	2	3.9
Sulphate(SO4) mg/l	Monthly	0.5	0.5	2.5	2	2	3.4	0.5	0.5	0.5	0.5	6.8	0.5
Arsenic (µg/l)	Annually							2					
Boron (µg/l)	Annually							9.18					
Silver (µg/l)	Annually							2					
Aluminium (µg/l)	Annually							2					
Beryllium (µg/l)	Annually							2					
Barium (µg/l)	Annually							246					
calcium (mg/l)	Annually							114					
chromium (µg/l)	Annually							2					
Cadmium (µg/l)	Annually							2					
Cobalt (µg/l)	Annually							2					
Copper (µg/l)	Annually							2					
Iron (mg/l)	Annually							0.1					
Potassium (mg/l)	Annually							1					
Magnesium (mg/l)	Annually							3.8					
Manganese (µg/l)	Annually							2					
Sodium (mg/l)	Annually							8.87					
Nickel (µg/l)	Annually							14.7					
Lead (µg/l)	Annually							2					
Antimony (µg/l)	Annually							2					
Selenium (µg/l)	Annually							2					
Zinc (µg/l)	Annually							2.73					
Mercury (µg/l)	Annually							1					
Flouride (mg/l)	Annually							0.16					
PO4-P (mg/l)	Annually							0.01					
VOC's USEPA 524.2 (µg/l)	Annually							All <1 *					
SVOC'S (µg/l)	Annually							All <1 **					
Comb Pesticide suite (µg/l)	Annually							All < 0.01					
VOC's by GC-FID	Annually							All < 0.5					

*Except Dichloromethane <3
**Except Bis(2-ethylhexyl)phthalate <2

Clonreen Ash Repository													
Monitoring Results													
Monitoring Location: MW11													
Parameter	Date	27/01/2016	10/02/2016	18/03/2016	21/04/2016	18/05/2016	09/06/2016	07/07/2016	11/08/2016	15/09/2016	05/10/2016	02/11/2016	01/12/2016
Visual/Odour	Monthly	Clear no odour	Clear no odour	Clear no odour	Clear no odour	Clear no odour	Clear no odour	Clear no odour	Clear no odour	Clear no odour	Clear no odour	Clear no odour	Clear no odour
Groundwater level (m AOD)	Monthly	66.869	67.419	66.919	66.869	66.519	66.469	66.369	66.269	66.619	66.519	66.369	66.619
pH (pH units)	Monthly	6.9	6.8	7	7	6.7	7	7.2	6.9	6.9	6.9	7.1	7
Electrical Conductivity (µS/cm)	Monthly	877	958	940	1035	1039	999	1004	1057	1032	1077	1055	1041
Total Ammonia mg/l	Monthly	2.9	2.7	2.7	2.4	2.6	2.4	2.4	2.3	2.4	2.6	2	2.9
sulphate(SO4) mg/l	Monthly	1.4	2.4	2.8	2	2	2	0.5	0.5	0.5	0.5	2.8	0.5
Arsenic (µg/l)	Annually							2					
Boron (µg/l)	Annually							0					
Silver (µg/l)	Annually							2					
Aluminium (µg/l)	Annually							2					
Beryllium (µg/l)	Annually							2					
Barium (µg/l)	Annually							258					
calcium (mg/l)	Annually							103					
chromium (µg/l)	Annually							2					
Cadmium (µg/l)	Annually							2					
Cobalt (µg/l)	Annually							2					
Copper (µg/l)	Annually							2					
Iron (mg/l)	Annually							0.1					
Potassium (mg/l)	Annually							30.5					
Magnesium (mg/l)	Annually							10.8					
Manganese (µg/l)	Annually							2					
Sodium (mg/l)	Annually							26.1					
Nickel (µg/l)	Annually							2					
Lead (µg/l)	Annually							2					
Antimony (µg/l)	Annually							2					
Selenium (µg/l)	Annually							2					
Zinc (µg/l)	Annually							2					
Flouride (mg/l)	Annually							0.18					
PO4-P (mg/l)	Annually							0.01					
VOC's USEPA 524.2 (µg/l)	Annually							All <1 *					
SVOC'S (µg/l)	Annually							All <1 **					
Comb Pesticide suite (µg/l)	Annually							All < 0.01					
VOC's by GC-FID	Annually							All < 0.5					

*Except Dichloromethane <3

**Except Bis(2-ethylhexyl)phthalate <2



| PRTR# : W0049 | Facility Name : Clonbulloge Ash Repository | Filename : W0049_2016.xls | Return Year : 2016 |

13/02/2017 12:41

[Guidance to completing the PRTR workbook](#)

PRTR Returns Workbook

Version 1.1.19

REFERENCE YEAR	2016
-----------------------	------

1. FACILITY IDENTIFICATION

Parent Company Name	Bord na Mona Energy Limited
Facility Name	Clonbulloge Ash Repository
PRTR Identification Number	W0049
Licence Number	W0049-02

Classes of Activity

No.	class_name
-	Refer to PRTR class activities below

Address 1	Cloncreen Bog
Address 2	Clonbulloge
Address 3	
Address 4	
	Offaly
Country	Ireland
Coordinates of Location	-7.11013 53.274
River Basin District	IESE
NACE Code	3821
Main Economic Activity	Treatment and disposal of non-hazardous waste
AER Returns Contact Name	Enda McDonagh
AER Returns Contact Email Address	enda.mcdonagh@bnm.ie
AER Returns Contact Position	Head of Environment, Health & Safety
AER Returns Contact Telephone Number	0579345911
AER Returns Contact Mobile Phone Number	0862370816
AER Returns Contact Fax Number	0579345160
Production Volume	30555.0
Production Volume Units	Tonnes
Number of Installations	1
Number of Operating Hours in Year	3796
Number of Employees	4
User Feedback/Comments	There are no loadings calculated on emissions to water as flow measurement is not a licence requirement.
Web Address	www.bnm.ie

2. PRTR CLASS ACTIVITIES

Activity Number	Activity Name
5(d)	Landfills

3. SOLVENTS REGULATIONS (S.I. No. 543 of 2002)

Is it applicable?	No
Have you been granted an exemption?	
If applicable which activity class applies (as per Schedule 2 of the regulations)?	
Is the reduction scheme compliance route being used?	

4. WASTE IMPORTED/ACCEPTED ONTO SITE

[Guidance on waste imported/accepted onto site](#)

Do you import/accept waste onto your site for on-site treatment (either recovery or disposal activities)?	No
---	----

This question is only applicable if you are an IPPC or Quarry site

4.1 RELEASES TO AIR

[Link to previous years emissions data](#)

| PRTR#: W0049 | Facility Name : Clonbulloge Ash Repository | Filename : W0049_2016.xls | Return Year : 2016 |

13/02/2017 12:43

SECTION A : SECTOR SPECIFIC PRTR POLLUTANTS

POLLUTANT		METHOD			Please enter all quantities in this section in KGs			
No. Annex II	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
						0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION B : REMAINING PRTR POLLUTANTS

POLLUTANT		METHOD			Please enter all quantities in this section in KGs			
No. Annex II	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
						0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION C : REMAINING POLLUTANT EMISSIONS (As required in your Licence)

POLLUTANT		METHOD			Please enter all quantities in this section in KGs				QUANTITY		
Pollutant No.	Name	M/C/E	Method Code	Designation or Description	DM01	DM02	DM03	DM04	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
210	Dust	E	OTH	VDI 2199 Blatt 2/Part 2	0.0	0.0	0.0	0.0	0.060648	0.0	0.060648

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

Additional Data Requested from Landfill operators

For the purposes of the National Inventory on Greenhouse Gases, landfill operators are requested to provide summary data on landfill gas (Methane) flared or utilised on their facilities to accompany the figures for total methane generated. Operators should only report their Net methane (CH₄) emission to the environment under T(total) KG/yr for Section A: Sector specific PRTR pollutants above. Please complete the table below:

Landfill: Please enter summary data on the quantities of methane flared and / or utilised	Clonbulloge Ash Repository			
	T (Total) kg/Year	M/C/E	Method Code	Designation or Description
Total estimated methane generation (as per site model)	0.0			Facility Total Capacity m3 per hour
Methane flared	0.0			0.0 (Total Flaring Capacity)
Methane utilised in engines	0.0			0.0 (Total Utilising Capacity)
Net methane emission (as reported in Section A above)	0.0			N/A

4.2 RELEASES TO WATERS

[Link to previous years emissions data](#)

| PRTR# : W0049 | Facility Name : Clonbulloge Ash Repository | Filename : W0049_2016.xls | Return Year : 2016 |

13/02/2017 12:46

SECTION A : SECTOR SPECIFIC PRTR POLLUTANTS

Data on ambient monitoring of storm/surface water or groundwater, conducted as part of your licence requirements, should NOT be submitted under AER / PRTR Reporting as this only concerns Releases from your facility

RELEASES TO WATERS					Please enter all quantities in this section in KGs			
POLLUTANT		Method Used			QUANTITY			
No. Annex II	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
					0.0	0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION B : REMAINING PRTR POLLUTANTS

RELEASES TO WATERS					Please enter all quantities in this section in KGs			
POLLUTANT		Method Used			QUANTITY			
No. Annex II	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
					0.0	0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION C : REMAINING POLLUTANT EMISSIONS (as required in your Licence)

RELEASES TO WATERS					Please enter all quantities in this section in KGs			
POLLUTANT		Method Used			QUANTITY			
Pollutant No.	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
					0.0	0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

ity

4.3 RELEASES TO WASTEWATER OR SEWER

[Link to previous years emissions data](#)

| PRTR# : W0049 | Facility Name : Clonbulloge Ash Repository | Filename : W0049_2016.xls | Return

13/02/2017 12:48

SECTION A : PRTR POLLUTANTS

OFFSITE TRANSFER OF POLLUTANTS DESTINED FOR WASTE-WATER TREATMENT OR SEWER					Please enter all quantities in this section in KGs			
POLLUTANT		METHOD			QUANTITY			
No. Annex II	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
					0.0	0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION B : REMAINING POLLUTANT EMISSIONS (as required in your Licence)

OFFSITE TRANSFER OF POLLUTANTS DESTINED FOR WASTE-WATER TREATMENT OR SEWER					Please enter all quantities in this section in KGs			
POLLUTANT		METHOD			QUANTITY			
Pollutant No.	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
					0.0	0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

5. ONSITE TREATMENT & OFFSITE TRANSFERS OF WASTE

| PRTR# : W0049 | Facility Name : Clonbulloge Ash Repository | Filename : W0049_2016.xls | Return Year : 2016 |

13/02/2017 12:52

Please enter all quantities on this sheet in Tonnes

3

Transfer Destination	European Waste Code	Hazardous	Quantity (Tonnes per Year)	Description of Waste	Waste Treatment Operation	Method Used		Location of Treatment	Haz Waste : Name and Licence/Permit No of Next Destination Facility	Non	Haz Waste : Address of Next Destination Facility	Name and License / Permit No. and Address of Final Recoverer / Disposer (HAZARDOUS WASTE ONLY)	Actual Address of Final Destination i.e. Final Recovery / Disposal Site (HAZARDOUS WASTE ONLY)
						Haz Waste : Name and Licence/Permit No of Recover/Disposer	Non Haz Waste: Address of Recover/Disposer						
Within the Country	20 03 01	No	1.606	mixed municipal waste	D1	C	Volume Calculation	Offsite in Ireland	AES Ltd Cappincur Tullamore Co Offaly,WCP-OY-08-601-01		Cappincur,Tullamore,Co Offaly,..Ireland		
Within the Country	20 03 01	No		mixed municipal waste	D1	M	Weighed	Offsite in Ireland	AES Ltd Cappincur Tullamore Co Offaly,WCP-OY-08-601-01		Cappincur,Tullamore,Co Offaly,..Ireland		

* Select a row by double-clicking the Description of Waste then click the delete button

[Link to previous years waste data](#)

[Link to previous years waste summary data & percentage change](#)

[Link to Waste Guidance](#)