

Licence Alteration Request

Alteration Details	
Licence	W0201-03 Drehid Waste Management Facility
Licensee	Bord na Mona Public Limited Company
Title of Alteration	Technical Amendment to Schedule A

Screening Report

No.	Question	Answer
1	Does the proposed alteration require a new class of activity or process?	No
2	Does the proposed alteration cause a new / additional main emission point?	No
3	Does the proposed alteration increase or change specified emissions significantly ?	No
4	Does the proposed alteration increase significantly the overall total emission from the installation/facility?	No
5	Does the proposed alteration involve development or proposed development that has already been granted planning permission or requires a grant of planning permission and was/is subject to EIA by the Planning Authority or An Bord Pleanála?	No
6	Did the proposed alteration require the preparation of a Natura Impact Statement (NIS) for consideration by any Planning or Public Authority?	No
7	Does the proposed alteration indicate that the EPA should conduct an Appropriate Assessment (on foot of a screening for Appropriate Assessment)?	No
8	Does the proposed change conflict with BAT as set out in the relevant BAT Conclusions? See here	No
9	Does the proposed alteration adversely affect the energy efficiency of the installation/facility?	No
10	Does the proposed alteration adversely affect the environmental risk of the installation/facility significantly ?	No

Licence Alteration Request

11	Does the proposed alteration cause an increase above the capacity limitations specified in the licence?	No
12	Does the proposed alteration require an extension of operating hours (where controlled by the licence) for an installation/facility where the public is likely to have an interest in such an extension?	No
13	Does the proposed alteration involve the incineration or co-incineration of waste materials displaying hazardous properties that were not previously authorised (as per the WID/IED)?	No
14	Does the proposed alteration introduce materials or techniques which adversely alter the probability, magnitude and duration or complexity of the site transboundary impact?	No
15	Does the proposed alteration constitute a substantial change?	No
16	Does the proposed alteration require a change to a condition or schedule of the Licence?	Yes

Recommendation

Based on your responses to the forgoing questions the recommended option is for you to submit a 'Request Licence Amendment' for this proposed alteration.

To submit this request to the EPA you should locate it in the 'Request Alteration' area in LMA. Click on 'Proceed' against this saved request, and then click on the 'Request Licence Amendment' button (in STEP 2 of the process). Then you will be required to provide more detailed information about your proposed amendment.

Note: The responses you have provided in this Screening Report will form part of the information record if you decide to proceed with this alteration request.

Recommendation Date: 16/11/2016

Clerical or Technical Amendment Application Details

Proposed Alteration Description

Technical Amendment to Schedule A of of IE Licence W0201-03

Priority

3. Urgent

Category of Amendment

(c) Otherwise facilitating the operation of the licence (or certificate) and the making of the amendment does not result in the relevant requirements of section 83(5) of the EPA Act as amended/ section 42B(1) of the Waste Management Act as amended/environmental requirements ceasing to be satisfied

Licence Alteration Request



Licence Condition Changes		
Condition / Schedule Reference	Current Condition / Schedule Wording	Suggested New Wording
Schedule A	Maximum waste acceptance Landfill 360,000 tonnes per annum until 31/12/2017 120,000 tonnes per annum from 1/1/2018 Compost unit 25,000 tonnes per annum	Maximum waste acceptance Landfill 360,000 tonnes per annum until 31/12/2017 120,000 tonnes per annum from 1/1/2018 Compost unit 25,000 tonnes per annum Landfill Engineering No limit where fit for purpose and in accordance with Agency guidance

Questions

Q1	Is planning permission required to support the proposed alteration?	No
Q2	Does the application involve an installation boundary change?	No
Q3	Does the application involve changes to emissions to sewer?	No
Q4	Attach Appropriate Assessment Screening Report here	ScreeningReport_1.pdf

Additional Documentation

ScreeningReport.pdf
TA Request W0201-03 151116.pdf

Final Declaration

Name	Phoebe Dillane
Position	EHS Compliance Officer

Application Details

Selected by:	Phoebe Dillane	Selected date:	16/11/2016
Submitted by:	Phoebe Dillane	Submitted date:	16/11/2016