

SELECT

cells that are highlighted blue contain a dropdown menu click to select one option from the list

[guidance document link](#)

cells that contain underlined text click to access relevant guidance documents for this section

Table heading \*

table headings followed by a symbol have an associated footnote or instructions

Cells with red indicator in top right corner

cells that have a red indicator in the top right corner contain a comment box with further instructions or clarification

Please note an interpretation of results is still required. This should be entered in the additional information/comments boxes within the templates. Please size these boxes appropriately to fit your interpretation, if additional space is required please include an appendix to the AER template and merge it as part of the AER PDF document. The excel template should have all cells sized appropriately so that all text is readable before it is converted to PDF document.

Facility Information Summary	
AER Reporting Year	2016
Licence Register Number	W0074-03
Name of site	Donohill Landfill
Site Location	Donohill, Co. Tipperary
NACE Code	38.2.1
Class/Classes of Activity	Class 1, 4, 5, 7 of the Third Schedule & Class 3, 4, 9, 13 of the Fourth Schedule of the Waste Management Acts
National Grid Reference (6E, 6 N)	1895E, 1425N
A description of the activities/processes at the site for the reporting year. This should include information such as production increases or decreases on site, any infrastructural changes, environmental performance which was measured during the reporting year <b>and an overview of compliance with your licence</b> <u>listing all exceedances of licence limits (where applicable) and what they relate to e.g. air, water, noise.</u>	<p>Closed landfill for non-hazardous waste. Civic Amenity site. Any exceedance of licence limits are detailed in this report.</p>

**Declaration:**

All the data and information presented in this report has been checked and certified as being accurate. The quality of the information is assured to meet licence requirements.

<u><b>Louise Ryan</b></u>	<u><b>18/05/2017</b></u>
Signature	Date
Facility manager	
(or nominated, suitably qualified and experienced deputy)	

<b>AIR-summary template</b>	Lic No:	W0074-03	Year	2016
-----------------------------	---------	----------	------	------

Answer all questions and complete all tables where relevant

- 1 Does your site have licensed air emissions? If yes please complete table A1 and A2 below for the current reporting year and answer further questions. If **you do not have** licenced emissions and **do not complete a solvent management plan** (table A4 and A5) you do not need to complete the tables

Additional information	
Yes	Flare stack emission

<b>Periodic/Non-Continuous Monitoring</b>	
---	--

- 2 Are there any results in breach of licence requirements? If yes please provide brief details in the comment section of TableA1 below
- 3 Was all monitoring carried out in accordance with EPA guidance note AG2 and using the basic air monitoring checklist? [Basic air monitoring checklist](#) [AGN2](#)

No	
Yes	

**Table A1: Licensed Mass Emissions/Ambient data-periodic monitoring (non-continuous)**

Emission reference no:	Parameter/ Substance	Frequency of Monitoring	ELV in licence or any revision thereof	Licence Compliance criteria	Measured value	Unit of measurement	Compliant with licence limit	Method of analysis	Annual mass load (kg)	Comments -reason for change in % mass load from previous year if applicable
Flare 1	Nitrogen oxides (NOx/NO2)	annual	150mg/m3	No 30min mean can exceed the ELV	46.647	mg/Nm3	yes	EN 14792:2005	62.78	Variance in releases to air of NOx compared to 2015 is due to the increase in run hours in 2016 and the difference in measured stack emissions. The stack emissions were in compliance in both 2015 and 2016.
Flare 1	Carbon monoxide (CO)	annual	50mg/m3	No 30min mean can exceed the ELV	2.49	mg/Nm3	yes	EN 15058:2004	3.35	
Flare 1	Total Organic Carbon (as C)	annual	10mg/m3	No 30min mean can exceed the ELV	3.43	mg/Nm3	yes	OTH	4.61	
Flare 1	volumetric flow	continuous	500m3/hr	No 30min mean can exceed the ELV	198	Nm3/hour	yes	OTH		

Note 1: Volumetric flow shall be included as a reportable parameter

<b>AIR-summary template</b>	Lic No:	W0074-03	Year	2016
<b>Continuous Monitoring</b>				

4 Does your site carry out continuous air emissions monitoring?

If yes please review your continuous monitoring data and report the required fields below in Table A2 and compare it to its relevant Emission Limit Value (ELV)

5 Did continuous monitoring equipment experience downtime? If yes please record downtime in table A2 below

6 Do you have a proactive service agreement for each piece of continuous monitoring equipment?

7 Did your site experience any abatement system bypasses? If yes please detail them in table A3 below

**Table A2: Summary of average emissions -continuous monitoring**

Emission reference no:	Parameter/ Substance	ELV in licence or any revision thereof	Averaging Period	Compliance Criteria	Units of measurement	Annual Emission	Annual maximum	Monitoring Equipment downtime (hours)	Number of ELV exceedences in current reporting year	Comments
	<input type="text" value="SELECT"/>			<input type="text" value="SELECT"/>	<input type="text" value="SELECT"/>					
	<input type="text" value="SELECT"/>				<input type="text" value="SELECT"/>					
	<input type="text" value="SELECT"/>				<input type="text" value="SELECT"/>					
	<input type="text" value="SELECT"/>				<input type="text" value="SELECT"/>					
	<input type="text" value="SELECT"/>				<input type="text" value="SELECT"/>					

note 1: Volumetric flow shall be included as a reportable parameter.

**Table A3: Abatement system bypass reporting table**

[Bypass protocol](#)

Date*	Duration** (hours)	Location	Reason for bypass	Impact magnitude	Corrective action

\* this should include all dates that an abatement system bypass occurred

\*\* an accurate record of time bypass beginning and end should be logged on site and maintained for future Agency inspections please refer to bypass protocol link

<b>AIR-summary template</b>		Lic No: W0074-03	Year: 2016	
<b>Solvent use and management on site</b>				
8 Do you have a total Emission Limit Value of direct and fugitive emissions on site? if yes please fill out tables A4 and A5			No	
<b>Table A4: Solvent Management Plan Summary</b>		<a href="#">Solvent regulations</a> Please refer to linked solvent regulations to complete table 5 and 6		
<b>Total VOC Emission limit value</b>				
Reporting year	Total solvent input on site (kg)	Total VOC emissions to Air from entire site (direct and fugitive)	Total VOC emissions as %of solvent input	
			Total Emission Limit Value (ELV) in licence or any revision thereof	
			SELECT	
			SELECT	
<b>Table A5: Solvent Mass Balance summary</b>				
	(I) Inputs (kg)	(O) Outputs (kg)		
Solvent	(I) Inputs (kg)	Organic solvent emission in waste	Solvents lost in water (kg)	Collected waste solvent (kg)
				Fugitive Organic Solvent (kg)
				Solvent released in other ways e.g.
				Solvents destroyed onsite through
				Total emission of Solvent to air (kg)
				Total

		Additional information	
1	Does your site have licensed emissions direct to surface water or direct to sewer? If yes please complete table W2 and W3 below for the current reporting year and answer further questions. If <b>you do not have</b> licensed emissions you <u>only</u> need to complete table W1 and or W2 for storm water analysis and visual inspections	Yes	There is licensed emissions for controlled discharge of storm water to surface water, This is completed by monitoring the surface water lagoon SW5 prior to discharge. Results from this are given in Table W3.
2	Was it a requirement of your licence to carry out visual inspections on any surface water discharges or watercourses on or near your site? If yes please complete table W2 below summarising <u>only any evidence of contamination noted during visual inspections</u>	Yes	No evidence of contamination noted.

**Table W1 Storm water monitoring**

Location reference	Location relative to site activities	PRTR Parameter	Licensed Parameter	Monitoring date	ELV or trigger level in licence or any revision thereof*	Licence Compliance criteria	Measured value	Unit of measurement	Compliant with licence	Comments
	SELECT	SELECT	SELECT			SELECT		SELECT	SELECT	
	SELECT	SELECT	SELECT			SELECT		SELECT	SELECT	

\*trigger values may be agreed by the Agency outside of licence conditions

**Table W2 Visual inspections-Please only enter details where contamination was observed.**

Location Reference	Date of inspection	Description of contamination	Source of contamination	Corrective action	Comments
			SELECT		
			SELECT		

**Licensed Emissions to water and /or wastewater(sewer)-periodic monitoring (non-continuous)**

3	Was there any result in breach of licence requirements? If yes please provide brief details in the comment section of Table W3 below	No	Additional information
4	Was all monitoring carried out in accordance with EPA guidance and checklists for Quality of Aqueous Monitoring Data Reported to the EPA? If no please detail what areas require improvement in additional information box	Yes	<a href="#">External /Internal Lab Quality checklist</a> <a href="#">Assessment of results checklist</a>

**Table W3: Licensed Emissions to water and /or wastewater (sewer)-periodic monitoring (non-continuous)**

Emission reference no:	Emission released to	Parameter/ SubstanceNote 1	Type of sample	Frequency of monitoring	Averaging period	ELV or trigger values in licence or any revision thereof <sup>Note 2</sup>	Licence Compliance criteria	Measured value	Unit of measurement	Compliant with licence	Method of analysis	Procedural reference source	Procedural reference standard number	Annual mass load (kg)	Comments
SW5	Water	Ammonia (as N)	discrete	prior to discharge	N/A	0.2mg/l	All values < ELV	0.14	mg/L	yes	rophotometry (Colorimetry)	Manufacturer method	Hach nessler Method	0.068	Average value of actual water discharged. No discharge takes place is licence conditions not met.

Note 1: Volumetric flow shall be included as a reportable parameter

Note 2: Where Emission Limit Values (ELV) do not apply to your licence please compare results against EQS for Surface water or relevant receptor quality standards

**Continuous monitoring**  
 5 Does your site carry out continuous emissions to water/sewer monitoring? Additional Information  
 No

If yes please summarise your continuous monitoring data below in Table W4 and compare it to its relevant Emission Limit Value (ELV)

6 Did continuous monitoring equipment experience downtime? If yes please record downtime in table W4 below

7 Do you have a proactive service contract for each piece of continuous monitoring equipment on site?

8 Did abatement system bypass occur during the reporting year? If yes please complete table W5 below

**Table W4: Summary of average emissions -continuous monitoring**

Emission reference no:	Emission released to	Parameter/ Substance	ELV or trigger values in licence or any revision thereof	Averaging Period	Compliance Criteria	Units of measurement	Annual Emission for current reporting year (kg)	% change +/- from previous reporting year	Monitoring Equipment downtime (hours)	Number of ELV exceedences in reporting year	Comments
	SELECT	SELECT		SELECT	SELECT	SELECT					
	SELECT	SELECT		SELECT	SELECT	SELECT					

note 1: Volumetric flow shall be included as a reportable parameter.

**Table W5: Abatement system bypass reporting table**

Date	Duration (hours)	Location	Resultant emissions	Reason for bypass	Corrective action*	Was a report submitted to the EPA?	When was this report submitted?
						SELECT	

\*Measures taken or proposed to reduce or limit bypass frequency

**Bund testing**

dropdown menu click to see options

**Additional information**

Are you required by your licence to undertake integrity testing on bunds and containment structures? If yes please fill out table B1 below listing all **new bunds and containment structures** on site, in addition to **all bunds which failed the integrity test-all bunding structures which failed including mobile bunds must be listed in the table below, please include all bunds outside the licenced testing period** (mobile bunds and chemstore included)

- 1 Please provide integrity testing frequency period
- 2 Does the site maintain a register of bunds, underground pipelines (including stormwater and foul), Tanks, sumps and containers? (containers refers to "Chemstore" type units and mobile bunds)
- 3 How many bunds are on site?
- 4 How many of these bunds have been tested within the required test schedule?
- 5 How many mobile bunds are on site?
- 6 Are the mobile bunds included in the bund test schedule?
- 7 How many of these mobile bunds have been tested within the required test schedule?
- 8 How many sumps on site are included in the integrity test schedule?
- 9 How many of these sumps are integrity tested within the test schedule?

Yes	No bund tests were carried out in 2016 as they were not due.
3 years	
Yes	
	2 Two lagoons
	0 Next test due 2017
	1 one bunded pallet
No	
0	
0	
0	
No	Leachate lagoon has a high level pump cut off system
Y	leachate lagoon system serviced annually or as required
N/A	

Please list any sump integrity failures in table B1

10 Do all sumps and chambers have high level liquid alarms?

12 If yes to Q11 are these failsafe systems included in a maintenance and testing programme?

13 Is the Fire Water Retention Pond included in your integrity test programme?

**Table B1: Summary details of bund /containment structure integrity test**

Bund/Containment structure ID	Type	Specify Other type	Product containment	Actual capacity	Capacity required*	Type of integrity test	Other test type	Test date	Integrity reports maintained on site?	Results of test	Integrity test failure explanation <50 words	Corrective action taken	Scheduled date for retest	Results of retest (if in current reporting year)
	SELECT					SELECT			SELECT	SELECT		SELECT		
	SELECT					SELECT			SELECT	SELECT		SELECT		

\* Capacity required should comply with 25% or 110% containment rule as detailed in your licence

Has integrity testing been carried out in accordance with licence requirements and are all structures tested in line with BS8007/EPA Guidance?

[bundings and storage guidelines](#)

15 Are channels/transfer systems to remote containment systems tested?

17 Are channels/transfer systems compliant in both integrity and available volume?

SELECT	
SELECT	
SELECT	

**Pipeline/underground structure testing**

Are you required by your licence to undertake integrity testing\* on underground structures e.g. pipelines or sumps etc? If yes please fill out table 2 below listing

1 all underground structures and pipelines on site **which failed the integrity test and all which have not been tested within the integrity test period as specified**

2 Please provide integrity testing frequency period

\*please note integrity testing means water tightness testing for process and foul pipelines (as required under your licence)

SELECT	
SELECT	

**Table B2: Summary details of pipeline/underground structures integrity test**

Structure ID	Type system	Material of construction:	Does this structure have Secondary containment?	Type secondary containment	Type integrity testing	Integrity reports maintained on site?	Results of test	Integrity test failure explanation <50 words	Corrective action taken	Scheduled date for retest	Results of retest (if in current reporting year)
	SELECT	SELECT	SELECT	SELECT	SELECT	SELECT	SELECT				SELECT

Please use commentary for additional details not answered by tables/ questions above



<b>Groundwater/Soil monitoring template</b>	Lic No: W0074-03	Year: 2016
---	------------------	------------

		Comments
1	Are you required to carry out groundwater monitoring as part of your licence requirements?	yes
2	Are you required to carry out soil monitoring as part of your licence requirements?	no
3	Do you extract groundwater for use on site? If yes please specify use in comment section	no
4	Do monitoring results show that groundwater generic assessment criteria such as GTVs or IGVs are exceeded or is there an upward trend in results for a substance? If yes, please complete the Groundwater Monitoring Guideline Template <a href="#">Groundwater monitoring template</a> Report (link in cell G8) and submit separately through ALDER as a licensee return AND answer questions 5-12 below.	no
5	Is the contamination related to operations at the facility (either current and/or historic)	N/A
6	Have actions been taken to address contamination issues? If yes please summarise remediation strategies proposed/undertaken for the site	N/A
7	Please specify the proposed time frame for the remediation strategy	N/A
8	Is there a licence condition to carry out/update ELRA for the site?	yes
9	Has any type of risk assesment been carried out for the site?	yes
10	Has a Conceptual Site Model been developed for the site?	yes
11	Have potential receptors been identified on and off site?	yes
12	Is there evidence that contamination is migrating offsite?	No

Please provide an interpretation of groundwater monitoring data in the interpretation box below or if you require additional space please include a groundwater/contaminated land monitoring results interpretaion as an additional section in this AER

An artesian gw head occurs locally, this helps to prevent leachate from contaminating gw

The results indicate that leachate contamination of groundwater is not taking place.

**Table 1: Upgradient Groundwater monitoring results**

Date of sampling	Sample location reference	Parameter/ Substance	Methodology	Monitoring frequency	Maximum Concentration++	Average Concentration+	unit	GTVs*	SELECT**	Upward trend in pollutant concentration over last 5 years of monitoring data
	GW12s	Ammonia	Lab method	Quarterly	<0.2	<0.2	mg/l	0.3	trigger	no
	GW12s	Conductivity	Field reading	Quarterly	788	763	µS/cm @20oC	1000	trigger	no

.+ where average indicates arithmetic mean

..+ maximum concentration indicates the maximum measured concentration from all monitoring results produced during the reporting year

<b>Groundwater/Soil monitoring template</b>	Lic No: W0074-03	Year: 2016
---	------------------	------------

**Table 2: Downgradient Groundwater monitoring results**

Date of sampling	Sample location reference	Parameter/Substance	Methodology	Monitoring frequency	Maximum Concentration	Average Concentration	unit	GTV's*	SELECT**	Upward trend in yearly average pollutant concentration over last 5 years of monitoring data
	GW13	Ammonia	Lab method	Quarterly	<0.2	<0.2	mg/l	0.3	trigger	no
	GW13	Conductivity	Field reading	Quarterly	598	581	µS/cm @20oC	1000	trigger	no

\*please note exceedance of generic assessment criteria (GAC) such as a Groundwater Threshold Value (GTV) or an Interim Guideline Value (IGV) or an upward trend in results for a substance indicates that further interpretation of monitoring results is required. In addition to completing the above table, please complete the Groundwater Monitoring Guideline Template Report at the link provided and submit separately through ALDER as a licensee return or as otherwise instructed by the EPA.

[Groundwater monitoring template](#)

More information on the use of soil and groundwater standards/ generic assessment criteria (GAC) and risk assessment tools is available in the EPA published guidance (see the link in G31)

[Guidance on the Management of Contaminated Land and Groundwater at EPA Licensed Sites \(EPA 2013\).](#)

\*\*Depending on location of the site and proximity to other sensitive receptors alternative Receptor based Water Quality standards should be used in addition to the GTV e.g. if the site is close to surface water compare to Surface Water Environmental Quality Standards (SWEQS), If the site is close to a drinking water supply compare results to the Drinking Water Standards (DWS)

[Groundwater regulations](#) [Drinking water \(private supply\) standards](#) [Drinking water \(public supply\) standards](#) [Interim Guideline Values \(IGV\)](#)  
[Surface water EQS](#) [GTV's](#)

**Table 3: Soil results**

Date of sampling	Sample location reference	Parameter/ Substance	Methodology	Monitoring frequency	Maximum Concentration	Average Concentration	unit
							SELECT
							SELECT

Where additional detail is required please enter it here in 200 words or less

**Environmental Liabilities template**

Lic No:

W0074-03

Year

2016

[Click here to access EPA guidance on Environmental Liabilities and Financial provision](#)

		Commentary	
1	ELRA initial agreement status	Submitted and agreed by EPA	
2	ELRA review status	Review required and completed	
3	Amount of Financial Provision cover required as determined by the latest ELRA	€2,926,560	
4	Financial Provision for ELRA status	Submitted and agreed by EPA	Insurance cover in place.
5	Financial Provision for ELRA - amount of cover	€20million	
6	Financial Provision for ELRA - type	Other please specify	Pollution / Contamination Insurance Cover for pollution / contamination which arises from sudden, identifiable, unintended and unexpected occurrence up to €20million.
7	Financial provision for ELRA expiry date	N/A	
8	Closure plan initial agreement status	Closure plan submitted and agreed by EPA	
9	Closure plan review status	Review required and completed	
10	Financial Provision for Closure status	Submitted and agreed by EPA	A loan of €1,254,140 which will cover the Capital Works involved in the Restoration of the site - i.e. final capping work. The rest of the costs which amount to €10,686,891 spread over the years 2015 to 2047 will be funded through the annual landfill aftercare budget of Tipperary County Council.
11	Financial Provision for Closure - amount of cover	€11,941,031	
12	Financial Provision for Closure - type	Other please specify	An initial loan plus the provision of an annual budget.
13	Financial provision for Closure expiry date	N/A	

Environmental Management Programme/Continuous Improvement Programme template		Lic No:	W0074-03	Year	2016
Highlighted cells contain dropdown menu click to view		Additional Information			
1	Do you maintain an Environmental Mangement System (EMS) for the site. If yes, please detail in additional information	Yes	Accredited to ISO 14001		
2	Does the EMS reference the most significant environmental aspects and associated impacts on-site	Yes			
3	Does the EMS maintain an Environmental Management Programme (EMP) as required in accordance with the licence requirements	Yes			
4	Do you maintain an environmental documentation/communication system to inform the public on environmental performance of the facility, as required by the licence	Yes			

#### Environmental Management Programme (EMP) report

Objective Category	Target	Status (% completed)	How target was progressed	Responsibility	Intermediate outcomes
Additional improvements	Review and upgrade leachate management & LFG systems	25	<ol style="list-style-type: none"> <li>1. Trigger levels for LGE7, LE13 and LE14 to be set and proposed to the EPA</li> <li>2. Onsite leachate treatment to be trialled. To be progressed post final capping subject to EPA approval.</li> <li>3. Investigate options for installing level sensors connected to the SCADA system for the three wells LE12, LE3 and LE5 and two KOPs K11 and K3.</li> <li>4. Final Capping to commence in August 2017.</li> <li>5. Leachate loading area to be improved, area to be concreted.</li> </ol>	Louise Ryan Anne Peters	Increased compliance with licence conditions
Additional improvements	Obtain accreditation for combined EHS system (OHSAS18001 & ISO14001). Maintain accreditation.	ongoing	Environment Section of Tipperary Co Co obtained these standards for a combined EHS System in 2015. In 2017 the systems are to be maintained and continuous improvement to be implemented.	Seamus O Brien	Improved Environmental Management Practices
Energy Efficiency/Utility conservation	Obtain accreditation for Energy management ISO50001	25	Environment Section of Tipperary Co Co intends to obtain this standard.	Michael Woulfe Anne Peters	Improved Environmental Management Practices

Environmental Management Programme/Continuous Improvement Programme template				Lic No:	W0074-03	Year	2016
Additional improvements	Improve site security	30	<p>Part 8 planning has been obtained for new CA shed. Consultants have been appointed to carry out the tender process and it is planned that construction will begin in August 2017. The improvements will include a covered area for WEEE and scrap metal and replacement of chainlink fence with palisade.</p> <p>Also, a thorny hedge will be planted along the boundary fence where it is not already in place and the CCTV at the site and other security features at the site will be reviewed.</p>	Louise Ryan Anne Peters	Increased compliance with licence conditions		

## Noise monitoring summary report

Lic No: W0074-03

Year

2016

1 Was noise monitoring a licence requirement for the AER period?

Yes

If yes please fill in table N1 noise summary below

2 Was noise monitoring carried out using the EPA Guidance note, including completion of the "Checklist for noise measurement report" included in the guidance note as table 6?

Noise  
Guidance  
note NG4

Yes

3 Does your site have a noise reduction plan

No

4 When was the noise reduction plan last updated?

N/A

5 Have there been changes relevant to site noise emissions (e.g. plant or operational changes) since the last noise survey?

No

**Table N1: Noise monitoring summary**

Date of monitoring	Time period	Noise location (on site)	Noise sensitive location -NSL (if applicable)	LA <sub>eq</sub>	LA <sub>90</sub>	LA <sub>10</sub>	LA <sub>max</sub>	Tonal or Impulsive noise* (Y/N)	If tonal /impulsive noise was identified was 5dB penalty applied?	Comments (ex. main noise sources on site, & extraneous noise ex. road traffic)	Is <u>site</u> compliant with noise limits (day/evening/night)?
13/09/2016	30mins	N1		45	27			No	SELECT	A lorry collecting a skip was the predominant noise.	Yes
13/09/2016	30mins	N2		54	28			No		Waste compactor skip operating and people loading waste in to skips and chatting was the predominant noise.	Yes
13/09/2016	30mins	N3		36	27			No		A lorry collecting a skip was the predominant noise.	Yes
13/09/2016	30mins	N4		42	37			No		A water pump operating nearby was the predominant noise.	Yes
13/09/2016	90mins		NSL1	52	31			No		Traffic on the R479 and 3 trains passing were the predominant noises.	Yes
13/09/2016	90mins		NSL2	36	26			No		Traffic on the road and 3 trains passing were the predominant noises.	Yes

\*Please ensure that a tonal analysis has been carried out as per guidance note NG4. These records must be maintained onsite for future inspection

If noise limits exceeded as a result of noise attributed to site activities, please choose the corrective action from the following options?

n/a

\*\* please explain the reason for not taking action/resolution of noise issues?

Any additional comments? (less than 200 words)



## Resource Usage/Energy efficiency summary

Lic No:

W0074-03

Year

2016

- 1 When did the site carry out the most recent energy efficiency audit? Please list the recommendations in table 3 below
- 2 Is the site a member of any accredited programmes for reducing energy usage/water conservation such as the SEAI programme linked to the right? If yes please list them in additional information
- 3 Where Fuel Oil is used in boilers on site is the sulphur content compliant with licence conditions? Please state percentage in additional information

Additional information	
26/06/2013	
No	
N/A	

Table R1 Energy usage on site				
Energy Use	Previous year	Current year	Production +/- % compared to previous reporting year**	Energy Consumption +/- % vs overall site production*
Total Energy Used (MWHrs)	83.986	56.634		
Total Energy Generated (MWHrs)				
Total Renewable Energy Generated (MWHrs)				
Electricity Consumption (MWHrs)	83.986	56.634		
Fossil Fuels Consumption:				
Heavy Fuel Oil (m3)				
Light Fuel Oil (m3)				
Natural gas (m3)				
Coal/Solid fuel (metric tonnes)				
Peat (metric tonnes)				
Renewable Biomass				
Renewable energy generated on site				

\* where consumption of energy can be compared to overall site production please enter this information as percentage increase or decrease compared to the previous reporting year.

\*\* where site production information is available please enter percentage increase or decrease compared to previous year

Table R2 Water usage on site				Water Emissions		Water Consumption	
Water use	Water extracted Previous year m3/yr.	Water extracted Current year m3/yr.	Production +/- % compared to previous reporting year**	Energy Consumption +/- % vs overall site production*	Volume Discharged back to environment(m <sup>3</sup> /yr):	Volume used i.e not discharged to environment e.g. released as steam m3/yr	Unaccounted for Water:
Groundwater							
Surface water							
Public supply	8	76					
Recycled water							
Total							

\* where consumption of water can be compared to overall site production please enter this information as percentage increase or decrease compared to the previous reporting year.

\*\* where site production information is available please enter percentage increase or decrease compared to previous year

Resource Usage/Energy efficiency summary		Lic No:	W0074-03	Year	2016
Table R3 Waste Stream Summary					
	Total	Landfill	Incineration	Recycled	Other
Hazardous (Tonnes)					
Non-Hazardous (Tonnes)					

<b>Resource Usage/Energy efficiency summary</b>	Lic No: W0074-03	Year	2016
---	------------------	------	------

Table R4: Energy Audit finding recommendations								
Date of audit	Recommendations	Description of Measures proposed	Origin of measures	Predicted energy savings %	Implementation date	Responsibility	Completion date	Status and comments
26/06/2013	Conduct full pumping / air compression energy assessment		energy audit			Louise Ryan		Open
26/06/2013	Specify premium efficiency IE3 motor for the flare unit in the case of future motor failure.		energy audit			Louise Ryan		Open
26/06/2013	Install energy efficient T5 fluorescent tubes in each office to reduce lighting energy consumption by 39% and reduce costs.		energy audit			Louise Ryan		Open
26/06/2013	Install presence detectors in office areas		energy audit			Louise Ryan		Open
26/06/2013	When the need for replacement arises for outdoor lighting the most efficient option should be chosen		energy audit			Louise Ryan		Open
26/06/2013	Print and display Fact sheet on how to optimise storage heating in offices.		energy audit			Louise Ryan		Closed

Table R5: Power Generation: Where power is generated onsite (e.g. power generation facilities/food and drink industry) please complete the following information

	Unit ID	Unit ID	Unit ID	Unit ID	Station Total
Technology					
Primary Fuel					
Thermal Efficiency					
Unit Date of Commission					
Total Starts for year					
Total Running Time					
Total Electricity Generated (GWH)					
House Load (GWH)					
KWH per Litre of Process Water					
KWH per Litre of Total Water used on Site					

**Complaints and Incidents summary template** Lic No: W0074-03 Year 2016

Complaints

Additional information

Have you received any environmental complaints in the current reporting year? If yes please complete summary details of complaints received on site in table 1 below

No

Table 1 Complaints summary

Date	Category	Other type (please specify)	Brief description of complaint (Free txt <20 words)	Corrective action< 20 words	Resolution status	Resolution date	Further information
	SELECT				SELECT		
	SELECT				SELECT		
	SELECT				SELECT		
	SELECT				SELECT		
	SELECT				SELECT		
Total complaints open at start of reporting year		0					
Total new complaints received during reporting year		0					
Total complaints closed during reporting year		0					
Balance of complaints end of reporting year		0					

Incidents

Additional information

Have any incidents occurred on site in the current reporting year? Please list all incidents for current reporting year in Table 2 below

Yes

\*For information on how to report and what constitutes an incident [What is an incident](#)

Table 2 Incidents summary

Date of occurrence	Incident nature	Location of occurrence	Incident category* please refer to guidance	Receptor	Cause of incident	Other cause(please specify)	Activity in progress at time of incident	Communication	Occurrence	Corrective action<20 words	Preventative action <20 words	Resolution status	Resolution date	Likelihood of reoccurrence
01/02/2016	Trigger level reached	LGE8	1. Minor	No Uncontrolled release	Operational controls	Site not fully capped, rain caused high leachate levels.	Normal activities	EPA	Recurring	High leachate level, tankered offsite	Final cap to be installed in 2017	Complete	14/06/2016	Medium
08/02/2016	Trigger level reached	LE6	1. Minor	No Uncontrolled release	Operational controls	Site not fully capped, rain caused high leachate levels.	Normal activities	EPA	Recurring	High leachate level, tankered offsite	Final cap to be installed in 2017	Complete	29/07/2016	Medium
01/03/2016	Trigger level reached	GW14	1. Minor	No Uncontrolled release	Not related to site activities	NH3 detected	Normal activities	EPA	Recurring	n/a	n/a	Complete	27/07/2016	Medium
20/04/2016	Monitoring equipment offline	LE14, LGE7	1. Minor	No Uncontrolled release	Plant or equipment issues	Level sensors not working	Normal activities	EPA	Recurring	Sensors replaced	Routine maintenance takes place	Complete	22/11/2016	Medium
24/05/2016	Trigger level reached	GM3	1. Minor	No Uncontrolled release	Not related to site activities	CO2 detected	Normal activities	EPA	Recurring	n/a	n/a	Complete	02/08/2016	Medium

Complaints and Incidents summary template														
		Lic No: W0074-03				Year 2016								
28/06/2016	Monitoring equipment offline	Flare	1. Minor	No Uncontrolled release	Plant or equipment issues	Flare PC and datalogger stopped working	Normal activities	EPA	New	Call out by service engineer took place	PC and datalogger	Complete	30/09/2016	Low
18/07/2016	Trigger level reached	GE36, LE9	1. Minor	Air	Operational controls	Fugitive VOC emissions from wells on uncapped part of site.	Normal activities	EPA	Recurring	Gas extraction is maximised through frequent gas balancing	Final cap to be installed in 2017	Complete	20/10/2016	Medium
02/08/2016	Trigger level reached	GW11d	1. Minor	No Uncontrolled release	Not related to site activities	NH3 detected	Normal activities	EPA	Recurring	n/a	n/a	Complete	10/02/2017	Medium
22/11/2016	Other(please specify)	Flare	1. Minor	Air	Plant or equipment issues	Flare not starting	Normal activities	EPA	Recurring	Gas field balanced to improve gas quality	Routine gas field balancing takes place	Complete	23/11/2016	Medium
13/12/2016	Trigger level reached	LE6	1. Minor	No Uncontrolled release	Operational controls	Site not fully capped, rain caused high leachate levels.	Normal activities	EPA	Recurring	High leachate level, tankered offsite	Final cap to be installed in 2017	Complete	20/12/2016	Medium
Total number of incidents current year	10													
Total number of incidents previous year	79													
% reduction/increase	87% decrease													

<b>WASTE SUMMARY</b>	Lic No:	W0074-03	Year	2016
<b>SECTION A-PRTR ON SITE WASTE TREATMENT AND WASTE TRANSFERS TAB- TO BE COMPLETED BY ALL IPPC AND WASTE FACILITIES</b>		<a href="#">PRTR facility logon</a>	dropdown list click to see options	

**SECTION B- WASTE ACCEPTED ONTO SITE-TO BE COMPLETED BY ALL IPPC AND WASTE FACILITIES**

Additional Information	
No	CA Site Only.  Waste was accepted at the site and stored but was then removed offsite for treatment / recovery / disposal elsewhere.  Landfill at Donohill is closed.

Were any wastes accepted onto your site for recovery or disposal or treatment prior to recovery or disposal within the boundaries of your facility?; (waste generated within your boundaries is to be captured through PRTR reporting)  
1 Is to be captured through PRTR reporting  
If yes please enter details in table 1 below

2 Did your site have any rejected consignments of waste in the current reporting year? If yes please give a brief explanation in the additional information

No	
No	

3 Was waste accepted onto your site that was generated outside the Republic of Ireland? If yes please state the quantity in tonnes in additional information

**Table 1 Details of waste accepted onto your site for recovery, disposal or treatment (do not include wastes generated at your site, as these will have been reported in your PRTR workbook)**

Licensed annual tonnage limit for your site (total tonnes/annum)	EWC code  <a href="#">European Waste Catalogue EWC codes</a>	Source of waste accepted	Description of waste accepted <b>Please enter an accurate and detailed description - which applies to relevant EWC code</b> <a href="#">European Waste Catalogue EWC codes</a>	Quantity of waste accepted in current reporting year (tonnes)	Quantity of waste accepted in previous reporting year (tonnes)	Reduction/ Increase over previous year +/- %	Reason for reduction/ increase from previous reporting year	Packaging Content (%) - only applies if the waste has a packaging component	Disposal/Recovery or treatment operation carried out at your site and the description of this operation	Quantity of waste remaining on site at the end of reporting year (tonnes)	Comments -

**SECTION C-TO BE COMPLETED BY ALL WASTE FACILITIES (waste transfer stations, Composters, Material recovery facilities etc) EXCEPT LANDFILL SITES**

4 Is all waste processing infrastructure as required by your licence and approved by the Agency in place? If no please list waste processing infrastructure required onsite

N/A	
-----	--

5 Is all waste storage infrastructure as required by your licence and approved by the Agency in place? If no please list waste storage infrastructure required on site

Yes	
-----	--

6 Does your facility have relevant nuisance controls in place?

Yes	
-----	--

7 Do you have an odour management system in place for your facility? If no why?

Yes	
-----	--

8 Do you maintain a sludge register on site?

N/A	
-----	--

**SECTION D-TO BE COMPLETED BY LANDFILL SITES ONLY**

**Table 2 Waste type and tonnage-landfill only**

Waste types permitted for disposal	Authorised/licenced annual intake for disposal (tpa)	Actual intake for disposal in reporting year (tpa)	Remaining licensed capacity at end of reporting year (m3)	Comments
Non-hazardous waste	40,000	0	0	Landfill closed

**Table 3 General information-Landfill only**

WASTE SUMMARY													
				Lic No: W0074-03				Year 2016					
Area ID	Date landfilling commenced	Date landfilling ceased	Currently landfilling	Private or Public Operated	Inert or non-hazardous	Predicted date to cease landfilling	Licence permits asbestos	Is there a separate cell for asbestos?	Accepted asbestos in reporting year	Total disposal area occupied by waste	Lined disposal area occupied by waste	Unlined area	Comments on liner type
										m2	m2	m2	
Donohill Landfill	Jan-89	Apr-14	No	Public	Non Hazardous	Apr-14	No	No	No	54090	23910	356000	The lined & unlined areas share 5420m2. There is a "piggy back" liner on top of old waste, more recent waste was filled on top.

<b>WASTE SUMMARY</b>	Lic No:	W0074-03	Year	2016
----------------------	---------	----------	------	------

**Table 4 Environmental monitoring-landfill only** [Landfill Manual-Monitoring Standards](#)

Was meteorological monitoring in compliance with Landfill Directive (LD) standard in reporting year +	Was leachate monitored in compliance with LD standard in reporting year	Was Landfill Gas monitored in compliance with LD standard in reporting year	Was SW monitored in compliance with LD standard in reporting year	Have GW trigger levels been established	Were emission limit values agreed with the Agency (ELVs)	Was topography of the site surveyed in reporting year	Has the statement under S53(A)(5) of WMA been submitted in reporting year	Comments
Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	

-> please refer to Landfill Manual linked above for relevant Landfill Directive monitoring standards

**Table 5 Capping-Landfill only**

Area uncapped*	Area with temporary cap	Area with final cap to LD Standard m2 ha, a	Area capped other	Area with waste that should be permanently capped to date under licence	What materials are used in the cap	Comments
SELECT UNIT	SELECT UNIT					
0	13957	33660	0	47617	drainage geocomposite, HDPE, soil	Final capping to take place in 2017

\*please note this includes daily cover area

**Table 6 Leachate-Landfill only**

9 Is leachate from your site treated in a Waste Water Treatment Plant?

Yes

10 Is leachate released to surface water? If yes please complete leachate mass load information below

No

Volume of leachate in reporting year(m3)	Leachate (BOD) mass load (kg/annum)	Leachate (COD) mass load (kg/annum)	Leachate (NH4) mass load (kg/annum)	Leachate (Chloride) mass load kg/annum	Leachate treatment on-site	Specify type of leachate treatment	Comments

Please ensure that all information reported in the landfill gas section is consistent with the Landfill Gas Survey submitted in conjunction with PRTR returns

**Table 7 Landfill Gas-Landfill only**

Gas Captured&Treated by LFG System m3	Power generated (MW / KWh)	Used on-site or to national grid	Was surface emissions monitoring performed during the reporting year?	Comments
1345212	0	0	Yes	





Environmental Protection Agency

[ PRTR# : W0074 | Facility Name : Donohill Landfill | Filename : PRTR\_W0074\_2016.xls | Return Year : 2016 |

22/05/2017 15:24

[Guidance to completing the PRTR workbook](#)

# PRTR Returns Workbook

Version 1.1.19

**REFERENCE YEAR** 2016

## 1. FACILITY IDENTIFICATION

Parent Company Name	Tipperary County Council
Facility Name	Donohill Landfill
PRTR Identification Number	W0074
Licence Number	W0074-03

Classes of Activity

No.	class_name
-	Refer to PRTR class activities below

Address 1	Garryshane
Address 2	Donohill
Address 3	
Address 4	
Country	Tipperary
Coordinates of Location	Ireland
River Basin District	-7.32522 53.0734
NACE Code	IEGBNISH
Main Economic Activity	3821
AER Returns Contact Name	Treatment and disposal of non-hazardous waste
AER Returns Contact Email Address	Louise Ryan
AER Returns Contact Position	louisem.ryan@tipperarycoco.ie
AER Returns Contact Telephone Number	Landfill Manager
AER Returns Contact Mobile Phone Number	087-6598692
AER Returns Contact Fax Number	087-6598692
Production Volume	0
Production Volume Units	0.0
Number of Installations	0
Number of Operating Hours in Year	1
Number of Employees	1730
User Feedback/Comments	2
Web Address	Variance in releases to air of Nox and Sox compared to 2015 is due to the increase in run hours in 2016 and the difference in measured stack emissions. The stack emissions were in compliance in both 2015 and 2016.
	www.tipperarycoco.ie

## 2. PRTR CLASS ACTIVITIES

Activity Number	Activity Name
5(d)	Landfills
5(c)	Installations for the disposal of non-hazardous waste
5(d)	Landfills
50.1	General

## 3. SOLVENTS REGULATIONS (S.I. No. 543 of 2002)

Is it applicable ?	No
Have you been granted an exemption ?	No
If applicable which activity class applies (as per Schedule 2 of the regulations) ?	
Is the reduction scheme compliance route being used ?	

## 4. WASTE IMPORTED/ACCEPTED ONTO SITE

[Guidance on waste imported/accepted onto site](#)

Do you import/accept waste onto your site for on-site treatment (either recovery or disposal activities) ?	
--	--

This question is only applicable if you are an IPPC or Quarry site

4.1 RELEASES TO AIR

[Link to previous years emissions data](#)

| PRTR# : W0074 | Facility Name : Donohill Landfill | Filename : PRTR W0074\_2016.xls | Return Year : 2016 |

22/05/2017 15:24

**SECTION A : SECTOR SPECIFIC PRTR POLLUTANTS**

RELEASERS TO AIR		METHOD			Please enter all quantities in this section in KGs			
POLLUTANT		Method Used			QUANTITY			
No. Annex II	Name	M/C/E	Method Code	Designation or Description	Flare Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
02	Carbon monoxide (CO)	M	EN 15058:2004	EN15058:2006 NCIR Landgem Model & Onsite	3.35	3.35	0.0	0.0
01	Methane (CH4)	C	OTH	Flare Records	0.0	276818.24	0.0	276818.24
08	Nitrogen oxides (NOx/NO2)	M	EN 14792:2005	Flare Records	62.78	62.78	0.0	0.0
11	Sulphur oxides (SOx/SO2)	M	OTH	TGN21	17.82	17.82	0.0	0.0

\* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

**SECTION B : REMAINING PRTR POLLUTANTS**

RELEASERS TO AIR		METHOD			Please enter all quantities in this section in KGs			
POLLUTANT		Method Used			QUANTITY			
No. Annex II	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
					0.0	0.0	0.0	0.0

\* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

**SECTION C : REMAINING POLLUTANT EMISSIONS (As required in your Licence)**

RELEASERS TO AIR		METHOD			Please enter all quantities in this section in KGs			
POLLUTANT		Method Used			QUANTITY			
Pollutant No.	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
					0.0	0.0	0.0	0.0

\* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

**Additional Data Requested from Landfill operators**

For the purposes of the National Inventory on Greenhouse Gases, landfill operators are requested to provide summary data on landfill gas (Methane) flared or utilised on their facilities to accompany the figures for total methane generated. Operators should only report their Net methane (CH4) emission to the environment under T(total) KG/yr for Section A: Sector specific PRTR pollutants above. Please complete the table below:

Landfill:		Donohill Landfill			
Please enter summary data on the quantities of methane flared and / or utilised		M/C/E	Method Used		Facility Total Capacity m3 per hour
T (Total) kg/Year			Method Code	Designation or Description	
Total estimated methane generation (as per site model)	505353.24	C	OTH	Landgem	N/A
Methane flared	228535.0	C	OTH	EPA LFG Survey	0.0 (Total Flaring Capacity)
Methane utilised in engine/s	0.0				0.0 (Total Utilising Capacity)
Net methane emission (as reported in Section A above)	276818.24	C	OTH	Landgem and EPA LFG Sur	N/A

## 4.2 RELEASES TO WATERS

[Link to previous years emissions data](#)

### SECTION A : SECTOR SPECIFIC PRTR POLLUTANTS

RELEASES TO WATERS	
POLLUTANT	
No. Annex II	Name

\* Select a row by double-clicking on the Pollutant Name (Column B) th

### SECTION B : REMAINING PRTR POLLUTANTS

RELEASES TO WATERS	
POLLUTANT	
No. Annex II	Name

\* Select a row by double-clicking on the Pollutant Name (Column B) th

### SECTION C : REMAINING POLLUTANT EMISSIONS (as required in your Licence)

RELEASES TO WATERS	
POLLUTANT	
Pollutant No.	Name

\* Select a row by double-clicking on the Pollutant Name (Column B) th

**Data on ambient monitoring of storm/surface water or groundwater, conducted as part of your licence requirements, should NOT**

**Please enter all quantities in this section in KGs**

		Method Used			
M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	
				0.0	0.0

en click the delete button

**Please enter all quantities in this section in KGs**

		Method Used			
M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	
				0.0	0.0

en click the delete button

**Please enter all quantities in this section in KGs**

		Method Used			
M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	
				0.0	0.0

en click the delete button

be submitted under AER / PRTR Reporting as this only concerns Releases from your facility

QUANTITY	
A (Accidental) KG/Year	F (Fugitive) KG/Year
0.0	0.0

QUANTITY	
A (Accidental) KG/Year	F (Fugitive) KG/Year
0.0	0.0

QUANTITY	
A (Accidental) KG/Year	F (Fugitive) KG/Year
0.0	0.0

4.3 RELEASES TO WASTEWATER OR SEWER

[Link to previous years emissions data](#)

| PRTR# : W0074 | Facility Name : Donohill Landfill | Filename : PRTR W0074\_2016.xls | Return Ye

22/05/2017 15:24

**SECTION A : PRTR POLLUTANTS**

OFFSITE TRANSFER OF POLLUTANTS DESTINED FOR WASTE-WATER TREATMENT OR SEWER					Please enter all quantities in this section in KGs			
POLLUTANT		METHOD			QUANTITY			
No. Annex II	Name	M/C/E	Method Used		Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
			Method Code	Designation or Description				
					0.0	0.0	0.0	0.0

\* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

**SECTION B : REMAINING POLLUTANT EMISSIONS (as required in your Licence)**

OFFSITE TRANSFER OF POLLUTANTS DESTINED FOR WASTE-WATER TREATMENT OR SEWER					Please enter all quantities in this section in KGs			
POLLUTANT		METHOD			QUANTITY			
Pollutant No.	Name	M/C/E	Method Used		Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
			Method Code	Designation or Description				
					0.0	0.0	0.0	0.0

\* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

#### 4.4 RELEASES TO LAND

[Link to previous years emissions data](#)

#### SECTION A : PRTR POLLUTANTS

RELEASES TO LAND	
POLLUTANT	
No. Annex II	Name

\* Select a row by double-clicking on the Pollutant Name (Column B)

#### SECTION B : REMAINING POLLUTANT EMISSIONS (as required in your Licence)

RELEASES TO LAND	
POLLUTANT	
Pollutant No.	Name

\* Select a row by double-clicking on the Pollutant Name (Column B)

METHOD			Please enter all quantities
METHOD			
M/C/E	Method Used		
	<a href="#">Method Code</a>	Designation or Description	Emission Point 1
			0.0

) then click the delete button

METHOD			Please enter all quantities
METHOD			
M/C/E	Method Used		
	<a href="#">Method Code</a>	Designation or Description	Emission Point 1
			0.0

) then click the delete button



<b>in this section in KGs</b>	
<b>QUANTITY</b>	
T (Total) KG/Year	A (Accidental) KG/Year
0.0	0.0

<b>in this section in KGs</b>	
<b>QUANTITY</b>	
T (Total) KG/Year	A (Accidental) KG/Year
0.0	0.0

**5. ONSITE TREATMENT & OFFSITE TRANSFERS OF WASTE** | PRTR# : W0074 | Facility Name : Donohill Landfill | Filename: PRTR.W0074\_2016.xls | Return Year: 2016 |

Please enter all quantities on this sheet in Tonnes

Transfer Destination	European Waste Code	Hazardous	Quantity (Tonnes per Year)	Description of Waste	Waste Treatment Operation	Method Used		Location of Treatment	Licence/Permit No of Next Destination Facility Haz.Waste: Name and Licence/Permit No of Recover/Disposer	Haz.Waste: Address of Next Destination Facility Name and Address of Recover/Disposer	Name and License / Permit No. and Address of Final Recoverer / Disposer (HAZARDOUS WASTE ONLY)	Actual Address of Final Destination i.e. Final Recoverer/ Disposal Site (HAZARDOUS WASTE ONLY)
						M/C/E	Method Used					
To Other Countries	08 01 11	Yes	3.46	waste paint and varnish containing organic solvents or other dangerous substances	R3	M	Weighed	Abroad	Envia,W0184-01	Envia,Chinriem Ind Enise,Ireland	Geocycle,38, 152BP Geocycl e,Fenelle,....,Belgium	Geocycle,Fenelle,....,Belgium
Within the Country	13 02 04	Yes	0.0	mineral-based chlorinated engine, gear and lubricating oils	R3	M	Weighed	Offsite in Ireland	Envia,W0184-01	Envia,Chinriem Ind Enise,Ireland	.....,Ireland	.....,Ireland
Within the Country	15 01 04	No	1.52	metallic packaging	R4	M	Weighed	Offsite in Ireland	Rehab Recycling,0804 (Reg no 635)	Rehab Recycling,Rehab Building,Kyemore Rd. Ballyremot,Dublin 10,Ireland		
Within the Country	15 01 07	No	9.1	glass packaging	R5	M	Weighed	Offsite in Ireland	Rehab Recycling,0804 (Reg no 635)	Rehab Recycling,Rehab Building,Kyemore Rd. Ballyremot,Dublin 10,Ireland		
Within the Country	19 07 03	No	7285.82	landfill leachate other than those mentioned in 19 07 02	D8	M	Weighed	Offsite in Ireland	Irish Water,D0146-01	Tipperary WWTP,Banista Tipperary town,Co. Tipperary,Ireland		
Within the Country	19 07 03	No	2671.52	landfill leachate other than those mentioned in 19 07 02	D8	M	Weighed	Offsite in Ireland	Irish Water,D0171-01	Cashel WWTP,Tipperary Tipperary,Ireland		
Within the Country	19 07 03	No	2950.06	landfill leachate other than those mentioned in 19 07 02	D8	M	Weighed	Offsite in Ireland	Irish Water,D0035-01	RuClonmel ,Co. Tipperary,Ireland		
Within the Country	19 07 03	No	2019.04	landfill leachate other than those mentioned in 19 07 02	D8	M	Weighed	Offsite in Ireland	Irish Water,D0013-01	Burlicky WWTP,Limerick City and Environs,....,Ireland Greenstar Ballykeefe Townland,Doon Road,Limerick,Ireland		
Within the Country	20 01 01	No	28.16	paper and cardboard	R3	M	Weighed	Offsite in Ireland	Greenstar,W0082-02	Road,Limerick,Ireland Cookstown,Textiles,36 Maheralane		
To Other Countries	20 01 11	No	1.52	textiles discarded electrical and electronic equipment other than those mentioned in 20 01 21, 20 01 21, 20 01 23 and 20 01 35	R5	M	Weighed	Abroad	Cookstown textiles,Charity	RuRandainstown,Co Antrim BT141 2NT,United Kingdom KMK,Cappincur Ind Est,Tullamore,Co Offaly,Ireland		
Within the Country	20 01 36	No	0.944	wood other than that mentioned in 20 01 37	R3	M	Weighed	Offsite in Ireland	KMK,W0113-04	Offaly,Ireland		
Within the Country	20 01 38	No	25.58	wood other than that mentioned in 20 01 37	R3	M	Weighed	Offsite in Ireland	Walters,Lot,W0200-01	Cashel,Co. Tipperary,....,Ireland Molloy		
Within the Country	20 01 40	No	17.42	metals	R4	M	Weighed	Offsite in Ireland	Metals,WP,08/14(b) Molloy	Metals,Tomgarrow Ballycam ey,Ermscorthy Co Wexford,Ireland		
Within the Country	20 03 01	No	53.14	mixed municipal waste	R3	M	Weighed	Offsite in Ireland	Greenstar,W0082-02	Greenstar,Ballykeefe Townland,Doon Road,Limerick,Ireland		
Within the Country	20 03 01	No	224.18	mixed municipal waste	D5	M	Weighed	Offsite in Ireland	Walters,Lot,W0200-01	Cashel,Co. Tipperary,....,Ireland Donohill		
Within the Country	20 03 01	No	0.0	mixed municipal waste	D5	M	Weighed	Onsite of generatr	Donohill Landfill,W0074-03	Landfill,Garyshane Donohill Co Tipperary,Ireland		

\* Select a row by double-clicking the Description of Waste then click the delete button