


SOUTH TIPPERARY COUNTY COUNCIL



WALLER'S LOT RECYCLING CENTRE & WASTE TRANSFER STATION ANNUAL ENVIRONMENTAL REPORT

2016

Waste Licence Register No. W0200-01

Prepared by:

South Tipperary County Council
Emmet Street
Clonmel

April 2016

TABLE OF CONTENTS

	PAGE
1. INTRODUCTION.....	1
1.1. SCOPE AND PURPOSE OF THE REPORT.....	1
1.2. SITE LOCATION.....	1
1.2.1. <i>Site Contacts</i>	1
1.3. ENVIRONMENTAL POLICY	2
2. WASTE ACTIVITIES.....	4
2.1 WASTE QUANTITY AND COMPOSITION.....	5
3. MONITORING AND EMISSIONS	6
3.1. DUST MONITORING.....	6
3.1.1. <i>Dust Monitoring Results</i>	6
3.2. NOISE MONITORING.....	8
3.3 SURFACEWATER MONITORING	9
3.4 WASTEWATER MONITORING	10
3.5 GROUNDWATER MONITORING	11
3.6 TANK AND PIPELINE TESTING	11
3.7 RESOURCE AND ENERGY CONSUMPTION	14
4 SITE DEVELOPMENT / INFRASTRUCTURAL WORKS.....	15
4.1 SITE DEVELOPMENT	15
5 ENVIRONMENTAL INCIDENTS AND COMPLAINTS.....	16
5.1 INCIDENTS SUMMARY.....	16
5.2. COMPLAINTS SUMMARY	16
5.3 REVIEW OF NUISANCE CONTROLS	16
5.3.1 <i>Litter Control</i>	16
5.3.2 <i>Vermin Control</i>	16
5.3.3 <i>Dust Control</i>	16
6 ENVIRONMENTAL MANAGEMENT SYSTEM.....	17
6.1 SUMMARY OF PROCEDURES ASSOCIATED WITH THE FACILITY	17
6.2 OBJECTIVES AND TARGETS	20
7 Facility Resources.....	21
7.1 MANAGEMENT AND STAFF STRUCTURE.....	21
7.1.1 <i>Training of Personnel</i>	23
7.1.2 <i>Records for the Training and Awareness Programme</i>	23
7.2 FINANCIAL PROVISIONS.....	23

TABLE OF FIGURES

	PAGE
Figure 1.1: Site Location Map.....	3
Figure 3.1: Monitoring Locations.....	7
Figure 7.1: Management Structure	22

LIST OF TABLES

	PAGE
Table 2.1: Licensed Categories and Quantities of Waste for Disposal.....	4
Table 2.2: Detailed Quantities of Waste Removed from Waller's Lot 2016.....	5
Table 3.1: Dust Deposition Monitoring 2016.....	6
Table 3.2: Noise Monitoring Results Summary.....	8
Table 3.3: SW1 Surface Water Monitoring	9
Table 3.4: SW2 Surface Water Monitoring.....	9
Table 3.5: Waste Water Monitoring Results.....	10
Table 3.6: GW1 Groundwater Monitoring Results.....	11
Table 3.7: GW2 Groundwater Monitoring Results.....	11
Table 3.8: Bund Test 1.....	12
Table 3.9: Bund Test 2.....	13
Table 4.0: Electricity Use 2016.....	14
Table 4.1: Diesel Usage 2016.....	14

LIST OF APPENDICES

Appendix 1	Noise Monitoring Report
Appendix 2	PRTR

1. INTRODUCTION

This Annual Environmental Report (AER) is required for submission to the Environmental Protection Agency in accordance with Condition 12.4 of Waste Licence W0200-01 for the Waller's Lot Site. This report presents the all the environmental data and other relevant information regarding the operation of the Waller's Lot Site for 2016

1.1. Scope and Purpose of the Report

South Tipperary County Council holds a waste licence (Register No W0200-01) for the operation of the Waller's Lot Site. The aim of this Annual Environmental Report (AER) is to provide a review of activities at the Waller's Lot Site during 2016.

This is the seventh AER to be submitted under Condition 12.4 of the licence. The Content of this AER is as defined in Schedule G of the waste licence.

1.2. Site Location

Waller's Lot is located on the edge of Cashel town.

The location of the site is shown on Figure 1.1.

The National Grid Reference for the site is: 208538969 139873395

1.2.1. Site Contacts

Name:	Mr. Pat Walsh
Job Title:	Site Manager
Telephone No:	(062) 64150
Fax No:	(062) 64157
Name:	Mr. Pat O' Dwyer
Job Title:	Deputy Site Manager:
Telephone No:	(052) 34882
Fax No:	(052) 34391
Name:	Ms. Ann Peters
Job Title:	Executive Engineer
Telephone No:	(052) 34397
Fax No:	(052) 34391

1.3. Environmental Policy

South Tipperary County Council is committed to conducting all activities such that they have a minimal effect on the environment.

South Tipperary County Councils main objectives are:

1. To comply with the Waste Licence (Licence Reg. W0200-01) and all relevant environmental legislation
2. To ensure that all facility infrastructure, as required in Condition 3 of the Waste Licence, is established
3. To ensure that all site personnel are familiar with:
 - a. the Conditions of the Waste Licence
 - b. the content of the Environmental Management System
 - c. all operational procedures
4. To reduce the potential for negative environmental impacts by a programme of continuous development on-site and appropriate mitigation measures.
5. To carry out all environmental monitoring, as required by Condition 9 of the Waste Licence.
6. To provide adequate training and awareness to all employees with regard to minimising environmental risks.




FIGURE 1.1: SITE LOCATION MAP

2 WASTE ACTIVITIES

The licensed waste disposal activities of the facility, in accordance with the Third Schedule of the Waste Management Act 1996 to 2003 are:

- Class 12. Repackaging prior to submission to any activity referred to in a preceding paragraph of this Schedule
- Class 13. Storage prior to submission to any activity referred to in a preceding paragraph of this Schedule, other than temporary storage, pending collection, on the premises where the waste concerned is produced.

The licensed waste disposal activities of the facility, in accordance with the Third Schedule of the Waste Management Act 1996 to 2003 are:

- Class 2. Recycling or reclamation of organic substances which are not used as solvents (including composting and other biological transformation processes).
- Class 3. Recycling or reclamation of metals and metal compounds
- Class 4. Recycling or reclamation of other inorganic materials
- Class 11. Use of waste obtained from any activity referred to in a preceding paragraph of this Schedule.
- Class 13. Storage of waste intended for submission to any activity referred to in a preceding paragraph of this Schedule, other than temporary storage, pending collection, on the premises where the waste concerned is produced.

The main activity at the site is as a Civic Amenity Centre and as a Waste Transfer Station.

Schedule A of the waste licence outlines the types and volumes of waste that can be accepted at the site. They are shown in Table 2.1 below.

Table 2.1: Licensed Categories and Quantities of Waste for Disposal

Waste Category	Maximum Quantity (Tonnes per annum)
Household and Commercial Waste	21,000
Household Hazardous Waste	100
Total	21,100

2.1 Waste Quantity and Composition

The quantity of waste removed from Waller's Lot in 2016 is outlined in Table 2.2.

Table 2.2: Detailed Quantities of Waste removed from Waller's Lot 2016

Waste Type	EWC Code	Quantity of Waste (Tonnes)
Aerosol	16 05 04	0.04
Batteries	16 06 01*	1.14
Cardboard	15 01 01	27.52
C + D	17 09 04	97.92
Cooking Oil	20 01 25	0
Aluminium Cans	19 08 14	1.06
Dry Recyclables	20 03 01	1261.3
Fluorescent tubes	20 01 21	0.68
Glass	20 01 02	38.30
Garden Waste	20 02 01	893.66
Hard Plastics	20 01 39	0
Household Hazardous	20 01 27 / 20 01 37 / 06 05 04	3.18
Electric Fence Batteries	20 01 33	0.46
Lead Acid Batteries	16 06 01	0
Mattresses	20 03 07	31.10
Metal	20 01 40	93.56
Oil Filters	16 01 07	0
Tyres	16 01 03	0
Household Waste	20 03 01	5568.95
Newsprint	20 01 01	34.24
Steel Food Cans	15 01 04	2.64
Timber	20 01 37* / 20 01 38	2748.70
WEEE	20 01 35* / 20 01 36	159.83
Waste Water	20 03 04	0
Waste Oil	13 08 99	0.82
Textiles	20 01 10 / 20 01 11	31.80
Plaster Board\Gypsum	17 08 02	34.04
Plate Glass	17 02 02	15.08
Plastic Bottles	15 01 02	2.80
Gas Cylinders	15 01 11	0
	Total	11,049

MONITORING AND EMISSIONS

The monitoring carried out during 2016 is detailed below. All environmental monitoring locations are illustrated in Figure 3.1.

2.2 Dust Monitoring

Condition 9 and Schedule D.2.1 of the licence requires that the licensee conducts the following dust monitoring:

- Three times a year (two of which must occur between May and September) using the Standard Methods VDI2119 at onsite 4 locations.

2.2.1 Dust Monitoring Results

Dust Deposition Monitoring

Dust deposition monitoring was carried out in, August\September\October. The results are shown in Table 3.1 below.

Dust Monitoring Point	Emission Limit	Q2 2016	Q3 2016	Q4 2016	Median
D1 (mg/m ² /day)	350	38.92	20.76	51.04	66.12
D2 (mg/m ² /day)	350	20.04	29.17	122.02	75.45
D3 (mg/m ² /day)	350	96.56	51.05	37.40	42.39
D4 (mg/m ² /day)	350	56.58	29.17	23.84	33.09

Dust levels on site were well below limit value of 350 mg/m²/day at each of the monitoring stations during the monitoring period.

WALLERS LOT WASTE TRANSFER STATION AND CIVIC AMENITY




Figure 3.1: Monitoring Locations

2.3 Noise Monitoring

Condition 9 and Schedule D.3.1 of the licence require the licensee to conduct annual monitoring on noise emissions. A full noise survey was carried out on the 13th October 2016. A summary of the results can be seen in Table 3.2 below. A full copy of the results of these tests have been submitted to the Agency.

Table 3.2 Noise Monitoring Results Summary

Monitoring Point	Sampling Interval	Duration 30 (mins)	L(A)_{EQ}	Comments
N1	10.10-10.40	30	42	The main source of noise at this point was the traffic coming to and from the site, rustling of trees, birds chirping and people talking.
N2	10.05-10.35	30	43	The main source of noise at this location was trucks operating and birds chirping throughout
N3	10.45-11.15	30	53	The greatest source of noise at this point was the traffic from the M8 and R692 entering and leaving the roundabout. birds chirping, noise from a barking dog.

3.3 Surface water Monitoring

Condition 9 and Schedule D.4 of the licence require the licensee to conduct surface water monitoring at points prior to discharge to soak away at locations to be agreed with the Agency on a bi annual basis. The results can be seen in Table 3.3 and Table 3.4 below.

Table 3.3 SW1 Surface Water Monitoring Results

Surface Water 1	Emission Limit	Q1 2016	Q4 2016	Median
BOD (mg/l)	10	Dry	Dry	
pH	6.0 – 9.0	Dry	Dry	
S.Solids (mg/l)	25	Dry	Dry	
Mineral Oil (mg/l)	5	Dry	Dry	

Table 3.4 SW2 Surface Water Monitoring Results

Surface Water 2	Emission Limit	Q1 2016	Q4 2016	Median
BOD (mg/l)	10	No Discharge	No Discharge	
pH	6.0 – 9.0	N/a	N/a	
S.Solids (mg/l)	25	N/a	N/a	
Conductivity (us/cm)	1500	N/a	N/a	
Mineral Oil (mg/l)	5	N/a	N/a	

3.4 Wastewater Monitoring

Condition 9 and Schedule D.5 of the licence require the licensee to conduct waste water monitoring at a point prior to discharge to sewer at a location to be agreed with the Agency on a bi annual basis. The results can be seen in Table 3.5 below.

Table 3.5 Waste Water Monitoring Results

Wastewater	Emission Limit	Q1 2016	Q4 2016	Median
pH	6.0 - 10.0	8.12	8.36	
Temperature (C)	25		NT	
BOD (mg/l)	500	316.2	115.7	
Suspended Solids (mg/l)	500	224	48	
Fats, Oils, Grease (mg/l)	100	20.6	<4	
Ammoniacial Nitrogen (mg/l)	50	39.75	45.5	

3.5 Groundwater Monitoring

Condition 9 and Schedule D.6 of the licence require the licensee to conduct groundwater monitoring at two groundwater wells located onsite on a bi annual basis. The results can be seen in Table 3.6 and Table 3.7 below.

Table 3.6 GW1 Groundwater Monitoring Results

Ground Water 1	Emission Limit	Q1 2016	Q4 2016	Median
Visual Inspection/Odour	No abnormal	No Odour detected	No Odour detected	
Groundwater Level (mts)		14.6	7.76m	
Conductivity (us/cm)	1500	697	NT*	
pH	6.0 – 9.0	8.15	8.395	
Temperature (C)	25	8.1	10.9°C	
Mineral Oil (mg/l)	5	0.109	BLD	


Table 3.7 GW2 Groundwater Monitoring Results

Ground Water 2	Emission Limit	Q1 2016	Q4 2016	Median
Visual Inspection/Odour	No abnormal	No Odour detected		
Groundwater Level (mts)		14.6		
Conductivity (us/cm)	1500	501		
pH	6.0 – 9.0	7.66		
Temperature (C)	25	11.8		
Mineral Oil (mg/l)	5	<0.01		

3.6 Tank and pipeline Testing

Bund Tests Table 3.8

RECORD SHEET FOR BUND TESTING

Site: <i>Walker's Lot</i>	Licence Reg. No.: <i>W200-01</i>																					
Bund Ref. No.: <i>1</i>	Bund Type (<u>Local</u> /Remote/Combined/Portable):																					
Bund Dimensions: <i>8m x 3m x .49m</i>	Primary Vessel(s) – Materials of Construction: <i>Concrete Plastic</i>																					
Bund Construction Material: <i>Concrete</i>	Primary Vessel(s) – Total Storage Volume: <i>1,000L</i>																					
Bund Lining Material: <i>Plastic 2.5mm HDPE</i>	Primary Vessel(s) – 110% Volume of Largest Vessel: <i>1,100</i>																					
Bund Retention Volume: <i>11.76m³</i>	Primary Vessel(s) – 25% of Total Storage Volume:																					
Deemed Practicable / Safe to Conduct Hydrostatic Test? <input checked="" type="checkbox"/> Yes/No																						
If no give reasons:																						
HYDROSTATIC TEST DETAILS:																						
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">BS 8007:1987 (Yes/No)?</td> <td></td> </tr> <tr> <td>Fill Rate</td> <td><i>1L per Second</i></td> </tr> <tr> <td>Stabilisation Period</td> <td></td> </tr> <tr> <td>Duration of the Test</td> <td><i>24 hrs</i></td> </tr> <tr> <td>Acceptance Criteria (Total permissible drop in water level)</td> <td><i>N/L</i></td> </tr> <tr> <td>Water Level Change in Reference Vessel</td> <td><i>N/L</i></td> </tr> </table>		BS 8007:1987 (Yes/No)?		Fill Rate	<i>1L per Second</i>	Stabilisation Period		Duration of the Test	<i>24 hrs</i>	Acceptance Criteria (Total permissible drop in water level)	<i>N/L</i>	Water Level Change in Reference Vessel	<i>N/L</i>									
BS 8007:1987 (Yes/No)?																						
Fill Rate	<i>1L per Second</i>																					
Stabilisation Period																						
Duration of the Test	<i>24 hrs</i>																					
Acceptance Criteria (Total permissible drop in water level)	<i>N/L</i>																					
Water Level Change in Reference Vessel	<i>N/L</i>																					
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 20%;">Date and Time</th> <th style="width: 30%;">Water Level in Bund</th> <th style="width: 50%;">Water Level in Reference Vessel</th> </tr> </thead> <tbody> <tr> <td><i>15/12/15</i></td> <td><i>Full</i></td> <td></td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table>		Date and Time	Water Level in Bund	Water Level in Reference Vessel	<i>15/12/15</i>	<i>Full</i>																
Date and Time	Water Level in Bund	Water Level in Reference Vessel																				
<i>15/12/15</i>	<i>Full</i>																					
Description / Comments of Hydrostatic Test:																						
VISUAL TEST DETAILS: INSPECTION DESCRIPTION & RESULTS:																						
<i>Bund lined with 2.5mm HDPE</i>																						
<i>Photos taken all ok</i>																						
Result (Pass/Fail)	<i>Pass</i>																					
Recommendation(s):																						
Signed: 	Qualification: <i>B. Eng (Chem)</i>	Date: <i>22/12/15</i>																				

Resource and Energy Consumption

Electricity and diesel usage are shown below.

Table 4.0 Electricity Use 2016

Total consumption = 57,700kWh for 2016

Table 4.1 Diesel Usage 2016(ltrs)

Jan 16	629.24
Feb 16	448.55
Mar 16	468.17
Apr 16	431.23
May 16	742.03
June 16	302.50
July 16	627.71
Aug 16	363.12
Sept 16	851.17
Oct 16	161.38
Nov 16	657.08
Dec 16	285.19
Average p\month	497.28

3 SITE DEVELOPMENT / INFRASTRUCTURAL WORKS

Site development works initiated or completed during the report period are described hereunder.

4.1

The installation a building for WEEE and a concrete slab to facilitate the bulking up of items commenced in 2016 and was completed in 2016

SEW submitted to Agency in 2012.

5 ENVIRONMENTAL INCIDENTS AND COMPLAINTS

5.1 Incidents Summary

Condition 12.3 of the waste licence requires that the licensee shall make written records of environmental incidents. No incidents were recorded during this reporting period

5.2. Complaints Summary

There were no complaints received during the reporting period.

5.3 Review of Nuisance Controls.

All nuisance control systems are monitored weekly to ensure that they are working effectively. The findings of these inspections are recorded on Nuisance Check Sheets, which are held on record in the facility. Environmental nuisances include:

1. Litter
2. Vermin
3. Dust

5.3.1 Litter Control

There are regular checks for litter onsite.

5.3.2 Vermin & Insects Control

The initial vermin control system on site is prompt waste disposal and reducing access to material. Additional vermin control work, is contracted to Pest Patrol (Pest control and Environmental Services). They use bait boxes the following systems to control vermin on site.

Pest Patrol carries out eight to ten site inspections annually to ensure that the site is free of vermin. Waller's Lot is not considered to have a vermin problem. The findings of these inspections are recorded and are held on record in the facility.

5.3.3 Dust Control

Dust control on-site is controlled using the following systems:

1. Reduced vehicle speed on site to control dust rising
2. Roads sprayed with water to keep dust down, done in dry weather

No complaints were received at the as regards dust raised by operational activities.

6 ENVIRONMENTAL MANAGEMENT SYSTEM

6.1 SUMMARY OF PROCEDURES ASSOCIATED WITH THE FACILITY

Documented procedures governing the operation of the facility are outlined below. Complete copies of all procedures are included in the facility's EMS.

Doc. No.	Operational Procedure Title	Date of Revision	Revision Number	Date of Review
SCP/4200/04	Emergency Response Procedure	Mar 2016	Rev 4	12-03-17
SCP/4201/04	Corrective Action Procedure	Mar 2016	Rev 4	12-03-17
SCP/4202/02	Awareness and Training Procedure	Mar 2016	Rev 2	12-03-17
SCP/4203/00	Communication Procedure	Mar 2016	Rev 0	12-03-17
SCP/4204/03	Complaints Procedure	Mar 2016	Rev 3	12-03-17
SCP/4205/02	Waste Characterisation and Testing Procedure	Mar 2016	Rev 2	12-03-17
SCP/4206/05	Waste Acceptance & Rejection Procedure	Mar 2016	Rev 5	12-03-17
SCP/4207/03	Vehicle Movement Procedure	Mar 2016	Rev 3	12-03-17
SCP/4208/04	Environmental Monitoring Procedure	Mar 2016	Rev 4	12-03-17
SCP/4209/02	Site Inspection Procedure	Mar 2016	Rev 2	12-03-17
SCP/4210/02	Nuisance Inspection Procedure	Mar 2016	Rev 2	12-03-17
SCP/4211/01	Self Compacting Trailer operating Procedure	Mar 2016	Rev 1	12-03-17
SCP/4212/01	Waste Conveyor Operating Procedure	Mar 2016	Rev 1	12-03-17
SCP/4213/01	Waste Handling Procedure	Mar 2016	Rev 1	12-03-17
SCP/4214/01	Compactor Skip Procedure	Mar 2016	Rev 1	12-03-17
SCP/4215/01	Telescopic Handler Procedure	Mar 2016	Rev 1	12-03-17

6.2 Waller's Lot Civic Amenity Site and Waste Transfer Station

Objective 1	Continue Advertising campaign	
Target	I	
	Tasks	Timeframe
	1. Advertise facilities in local paper. Ongoing	September 2018
Responsibility	Facility manager & PAO	
Resources\Comments		

Objective 2	Review all aspects of Health and Safety in relation to the facility	
Target	To carry out a review in relation to all aspects of health and safety concerning this facility	
	Tasks	Timeframe
	1. Review Site specific safety statement	July 2018
	2. Carry out any recommendations for reduction of risk outlined in Safety Statement.	July 2018
	3. Retain OHSAS 18001	December 2018
Responsibility	Facility manager & RE	
Resources\Comments		

Objective 3	Improve energy efficiency on site	
Target	In compliance with Condition 8.1 STCC will carry out an audit of the energy efficiency of the site to identify opportunities for energy use reduction and better resource use.	
	Tasks	Timeframe
	1. Carry out energy audit in accordance with guidance published by the Agency – 'Guidance note on energy efficiency auditing'.	May 2017
	2. Implement audit findings and review. Ongoing	September 2017
Responsibility	Facility manager & E.E	
Resources\Comments	Audit Completed	

Objective 4	Improve site security	
Target		
	Tasks	Timeframe
	1. Maintain fence	Ongoing
	2. Reduce scavengers / trespassers	
Responsibility	Facility manager	
Resources\Comments	Worked with local Gardai / New Security cameras fitted	

Objective 5	Implementation of a management and reporting system	
Target	In compliance with Condition 2.4 STCC will maintain a system whereby all environmental information is available to members of the public during opening hours	
	Tasks	Timeframe
	1. Review and update the EMS 2012	September 2017
	2. Review and update the schedule of objectives and targets 2012	
	3. Implement reviewed EMP	September 2017
	4. Review and update the Corrective Action Procedure	
	5. Review and update the Awareness and Training Programme See Chapter 6	July 2017
	6. Prepare an AER	
Responsibility	Facility Manager	
Resources\Comments	Completed	

Objective 6	Expand the range of products accepted for recycling	
Target	Expand the range of products accepted	
	Tasks	Timeframe
	1. Investigate other materials	Ongoing
	2. Hard Plastics	Completed
Responsibility	Facility Manager	
Resources\Comments		

Objective 7	Site Inspections	
Target	To ensure that all appropriate site inspections are carried out and documented as per the Licence requirements	
	Tasks	Timeframe
	1. Training of Staff in Inspection procedures	Ongoing
	2. Maintaining Inspection records	Ongoing
Responsibility	Facility manager	
Resources\Comments	Ongoing	

Objective 8	Staff Training	
Target	To ensure that all site personnel are appropriately qualified for the position they hold on site.	
	Tasks	Timeframe
	1. Implement regular in-house training for on-site personnel including First Aid and Spill Kit Training	Ongoing
Responsibility	Facility manager	
Resources\Comments	Ongoing	

Objective 9	Work with outside agencies	
Target	To ensure that all possible help is given to assist Zero Waste project	
	Tasks	Timeframe

	1.Assist in the Zero Waste project in Cashel	Ongoing
Responsibility	Facility manager	
Resources\Comments	Ongoing	

Objective 10	Environmental Education	
Target	To encourage all interested parties to visit the site and learn about recycling	
	Tasks	Timeframe
	1. Use building to run courses regarding all forms of recycling	Ongoing
	2. Encourage school visits	Ongoing
Responsibility	Facility manager, Environmental Engineer, Public Awareness Officer.	
Resources\Comments	Ongoing	

Objective 11	Reduction in Resource usage	
Target	To reduce usage of water and power on site	
	Tasks	Timeframe
	1. Implement recommendations of energy audit	Ongoing
Responsibility	Facility manager	
Resources\Comments	Regular monitoring of site water meter .	

7 FACILITY REOURCES

7.1 Management and Staff Structure

There are six operational staff at the site: a Facility Manager, responsible for the day-to-day site activities, a deputy manager, environmental chemist, a weighbridge operator and two general operatives.

A staffing structure for site operations is presented in Figure 7.1. Their qualifications and responsibilities are outlined below:




Figure 7.1: Management Structure

Facility Manager:	<i>Pat Walsh</i>
Qualifications:	FAS Waste Management Training Course FAS SafePass Course
Responsibilities:	Day-to-Day Operations Waste Acceptance Environmental Protection

Executive Engineer:	<i>Anne Peters</i>
Qualifications:	B.E. (Chem.) FAS Waste Management Training Course FAS SafePass Course
Responsibilities:	Oversee infrastructure development and management on site

Deputy Manager:	<i>Collette Moloney</i>
Qualifications:	B.Sc.
Responsibilities:	Responsible for analytical analysis of monitoring on site

Deputy Manager:	<i>Pat O' Dwyer</i>
Qualifications:	FAS Waste Management Training Course FAS SafePass Course
Responsibilities:	Deputy for the Facility Manager, has the same responsibilities <ul style="list-style-type: none"> • Day-to-day operations • Waste acceptance • Environmental protection

General Operators	Michael Ryan
Qualifications:	FAS Waste Management Training Course In –house Training <ul style="list-style-type: none"> • Weighbridge operation • Telescopic handler • Safe Pass • Manual handling • Instruction on the implication of the waste licence on site staff
Responsibilities:	Weighing Waste Acceptance Records Cash Duty General house keeping

General Operators	Aidan Ryan, Richard Bennett, William Tuohy and Paul Tullett.
Qualifications:	In –house Training <ul style="list-style-type: none"> • Weighbridge operation • Telescopic handler • Safe Pass • Manual handling • Instruction on the implication of the waste licence on site staff
Responsibilities:	Weighing Waste Acceptance Records Cash Duty General house keeping

Staff will be present on site during operational hours to supervise the waste disposal, deal with any emergency that arises and to prevent unauthorised entry into the site. The Facility Manager, or appointed deputy, must be on site during opening hours.

The primary goal of all training is to ensure that there is awareness at all levels of:

- the importance of compliance with conditions of the licence
- the potential environmental effects of work activities
- individual roles and responsibilities in achieving compliance with the waste licence
- the environmental benefits of improved performance
- the Health, Safety & Welfare at Work Act.

7.1.1 Training of Personnel

It will be the responsibility of the Manager to ensure that all staff receives training in relevant areas/tasks, including:

- instruction and operation of the machinery
- operation of the weighbridge and computer system
- training for specific functions

The Manager shall also ensure that all staff receives general training, including:

- instruction in manual handling
- the use of fire extinguishers
- FAS SafePass Course
- First Aid training

It is also the responsibility of the Manager to ensure that site staff are aware of the terms of the waste licence at the facility and the responsibility of each staff member to maintain specific terms of the waste licence. It is the responsibility of the facility manager to ensure that each staff member is aware of his or her specific function.

The Health and Safety Officer makes regular visits to the site, to promote awareness of safety issues and to audit the site. Any suggested improvements are implemented as soon as possible.

7.1.2 Records for the Training and Awareness Programme

- A training records file is kept at the site office
- All relevant operational procedures and documentation relevant to the licence shall be kept at the facility office and updated regularly
- All staff shall be made aware of the existence of such documents.

7.2 Financial Provisions

The county council have the funds available to them to complete the aftercare and restoration of the site in the event of the site closure.

The aftercare and restoration plan was submitted to the Agency in attachment G.1 of the Waste Licence application.



Air | Noise | Water | Soil | Environmental Consultancy
www.axisenv.ie

Unit 5 Caherdavin Business Centre,
Ennis Road,
Limerick

Tipperary County Council
Recycling Centre and Waste Transfer Station,
Waller's Lot,
Cashel,
Tipperary


Environmental Noise Report
Noise Survey 2016

Licence Number: W0200-01

Report Reference Number: 3450-16-04
Version: 1
Date of Issue: 26/09/2016
Report Compiled by: Jer Moore

Report Content

1.0	Executive Summary	3
2.0	Introduction	4
3.0	Methods Employed	5
4.0	Monitoring Locations	6
5.0	Noise Measurement Data	7
6.0	Conclusions	10

Report Date	26/09/2016	Site Contact:	Louise M. Ryan
Report Issued By	Mark Mc Garry	Version No:	1
Signed:		Client:	Tipperary Co. Co.
Notes:			

1.0 Executive Summary

Tipperary County Council is required as part of licence W0200-01; Conditions C.1 and D.3 to carry out a noise survey of the installation on an annual basis. AXIS environmental services were commissioned to complete the survey after proposal acknowledgment and acceptance by Tipperary County Council's Environmental Department.

The purpose of the survey was to monitor noise at predetermined locations and assess the sites compliance against Schedule C.1 limits.

The survey was carried out in strict accordance with the standard ISO 1996 Parts 1 – 3, Acoustics – description, measurement and assessment of environmental noise. Reference was also made to the EPA guidelines NG4 "Guidance Note for Noise: Licence Applications, Surveys and Assessments in Relation to Scheduled Activities" January 2016.

All operations at Waller's lot were running as normal throughout the survey. The majority of noise recorded during the survey could be attributed to traffic movement on site from the operation of lorries and loaders and off site due to traffic on the M8 motorway and local R692 secondary road. There were other sources of noise at each individual location which are summarised in the report.

The impact of road traffic noise could be a significant interference on the survey at certain locations as defined in the report. As outlined in the Standard ISO 1996 and the associated noise guidance document issued by the Agency in 2016, where traffic noise is interfering with noise measurements, it is acceptable to assess noise compliance against the L_{A90} for the monitoring period. This is a statistical measurement of the noise level exceeded for 90% of the time which would largely be associated with the facility under assessment.

Three monitoring points were monitored for the noise survey. N1, N2 and N3 are boundary monitoring points which are located within the confines of the site and are in close proximity to all activities in operation. Under the aforementioned EPA guidelines boundary locations are not required to be compliant with noise emission limit values [Day – 55dB(A), Night – 45dB(A)] as they are not noise sensitive locations.

All monitoring points were determined to comply in full with licence requirements. There was no tonal or impulsive noise observed at either location for the duration of the assessment.

2.0 Introduction

As part of compliance monitoring at Waller's Lot, an annual noise survey is to be carried out at noise sensitive receptors in the vicinity of the plant. The Agency and Tipperary County Council have agreed on the monitoring points on the boundary of the site and at the nearest noise sensitive locations.

The IPPC licence W0200-01 outlines the requirements under Conditions C.1 and D.3 which have been documented as follows:

2.1 Condition C.1: Noise Emissions

Day dB(A) $L_{Aeq}(30\text{minutes})$	Night dB(A) $L_{Aeq}(30\text{ minutes})$
55	45

2.2 Schedule D.3: Noise Monitoring Parameters and Frequency

Table 1: Schedule: Noise Monitoring

<i>Location</i>	<i>Measurement</i>	<i>Frequency</i>
N1	30minute Daytime survey to include 1/3 rd octave measurements	Annually
N2	30minute Daytime survey to include 1/3 rd octave measurements	Annually
N3	30minute Daytime survey to include 1/3 rd octave measurements	Annually

3.0 Methods

Monitoring was carried out in strict accordance with ISO 1996 Parts 1 – 3, Description and Measurement of Environmental Noise. Reference was also made to the EPA guidelines NG4 "Guidance Note for Noise: Licence Applications, Surveys and Assessments in Relation to Scheduled Activities" January 2016.

Table 3: Equipment Details

	Meter No 2	Meter No 3
Manufacturer	Cirrus Optimus Green	Cirrus Optimus Green
Model	CR:171B	CR:172B
Serial Number	G061082	G061817
Firmware	V2.3.1156	V2.4.1529
Calibrator	CR:511E Acoustic Calibrator	CR:515 Acoustic Calibrator
Microphone	B&K4192 - 1920791	B&K4180 - 1893453
Windshield Type	UA:237 90mm Foam Windshield	UA:237 90mm Foam Windshield
Calibration Date		
Noise Meter	20 th April 2016 – 2017	09 th October 2015 - 2016
Certificate Number	237309	232526
Calibrator	April 2016 – 2017	October 2015 - 2016
Certificate Number	237308	102905

4.0 Monitoring Locations

4.1 N1 Day Time Survey

N1 is located at the back right hand corner of the site, next to the Quarantine Area. The predominant source of noise here was from traffic movements on the local R692 and M8 motorway. On site traffic noise included lorries moving around site and being filled with waste by a loader.

Secondary sources of noise included birds chirping in the surrounding area and a light breeze blowing.

4.2 N2 Day Time Survey

N2 is located at the back left of the Waller's Lot site, opposite N1. The predominant source of noise here came from traffic noise on the M8 motorway. Other notable noise sources included lorries and a loader moving around the site and operating. A tractor could be heard operating offsite and birds could be heard chirping.

4.3 N3 Day Time Survey

N3 is located inside the entrance to the site, close to the road. As a result of its location, the main sources of noise at this location was traffic which created some interference throughout the survey. This included traffic coming and going from the site as well as traffic on the M8 and R692.

Other noise sources included construction vehicles working off site to the north of the site, birds chirping and children chatting at an adjacent residential house.

5.0 Summary of Daytime Noise Measurements

Noise Monitoring Location: N1(Boundary Monitoring Location) 13-09-2016					
Period:	Time	Measured Noise Levels (dB re. 2 x 10 ⁻⁵ Pa)			Comments
		L _{Aeq}	L _{AFMAX}	L _{A90}	
Daytime:	10:10	42	67	37	Traffic noise on site from lorries and loaders as well as off site from the R692 and M8 motorway were the most prevalent noise sources. Other noises noted included birds chirping and a gentle breeze.
	-	-	-	-	
	-	-	-	-	
Arithmetic Average (dB):		42	67	37	
Daytime Criterion, dB L _{Ar,T} :		55	-	-	
Evening:	-	-	-	-	This site is not required to monitor noise emissions during the evening period. The site is not defined as a new or revised licence since the guidelines were issued in 2016.
Arithmetic Average (dB):		-	-	-	
Evening Criterion, dB L _{Ar,T} :		-	-	-	
Night Time:	-	-	-	-	This site is not required to monitor noise emissions during the evening period. The site is not defined as a new or revised licence since the guidelines were issued in 2016.
	-	-	-	-	
Arithmetic Average (dB):		-	-	-	
Night time Criterion, dB L _{Ar,T} :		-	-	-	
Weather Conditions:					
	Daytime:	Evening:	Night Time:		
Temperature (°C)	12	-	-		
Wind Speed (m/s)	1	-	-		
Wind Direction:	South-Easterly	-	-		
Precipitation (mm):	0	-	-		
Tonal Noise Assessment					
Daytime:	Run 1: None	-	-		
Evening:	-	-	-		
Night Time:	Run 1: None	-	-		
Compliance Status – this is not a noise sensitive location					

Noise Monitoring Location: N2(Boundary Monitoring Location) 13-09-2016					
Period:	Time	Measured Noise Levels (dB re. 2 x 10 ⁻⁵ Pa)			Comments
		L _{Aeq}	L _{AFMAX}	L _{A90}	
Daytime:	10:05	43	65	35	The most common noise sources recorded at this point came from lorries and loaders working on site as well as traffic noise from the M8 and a tractor working off site. Birds could be heard chirping throughout the noise survey.
	-	-	-	-	
	-	-	-	-	
Arithmetic Average (dB):		43	65	35	
Daytime Criterion, dB L _{Ar,T} :		55	-	-	
Evening:	-	-	-	-	
Arithmetic Average (dB):		-	-	-	
Evening Criterion, dB L _{Ar,T} :		-	-	-	
Night Time:	-	-	-	-	This site is not required to monitor noise emissions during the evening period. The site is not defined as a new or revised licence since the guidelines were issued in 2016.
	-	-	-	-	
Arithmetic Average (dB):		-	-	-	
Night time Criterion, dB L _{Ar,T} :		-	-	-	
Weather Conditions:					
	Daytime:	Evening:	Night Time:		
Temperature (°C)	12	-	-		
Wind Speed (m/s)	1	-	-		
Wind Direction:	South-Easterly	-	-		
Precipitation (mm):	0	-	-		
Tonal Noise Assessment					
Daytime:	Run 1: None	-	-		
Evening:	-	-	-		
Night Time:	Run 1: None	-	-		
Compliance Status – this is not a noise sensitive location					

Noise Monitoring Location: N3(Boundary Monitoring Location) 13-09-2016						
Period:	Time	Measured Noise Levels (dB re. 2 x 10 ⁻⁵ Pa)			Comments	
		L _{Aeq}	L _{AFMAX}	L _{A90}		
Daytime:	10:45	53	91	42	Traffic noise was again the predominant noise source noted at this location. Traffic noise was caused by lorries and loaders working on site and off site by traffic on the M8 motorway, the local R692 and by construction vehicles at a nearby site. Children playing and birds chirping were also noted.	
	-	-	-	-		
	-	-	-	-		
Arithmetic Average (dB):		53	91	42		
Daytime Criterion, dB L _{Ar,T} :		55	-	-		
Evening:	-	-	-	-		This site is not required to monitor noise emissions during the evening period. The site is not defined as a new or revised licence since the guidelines were issued in 2016.
Arithmetic Average (dB):		-	-	-		
Evening Criterion, dB L _{Ar,T} :		-	-	-		
Night Time:	-	-	-	-		This site is not required to monitor noise emissions during the evening period. The site is not defined as a new or revised licence since the guidelines were issued in 2016.
	-	-	-	-		
	Arithmetic Average (dB):		-	-	-	
Night time Criterion, dB L _{Ar,T} :		-	-	-		
Weather Conditions:						
	Daytime:	Evening:	Night Time:			
Temperature (°C)	12	-	-			
Wind Speed (m/s)	1	-	-			
Wind Direction:	South-Easterly	-	-			
Precipitation (mm):	0	-	-			
Tonal Noise Assessment						
Daytime:	Run 1: None	-	-			
Evening:	-	-	-			
Night Time:	Run 1: None	-	-			
Compliance Status – this is not a noise sensitive location						

6.0 Conclusions

Three locations were monitored for broadband and 1/3rd Octave frequency as part of this annual environmental noise survey at Waller's Lot.

Each point was monitored for 30 minute periods during the Daytime time survey.

The findings of the survey would indicate that the noise sensitive locations were not significantly affected or impacted by sources of noise at Waller's Lot.

The predominant source of noise at all monitoring points was traffic which was recorded both on and offsite. There were several other noises noted including a tractor and construction vehicles working off site, children playing, a light breeze and chirping birds.

There was no tonal noise determined at either monitoring location; therefore there are no requirements to apply penalties to the broadband measurement.

Appendix I Graphical Display of Raw Data**Tonal Noise:**

The appropriate level differences vary with frequency. They should be greater than or equal to the following values in both adjacent one third octave bands:

- 15dB in low frequency one third octave bands (25Hz to 125Hz);
- 8dB in middle frequency bands (160Hz to 400Hz), and;
- 5dB in high frequency bands (500Hz to 10,000Hz)

This is the definition outlined by the EPA in the guidance note issued in 2012: NG4.

23/09/2016





Measurement Summary Report

Name Waler Lot N1
Time 13/09/2016 10:10:26 **Person** **Place** **Project**
Duration 00:30:00 **Walers Lot**
Instrument G061082, CR:171B

Calibration

Before 13/09/2016 10:09 **Offset** -2.00 dB **After** 13/09/2016 15:27 **Offset** -2.08 dB

Basic Values		Statistical Levels (Ln)	
L _{Aeq}	41.5 dB	LAF1	48.1 dB
L _{AE}	74.1 dB	LAF5	43.5 dB
L _{AFMax}	66.9 dB	LAF10	42.0 dB
		LAF50	39.1 dB
		LAF90	37.3 dB
		LAF95	36.8 dB
		LAF99	36.2 dB



M00000000000092

Cirrus Research NoiseTools

ReportId



Page 1 of 1

23/09/2016





Measurement Summary Report

Name Waler Lot N3
Time 13/09/2016 10:45:04 **Person** **Place** **Project**
Duration 00:30:00 **Walers Lot**
Instrument G061082, CR:171B

Calibration

Before 13/09/2016 10:09 **Offset** -2.00 dB **After** 13/09/2016 15:27 **Offset** -2.08 dB

Basic Values		Statistical Levels (Ln)	
L _{Aeq}	53.4 dB	LAF1	58.4 dB
L _{AE}	86.0 dB	LAF5	56.6 dB
L _{AFMax}	91.1 dB	LAF10	55.6 dB
		LAF50	48.4 dB
		LAF90	42.0 dB
		LAF95	41.0 dB
		LAF99	39.7 dB



M00000000000091


Cirrus Research NoiseTools

ReportId



Page 1 of 1

Appendix II Site Map



Appendix III Calibration Certificates

Email: sales@cirrusresearch.co.uk

Certificate of Calibration



Cirrus
Research plc
dedicated to noise measurement

Equipment Details

Instrument Manufacturer: Cirrus Research plc
 Instrument Type: CR-171B
 Description: Sound Level Meter
 Serial Number: G081082

Calibration Procedure

The instrument detailed above has been calibrated to the published test and calibration data as detailed in the instrument hand book, using the techniques recommended in the latest revisions of the International Standards IEC 61672-1:2002, IEC 60651:1979, IEC 60804:2001, IEC 61260:1995, IEC 60942:1997, IEC 61252:1993, ANSI S1.4-1983, ANSI S1.11-1986 and ANSI S1.43-1997 where applicable.
 Sound Level Meters: All Calibration procedures were carried out by substituting the microphone capsule with a suitable electrical signal, apart from the final acoustic calibration.

Calibration Traceability

The equipment detailed above was calibrated against the calibration laboratory standards held by Cirrus Research plc. These are traceable to International Standards (A.0.6). The standards are:

Microphone Type	B&K 4192	Serial Number	1920791	Calibration Ref	S6450
Microphone Type	B&K 4220	Serial Number	613843	Calibration Ref	S6388

Calibrated by: 

Calibration Date: 20 April 2016
 Calibration Certificate Number: 257309

This Calibration Certificate is valid for 12 months from the date above.

Cirrus Research plc, Acoustic House, Brillington Road, Harrogate, North Yorkshire, YO14 0PH
 Telephone: +44 (0) 1723 891655 Fax: +44 (0) 1723 891742
 Email: sales@cirrusresearch.co.uk

Certificate of Calibration



Certificate Number: **105476**
 Date of Issue: **20 April 2016**

Microphone Capsule

Manufacturer: **Cirrus Research plc** Serial Number: **205268A**
 Model Number: **MK224**

Calibration Procedure

The microphone capsule detailed above has been calibrated to the published data as described in the operating manual of the associated sound level meter (where applicable).

The frequency response was measured using an electrostatic actuator in accordance with BS EN 61094-6:2005 with the free-field response derived via standard correction data traceable to the National Physical Laboratory, Middlesex, UK.

The absolute sensitivity at 1 kHz was measured using an acoustic calibrator conforming to IEC 60942:2003 Class 1.

Date of Calibration: **14 April 2016**
 Open Circuit: **48.3 mV/Pa**
 Sensitivity at 1 kHz: **-26.3 dB rel 1 V/Pa**

Environmental Conditions

Pressure: **100.30 kPa**
 Temperature: **22.0 °C**
 Humidity: **35.0 %**

Calibration Laboratory

Laboratory: Cirrus Research plc
 Acoustic House, Bridlington Road, Hunmanby
 North Yorkshire, YO14 0PH, United Kingdom

Test Engineer: Debra Swales

Cirrus Research plc, Acoustic House, Bridlington Road
 Hunmanby, North Yorkshire, YO14 0PH, United Kingdom
 Telephone: 0945 230 304 Fax: +44 (0)1430 89655
 Email: sales@cirrusresearch.co.uk
 Web: www.cirrusresearch.co.uk
 UK Registration No. 96768




Page 1 of 2

FM 531001

EMS 552104

Free-Field Frequency Response

Frequency (Hz)	Free-Field Sensitivity (dB rel 1 kHz)	Adjuster to Free-Field Correction (dB)
100	-0.05	0.08
125	-0.01	0.13
160	-0.06	0.11
200	-0.01	0.17
250	0.00	0.19
315	-0.05	0.14
400	-0.03	0.17
500	-0.07	0.13
630	-0.08	0.08
800	-0.08	0.03
1 000	0.00	0.02
1 250	0.12	0.05
1 600	0.15	-0.04
2 000	0.07	-0.21
2 500	0.15	-0.25
3 150	0.07	-0.58
4 000	0.07	-0.90
5 000	0.16	-1.31
6 300	0.17	-2.00
8 000	0.40	-2.82
10 000	0.50	-4.22
12 500	0.76	-5.43
16 000	1.44	-6.64
20 000	-0.14	-8.59



Certificate of Calibration



Cirrus Research plc
 (dedicated to noise measurement)

Equipment Details

Instrument Manufacturer: Cirrus Research plc
 Instrument Type: CR-511E
 Description: Acoustic Calibrator
 Serial Number: 41373

Calibration Procedure

The acoustic calibrator detailed above has been calibrated to the published data as described in the operating manual. The procedures and techniques used to follow the recommendations of the IEC standard Electroacoustics - Sound Calibrators IEC 60942:2003, IEC 60942:1997, BS EN 60942:1998 and BS EN 60942:2003 where applicable. The calibrator's main output is 94.00 dB (1 Pa) and this was set within the 0.01 dB resolution of the test system, i.e. one hundredth of a decibel. Numbers in [parenthesis] refer to the paragraph in IEC 60942.

Calibration Traceability

The calibrator above was calibrated against the calibration laboratory standards held by Cirrus Research plc. These are traceable to International Standards (A.0.6). The standards are:

Microphone Type	B&K 4192	Serial Number	1920791	Calibration Ref.	S6450
Reference Type	B&K 4220	Serial Number	613843	Calibration Ref.	S6388

Calibration Climate Conditions

The climatic test conditions were all maintained within the permitted limits of IEC 60942:1997.

Temperature	(B.3.2)	Permitted band	15°C to 25°C
Humidity	(B.3.2)	Permitted band	30% to 90% RH
Static Pressure	(B.3.2)	Permitted band	85 kPa to 105 kPa
Ambient Noise Level	(B.3.3.6)	Max permitted level	64 dB(Z)

Measurement Results

The figures below are the Calibration Laboratory test limits for this model calibrator and have a smaller tolerance than those permitted in IEC 60942.


94 dB Output	94.00 dB	Permitted band	93.95 to 94.05 dB
104 dB Output	104.00 dB	Permitted band	103.80 to 104.30 dB
Frequency	998.6 Hz	Permitted band	990 to 1010 Hz

Uncertainty

With an uncertainty coefficient of k=2, i.e. a 95% confidence level, the uncertainty of each measure is

94 dB Output	± 0.13 dB	104 dB Output	± 0.14 dB
Frequency	± 0.1 Hz	Level Stability	± 0.04 dB

Calibrated by



Calibration Date

20 April 2016

Calibration Certificate Number

237308

This Calibration Certificate is valid for 12 months from the date above.

Cirrus Research plc, Acoustic House, Bridlington Road, Hamarby, North Yorkshire, YO14 0PH
 Telephone: +44 (0) 1723 891655 Fax: +44 (0) 1723 891742

Certificate of Calibration



Equipment Details

Instrument Manufacturer: Cirrus Research plc
 Instrument Type: CR-172B
 Description: Sound Level Meter
 Serial Number: G061817

Calibration Procedure

The instrument detailed above has been calibrated to the publish test and calibration data as detailed in the instrument hand book, using the techniques recommended in the latest revisions of the International Standards IEC 61672-1:2002, IEC 60651:1979, IEC 60804:2001, IEC 61280:1995, IEC 60942:1997, IEC 61252:1995, ANSI S1.4-1983, ANSI S1.11-1988 and ANSI S1.43-1997 where applicable.
 Sound Level Meters: All Calibration procedures were carried out by substituting the microphone capsule with a suitable electrical signal, apart from the final acoustic calibration.

Calibration Traceability

The equipment detailed above was calibrated against the calibration laboratory standards held by Cirrus Research plc. These are traceable to International Standards (A06). The standards are:

Microphone Type	B&K 4192	Serial Number	1920791	Calibration Ref.	56450
Extensphone Type	B&K 4220	Serial Number	613845	Calibration Ref.	56388

Calibrated by

T.A. Goodwin

Calibration Date

09 October 2015

Calibration Certificate Number

232526

This Calibration Certificate is valid for 12 months from the date above.

Cirrus Research plc, Acoustic House, Brillington Road, Harrogate, North Yorkshire, YO14 0PH
 Telephone: +44 (0) 1723 891655 Fax: +44 (0) 1723 891742
 Email: sales@cirrusresearch.co.uk

Certificate of Calibration



Certificate Number: **102903**
 Date of Issue: **09 October 2015**

Microphone Capsule

Manufacturer: **Cirrus Research plc** Serial Number: **203029A**
 Model Number: **MK224**

Calibration Procedure

The microphone capsule detailed above has been calibrated to the published data as described in the operating manual of the associated sound level meter (where applicable).

The frequency response was measured using an electrostatic actuator in accordance with BS EN 81094-6:2005 with the free-field response derived via standard correction data traceable to the National Physical Laboratory, Middlesex, UK.

The absolute sensitivity at 1 kHz was measured using an acoustic calibrator conforming to IEC 60942:2003 Class 1.

Date of Calibration: **08 October 2015**
 Open Circuit: **43.2 mV/Pa**
 Sensitivity at 1 kHz: **-27.3 dB ref 1 V/Pa**

Environmental Conditions

Pressure: **101.10 kPa**
 Temperature: **21.0 °C**
 Humidity: **38.0 %**

Calibration Laboratory

Laboratory: Cirrus Research plc
 Acoustic House, Bridlington Road, Hunmanby
 North Yorkshire, YO14 0PH, United Kingdom


Test Engineer: Debra Swaiswell

Cirrus Research plc, Acoustic House, Bridlington Road,
 Hunmanby, North Yorkshire, YO14 0PH, United Kingdom
 Telephone: 01452 230 2404 Fax: +44 023 899555
 Email: sales@cirrusresearch.co.uk
 Web: www.cirrusresearch.co.uk
 UK Registration No. 98780



Free-Field Frequency Response

Frequency (Hz)	Free-Field Sensitivity (dB rel 1 kHz)	Actuator to Free-Field Correction (dB)
100	-0.12	-2.10
125	-0.13	-1.41
180	-0.10	-0.88
200	-0.04	-0.52
250	-0.04	-0.33
315	-0.06	-0.25
400	-0.03	-0.12
500	-0.04	-0.08
630	0.02	0.01
800	-0.03	-0.05
1 000	0.00	-0.01
1 250	0.04	-0.04
1 600	-0.02	-0.21
2 000	0.03	-0.28
2 500	0.06	-0.45
3 150	0.00	-0.76
4 000	-0.14	-1.31
5 000	-0.26	-2.02
6 300	-0.61	-3.11
8 000	-0.94	-4.62
10 000	-1.62	-6.78
12 500	-2.07	-8.77
16 000	-3.16	-11.25
20 000	-4.75	-14.96



Certificate of Calibration



Certificate Number: **102905**
 Date of Issue: **09 October 2015**

Acoustic Calibrator

Manufacturer: **Cirrus Research plc** Serial Number: **59318**
 Model Number: **CR:515**

Calibration Procedure

The sound calibrator detailed above has been calibrated to the published data as described in the operating manual and in the half-inch configuration. The procedures and techniques used are as described in IEC 60942:2003 Annex B – Periodic Tests and three determinations of the sound pressure level, frequency and total distortion were made.

This sound pressure level was measured using a WS2F condenser microphone type MK224 manufactured by Cirrus Research plc.

The results have been corrected to the reference pressure of 101.33 kPa using the manufacturer's data.

Date of Calibration: **09 October 2015**

Calibration Results

Measurement	Level (dB)	Frequency (Hz)	Distortion (% THD + Noise)
1	94.02	1000.0	0.39
2	94.00	1000.0	0.38
3	94.00	1000.0	0.39
Average	94.01	1000.0	0.39
Uncertainty	± 0.13	± 0.1	± 0.10

The reported uncertainties of measurement are expanded by a coverage factor of k=2, providing a 95% confidence level.

Cirrus Research plc, Acoustic House, Bedington Road
 Hummery, North Yorkshire, YO14 0PL United Kingdom
 Telephone: 0845 230 3454 Fax: +44 1753 887658
 Email: sales@cirrusresearch.co.uk
 Web: www.cirrusresearch.co.uk
 UK Registration No: 98786



Environmental Conditions

Pressure: 101.49 kPa
Temperature: 21.8 °C
Humidity: 48.1 %

Evidence of Pattern Approval

The manufacturer's product information indicates that this model of sound calibrator has been formally pattern approved to IEC 60942:2003 Annex A to Class 1. This has been confirmed with the Physikalisch-Technische Bundesanstalt (PTB).


Statement of Calibration

As public evidence was available, from a testing organisation responsible for approving the results of pattern evaluation tests, to demonstrate that the model of sound calibrator fully conformed to the requirements for pattern evaluation described in Annex A of IEC 60942:2003, the sound calibrator tested is considered to conform to all the Class 1 requirements of IEC 60942:2003.

Calibration Laboratory

Laboratory: Cirrus Research plc
Acoustic House, Bridlington Road, Hunmanby
North Yorkshire, YO14 0PH, United Kingdom

Test Engineer: Mark Berry



Glossary of Terms

Note: Not all terms were used in the description of noise for this noise survey.

Ambient noise	The totally encompassing sound in a given situation at a given time, usually composed of sound from many sources, near and far.
Acoustic shadow	An acoustic shadow is an area through which sound waves fail to propagate, due to topographical obstructions or disruption of the waves via phenomena such as wind currents.
Background noise	The steady existing noise level present without contribution from any intermittent sources. The A weighted sound pressure level of the residual noise at the assessment position that is exceeded for 90 per cent of a given time interval, T (LAF90,T).
Broadband	Sounds that contain energy distributed across a wide range of frequencies.
Competent person	Individual possessing a combination of technical knowledge, experience and skills as outlined in Section 2.0 and who can demonstrate both practical and theoretical competence.
Criterion noise level	The long term mean value of the noise level that must not be exceeded. This is generally stipulated in the IPPC/Waste licence and it may be applied to a noise source, a boundary of the activity or to an NSL in the vicinity of the site.
dB	Decibel. The scale in which sound pressure level is expressed. It is defined as 20 times the logarithm of the ratio between the RMS pressure of the sound field and the reference pressure of 20 micro pascals (20 uPa).
Facade level	The noise level at a location 1m from the facade of a building is described by the term facade level, and is subject to a higher noise level than one in an open area (free-field conditions) due to reflection effects.
Free field	These are conditions in which the radiation from sound sources is unaffected by the presence of any reflecting boundaries or the source itself. In practice, it is a field in which the effects of the boundaries are negligible over the frequency range of interest. In environmental noise, true free-field measurement conditions are seldom achieved and generally the microphone will be positioned at a height between 1.2 and 1.5 metres above ground level. To minimise the influence of reflections, measurements are generally made at least 3.5 metres from any reflecting surface other than the ground.
Hertz (Hz)	The unit of sound frequency in cycles per second.
Impulsive	A noise that is of short duration (typically less than one second), the sound pressure level of which is significantly higher than the background.
LAeq,T	This is the equivalent continuous sound level. It is a type of average and is used to describe a fluctuating noise in terms of a single noise level over the sample period (T). The closer the LAeq value is to either the LAF10 or LAF90 value indicates the relative impact of the intermittent sources and their contribution. The relative spread between the values determines the impact of intermittent sources, such as traffic, on the background.
LAFN	The A-weighted noise level exceeded for N% of the sampling interval. Measured using the "Fast" time weighting.
LAr,T	The Rated Noise Level, equal to the LAeq during a specified time interval (T), plus specified adjustments for tonal character and/or impulsiveness of the sound.

LAF10	Refers to those A-weighted noise levels in the top 10 percentile of the sampling interval; it is the level which is exceeded for 10% of the measurement period. It is used to determine the intermittent high noise level features of locally generated noise and usually gives an indicator of the level of road traffic. Measured using the "Fast" time weighting.
LAF90	Refers to those A-weighted noise levels in the lower 90 percentile of the sampling interval; it is the level which is exceeded for 90% of the measurement period. It will therefore exclude the intermittent features of traffic and is used to describe a background level. Measured using the "Fast" time weighting.
LAFmax	The maximum RMS A-weighted sound pressure level occurring within a specified time period. Measured using the "Fast" time weighting.
LAFmin	The minimum RMS A-weighted sound pressure level occurring within a specified time period. Measured using the "Fast" time weighting.
Lden	Is the 24 hour noise rating level determined by the averaging of the Lday with the Levening plus a 5 dB penalty and the Lnight plus a 10 dB penalty.
Low background noise	An area of low background noise is one where the existing background noise levels measured during an environmental noise survey are as follows: <ul style="list-style-type: none"> o Average Daytime Background Noise Level $\leq 40\text{dB LAF90}$, and; o Average Evening Background Noise Level $\leq 35\text{dB LAF90}$, and; o Average Night-time Background Noise Level $\leq 30\text{dB LAF90}$.
Low frequency noise	LFN - noise which is dominated by frequency components towards the lower end of the frequency spectrum; see Appendix VI for a more detailed discussion.
LpA (dB)	An 'A-weighted decibel' K a measure of the overall level of sound across the audible frequency range (20Hz – 20kHz) with A-frequency weighting (i.e. 'A-weighting') to compensate for the varying sensitivity of the human ear to sound at different frequencies.
Noise	Any sound, that has the potential to cause disturbance, discomfort or psychological stress to a person exposed to it, or any sound that could cause actual physiological harm to a person exposed to it, or physical damage to any structure exposed to it, is known as noise.
Noise sensitive location	NSL – any dwelling house, hotel or hostel, health building, educational establishment, place of worship or entertainment, or any other facility or other area of high amenity which for its proper enjoyment requires the absence of noise at nuisance levels.
Octave band	A frequency interval, the upper limit of which is twice that of the lower limit. For example, the 1,000Hz octave band contains acoustical energy between 707Hz and 1,414Hz. The centre frequencies used for the designation of octave bands are defined in ISO and ANSI standards.
Rating level	See LAr,T.
RMS	The RMS (Root Mean Square) value of a set of numbers is the square root of the average of their squares.
SEL (LAX or LAE)	Sound exposure level – a measure of the A-weighted sound energy used to describe noise events such as the passing of a train or aircraft; it is the A-weighted sound pressure level if occurring over a period of 1 second, would contain the same amount of A-weighted sound energy as the event.

Sound pressure level	Sound pressure refers to the fluctuations in air pressure caused by the passage of a sound wave. It may be expressed in terms of sound pressure level at a point.
Specific noise level	A component of the ambient noise which can be specifically identified by acoustical means and may be associated with a specific source. In BS 4142, there is a more precise definition as follows: 'the equivalent continuous A-weighted sound pressure level at the assessment position produced by the specific noise source over a given reference time interval (LAeq, T)'.
Time weighting	One of the averaging times (Fast, Slow or Impulse) used for the measurement of RMS sound pressure level in sound level meters.
Tonal	Sounds which cover a range of only a few Hz which contains a clearly audible tone, i.e. distinguishable, discrete or continuous noise (whine, hiss, screech, or hum etc.) are referred to as being 'tonal'.
1/3 octave analysis	Frequency analysis of sound such that the frequency spectrum is subdivided into bands of one-third of an octave each.



Air | Noise | Water | Soil | Environmental Consultancy
www.axisenv.ie

Unit 5 Cahirdavin Business Centre,
Ennis Road,
Limerick

Tipperary County Council
Recycling Centre and Waste Transfer Station,
Waller's Lot,
Cashel,
Co. Tipperary

Environmental Bergerhoff Dust Report
Round 1 Survey 2016

Licence Number: W0200-01

Report Reference Number: 3450-16-02
Version: 1
Date of Issue: 03/10/2016
Report Compiled by: Jer Moore

1.0 Executive Summary

Tipperary County Council is required as part of their Waste License W0200-01 Cashel Recycling Centre and Waste Transfer Station; to carry out a Dustfall survey for this installation three times annually.

AXIS environmental services were commissioned to complete the survey after proposal acknowledgment and acceptance by Tipperary County Council.

The survey was carried out in strict accordance with the standard VDI 2119 Determination of Dust Precipitation with Collection Pots made of Glass (Bergerhoff Method).

Four points were monitored for the dust survey at Cashel Recycling Centre and Waste Transfer Station. D1, D2, D3 & D4 are facility boundary monitoring points which are located within the confines of the site and are in close proximity to all activities in operation.

Table 1: Summary of Results

Location	Date Out	Date In	Dust Weight (mg)	Dust Fall mg/m ² /day	Limit	Compliant
D1	12/08/16	13/09/16	7.4	38.92	350	Yes
D2	12/08/16	13/09/16	3.8	20.04	350	Yes
D3	12/08/16	13/09/16	8.4	96.56	350	Yes
D4	12/08/16	13/09/16	10.8	56.58	350	Yes



Air | Noise | Water | Soil | Environmental Consultancy
www.axisenv.ie

Unit 5 Cahirdavin Business Centre,
Ennis Road,
Limerick

Tipperary County Council
Recycling Centre and Waste Transfer Station,
Waller's Lot,
Cashel,
Co. Tipperary

**Environmental Bergerhoff Dust Report
Round 2 Survey 2016**

Licence Number: W0200-01

Report Reference Number: 3450-16-07
Version: 1
Date of Issue: 24/10/2016
Report Compiled by: Shannon Larkin

1.0 Executive Summary

Tipperary County Council is required as part of their Waste License W0200-01 Cashel Recycling Centre and Waste Transfer Station; to carry out a Dustfall survey for this installation three times annually.

AXIS environmental services were commissioned to complete the survey after proposal acknowledgment and acceptance by Tipperary County Council.


The survey was carried out in strict accordance with the standard VDI 2119 Determination of Dust Precipitation with Collection Pots made of Glass (Bergerhoff Method).

Four points were monitored for the dust survey at Cashel Recycling Centre and Waste Transfer Station. D1, D2, D3 & D4 are facility boundary monitoring points which are located within the confines of the site and are in close proximity to all activities in operation.

Table 1: Summary of Results

Location	Date Out	Date In	Dust Weight (mg)	Dust Fall mg/m ² /day	Limit	Compliant
D1	13/09/16	13/10/16	3.7	20.76	350	Yes
D2	13/09/16	13/10/16	5.2	29.17	350	Yes
D3	13/09/16	13/10/16	9.1	51.05	350	Yes
D4	13/09/16	13/10/16	5.2	29.17	350	Yes

Appendix II Site Map





Air | Noise | Water | Soil | Environmental Consultancy
www.axisenv.ie

Unit 5 Cahirdavin Business Centre,
Ennis Road,
Limerick

Tipperary County Council
Recycling Centre and Waste Transfer Station,
Waller's Lot,
Cashel,
Co. Tipperary

**Environmental Bergerhoff Dust Report
Round 3 Survey 2016**

Licence Number: W0200-01

Report Reference Number: 3450-16-10
Version: 1
Date of Issue: 06-12-2016
Report Compiled by: Mark McGarry

1.0 Executive Summary

Tipperary County Council is required as part of their Waste License W0200-01 Cashel Recycling Centre and Waste Transfer Station; to carry out a Dustfall survey for this installation three times annually.

AXIS environmental services were commissioned to complete the survey after proposal acknowledgment and acceptance by Tipperary County Council.


The survey was carried out in strict accordance with the standard VDI 2119 Determination of Dust Precipitation with Collection Pots made of Glass (Bergerhoff Method).

Four points were monitored for the dust survey at Cashel Recycling Centre and Waste Transfer Station. D1, D2, D3 & D4 are facility boundary monitoring points which are located within the confines of the site and are in close proximity to all activities in operation.

Table 1: Summary of Results

Location	Date Out	Date In	Dust Weight (mg)	Dust Fall mg/m ² /day	Limit	Compliant
D1	13/10/16	18/11/16	12.2	57.04	350	Yes
D2	13/10/16	18/11/16	26.1	122.02	350	Yes
D3	13/10/16	18/11/16	8.0	37.40	350	Yes
D4	13/10/16	18/11/16	5.1	23.84	350	Yes

Appendix II Site Map





[Guidance to completing the PRTR workbook](#)

PRTR Returns Workbook

Version 1.1.19

REFERENCE YEAR	2016
-----------------------	------

1. FACILITY IDENTIFICATION

Parent Company Name	Tipperary County Council
Facility Name	Recycling Centre and Waste Transfer Station
PRTR Identification Number	W0200
Licence Number	W0200-01

Classes of Activity	
No.	class_name
-	Refer to PRTR class activities below

Address 1	Waller's Lot
Address 2	Cashel
Address 3	
Address 4	
Country	Tipperary
Coordinates of Location	Ireland
River Basin District	-7.8745 52.5126
NACE Code	IESE
Main Economic Activity	3821
AER Returns Contact Name	Treatment and disposal of non-hazardous waste
AER Returns Contact Email Address	Pat Walsh
AER Returns Contact Position	pat.walsh@tipperarycoco.ie
AER Returns Contact Telephone Number	Facility Manager
AER Returns Contact Mobile Phone Number	06264150
AER Returns Contact Fax Number	0872318627
Production Volume	0.0
Production Volume Units	
Number of Installations	0
Number of Operating Hours in Year	0
Number of Employees	5
User Feedback/Comments	
Web Address	

2. PRTR CLASS ACTIVITIES

Activity Number	Activity Name
50.1	General
50.1	General

3. SOLVENTS REGULATIONS (S.I. No. 543 of 2002)

Is it applicable?	
Have you been granted an exemption?	
If applicable which activity class applies (as per Schedule 2 of the regulations)?	
Is the reduction scheme compliance route being used?	

4. WASTE IMPORTED/ACCEPTED ONTO SITE

[Guidance on waste imported/accepted onto site](#)

Do you import/accept waste onto your site for on-site treatment (either recovery or disposal activities)?	
---	--

This question is only applicable if you are an IPPC or Quarry site

4.1 RELEASES TO AIR

[Link to previous years emissions data](#)

SECTION A : SECTOR SPECIFIC PRTR POLLUTANTS

POLLUTANT		METHOD			QUANTITY			
No. Annex II	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
						0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION B : REMAINING PRTR POLLUTANTS

POLLUTANT		METHOD			QUANTITY			
No. Annex II	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
						0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION C : REMAINING POLLUTANT EMISSIONS (As required in your Licence)

POLLUTANT		METHOD			QUANTITY			
Pollutant No.	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
						0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

Additional Data Requested from Landfill operators

For the purposes of the National Inventory on Greenhouse Gases, landfill operators are requested to provide summary data on landfill gas (Methane) flared or utilised on their facilities to accompany the figures for total methane generated. Operators should only report their Net methane (CH4) emission to the environment under T(total) KG/yr for Section A: Sector specific PRTR pollutants above. Please complete the table below:

Landfill:		Recycling Centre and Waste Transfer Station				
Please enter summary data on the quantities of methane flared and / or utilised		T (Total) kg/Year	M/C/E	Method Used		Facility Total Capacity m3 per hour
				Method Code	Designation or Description	
Total estimated methane generation (as per site model)	0.0				N/A	
Methane flared	0.0				0.0	(Total Flaring Capacity)
Methane utilised in engine/s	0.0				0.0	(Total Utilising Capacity)
Net methane emission (as reported in Section A above)	0.0				N/A	

4.2 RELEASES TO WATERS

[Link to previous years emissions data](#)

SECTION A : SECTOR SPECIFIC PRTR POLLUTANTS

RELEASES TO WATERS	
POLLUTANT	
No. Annex II	Name

* Select a row by double-clicking on the Pollutant Name (Column B) th

SECTION B : REMAINING PRTR POLLUTANTS

RELEASES TO WATERS	
POLLUTANT	
No. Annex II	Name

* Select a row by double-clicking on the Pollutant Name (Column B) th

SECTION C : REMAINING POLLUTANT EMISSIONS (as required in your Licence)

RELEASES TO WATERS	
POLLUTANT	
Pollutant No.	Name

* Select a row by double-clicking on the Pollutant Name (Column B) th

Data on ambient monitoring of storm/surface water or groundwater, conducted as part of your licence requirements, should NOT

Please enter all quantities in this section in KGs

		Method Used			
M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	
			0.0	0.0	

en click the delete button

Please enter all quantities in this section in KGs

		Method Used			
M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	
			0.0	0.0	

en click the delete button

Please enter all quantities in this section in KGs

		Method Used			
M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	
			0.0	0.0	

en click the delete button

be submitted under AER / PRTR Reporting as this only concerns Releases from your facility

QUANTITY	
A (Accidental) KG/Year	F (Fugitive) KG/Year
0.0	0.0

QUANTITY	
A (Accidental) KG/Year	F (Fugitive) KG/Year
0.0	0.0

QUANTITY	
A (Accidental) KG/Year	F (Fugitive) KG/Year
0.0	0.0

4.3 RELEASES TO WASTEWATER OR SEWER

[Link to previous years emissions data](#)

| PRTR# : W0200 | Facility Name : Recycling Centre and Waste Transfer Station | Filename : W020

22/05/2017 15:58

SECTION A : PRTR POLLUTANTS

OFFSITE TRANSFER OF POLLUTANTS DESTINED FOR WASTE-WATER TREATMENT OR SEWER					Please enter all quantities in this section in KGs			
POLLUTANT		METHOD			QUANTITY			
No. Annex II	Name	M/C/E	Method Used		Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
			Method Code	Designation or Description				
					0.0	0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION B : REMAINING POLLUTANT EMISSIONS (as required in your Licence)

OFFSITE TRANSFER OF POLLUTANTS DESTINED FOR WASTE-WATER TREATMENT OR SEWER					Please enter all quantities in this section in KGs			
POLLUTANT		METHOD			QUANTITY			
Pollutant No.	Name	M/C/E	Method Used		Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
			Method Code	Designation or Description				
					0.0	0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

4.4 RELEASES TO LAND

[Link to previous years emissions data](#)

SECTION A : PRTR POLLUTANTS

RELEASES TO LAND	
POLLUTANT	
No. Annex II	Name

* Select a row by double-clicking on the Pollutant Name (Column B)

SECTION B : REMAINING POLLUTANT EMISSIONS (as required in your Licence)

RELEASES TO LAND	
POLLUTANT	
Pollutant No.	Name

* Select a row by double-clicking on the Pollutant Name (Column B)

METHOD			Please enter all quantities
M/C/E	Method Code	Designation or Description	Emission Point 1
			0.0

) then click the delete button

METHOD			Please enter all quantities
M/C/E	Method Code	Designation or Description	Emission Point 1
			0.0

) then click the delete button

in this section in KGs	
QUANTITY	
T (Total) KG/Year	A (Accidental) KG/Year
0.0	0.0

in this section in KGs	
QUANTITY	
T (Total) KG/Year	A (Accidental) KG/Year
0.0	0.0

5. ONSITE TREATMENT & OFFSITE TRANSFERS OF WASTE

[PRT09 - W0200] [Facility Name - Recycling Centre and Waste Transfer Station] [Filename - W0200_2016.xlsx] [Return Year - 2016]

22/05/2017 15:58

Please enter all quantities on this sheet in Tonnes

31

Transfer Destination	European Waste Code	Hazardous	Quantity (Tonnes per Year)	Description of Waste	Waste Treatment Operation	Method Used		Location of Treatment	The Waste Facility Name and Licence/Permit No. of Recv/Disposer	The Waste Destination Facility Name and Licence/Permit No. of Recv/Disposer	Name and Licence / Permit No. of Address of Final Recv/Disposer (HAZARDOUS WASTE ONLY)	Actual Address of Final Destination i.e. Final Recv/Disposer (HAZARDOUS WASTE ONLY)
						M/C/E	Method Used					
Within the Country	02 01 04	No	0.0	waste plastics (except packaging)	R13	M	Weighted	Offsite in Ireland	Fimco Limited,WFP-TS-10-0003-03	Fimco Limited,Ballyfynch,Carick on Suir,Tipperary,Ireland		
Within the Country	13 08 99	Yes	0.82	Waste Oil	R13	M	Weighted	Offsite in Ireland	Enva,W0184-01	Enva,Clonimam ind est,Portlaoise, Ireland	Enva,Clonimam ind est,Portlaoise,Ireland	
Within the Country	15 01 01	No	27.52	paper and cardboard packaging	R13	M	Weighted	Offsite in Ireland	Greenstar,W0-103-81	Greenstar,W0-103-81		
Within the Country	15 01 02	No	2.8	plastic packaging	R13	M	Weighted	Offsite in Ireland	Rehab Recycling,0804 (Reg 635)	Rehab Recycling,0804 (Reg 635)		
Within the Country	20 01 40	No	2.64	metals	R13	M	Weighted	Offsite in Ireland	Rehab Recycling,0804 (Reg 635)	Rehab Recycling,0804 (Reg 635)		
Within the Country	20 01 40	No	1.06	metals	R13	M	Weighted	Offsite in Ireland	Rehab Recycling,0804 (Reg 635)	Rehab Recycling,0804 (Reg 635)		
Within the Country	15 01 06	No	167.82	mixed packaging	R13	M	Weighted	Offsite in Ireland	Clonmel Waste Disposal Ltd.,WCPKK02502	Clonmel,Tipperary,Ireland		
Within the Country	15 01 06	No	1093.48	mixed packaging	R13	M	Weighted	Offsite in Ireland	Clean Ireland Recycling,W0253-01	Ballingin West,Cree,Clare, Ireland		
Within the Country	16 01 07	Yes	0.0	oil filters	R9	M	Weighted	Offsite in Ireland	Enva,W0184-01	Enva,Clonimam ind est,Portlaoise, Ireland	Enva,Clonimam ind est,Portlaoise,Ireland	
To Other Countries	16 05 04	Yes	0.04	halons containing dangerous substances	R13	M	Weighted	Abroad	Enva,W0184-01	Enva,Clonimam ind est,Portlaoise, Ireland	Geocycle,38 152/BP,Fenelle, Belgium	
Within the Country	16 06 01	Yes	0.0	lead batteries	R13	M	Weighted	Abroad	KMK,W0113-04	KMK,W0114,KMK, Tullamore, Ireland	KMK, Tullamore, Ireland	
Within the Country	17 01 07	No	97.92	01 08	R13	M	Weighted	Offsite in Ireland	Greenstar,W0-103-81	Greenstar,W0-103-81		
Within the Country	17 02 02	No	15.08	glass	R13	M	Weighted	Offsite in Ireland	Greenstar,W0-103-81	Greenstar,W0-103-81		
Within the Country	17 04 07	No	93.56	mixed metals	R13	M	Weighted	Offsite in Ireland	Greenstar,W0-103-81	Greenstar,W0-103-81		
Within the Country	17 08 02	No	34.04	than those mentioned in 17 08 01	R13	M	Weighted	Offsite in Ireland	Greenstar,W0-103-81	Greenstar,W0-103-81		
Within the Country	19 12 07	No	2673.86	wood other than that mentioned in 19 12 06	R3	M	Weighted	Offsite in Ireland	Medite Europe Limited,P0037-02	Redmondstown, Clonmel,Ti pperary,Ireland		
Within the Country	20 01 01	No	34.24	paper and cardboard	R13	M	Weighted	Offsite in Ireland	Greenstar,W0-103-81	Greenstar,W0-103-81		
Within the Country	20 01 02	No	38.3	glass	R13	M	Weighted	Offsite in Ireland	Rehab Recycling,0804 (Reg 635)	Rehab Recycling,0804 (Reg 635)		
To Other Countries	20 01 11	No	31.8	textiles	R13	M	Weighted	Abroad	Cookstown Recycling,Charity	United Kingdom		
Within the Country	20 01 21	Yes	0.68	fluorescent tubes and other mercury-containing waste	R13	M	Weighted	Offsite in Ireland	KMK,W0113-04	KMK, St Annes Cloghran,Swords,Dublin, Ireland	KMK, Tullamore, Ireland	
Within the Country	20 01 25	No	0.0	edible oil and fat	R1	M	Weighted	Offsite in Ireland	Agri-Energy,CK-WMC-397/06			
To Other Countries	20 01 33	Yes	1.14	batteries and accumulators included in 16 06 01, 16 06 02 or 16 06 03 and unsorted batteries and accumulators containing these batteries	R13	M	Weighted	Abroad	KMK,W0113-04	Geocycle,38 152/BP,Fenelle, Belgium	Geocycle,38 152/BP,Fenelle, Belgium	
To Other Countries	20 01 36	No	159.83	discarded electrical and electronic equipment other than those mentioned in 20 01 21, 20 01 23 and 20 01 35	R13	M	Weighted	Abroad	KMK,W0113-04	Geocycle,38 152/BP,Fenelle, Belgium	Geocycle,38 152/BP,Fenelle, Belgium	
Within the Country	20 01 38	No	74.84	wood other than that mentioned in 20 01 37	R3	M	Weighted	Offsite in Ireland	Clonmel Waste Disposal Ltd.,WCPKK02502	Clonmel,Tipperary,Ireland		
Within the Country	20 01 38	No	0.0	wood other than that mentioned in 20 01 37	R13	M	Weighted	Offsite in Ireland	Clonmel Waste Disposal Ltd.,WCPKK02502	Clonmel,Tipperary,Ireland		
Within the Country	20 01 38	No	0.0	plastics	R13	M	Weighted	Offsite in Ireland	Greenstar,W0-103-81	Greenstar,W0-103-81		
Within the Country	20 02 01	No	893.66	biodegradable waste	R3	M	Weighted	Offsite in Ireland	Clonmel Waste Disposal Ltd.,WCPKK02502	Clonmel,Tipperary,Ireland		
Within the Country	20 03 01	No		mixed municipal waste	D13	M	Weighted	Offsite in Ireland	Garway Ltd,WFP KK 14-0022-01	Kilenny, Ireland		
Within the Country	20 03 01	No		mixed municipal waste	D13	M	Weighted	Offsite in Ireland	Greenstar,W0-103-81	Greenstar,W0-103-81		
Within the Country	20 03 01	No	101.8	mixed municipal waste	D13	M	Weighted	Offsite in Ireland	Ryan Brothers Ltd.,NWCP0-08-10597-02	Road, Thurles, Tipperary, Ireland		
Within the Country	20 03 01	No	22.96	mixed municipal waste	D13	M	Weighted	Offsite in Ireland	Greyhound Recycling,WCP-DC-98-1164-01	Clondalkin, Dublin, Ireland		
Within the Country	20 03 01	No	1519.04	mixed municipal waste	D1	M	Weighted	Offsite in Ireland	Drehid Landfill,W0201-03	Drehid, Kildare, Ireland		
Within the Country	20 03 01	No	1589.32	mixed municipal waste	D1	M	Weighted	Offsite in Ireland	Powerstown Landfill,W0025-03	Carlow, Ireland		
Within the Country	20 03 01	No	48.0	mixed municipal waste	D13	M	Weighted	Offsite in Ireland	Clonmel Waste Disposal Ltd.,WCPKK02502	Clonmel,Tipperary,Ireland		
Within the Country	20 03 07	No	31.1	Mattresses	R13	M	Weighted	Offsite in Ireland	Boomerang Recycling,WFP-CC-102014	Unit 2B,Ballyvane Business Park,Ballyvane,Cork,Ireland		
Within the Country	16 06 05	No	0.46	other batteries and accumulators	R13	M	Weighted	Offsite in Ireland	KMK,W0113-04	Geocycle,38 152/BP,Fenelle, Belgium	Geocycle,38 152/BP,Fenelle, Belgium	
To Other Countries	20 01 27	Yes	3.18	dangerous substances	R13	M	Weighted	Abroad	Enva,W0184-01	Enva,Clonimam ind est,Portlaoise, Ireland	Geocycle,38 152/BP,Fenelle, Belgium	
Within the Country	20 03 01	No	1989.63	mixed municipal waste	D13	M	Weighted	Offsite in Ireland	Clean Ireland Recycling,W0253-01	Ballingin West,Cree,Clare, Ireland		
Within the Country	20 03 01	No	46.78	mixed municipal waste	D13	M	Weighted	Offsite in Ireland	Ballynagran Landfill,W0-165-01	Coolbeg, Wicklow,Ireland		
Within the Country	20 03 01	No	206.74	mixed municipal waste	D13	M	Weighted	Offsite in Ireland	Knockharley Landfill,W0-146-01	Navan, Meath,Ireland		
Within the Country	20 03 01	No	45.68	mixed municipal waste	D13	M	Weighted	Offsite in Ireland	Garway Limited,WFP-KK-14-0001-01	Garway Port,Waterford,Ireland		

* Select a row by double-clicking the Description of Waste then click the delete button

[Link to previous years waste data](#)
[Link to previous years waste summary data & percentage change](#)
[Link to Waste Guidance](#)