

Licence Alteration Request

Alteration Details	
Licence	W0003-03 Ballymount Baling Station
Licensee	South Dublin County Council
Title of Alteration	Bulk Transfer of Waste

Screening Report

No.	Question	Answer
1	Does the proposed alteration require a new class of activity or process?	Yes
2	Does the proposed alteration cause a new / additional main emission point?	No
3	Does the proposed alteration increase or change specified emissions significantly ?	No
4	Does the proposed alteration increase significantly the overall total emission from the installation/facility?	No
5	Does the proposed alteration involve development or proposed development that has already been granted planning permission or requires a grant of planning permission and was/is subject to EIA by the Planning Authority or An Bord Pleanála?	No
6	Did the proposed alteration require the preparation of a Natura Impact Statement (NIS) for consideration by any Planning or Public Authority?	No
7	Does the proposed alteration indicate that the EPA should conduct an Appropriate Assessment (on foot of a screening for Appropriate Assessment)?	No
8	Does the proposed change conflict with BAT as set out in the relevant BAT Conclusions? See here	No
9	Does the proposed alteration adversely affect the energy efficiency of the installation/facility?	No
10	Does the proposed alteration adversely affect the environmental risk of the installation/facility significantly ?	No

Licence Alteration Request

11	Does the proposed alteration cause an increase above the capacity limitations specified in the licence?	No
12	Does the proposed alteration require an extension of operating hours (where controlled by the licence) for an installation/facility where the public is likely to have an interest in such an extension?	No
13	Does the proposed alteration involve the incineration or co-incineration of waste materials displaying hazardous properties that were not previously authorised (as per the WID/IED)?	No
14	Does the proposed alteration introduce materials or techniques which adversely alter the probability, magnitude and duration or complexity of the site transboundary impact?	No
15	Does the proposed alteration constitute a substantial change?	No
16	Does the proposed alteration require a change to a condition or schedule of the Licence?	No

Recommendation

Based on your responses to the forgoing questions the recommended option is for you to submit a 'Licence Review' application for this proposed alteration.

To progress this request you are required to go to the EPA website (www.epa.ie), complete the relevant Licence Application Form and follow the licensing application process. The application should be submitted to the EPA as specified in the licence application form or any associated instructions for applicants.

Recommendation Date: 15/12/2016

Clerical or Technical Amendment Application Details

Proposed Alteration Description

It is proposed when the Dublin Waste to Energy Ltd plant at Poolbeg is commissioned, there will be a very significant increase in the indigenous waste to energy recovery capacity. In this context the option of sending the waste from the Baling Station to the Poolbeg plant is being considered.

As road transport does not require the waste to be baled, it is proposed to stop operating the balers. The waste will be bulked up and transported to Poolbeg in articulated trailers.

Priority

2. High

Category of Amendment

(b) Facilitating the doing of any thing pursuant to a condition attached to the licence where the doing of that thing may reasonably be regarded as having been contemplated by the terms of the condition or the terms of the licence taken as a whole but which was not expressly provided for in the condition

Licence Alteration Request



Licence Condition Changes		
Condition / Schedule Reference	Current Condition / Schedule Wording	Suggested New Wording
1.12	Condition 1 Scope of the Licence 1.12 facilitates the alteration of the range of processes that may be carried out subject to the Agency's agreement. The licensee is open to the interpretation of the Agency	Condition 1 Scope of the Licence 1.12 facilitates the alteration of the range of processes that may be carried out subject to the Agency's agreement. The licensee is open to the interpretation of the Agency

Questions		
Q1	Is planning permission required to support the proposed alteration?	No
Q2	Does the application involve an installation boundary change?	No
Q3	Does the application involve changes to emissions to sewer?	No
Q4	Attach Appropriate Assessment Screening Report here	EPA Submission For Bulk Transfer December 2016_2.pdf

Additional Documentation	
EPA Submission For Bulk Transfer December 2016.pdf	

Final Declaration	
Name	Eoin Buttle
Position	Environmental Manager

Application Details			
Selected by:	Eoin Buttle	Selected date:	15/12/2016
Submitted by:	Eoin Buttle	Submitted date:	15/12/2016