

## Grainne Oglesby

---

**From:** Grainne Oglesby  
**Sent:** 07 September 2017 15:59  
**To:** 'annagarvey@bruss.ie'  
**Subject:** EPA Notification for response please.  
**Attachments:** 00206B9FA2EF170907154750.pdf

Dear Ms Garvey,

Please find attached notification for your response.

If you have any queries regarding this please do not hesitate to contact me.

Kind regards,

**GRAINNE OGLESBY,**  
PROGRAMME OFFICER,  
ENVIRONMENTAL LICENSING PROGRAMME,  
OFFICE OF ENVIRONMENTAL SUSTAINABILITY,  
EPA,  
JOHNSTOWN CASTLE ESTATE,  
CO. WEXFORD  
+353(0)53 9160600 | 6236 (internal) | [g.oglesby@epa.ie](mailto:g.oglesby@epa.ie)

*Environmental Protection Agency, Ireland - [www.epa.ie](http://www.epa.ie)*



Environmental Protection Agency  
An Ghnóthaireacht um Chaomhnú Comhshaoil

Ms. Anna Garvey  
Environmental Manager  
G. Bruss GmbH Dichtungstechnik  
Finisklin Road  
Sligo

Headquarters, PO Box 3000  
Johnstown Castle Estate  
County Wexford, Ireland  
Y35 W821

Ceanncheathrú, Bosca Poist 3000  
Eastát Chaisleán Bhaile Sheáin  
Contae Loch Garman, Éire  
Y35 W821

T: +353 53 9160600  
F: +353 53 9160699  
E: [info@epa.ie](mailto:info@epa.ie)  
W: [www.epa.ie](http://www.epa.ie)

LoCall: 1890 33 55 99

07 September 2017

Reg. No: P0465-02

Dear Ms. Garvey

I refer to your licence application in respect of G. Bruss GmbH Dichtungstechnik, Finisklin Road, Rathedmond, Sligo, County Sligo, Register No. P0465-02.

In order for the Agency to make a full and complete assessment of this licence application, I am to request your consent, in accordance with Regulation 14(2) of the EPA (Industrial Emissions) (Licensing) Regulations 2013, to extend the appropriate period by which the Agency must issue a proposed determination to 22<sup>nd</sup> December 2017.

I would appreciate your reply by return. You may email your approval/reply to [licensing@epa.ie](mailto:licensing@epa.ie)

Yours sincerely,

Gráinne Oglesby  
Programme Officer  
Environmental Licensing Programme  
Office of Environmental Sustainability

