



Mr Paraic Fay
Agri/Environmental Consultant
c/o C.L.W. Environmental Planners
The Mews
23 Farnham Street
Cavan

Regional Inspectorate, Inniscarra,
County Cork, Ireland

Cigireacht Réigiúnach, Inis Cara
Chontae Chorcaí, Éire

T: +353 21 487 5540

F: +353 21 487 5545

E: info@epa.ie

W: www.epa.ie

Lo Call: 1890 33 55 99

23 November 2017

Reg No: P1065-01

Dear Mr Fay

I refer to your application for a licence for **Mr. Declan Sullivan**.

I am to advise in accordance with Regulation 10(2)(b)(ii) of the EPA (Industrial Emissions) (Licensing) Regulations 2013, that the following information is required in support of the application under Regulation 9 of the Regulations:

1. In the application, it is stated that the water supply for the activity is to be acquired from the local Water supply. You are requested to submit the following [Regulation 9(2)(j)]:
 - a. Provide details of the amount of water that is currently used per annum by the activity [Regulation 9(2)(f)].
 - b. Provide the name of the local water scheme which supplies the site.
 - c. Confirm whether there is a groundwater well within the installation boundary. If so, clarify its location and if it is a source of water supply for the activity. Where available, furnish the results of any analysis that has been carried out on any water from well(s) within the installation boundary.
 - d. Where available, furnish the results of any analysis that has been carried out on any water from well(s) within the installation boundary.
2. The application form states that clean storm water will discharge to ground / surface water via a soakpit / silt trap. In relation to the storm water collection system, provide the following [Regulation 9(2)(g)]:

Note: Any *telephone enquiries* in relation to the above should be directed to **Éimer Godsil** at the number above.

All *written communications and replies* should be directed to Elizabeth Leacy, Office of Environmental Sustainability, EPA, PO Box 3000, Johnstown Castle Estate, County Wexford.

- a. Clarify the description of the existing storm water collection system, and the proposed storm water collection system to be in place on site on completion of development works, including all surface water pathways between any storm water discharge points and the local watercourse(s);
- b. Clarify whether the storm water from the roofs of the proposed poultry houses and from the yard will discharge to ground and/or to the surface water drainage system;
- c. Provide a description and labelled drawing, using SW nomenclature (e.g. SW1), with a national grid reference (12 digit - 6E, 6N) for any existing and proposed surface water discharge points(s) and associated monitoring locations;
- d. Identify any appropriate mitigation measures (such as silt traps/swales) which are / shall be installed prior to the surface water discharge points.


In addition to the above please also provide an updated non-technical summary to reflect the information provided in your reply.

The requested information should be submitted to the Agency within **6 weeks** of the date of this notice, in order to allow the Agency to process and determine your application.

In the circumstances, you should make arrangements to have the required documents (1 signed original and 1 copy in hardcopy format, and 2 copies of all files in electronic searchable PDF format on CD-ROM) submitted to the Agency. Your response to this request should be directed to Elizabeth Leacy, Administration Officer, Office Environmental Sustainability.

It should be noted that the eight-week period within which the Agency is to decide the proposed determination will commence on the day on which this notice has been complied with. If you have any further queries please contact Ms Éimer Godsil at the number above.

Yours sincerely



Éimer Godsil
Environmental Licensing Programme
Office of Environmental Sustainability

Note: Any *telephone enquiries* in relation to the above should be directed to **Éimer Godsil** at the number above.
All *written communications and replies* should be directed to Elizabeth Leacy, Office of Environmental Sustainability, EPA, PO Box 3000, Johnstown Castle Estate, County Wexford.