Attachment G.1 Report Water, Organistic and Other Report Conserver configuration of the and the point of the

Report on River Water Quality in Tipperary

2013

Contents

- 1. Overview
- 2. General Assessment & Trends
- 3. River Sites for Further Investigation
- 4. 2013 Summary of Tipperary Rivers
- other use. 5. Long Term Trend Graphs – o-Phosphate
- Long Term Trend Graphs Mitrate
 Maps
 Consend Control Contro Control Control Control Control Control Control Control Cont

1. Overview

This report provides an assessment of river water quality in County Tipperary in 2013. It should be read in conjunction with the other data and assessments provided under the South East River Basin district report.

The report is presented in the following sections:

(i) Section two of the report provides a general assessment of the state of rivers in the county, with graphs showing trends in annual average o-phosphate and nitrate concentrations in the County since 2001.

(ii) The third section identifies the river sites which require further investigation and the suspected causes of pollution. They were selected on the basis of having a Q value less than 4 (i.e. moderate or worse status), poor chemistry, or there were other significant pollution issues.

(iii) The fourth section provides a summary assessment of water quality for each river, having regard to the relevant Q values and WFD criteria for the 4 key physico-chemical parameters BOD, ammonia, o-phosphate and Nitrate.

(iv) Sections five and six include long term graphs for both ortho-phosphate and nitrate in Waterford Rivers. These are based on three year rolling means.

(v) Finally there are a set of maps which provide an indication of river water quality based on the four key physico-chemical parameters. These maps compare the annual average for each parameter at each river station against the relevant EQS.

2. General Assessment & Trends

Water quality in County Tipperary is good when compared to the national picture. In terms of ecological status, 66% of river stations in the county are at least good status compared with 65% nationally.

The general physico-chemical data suggests that there was a slight improvement in water quality in 2013 compared to 2012. As indicated in the table below, there was a decrease in the percentage of river stations which exceeded the Good status EQS for o-phosphate, nitrate and BOD levels however the percentage of rivers which exceeded the EQS for ammonia increased for 2013 compared to 2012.

Parameter	2013 (%)	2012 (%)
Ammonia	18.1	11.8
o-Phosphate	15.4	22.5
Nitrate	52.6	60.4
BOD	6.3	17.2

Table 1. % of River Stations that exceeded the EQS for Good status for each parameter in2013 compared to 2012.

The drop in the percentage of rivers which exceeded the Good status for orthophosphate was coupled with the fact that the annual ortho-phosphate concentration in Tipperary rivers in 2013 also fell to its lowest value since 2001. The average orthophosphate level reached Good status in 2012 and remained so for 2013. The challenge is now to reduce levels to High status.





Similar to the ortho-phosphate the drop in the percentage of rivers which exceeded the Good status for nitrate was coupled with a decrease in the annual average nitrate concentration in Tipperary rivers in 2013. The average nitrate values are at their lowest value since 2001. Nitrates are a still a significant problem in the Tipperary rivers. The average nitrate concentration has consistently exceeded the surrogate EQS for Good Status over the past 14 years.



Fig 2. Annual average nitrate levels in Tipperary rivers 2001 – 2013.

With the advent of the Water Framework Directive compliance rules for certain river chemistry determinands were applied to the data collected. Assessment is based on the four most significant contributing parameters to water quality, namely BOD, ammonium, ophosphate and TON. Sites are identified as passing or failing based on an assessment of the mean and 95% ile of these parameters. Sites fail chemistry where two or more parameters fail the criteria set. While few sites fail two parameters, a significant number of sites fail a single parameter (in the majority of cases this is due to TON). Where a site fails one parameter, it is described as being of concern. The data for the Tipperary rivers since the start of the WFD monitoring (2007) is shown in Table 2. The percentage of sites which fall into each category is trended over 3 year rolling cycles (Figure 3).

Chemical monitoring since 2007 indicated an improving trend in all Tipperary rivers. This trend stabilised in 2013. No sites have failed chemistry in any cycle since 2007 and the number of passing sites has increased from one hundred and eight in 2007-2009 to one hundred and thirty-eight for 2011-2013.

While chemical monitoring indicates an improving trend, it is important to also remain focussed on maintaining the status of those sites that are already at good or higher status.

Year	No. of Stations	Pass	Of Concern	Fail
			ef US	
2007-2009	167	108	· · · · · · · · · · · · · · · · · · ·	0
2008-2010	172	129 only	43 state	0
2009-2011	176	145 00 red	31	0
2010-2012	176	144 1201	32	0
2011-2013	169	20138	31	0

Table 2.	Number	of river	stations	by WFD	compliance status
				- 1 (3)	



Fig 3. % of river stations by WFD compliance status

Table 3. River stations with the highest average ammonia concentration in 2013 (in decreasing order).

River Name	River Code / Station Number
Clareen (Nenagh)	25C11-0300
Rossestown	16R01-0040
Drish	16D02-0070
Anner	16A02-0500
Drish	16D02-0100

Table 4. River stations with the highest average o-phosphate concentration in 2013 (in decreasing order).

River Name	River Code / Station Number
Anner	16A02-0500
Clareen (Nenagh)	25C11-0300
Borrisoleigh Stream	806-0600
Silvermines Village Stream	25S10-0100
Anner	0000 16A02-0100
erit generation	or met

Table 5. River stations with the highest average nitrate concentration in 2013 (in decreasing order).

River Name	River Code / Station Number
Clareen (Nenagh)	25C11-0300
Owenbeg	16001-0200
Moyle	16M01-0200
Moyle	16M01-0100
Black Stream(Cashel)	16B05-0100

Table 6. River stations with the highest average BOD concentration in 2013 (in decreasing order).

River Name	River Code / Station Number
Clareen (Nenagh)	25C11-0300
Anner	16A02-0500
Rossestown	16R01-0040
Moyle	16M01-0100
Breagagh	16B03-0200

3. WFD River Sites for further investigation

There are over 900 river sites of less than good status across the country – that is they have a biological Q value of 3-4 or less. There are forty river stations in County Tipperary (that are also monitored for chemical determinands) that have a Q value of 3-4 or less. These have been identified as sites for further investigation. Table 8 lists all these sites along with the suspected causes and any relevant additional comments.

Tipperary is a predominantly rural county with several significant urban conurbations such as Tipperary Town, Clonmel and Nenagh. Agriculture is one of the main activities in the county. Diffuse pollution from agriculture as well as small point sources such as small urban wastewater treatment plants (UWWT), domestic wastewater treatment systems (DWWTS) and farmyards are significant contributory pressures. The predominant pollution sources in the more urbanised areas are discharges from wastewater treatment plants, storm water overflows and industrial discharges. It must be borne in mind that multiple pressures may impact on any given site. Further work is required also in order to better distinguish between the impacts of DWWTS and diffuse agricultural sources. The pathways by which pollutants reach water are similar for those emanating from DWWTS and from agricultural sources, whether farmyard or field. If sources of pollution affecting rivers can be reduced or eliminated, this will have a positive knock-on effect on lakes, estuaries and ground-waters in the regime.

The EPA is responsible for the licensing or certification of all discharges to the aquatic environment from sewerage systems owned, managed and operated by Irish Water. The licensing and certification authorisation process was introduced on a phased basis commencing on 14th December 2007 in accordance with the requirements of the Waste Water Discharge (Authorisation) Regulations, 2007 (SI No. 684 of 2007). Up to the end of 2013 sixteen licences were issued in County Tipperary and are shown in Table 7 below. Three licences were issued in 2013, for Thurles, Mullinahone and Limerick Junction.

Agglomeration	Licence No.	Authority	Date Issued
Roscrea	D0025-01	Irish Water	6/1/08
Thurles	D0026-01	Irish Water	13/9/13
Nenagh	D0027-01	Irish Water	25/9/08
Clonmel	D0035-01	Irish Water	8/2/11
Carrick on Suir	D0148-01	Irish Water	20/12/12
Cahir	D0167-01	Irish Water	24/12/12
Cashel	D0171-01	Irish Water	1/11/12
Borrisokane	D0326-01	Irish Water	26/1/12
Cappawhite	D0440-01	Irish Water	13/7/13

Table 7. Wastewater discharge licences issued in Tipperary up to end of 2013.

Agglomeration	Licence No.	Authority	Date Issued
Killenaule	D0443-01	Irish Water	16/10/13
Kilsheelin	D0452-01	Irish Water	16/10/13
Clogheen	D0453-01	Irish Water	10/10/11
Ballyclerihan	D0455-01	Irish Water	10/6/10
Mullinahone	D0456-01	Irish Water	11/12/13
Limerick Junction	D0457-01	Irish Water	11/12/13
Cloughjordan	D0475-01	Irish Water	21/3/11

Both diffuse and point source pollution are key pressures in Co. Tipperary. Many of the point sources are due directly to wastewater discharges. A number of the plants do not have secondary treatment and upgrade works are scheduled or in progress. Tipperary Co.Co. carried out improvement works at at a number of plants in 2012 and 2013. Inlet screens were installed at Templetouhy, Portroe, Borrisokane, Cloughjordan, Holycross, Toomevara, Two-Mile-Borris and Littleton. Ferric dosing was installed at Holycross WWTP. It is hoped that the licencing of WWTP plants will show improvements over the coming years.

The focus on domestic waste water treatment systems (DWWTS) has continued to increase in recent years. In 2013, a <u>National Inspection Plan</u> for DWWTS was published in response to the European Court of Justice finding that Ireland had not met the legal obligation required by the 1975 Waste Framework Directive to regulate the waste water generated in our unsewered areas. Nationwide inspections commenced in 2013, starting with areas at greatest risk of damage to human health or the environment. In the period 01/07/2013 to 31/12/2013, seventeen inspections were carried out in Co. Tipperary. Nine of these inspections (52.9%) were deemed to be non-compliant.

It is apparent that diffuse agricultural pollution is a key pressure in Co. Tipperary. Animal access to rivers as well as spreading of wastes are issues that need to be addressed. Food Harvest 2020 has the potential to put further pressure on water quality with the proposed increase in output likely to be challenging in Co. Tipperary. Eleven farm inspections and one quarry inspection were carried out by Tipperary County Council in the Ollatrim river catchment on a planned basis over a period of months in 2013.

Table 8:. Sites for further investigation in County Tipperary

River	Code	Location	Q Value	Year	Key Pressures	Comments
ANNER	16A02-0100	Drangan Br.	Q3	2011	Urban (Sewage) Agriculture and mixed rural influences	
ANNER	16A02-0340	Ballincullin Br	Q3-4	2011	Agriculture and mixed rural influences	
ANNER	16A02-0600	Drummon Br	Q3-4	2011	Agriculture	Extensive tillage u/s of location
ARA	16A03-0100	Bohereenbuee Br	Q3	201 dion	Agriculture and mixed rural influences	
ARA	16A03-0300	1 km d/s Tipperary near Railway Br	Q3	for 2011	Urban Industrial	Tipperary Town Creamery
BALLYFINBOY	25B02-0300	Modreeny Br (North)	Q3-45em	2011	Urban Agriculture	Cloghjordan WWTP
BALLYFINBOY	25B02-0600	Br nr Ballyfinboy Castle	Q3-4	2011	Urban Agriculture	Borrisokane WWTP
BALLYFINBOY	25B02-0800	Br just u/s Lough Derg	Q3-4	2011	Agriculture	
BLACK STR. (CASHEL)	16B05-0100	0.5 km u/s Suir Confluence	Q3	2011	Urban	d/s of Cashel
BORRISOLEIGH STREAM	16B06-0600	Br 0.5km SW Borrisoleigh	Q3	2012	Agriculture and mixed rural influences	d/s Borrisoleigh

River	Code	Location	Q Value	Year	Key Pressures	Comments
CAPPAWHITE STR.	25C10-0200	Gortandrum Br	Q3-4	2012	Urban Agriculture and mixed rural influences	Capawhite WWTP Intensive land use u/s Excessive siltation and abundant algae
CARRIGAHORIG STR.	25C16-0500	Br at Carrigahorig	Q3-4	2011	Agriculture and mixed rural influences	Improved pasture u/s Eutrophic conditions
CLAREEN	25C11-0300	u/s confluence with Nenagh River			Industrial Agricultrual	Arabawn Co-op Diffuse agricultural pressures
DEAD	25D01-0100	Pope's Br	Q3-4	2012	Agriculture net use	Improved pasture and tillage u/s. Enriched conditions, excessive siltation
DRISH	16D02-0070	Castletown Br	Q3/0	2011	Industrial (mining)	Lisheen mine – Toxic influences noted during last biological survey
DRISH	16D02-0100	Boolabeha Br	Q3	2011,00	و اndustrial (mining)	Lisheen mine
DRISH	16D02-0200	Br near Athlummon	Q3-4	€ ⁰ 2011	Industrial (mining)	Lisheen mine
FARNEYBRIDGE	16F02-0500	Ballynahow Br	Q3-4 ent	2011	Agriculture	
FIDAGHTA	16F01-0100	Br near Aughnagawer Crossroads	Q3	2011	Agriculture	
FIDAGHTA	16F01-0300	Kilnacask Br	Q3-4	2011	Agriculture	
FISHMOYNE	16F03-0300	Monroe Br	Q3	2011	Hydromorphological	Arterial drainage
GOLDEN GROVE STREAM	25G06-0200	Br just u/s Little Brosna R.	Q3-4	2011	Urban Aquaculture	d/s of fish farm and Roscrea WWTP

River	Code	Location	Q Value	Year	Key Pressures	Comments
KILFADDA CASTLE STREAM	25K07-0600	Br SE Carrigahorig	Q3-4*	2011	Agriculture	
KILMASTULLA	25K04-0800	Cranna Br	Q3-4	2012	Industrial (mining) Agriculture	Silvermines Intensive land use
KILLENAULE STREAM	16K05-0100	Br 1km d/s Killenaule	Q3	2011	Urban Agricultural	d/s Killenaule village
LINGAUN	16L01-0600	The Three Bridges	Q3-4	2011	Urban Agriculture and mixed rural influences	Carrick on Suir
MOYLE	16M01-0050	Br NW Mocklerstown	Q3	2011	Hydromorphological Agricultural	Many stations dry in summer
MOYLE	16M01-0400	Br u/s Anner River Confluence	Q3	2011	Hydromorphological Agricultural	Many stations dry in summer
NENAGH	25N01-0800	Annaghbeg Br	Q3-4	2072 own	Agriculture	
OLATRIM	25001-0600	Br u/s Nenagh River complex	Q3-4	5 2012	Agriculture	
OUTERAGH STR.	16001-0200	Br u/s Suir River	Q8-9450	2012	Agriculture	
ROSSESTOWN	16R01-0040	Br N Barnalisheen	Q3*	2011	Industrial (mining)	Lisheen mine
ROSSESTOWN	16R01-0150	Br W of Ballyerk	Q3	2011	Industrial (mining)	Lisheen mine
ROSSESTOWN	16R01-0300	Br u/s Suir R Confluence	Q3-4	2011	Industrial (mining)	Lisheen mine
SILVERMINES VILLAGE	25S10-0100	Kilmore Br	Q3-4	2012	Urban Agriculture	d/s Silvermines village

River	Code	Location	Q Value	Year	Key Pressures	Comments
SUIR	16S02-0200	Knocknageragh Br	Q3-4	2011	Agriculture	
SUIR	16S02-0300	Penane Br	Q3-4	2011	Urban (sewage)	Templemore WWTP
SUIR	16S02-0600	Thurles Br	Q3	2011	Urban	Thurles town
SUIR	16S02-0900	Cabragh Br	Q3-4	2011	Urban(sewage)	Thurles WWTP
SUIR	16S02-1100	Holycross Br	Q3-4	2011	Urban (sewage) Agriconture and mixed rural influences	Holycross village
SUIR	16S02-2000	Ardfinnan Br	Q3-4	2011	, Orban	Ardfinnan WWTP
SUIR	16S02-2700	Kilsheelan Br	Q3-4	2071 own	Urban	Kilsheelin village
SUIR	16S02-2850	1.5km u/s Carrick on Suir	Q3-4	رم 2011	Agricultural	Diffuse agricultural pressures
YOUGHAL	25Y02-0050	Br N of Curragh	Q8-4	2012	Agriculture and mixed rural influences	Algal growth and excessive siltation in river

4. 2013 Summary of River Water Quality in Tipperary

These assessments are based on physico-chemical measurements made during 2013, and the most recent Q values and assessments of the river biologists.

River	Remarks	Change from
		2012
Coalbrook Stream 15C20-0040 Q4 (2013)	Rising in the Slieveardagh Hills, this tributary of the Kings River flows past the village of Coalbrook in South Tipperary. BOD was high in July (rainfall after dry period). Ecological quality remains good status following biological monitoring in 2013.	No change from 2012.
Kings 15K02-0100 15K02-0200 Q4 (2013)	This river flows through Co. Tipperary and Co. Kilkenny, before it joins the Nore d/s of Bennettsbridge. It flows through Callan and Kells in Co. Kilkenny. Elevated ammonia and BOD in July (rainfall after dry period). Ecological quality remains good status following biological monitoring in 2013.	No change from 2012.
Munster 15M03-0500 15M03-0600 Q4 (2013)	There are two branches to this river – the east branch (formerly known as the Tullaroan Stream) and the main branch. The final station is below the confluence of the two branches. Low flows can be observed in the upper reaches at times. Pysico- chemical quality is satisfactory. Ecological quality remains at good status following biological monitoring in 2013.	No change from 2012.
Nore 15N01-0080 Q4 (2013) 15N01-0100 15N01-0200 15N01-0300 Q4 (2013)	This river is 141 km in length and has a catchment area of 2530 km ² . It flows through Tipperary, Laois and Kilkenny, before joining the R. Barrow at New Ross. These rivers then join the R. Suir and flow into Waterford Harbour. It flows through mainly agricultural land, but also some peatland. Ammonia levels were elevated at stations 0800 through to 0300 in April following heavy rain and elevated again in November. Ammonia levels at Station 0300 d/s Monaincha Bog are elevated throughout the year also high colour is observed at this station. Biological monitoring in 2013 indicated good ecological status over most of the river.	No significant change from 2012.

River	Remarks	Change from 2012
Coalbrook Stream 15C20-0040 Q4 (2013)	Rising in the Slieveardagh Hills, this tributary of the Kings River flows past the village of Coalbrook in South Tipperary. BOD was high in July (rainfall after dry period). Ecological quality remains good status following biological monitoring in 2013.	No change from 2012.
Kings 15K02-0100 15K02-0200 Q4 (2013)	This river flows through Co. Tipperary and Co. Kilkenny, before it joins the Nore d/s of Bennettsbridge. It flows through Callan and Kells in Co. Kilkenny. Elevated ammonia and BOD in July (rainfall after dry period). Ecological quality remains good status following biological monitoring in 2013.	No change from 2012.
Munster 15M03-0500 15M03-0600 Q4 (2013)	There are two branches to this over – the east branch (formerly known as the Tullaroan Stream) and the main branch. The final station is below the confluence of the two branches. Low flows can be observed in the upper reaches at times. Pysico- chemical quality is satisfactory. Ecological quality remains at good status following biological monitoring in 2013.	No change from 2012.
Nore 15N01-0080 Q4 (2013) 15N01-0100 15N01-0200 15N01-0300 Q4 (2013)	This river is 141 km in length and has a catchment area of 2530 km ² . It flows through counties Tipperary, Laois and Kilkenny, before joining the River Barrow at New Ross. These rivers then join the Suir and flow into Waterford Harbour. The Nore is a Designated Salmonid River under the Freshwater Fish Directive (78/659/EEC). It flows through mainly agricultural land, but also some peatland. Ammonia levels were elevated at stations 0800 through to 0300 in April following heavy rain and elevated again in November. Ammonia levels at Station 0300 d/s Monaincha Bog are elevated throughout the year also high colour is observed at this station. Biological monitoring in 2013 indicated good ecological status over most of the river.	No significant change from 2012.

River	Remarks	Change from 2012
Aherlow 16A01-0100 16A01-0200 Q4 (2011) 16A01-0300 Q4 (2011) 16A01-0500 Q4(2011) 16A01-0600 16A01-0700 Q4 (2011) 16A01-0800 Q4-5 (2011) 16A01-0900 Q4-5 (2011)	The Aherlow is a Designated Salmonid River under the Freshwater Fish Directive (78/659/EEC). It flows through Co. Limerick and South Tipperary. Physico-chemical monitoring was satisfactory. Monitoring in 2011 indicated good to high ecological conditions.	No change from 2012.
Anner 16A02-0100 Q3 (2011) 16A02-0200 16A02-0300 16A02-0500 16A02-0600 Q3-4 (2011) 16A02-0800 Q4 (2011) 16A02-0900 Q4 (2011) 16A02-1100 Q4 (2011)	There are two branches in the upper Anner – the first three stations are on the western branch (Drangan), the next is on the eastern branch (Mullinahone) the remaining stations are on the main channel after the confluence Ammonia, BOD and o-phosphate were elevated at all stations at times during the year particularly in February and July. Stations 0100, and 0200 were dry in September and low flows were noted at the other stations . Biological monitoring indicated good quality in the tower reaches in 2011.	No significant change from 2012.
Ara 16A03-0100 Q3 (2011) 16A03-0300 Q3 (2011) 16A03-0400 16A03-0600 Q4 (2011)	The Ara flows through Tipperary town and is a tributary of the Aherlow. Elevated ammonia at times throughout the year. Ortho-phosphate is elevated at all stations. Ecological monitoring indicated moderate conditions u/s and d/s of Tipperary Town.	No significant change from 2012.
Arglo 16A04-0100 Q4 (2011) 16A04-0200 Q4 (2011)	Overall quality is good.	No change from 2012.
Black (Twomileborris) 16B01-0100 Q4 (2011)	This river is quite coloured, otherwise overall quality is good.	No change from 2012.
Bregagh (Tipperary) 16B03-0200 16B02-0400	River coloured at station 0200 near Littleton Bog. Ammonia and BOD were high at both stations in October 2013 possibly due to heavy rain, otherwise satisfactory physico-chemical results.	No significant change from 2012.

River	Remarks	Change from
		2012
Burncourt 16B04-0200 16B04-0310 Q4 at station 0300 (2011)	This river rises in the Galtee mountains and is a tributary of the Tar. Pysico-chemical quality is satisfactory. Ecology was high to good on this stream in 2011.	No change from 2012.
Black Stream (Cashel) 16B05-0100 Q3 (2011)	This small stream receives sewage discharge at Cashel. BOD was high and DO levels low in September after heavy rain. Overall DO levels rose slightly in 2013. Nitrates remain elevated.	Slight improvement in DO levels.
Clashawley 16C01-0100 16C01-0200 16C01-0300 16C01-0400 Q4 (2011) 16C01-0500 Q4 (2011) 16C01-0600 Q4 (2011)	There are two branches to the Clashawley, which join to form the main channel for the final two stations. Colour, ammonia, BOD and o-phosphate were elevated at stations 0100, 0200 and 0300 in January following heavy rain . Nitrates remain elevated at station 0100 d/s of Killenaule. Ecology is good over the length of the river.	No significant change from 2012.
Clodiagh (Tipperary) 16C02-0080 Q4-5 (2011) 16C02-0200 Q4 (2011) 16C02-0500	Physico-chemical mobilitoring is satisfactory, and ecological monitoring indicates high or good ecological quality.	No change from 2012.
College Stream 16C10-0100	This stream is an abstraction point for the Galtee Regional water supply. Physico-chemical monitoring is satisfactory	No change from 2012.
Drish 16D02-0068 16D02-0070 Q3/0 (2011) 16D02-0100 Q3 (2011) 16D02-0200 Q3-4 (2011) 16D02-0400 Q4 (2011)	This river is adjacent to the Lisheen lead and zinc mine, which discharges u/s of station 0070 (NE of Castletown). Colour is high at times throughout the river especially at station 0068 d/s of Derryfada Bog Ammonia levels remain high d/s of the mine discharge and further downstream at station 0100 (Boolbeha Bridge). The quality improves at station 0200 (Athlummon) however there are intermittent elevated ammonia levels. Nitrate levels remain slightly elevated at all stations.	No significant change since 2012.

River	Remarks	Change from 2012
Duag 16D03-0100 Q4 (2011) 16D03-0400 Q4 (2011) 16D03-1100 Q4 (2011) 16D03-1400	The final station on this river (1400) is a tributary of the Duag (Mountanglesby Spring) and is used as a raw water supply. Colour was elevated at times at stations 0100, 0400 and 1100. Algal/weed growth was noted at stations 0400 (d/s Ballyporeen) and 1100 (d/s Clogheen) in April.	No significant change from 2012.
Fidaghta 16F01-0100 Q3 (2011) 16F01-0300 Q3-4 (2011)	Nitrates remain slightly elevated, otherwise physico-chemical quality is satisfactory. Ecological quality is poor to moderate.	No change from 2012.
Farneybridge 16F02-0500 Q3-4 (2011)	Nitrates are slightly elevated, otherwise physico- chemical monitoring was satisfactory. Biological monitoring indicates moderate ecological conditions.	No significant change from 2012.
Fishmoyne 16F03-0100 16F03-0200 Q4 (2011) 16F03-0300 Q3 (2011)	Elevated BOD measured at stations 0100 and 0300 in September.	No significant change from 2012.
Glenbrook 16G04-0100 16G04-0200	This tributary of the Suir flows through Carrick-on- Suir. Nitrates remain slightly elevated, otherwise physico-chemical quality is satisfactory.	No significant change from 2012.
Lingaun 16L01-0050 Q4-5 (2011) 16L01-0200 Q4 (2011) 16L01-0300 Q4-5 (2011) 16L01-0400 Q4 (2011) 16L01-0550 16L01-0600 Q3-4 (2011)	This river rises in Slievenamon and flows along the Kilkenny/Tipperary border. The water supply for Carrick-on-Suir is abstracted near station 0550. Physico-chemical monitoring was satisfactory during 2013 although nitrates are elevated in the river from station 0200 (Lingaun Br).	No change from 2012.
Moyle 16M01-0100 16M01-0200 16M01-0300 16M01-0400 Q3 (2011)	There is a history of serious pollution in this river d/s National Proteins (station 0100) – ammonia was elevated at this stations in January and March. The upper stations can have very low or no flow in dry weather with station 0200 (Ballinvoher Br) dry in August. Nitrates are elevated throughout the river. Poor ecological quality at Station 0400 in 2011.	No significant change from 2012.

River	Remarks	Change from 2012
Multeen 16M02-0050 16M02-0300 Q4 (2011) 16M02-0500 Q4 (2011) 16M02-0520 16M02-0600 Q4-5 (2011) 16M02-0900 Q4-5 (2011) 16M02-1000 Q4-5 (2011) 16M02-1100 Q4-5 (2011)	There are two raw water abstraction points on the Multeen for Dundrum water supply. The river is also an important habitat for the freshwater pearl mussel and crayfish. River can be coloured at times, otherwise physico-chemical monitoring was generally satisfactory. Ammonia was slightly elevated at stations 0600 (SE of Inchinsquillib) and 0900 (Morpeth Br) in September and BOD and o- phosphate were elevated at station 1100 (Ballygriffin Br) in October and November. Ecological quality was good to high in 2011.	No significant change from 2012.
Outeragh Stream 16O01-0100 16O01-0200 Q3-4 (2012)	Nitrates remain slightly elevated, otherwise physico-chemical quality is satisfactory. Ecological quality is moderate.	No change from 2012.
Rossestown 16R01-0040 Q3* (2011) 16R01-0150 Q3 (2011) 16R01-0300 Q3-4 (2011)	This river flows near the Lisbeen mine and Derryfada Bog - the first station is d/s of the mine discharge. Overall quality remains poor, particularly at stations 0040 (d/s mine) and 0150 (W of mine) where ammonia was high. Colour is high at times throughout the river. Biological monitoring in 2011 indicated only poor to moderate quality also.	No change from 2012.
Rockwell Stream 16R02-0200	Nitrates are elevated otherwise satisfactory quality. Algal/weed growth was noted in May.	No change from 2012.
Suir 16S02-0100 Q4 (2011) 16S02-0200 Q3-4 (2011) 16S02-0300 Q3-4 (2011) 16S02-0400 16S02-0500 Q4 (2011) 16S02-0600 Q3 (2011) 16S02-0900 Q3-4 (2011) 16S02-1100 Q3-4 (2011) 16S02-1200 Q4 (2011) 16S02-1400 Q4 (2011) 16S02-1500 Q4 (2011)	This river is 184 km long and has a catchment area of 3613 km ² . The Suir rises in North Tipperary and flows through Tipperary, along the Tipperary/ Waterford and the Kilkenny/Waterford borders before discharging in to Waterford Harbour. Ammonia was high at station 0400 (Loughmore Br) in June. Ammonia was slightly elevated from stations 0800 to 1200 and from stations 1700 to 2300 in February 2013. Chemistry remains good at station 0300 (d/s Templemore STW), and this is reflected in improved ecology.	DO's rose again periodically at stations 2700 and 2800 in 2013 otherwise no significant change from 2012.

River	Remarks	Change from
		2012
Suir continued	High DOs were once again observed at Kilsheelin	
Sui, continueu.	Bridge (station 2700) and at Coolnamuck Weir	
16S02-1600 Q4 (2011)	(station 2800) in 2013.	
16S02-1700 Q4 (2011)		
16502-1900	Overall biological monitoring also indicates an	
16S02-2000 Q3-4 (2011)	improving situation with mainly moderate to good	
16502-2200 Q4 (2011)	ecological conditions, however quality deteriorated	
16502-2300 Q4 (2011) 16502-2400 Q4 (2011)	in 2011	
16502-2400 Q4 (2011)	11 2011.	
16502-2700 04 (2011)		
Tar	Satisfactory physico-chemical results. Good to high	No change from
16T01-0030 Q4-5 (2011)	ecological conditions.	2012.
16T01-0300 Q4-5 (2011)	ي.	
16T01-0600 Q4 (2011)	otherits	
Thonoge	Satisfactory physico-chemical results. Ecological	No change from
16T02-0080 Q4 (2011)	quality is good.	2012.
16T02-0200 Q4 (2011)	tion put redu	
Annagh	This river is a tributary of the Newport. Colour was	No change from
25A02-0200 Q4 (2012)	high at both stations in November 2013. Good to	2012.
25A02-0300 Q4-5 (2012)	high ecological conditions throughout this river.	
Ballintotty	Ecology of this river has improved from moderate	No change from
25B01-0100 Q4 (2012)	to good since 2008. Chemistry remains good.	2012.
25B01-0300 Q4 (2012)		
Ballyfinboy	This river flows through Cloughjordan and	No change from
25B02-0300 Q3-4 (2011)	Borrisokane. Physico-chemical monitoring is	2012.
25B02-0600 Q3-4 (2011)	satisfactory, however biological monitoring in 2011	
25B02-0800 Q3-4 (2011)	only indicated moderate ecological quality.	
Bunow (Mooneen)	This river flows through Roscrea and is a tributary	No significant
25B25-0100	of the Little Brosna. Elevated ammonia at station	change from
25B25-0400 Q4 (2011)	0400 (Bunnow Br) in April and June. Ecological	2012.
	quality shows good status following biological	
	monitoring in 2011.	
Cahernahallia	This river rises in Co. Tipperary and flows into Co.	No change from
25C01-0060	Limerick. This report deals with the Co. Tipperary	2012.
	stretch only. Chemistry shows satisfactory quality.	

River	Remarks	Change from 2012
Cappawhite Stream 25C10-0200 Q3-4 (2012)	BOD, ammonia and o-phosphate were elevated at times during 2013 due to the effects of sewage from Cappawhite. Ecological conditions improved from poor to moderate in 2012.	Conditions continue to improve.
Clareen (Nenagh) 25C11-0300	This river flows through Nenagh town and receives effluent from Arrabawn Co-op and local sewage discharges along with diffuse agricultural pollution. Ammonia, BOD and ortho-phosphate and TON concentrations were high during 2013 and the quality of this river remains poor. DO levels also remain low.	No change from 2012 - the poor quality observed in this river over many years continues.
Carrigahorig Stream 25C16-0500 Q3-4 (2011)	This stream flows through Carrigahorig village and into the north end of Lough Derg. Satisfactory physico-chemical quality in 2013, however the biological monitoring in 2011 indicated only moderate ecological conditions.	No change from 2012.
Dead 25D01-0100 Q3-4 (2012)	This river rises in Co. Tipperary and flows into Co. Limerick. This report deals with the Co. Tipperary stretch only. The Donohill landfill is within its catchment. Colour, ammonia, ortho-Phosphate and BOD were elevated at times during the year. The river has been subject to intermittent pollution over the years – probably from agriculture and the landfill at Donohill.	No change from 2012.
Golden Grove Stream 25G06-0200 Q3-4 (2011)	This river is a tributary of the Little Brosna. Quality in this river is moderate – ammonia was again elevated in 2013, probably due to the fish farm u/s of the sampling station.	No significant change from 2012.
Grange (25G10)	Physico-chemical monitoring shows satisfactory conditions.	No change from 2012.

River	Remarks	Change from
		2012
Kilmastulla	This river drains an old mining area at Silvermines	No change from
25K04-0100	in Co.Tipperary. Station 0400 (Garryard Stream)	2012.
25K04-0200	drains the mine and flows into the Yellow river,	
25K04-0300	which in turn flows into the Kilmastulla. Lead and	
25K04-0400 Q3/0 (2005)	zinc mining ceased operations in 1982, however	
25K04-0500 Q4 (2012)	metals from the old mine and tailings pond	
25K04-0600 Q3-4 (2012)	continue to leach into the upper reaches of this	
25K04-0800 Q3-4 (2012)	river system. Physico-chemical monitoring shows	
25K04-1000 Q4 (2012)	satisfactory quality. Biological monitoring in 2012	
	indicated good ecological conditions u/s of the	
	mine discharge and at Cool Bridge (station 1000).	
Kilfadda Castle Stream	This stream was added to the sampling programme	No significant
25K07-0600 Q3-4*(2011)	in 2010 and is a tributary of the Carrigahorig	change from
	Stream. Slightly elevated BOD in August.	2012.
Little Brosna	The first 4 stations on this river are in Co. Offaly,	No significant
25L02-0100 Q4 (2011)	but are impacted at station 0400 by discharges	change from
25L02-0200	from Roscrea. The lower portion flows along the	2012.
25L02-0400 Q3-4 (2011)	Offaly/Tipperary box der Ammonia is elevated at	
25L02-0600 Q4 (2011)	times at station 0700 (Riverstown Br). Ecology is	
25L02-0700 Q4 (2011)	good except de Roscrea WWTP (station 0300).	
25L02-1000 Q4 (2011)	Abundant algal/weed growth noted in April at	
	stations 0700 and 100 (New Br).	
Lorrha Stream	This stream was added to the sampling programme	No significant
25L05-0200 Q4 (2011)	in 2010 and flows into Lough Derg. This stream can	change from
	be coloured at times. Physico-chemical	2012.
	monitoring is satisfactory with the exception of an	
	elevated BOD in February.	
Nenagh	This river flows through Nenagh town and into	No significant
25N01-0200 Q4-5 (2012)	Lough Derg at Dromineer. Physico-chemical	change from
25N01-0300 Q4-5 (2012)	monitoring was generally satisfactory during 2013	2012.
25N01-0500 Q4 (2012)	although there was elevated colour at all stations	
25N01-0640	in November and slightly elevated ammonia and	
25N01-0660	BOD at stations 0640,0660 and elevated BOD at	
25N01-0800 Q3-4 (2012)	station 0800 also in November. This was most	
	likely due to rainfall.	

River	Remarks	Change from
		2012
Newport 25N02-0100 Q4-5 (2012) 25N02-0200 Q4-5 (2012) 25N02-0300 Q4-5 (2012)	Station 0200 is the abstraction point for Newport water supply. River can be coloured at times, times otherwise physico-chemical quality is satisfactory. Improvement to high ecological conditions in 2012.	No change from 2012.
Newtown 25N03-0200 Q4 (2011)	This river flows into Lough Derg at Youghal Bay. Ecological conditions are good. Physico-chemical monitoring shows satisfactory quality although BOD was high in May 2013.	No significant change from 2012.
Ollatrim 25001-0150 Q4-5 (2012) 25001-0400 Q4 (2012)	Ecological conditions improved at Rathurles Bridge (station 0400) in 2012, however excessive siltation and some algal growth remain. Physico-chemical monitoring is satisfactory.	No significant change from 2012.
Pallas 25P01-0500 Q4 (2011)	Colour, ammonia and BOD were elevated in April.	No change from 2012.
Shannon (L. Derg) 25S01-2200 25S01-2210 25S01-2220 25S01-2230 25S01-2240 25S01-2250 25S01-2250 25S01-2260 25S01-2270 25S01-2280 25S01-2290 25S01-2230	This report refers to the eastern shore of Lough Derg in Co. Tipperary only. Isolated outbreaks of cyanobacteria (blue-green algae) were reported in the past, however, these have not been reported in more recent years. Colour was high at times otherwise physico-chemical monitoring was satisfactory at all stations during 2013.	No change from 2012.
Small 25S05-0200 Q4 (2012)	Colour is naturally high, otherwise physico- chemical monitoring was satisfactory.	No change from 2012.
Silvermines Village Str. 25S10-0100 Q3-4 (2012)	Physico-chemical monitoring was satisfactory. The 2012 biological assessment indicated only moderate quality.	No change from 2012.
Youghal 25Y02-0200 Q4-5 (2012)	This river runs through Youghal on Lough Derg and receives effluent from Portroe STW (u/s station 0200). Satisfactory physico-chemical results during 2013. Ecology improved to high quality in 2012.	No change from 2012.



5. Long Term Trend Graphs – o-Phosphate


























































































2009-2011

2010-2012

2011-2013

2008-2010

0.00

2007-2009

16A01-0700 16A01-0900









Environmental Protection Agency





Environmental Protection Agency



















Environmental Protection Agency





























Environmental Protection Agency







7. River Water Quality Maps



Map 1. River Water Quality: Tipperary BOD Assessment 2013



Map 2. River Water Quality: Tipperary Ammonia Assessment 2013



Map 3. River Water Quality: Tipperary ortho-Phosphate Assessment 2013



Map 4. River Water Quality: Tipperary Total Oxidised Nitrogen (TON) Assessment 2013







Full Report for Waterbody Moyle, Trib of SuirAnner

River Basin Management Plans (RBMPs) have been published for all River Basin Districts in Ireland in accordance with the requirements of the Water Framework Directive. The WaterMaps viewer is an integral part of the River Basin Management Plan and provides access to information at individual waterbody level and at Water Management Unit level for all the River Basin Districts in Ireland

The following report provides summary plan information about the selected waterbody (indicated by the pin in the map above) relating to its status, risks, objectives, and measures proposed to retain status where this is adequate, or improve it where necessary. Waterbodies can relate to surface waters (these include rivers, lakes, estuaries [transitional waters], and coastal waters), or to groundwaters. Other relevant information not included in this report can be viewed using the WaterMaps viewer, including areas listed in the Register of Protected Areas.

You will find brief notes at the bottom of some of the individual report sheets that will help you in interpreting the information presented. More detailed information can be obtained in relation to all aspects of the RBMPs at www.wfdireland.ie.



The information provided above is a summary of the principal findings related to the selected waterbody. Further details and explanation of individual elements of the report are outlined in the following page?

Consent of constitution of the rest of the selfer of the s

Status Report Water Management Unit: IE_SE_Anner WaterBody Category: River Waterbody WaterBody Name: Moyle, Trib of SuirAnner WaterBody Code: IE_SE_16_958 Overall Status Result: Poor Heavily Modified: No

	Status Element Description	Result
	Status information	
Q	Macroinvertebrate status	Poor
PC	General physico-chemical status	N/A
FPQ	Freshwater Pearl Mussel / Macroinvertebrate status	N/A
DIA	Diatoms status	N/A
НҮМ	Hydromorphology status	N/A
FIS	Fish status	N/A
SP	Specific Pollutants status (SP)	N/A
ES	Overall ecological status	Poor
CS	Overall chemical status (PAS)	n/a
EXT	Extrapolated status	N/A
MON	Monitored water body	YES
DON	Donor water bodies	N/A

n/a - not assessed

Status

By 'Status' we mean the condition of the water in the waterbody. It is defined by its chemical status and its ecological status, whichever is worse. Waters are ranked in one of 5 status classes: High, Good, Moderate, Poor, Bad. However, not all waterbodies have been monitored, and in such cases the status of a similar nearby waterbody has been used (extrapolated) to assign status. If this has been done the first line of the status report shows the code of the waterbody used to extrapolate.

You can read more about status and how it is measured in our RBMP Document Library at www.wfdireland.ie (Directory 15 Status).

wat	<i>ter</i> matters		2	
Ris	<pre>« Report</pre>			
Wat	er Management Unit:	IE SE Anner		
Wat	erBody Category:	River Waterbody		- Santh
Wat	erBody Name:	Movle Trib of SuirAnner		south eastern river basin district
Wat	orBody Codo:			
	rall Rick Result:	12_SL_10_998		
	vily Medified			
пеа				
	Risk Test Description			Risk
	Diffuse Risk Sources			
RD1	EPA diffuse model (2008)		1a	At RISK
RD2a	Road Wash - Soluble Coppe			Not At Risk
RD2D	Road Wash - Total Zinc	Level .		NOT AT RISK
RD2C	Road Wash - Total Hydroca	rbons		NOT AT RISK
RD3	Railways	o ^{ther}		NOT AT RISK
RD4a	Forestry - Acidification (200	(2000) (2000)		NOT AT RISK
	Forestry - Suspended Solids	(2008) (2008) (2008)	2D 20	NOL AL RISK
	Overall Unsewered (2008)	ion pt redt	2a 2h	Not At Dick
RD5a	Unsewered Areas - Pathoge	ans(2008) 375	20 2a	Probably Not At Risk
RD5h	Unsewered Phosphorus (20	08) ⁶ ⁶ ⁶	24 2h	Not At Risk
RD6a	Arable	NOT COL	2a	Probably Not At Risk
RD6b	Sheep Dip	Collect	2b	Not At Risk
RD6c	Forestry - Dangerous Subst	ances		Not At Risk
RDO	Diffuse Overall -Worst Case	(2008)	1a	At Risk
	Hydrology			
RHY1	Water balance - Abstractior	1		Not At Risk
	Morphological Risk Source	ces		
RM1	Channelisation (2008)			Not At Risk
RM2	Embankments (2008)			Not At Risk
RM3	Impoundments			Not At Risk
RM4	Water Regulation			Not At Risk
RM5	Intensive Landuse			N/A
RMO	Morphology Overall - Worst	Case (2008)		Not At Risk
	Overall Risk			
RA	Rivers Overall - Worst Case	(2008)	1a	At Risk

wat	ter matters		
	Point Risk Sources		
RP1	WWTPs (2008)	1a	At Risk
RP2	CSOs	2b	Not At Risk
RP3	IPPCs (2008)		Not At Risk
RP4	Section 4s (2008)		Not At Risk
RP5	WTPs/Mines/Quarries/Landfills		N/A
RPO	Overall Risk from Point Sources - Worst Case (2008)	1a	At Risk
	Q Value		
Q	EPA Q rating and Margaritifera Assessment		N/A
	Q/RDI or Point/Diffuse		
QPD	Q class/EPA Diffuse Model or worst case of Point and Diffuse (2008)	1a	At Risk
	Rivers Direct Impacts		
RDI1	Rivers Direct Impacts - Dangerous Substances		N/A

Risk

By 'risk' we mean the risk that a waterbody will not achieve good ecological or good chemical status/potential at least by 2015. To examine risk the various pressures acting on the waterbody were identified along with any evidence of impact on water status. Depending on the extent of the pressure and its potential for impact, and the amount of information available, the risk to the water body was placed in one of four categories: 1a at risk; 1b probably at risk; 2a probably not at risk; 2b not at risk. Note that '2008' after the risk category means that the risk assessment was revised in 2008. All other risks were determined as part of an earlier risk assessment in 2005.

You can read more about risk assessment in our 'WFD Risk Assessment Update' document in the RBMP document library, and other documents at www.wfdireland.ie (Directory 31 Risk Assessments).



	Objectives Description	Result
	Extended timescale information	
E1	Extended timescales due to time requirements to upgrade WWTP discharges	2021
E2	Extended timescales due to delayed recovery of chemical pollution and chemical status failures	No Status
E3	Extended timescales due to delayed recovery following reduction in agricultural nutrient losses	No Status
E4	Extended timescales due to delayed recovery from physical modifications and physical damage	No Status
E5	Extended timescales due to delayed recovery following implementing forestry acidification measures	No Status
E6	Extended timescales due to physical recovery timescales at mines and contaminated sites	No Status
E7	Extended timescales due to delayed recovery of highly impacted sites	No Status
E8	Extended timescales due to delayed recovery following reduction in agricultural nutrient losses	No Status
E9	Extended timescales due to delayed recovery from nitrogen losses to estuaries	2021
E10	Extended timescales due to delayed recovery following reduction in agricultural nutrient losses	No Status
E11	Extended timescales due to delayed recovery from physical modifications and physical damage (overgrazing)	No Status
E12	Extended timescales due to delayed recovery from physical modifications and physical damage (channelisation)	No Status
E13	Extended timescales from Northern Ireland Environment Agency	No Status
EOV	Overall extended timescale - combination of all extended timescales fields	2021
E14	Extended timescales due to the presence of Freshwater Pearl Mussel populations	No Status
EX15	Extended timescales due to highly impacted sites	No Status

water matters

	Objectives information	
OB1	Prevent deterioration objective	No Status
OB2	Restore at least good status objective	Restore_2021
OB3	Reduce chemical pollution objective	No Status
OB4	Protected areas objective	No Status
OB5	Northern Ireland Environment Agency objective	No Status
OBO	Overall objectives	Restore_2021

Extended timescales

Extended timescales have been set for certain waters due to technical, economic, environmental or recovery constraints. Extended timescales are usually of one planning cycle (6 years, to 2021) but in some cases are two planning cycles (to 2027).

Objectives

In general, we are required to ensure that our waters achieve at least good status/potential by 2015, and that their status does not deteriorate. Having identified the status of waters (this is given earlier in this report), the next stage is to set objectives for waters. Objectives consider waters that require protection from deterioration as well as waters that require restoration and the timescales needed for recovery. Four default objectives have been set initially:-

Prevent Deterioration Restore Good Status Reduce Chemical Pollution Achieve Protected Areas Objectives



These objectives have been refined based on the measures available to achieve them, the latter's likely effectiveness, and consideration of cost-effective combinations of measures. Where it is considered necessary extended deadlines have been set for achieving objectives in 2021 or 2027.

water matters



Measures Report						
Wate	r Management Unit:	IE_SE_Anner				
WaterBody Category:		River Waterbody	south			
Wate	rBody Name:	Moyle, Trib of SuirAnner	river basin district			
Wate	rBody Code:	IF SF 16 958				
Heav	ilv Modified:	No				
	Measures Description	1	Applicable			
BC	Total number of basic mea	sures which apply to this waterbody	22			
BW	Directive - Bathing Waters	Directive	No			
BIR	Directive - Birds Directive		No			
HAB	Directive - Habitats Directi	ve	No			
DW	Directive - Drinking Waters	s Directive	No			
MAE	Directive - Major Accidents	and Emergencies Directive	Yes			
EIA	Directive - Environmental	Impact Assessment Directive	Yes			
SS	Directive - Sewage Sludge	Directive	Yes			
UWT	Directive - Urban Waste W	ater Treatment Directive	Yes			
PPP	Directive - Plant Protection	Products Directive	Yes			
NIT	Directive - Nitrates Directiv	e on preserved	Yes			
IPC	Directive - Integrated Pollu	ution Prevention Control Directive	Yes			
CR	Other Stipulated Measure	- Cost recovery for water use	Yes			
SUS	Other Stipulated Measure	- Promotion of efficient and sustainable water use	Yes			
DWS	Other Stipulated Measure	- Protection of drinking water sources	Yes			
ABS	Other Stipulated Measure	- Control of abstraction and impoundment	Yes			
POI	Other Stipulated Measure	- Control of point source discharges	Yes			
DIF	Other Stipulated Measure	- Control of diffuse source discharges	Yes			
PS	Other Stipulated Measure	- Control of priority substances	Yes			
MOD	Other Stipulated Measure	- Controls on physical modifications to surface waters	Yes			
OA	Other Stipulated Measure	- Controls on other activities impacting on water status	Yes			
AP	Other Stipulated Measure pollution incidents	- Prevention or reduction of the impact of accidental	Yes			
TP1	WSIP - Agglomerations with	th treatment plants requiring capital works	Yes			
TP2	WSIP - Agglomerations wir capital works	th treatment plants requiring further investigation prior to	No			
TP3	WSIP - Agglomerations red Shellfish PRPs	quiring the implementation of actions identified in	No			
TP4	WSIP - Agglomerations wir performance	th treatment plants requiring improved operational	No			
TP5	WSIP - Agglomerations red	quiring investigation of CSOs	Yes			

water matters

TP6	WSIP - Agglomerations where exisitng treatment capacity is currently adequate but predicted loadings would result in overloading	No
OTS	On-site waste water treatment systems	Yes
FPM	Freshwater Pearl Mussel sub-basin plan	No
SHE	Shellfish Pollution Reduction Plan	No
IPR	IPPC licences requiring review	Yes
WPR	Water Pollution Act licences requiring review	No
FOR	Forestry guidelines and regulations	Yes
CH1	Chanelisation measures	No
CH2	Chanelisation investigations	No
OG	Overgrazing measures	No
нqw	Protect high quality waters	No

Measures

Measures are necessary to ensure that we meet the objectives set out in the previous page of this report. Many measures are already provided for in national legislation and must be implemented. Other measures have been recently introduced or are under preparation. A range of additional potential measures are also being considered but require further development. Any agreed additional measures can be introduced through the update of Water Management Unit 15⁰. Action Plans during the implementation process.

Lance' ar You can read more about Basic Measures in 'River Basin Planning Guidance' and nother documents in our RBMP Document Library at www.wfdireland.ie.

Attachment G.3

Surface Water Labor atory Reports





Report No:MTCP-433050216Document No:EF0011

CERTIFICATE OF ANALYSIS

Client	Miltown Comp Blakehouse Carrightwohill Co.Cork	Date Received05/02/2016Date Reported19/02/2016Order Number3238
		the use.
For the A	Attention of:	Neill Barry
Sample Reception		1 sample(s) received in good condition.
Comments		N/A ion put contraction
		THE CLOWIT
Note:		A # next to the result indicates that there was insufficient sample to carry out testing as per SOP.
		and contract of the second sec
		Conserv

Report Authorised by:

Treen mullins

Frank Mullins Environmental Chemistry Manager

Conditions:

1. Results in this report relate only to the items tested

2. Reports may not be reproduced except in full without the approval of Advanced Micro Services & Environmental Laboratories Ltd

3. All queries regarding this report should be addressed to the Technical Manager at the above address

4. A * next to a method reference signifies that Advanced Micro Services & Environmental Laboratories Ltd are NOT INAB accredited for this method

5. Results reported as CFU/cm² are calculated based on information supplied by customer regarding area swabbed

6. CFU indicates Colony Forming Units, MPN indicates Most Probable Number

7. SUBCON* indicates analysis subcontracted to approved subcontractors who do not hold accreditation for this test

8. SUBCON^ indicates analysis subcontracted to approved subcontractors who hold accreditation for this test





Report No: MTCP-433050216

Document No: EF0011

CERTIFICATE OF ANALYSIS

			Date Received	05/02/20	6	
			Date Reported	19/02/20	6	
			Order Number	3238		
Sample Type Client ID Date Tested ALS ID	Effluent 05.02.16 SW1 @ 10.00hr 06/02/2016 2236004					
<u>Test</u> Suspended Solids BOD 5 day Total M Ammonia	with ATU	<u>Resu</u> <5 3 0.99)	Unit mg / I mg/I O2 mg/I NH3-N		<u>Method</u> P202 P280 P281
			Consent of copyright	on purposes of for		

Trank mullins

Frank Mullins Environmental Chemistry Manager

Report Authorised by:





Report No:MTCP-350010416Document No:EF0011

CERTIFICATE OF ANALYSIS

Client	Miltown Comp Blakehouse Carrightwohill Co.Cork	Date Received01/04/2016Date Reported18/04/2016Order Number3322
For the Attention of:		Neill Barry
Sample Reception		1 sample(s) received in good condition.
Commer	nts	N/A citon pure cuties
Note:		A # next to the result indicates that there was insufficient sample to carry out testing as per SOP.
		COLOR COLOR

Report Authorised by:

Inank mullins

Frank Mullins Environmental Chemistry Manager

Conditions:

1. Results in this report relate only to the items tested

2. Reports may not be reproduced except in full without the approval of Advanced Micro Services & Environmental Laboratories Ltd

3. All queries regarding this report should be addressed to the Technical Manager at the above address

4. A * next to a method reference signifies that Advanced Micro Services & Environmental Laboratories Ltd are NOT INAB

accredited for this method

5. Results reported as CFU/cm² are calculated based on information supplied by customer regarding area swabbed

6. CFU indicates Colony Forming Units, MPN indicates Most Probable Number

7. SUBCON* indicates analysis subcontracted to approved subcontractors who do not hold accreditation for this test

8. SUBCON^ indicates analysis subcontracted to approved subcontractors who hold accreditation for this test

Page 1 of 2





Report No: MTCP-350010416

Document No: EF0011

CERTIFICATE OF ANALYSIS

		Date Rece Date Repo Order Nur	eived 01/04/2016 Norted 18/04/2016 Number 3322
Sample Type Client ID Date Tested ALS ID	Effluent SW1@11:00 01/04/2016 2286437		
<u>Test</u> Suspended Solids BOD 5 day Total Ammonia	s with ATU	Result <5 <2 0.47 Consent of con	Unit Method mg/I P202 mg/I O2 R280 mg/I NH3-N P281

Trank mullins

Frank Mullins Environmental Chemistry Manager

Report Authorised by:



> Report No: MTCP-277210616 Document No: EF0011

SUPPLEMENTARY CERTIFICATE OF ANALYSIS

Client Miltown Comp Blakehouse		oosting Da	ate Received ate Reported	21/06/2016 27/06/2016
	Carrightwohill Co.Cork	0	order Number	N/A
		net 1 ^{5e.}		
For the Attention of:		Neill Barry		
Sample Reception		1 sample(s) received in good condition.		
Comments		N/A PUTOLINC		
Note:		A # next to the result indicates that there was insufficient sample to carry	out testing as pe	r SOP .
		COLOR		

Report Authorised by:

Inank mullins

Frank Mullins Environmental Chemistry Manager

Conditions:

1. Results in this report relate only to the items tested

2. Reports may not be reproduced except in full without the approval of ALS Life Sciences Ltd

3. All queries regarding this report should be addressed to the Technical Manager at the above address

4. A * next to a method reference signifies that ALS Life Sciences Ltd is NOT INAB accredited for this method

5. Results reported as CFU/cm² are calculated based on information supplied by customer regarding area swabbed

6. CFU indicates Colony Forming Units, MPN indicates Most Probable Number

7. SUBCON* indicates analysis subcontracted to approved subcontractors who do not hold accreditation for this test

8. SUBCON^ indicates analysis subcontracted to approved subcontractors who hold accreditation for this test

9. This supplementary certificate replaces the previous certificate which must be destroyed

Page 1 of 2



Report No: M

MTCP-277210616

Document No: EF0011

__ __

SUPPLEMENTARY CERTIFICATE OF ANALYSIS

		Date Received Date Reported Order Number	21/06/2016 27/06/2016 N/A				
Sample Type Client ID Date Tested ALS ID	Water 14/06/16 @15.00hrs 2362830	SW1 @ 15.00hrs					
<u>Test</u> Total Petroleum Hydrocarbons		Result <10	<u>Unit</u> ug/l	Method SUBCON^			
Consent of convigition performance and for any other							

Frank mullins

Frank Mullins Environmental Chemistry Manager

Report Authorised by:





Report No:

MTCP-335140616

Document No:

EF0011

CERTIFICATE OF ANALYSIS

		Date Received Date Reported Order Number	14/06/2016 20/06/2016 N/A			,	12
Sample Type Client ID Date Tested ALS ID	Effluent 14/06/16 @15.00hrs 15/06/2016 2356071	SW1 @ 15.00hrs		-	5		
<u>Test</u> Suspended Solids BOD 5 day Total w Ammonia	vith ATU	<u>Result</u> <5 <2 0.53	Unit mg / I mg/I O2 mg/I NH3-N	Method P202 - P280 P281			
		Consent of copyright	Jon Puposes off for a				

Report Authorised by:

Frank Mullins

Environmental Chemistry Manager

Page 3 of 4

EPA Export 16-01-2018:04:19:02


ALS Life Sciences Ltd Trading as ALS Carrigeen Business Park, Clonmel, Co. Tipperary Tel: +353 (0) 52 617 8100 Fax:+353 (0) 52 617 8103 www.alsglobal.ie



Report No:

MTCP-401190816

Document No:

EF0011

CERTIFICATE OF ANALYSIS

			Date Received Date Reported Order Number	19/08/2016 25/08/2016 3616		
Sample Type Client ID Date Tested ALS ID	Surface Water SW1 @ 16.15hrs 20/08/2016 2420446	9		-	-	
<u>Test</u> Suspended Solids BOD 5 day Total with ATU Ammonia		<u>Res</u> <5 <2 0.2	<u>ult</u> 7 n	<u>Unit</u> mg / I mg/I O2 ng/I NH3-N	Method P202 P2805 P281	
			Consent of copyright	ton pupper equired to		

Jeresita

Teresita Sy Deputy Chemistry Manager

Report Authorised by:

Page 2 of 2

Attachment G.4 Groundwaters Vulnerability Map





