

Facility Information Summary	
AER Reporting Year	2017
Licence Register Number	W0027
Name of site	Pollboy Landfill
Site Location	Pollboy, Ballinalsoe, Co. Galway
NACE Code	3821
Class/Classes of Activity	Third Schedule 4,5,6,7,11,13. Fourth Schedule 2,3,4,9,10,11,12,13
National Grid Reference (6E, 6 N)	-8.22343 53.3127

A description of the activities/processes at the site for the reporting year. This should include information such as production increases or decreases on site, any infrastructural changes, environmental performance which was measured during the reporting year **and an overview of compliance with your licence listing all exceedances of licence limits (where applicable) and what they relate to e.g. air, water, noise.**

Landfilling ceased at the site on the 31st December 2005 following a court ruling. The landfill facility covers an area of approximately 23ha. The lined cell (Cell No.1) has an approximate area of 3.6ha. The unlined landfill portion of the site occupies an area of approximately 7.1ha. There is currently a civic amenity site in operation adjacent to the landfill site which is operated by Barna Waste. There were no landfilling activities or processes carried out at the site during 2017 except for monitoring as required by the Licence. Annual noise monitoring was not carried out in 2017. The majority of surface water sampling points were within limits set for compliance parameters including pH, conductivity, chloride, suspended solids and temperature. Elevated BOD, dissolved oxygen, ammonia and COD were recorded at SW1, SW3, SW4 and SW8. Levels of temperature and TOC remained within the guidelines set out for groundwater. pH remained within the guidelines with the exception of RC3 Q2 result. Elevated conductivity, chloride and ammonia were recorded at groundwater monitoring wells. Sampling of leachate was undertaken in Q1, Q2, Q3 and Q4 in 2017. The leachate samples were obtained from the leachate lagoon. The results were all within the licence limits. The landfill gas in the old cell has been consistent over the past number of years, with the highest concentration of methane being measured in wells GW2a, 7, 9, 12, 15, 16, 17. Within the new cell the highest concentration of methane being measured in wells G23, 25 and 26. Gas is flared by a 750m³/hr AFS Flare with an 850m³/hr Haase Flare used as a backup. The reported energy consumption figure of 150 MWHrs is an estimate.

Declaration:

All the data and information presented in this report has been checked and certified as being accurate. The quality of the information is assured to meet licence requirements.

	14-5-18
Signature Group/Facility manager <small>(or nominated, suitably qualified and experienced deputy)</small>	Date

AIR-summary template Lic No: W0027 Year 2017

Answer all questions and complete all tables where relevant

1 Does your site have licensed air emissions? If yes please complete table A1 and A2 below for the current reporting year and answer further questions. If **you do not have** licenced emissions and **do not complete a solvent management plan** (table A4 and A5) you do not need to complete the tables

Additional information	
Yes	1 No. enclosed flare

Periodic/Non-Continuous Monitoring

2 Are there any results in breach of licence requirements? If yes please provide brief details in the comment section of TableA1 below

SELECT	
--------	--

3 Was all monitoring carried out in accordance with EPA guidance note AG2 and using the basic air monitoring checklist? [Basic air monitoring checklist](#) 24.75%

No	Scheduled for 15th February 2018
----	----------------------------------

Table A1: Licensed Mass Emissions/Ambient data-periodic monitoring (non-continuous)

Emission reference no:	Parameter/ Substance	Frequency of Monitoring	ELV in licence or any revision thereof	Licence Compliance criteria	Measured value	Unit of measurement	Compliant with licence limit	Method of analysis	Annual mass load (kg)	Comments - reason for change in % mass load from previous year if applicable
	SELECT			SELECT		SELECT	SELECT	SELECT		
	SELECT			SELECT		SELECT	SELECT	SELECT		
	SELECT			SELECT		SELECT	SELECT	SELECT		
	SELECT			SELECT		SELECT	SELECT	SELECT		

Note 1: Volumetric flow shall be included as a reportable parameter

AIR-summary template		Lic No:	W0027	Year	2017
Continuous Monitoring					

4	Does your site carry out continuous air emissions monitoring? If yes please review your continuous monitoring data and report the required fields below in Table A2 and compare it to its relevant Emission Limit Value (ELV)	Yes	Continuous monitoring required in Landfill Gas Combustion Plant/Enclosed flare
5	Did continuous monitoring equipment experience downtime? If yes please record downtime in table A2 below	Yes	
6	Do you have a proactive service agreement for each piece of continuous monitoring equipment?	No	
7	Did your site experience any abatement system bypasses? If yes please detail them in table A3 below	Yes	bypass flare used onsite

Table A2: Summary of average emissions -continuous monitoring

Emission reference no:	Parameter/ Substance	ELV in licence or any revision thereof	Averaging Period	Compliance Criteria	Units of measurement	Annual Emission	Annual maximum	Monitoring Equipment downtime (hours)	Number of ELV exceedences in current reporting year	Comments
flare	volumetric flow	n/a	2017	100 % of values < ELV	m3/h	183	302	102hrs 45minutes		
		1000	2017			1013	1026	102hrs 45minutes		
flare	temperature			100 % of values < ELV	°c					3 flare temperature drop due to low methane levels
flare	carbon dioxide	n/a	2017	100 % of values < ELV	%	18.52	19.7	102hrs 45minutes		
flare	carbon monoxide	n/a	2017	100 % of values < ELV	ppm	13	21.78	102hrs 45minutes		
flare	methane	n/a	2017	100 % of values < ELV	%	39.14	60	102hrs 45minutes		
flare	oxygen	n/a	2017	100 % of values < ELV	%	1.59	2.8	102hrs 45minutes		

note 1: Volumetric flow shall be included as a reportable parameter.

Table A3: Abatement system bypass reporting table [Bypass protocol](#)

Date*	Duration** (hours)	Location	Reason for bypass	Impact magnitude	Corrective action
28/01/2017	12	Gas diverted to bypass flare	abatement equipment offline	low	reconnected pipe
11/02/2017	20	Gas diverted to bypass flare	abatement equipment offline	low	restart flare
23/03/2017	12	Gas diverted to bypass flare	abatement equipment offline	low	increase gas flow
30/08/2017	108	Gas diverted to bypass flare	abatement equipment offline	low	engineer restarted flare
02/10/2017	3	Gas diverted to bypass flare	abatement equipment offline	low	repaired leak

* this should include all dates that an abatement system bypass occurred

** an accurate record of time bypass beginning and end should be logged on site and maintained for future Agency inspections please refer to bypass protocol link

AIR-summary template		Lic No:	W0027	Year	2017			
Solvent use and management on site								
8 Do you have a total Emission Limit Value of direct and fugitive emissions on site? if yes please fill out tables A4 and A5				No				
Table A4: Solvent Management Plan Summary			Total VOC Emission limit value					
			Solvent regulations Please refer to linked solvent regulations to complete table 5 and 6					
Reporting year	Total solvent input on site (kg)	Total VOC emissions to Air from entire site (direct and fugitive)	Total VOC emissions as %of solvent input	Total Emission Limit Value (ELV) in licence or any revision thereof	Compliance			
					SELECT			
					SELECT			
Table A5: Solvent Mass Balance summary								
	(I) Inputs (kg)	(O) Outputs (kg)						
Solvent	(I) Inputs (kg)	Organic solvent emission in waste	Solvents lost in water (kg)	Collected waste solvent (kg)	Fugitive Organic Solvent (kg)	Solvent released in other ways e.g.	Solvents destroyed onsite through	Total emission of Solvent to air (kg)
Total								

		Additional information	
1	Does your site have licensed emissions direct to surface water or direct to sewer? If yes please complete table W2 and W3 below for the current reporting year and answer further questions. If you do not have licensed emissions you only need to complete table W1 and or W2 for storm water analysis and visual inspections	Yes	Surface water discharges to surrounding stream network. Leachate pumped to sewer and treated in WWTP in Ballinasloe.
2	Was it a requirement of your licence to carry out visual inspections on any surface water discharges or watercourses on or near your site? If yes please complete table W2 below summarising only any evidence of contamination noted during visual inspections	Yes	Weekly. Monitoring of surface water as per Licence Table D.5.1 'Water and Leachate Parameters/Frequency'. No evidence of contamination noted during visual inspections.

Table W1 Storm water monitoring

Location reference	Location relative to site activities	PRTR Parameter	Licensed Parameter	Monitoring date	ELV or trigger level in licence or any revision thereof*	Licence Compliance criteria	Measured value	Unit of measurement	Compliant with licence	Comments
	SELECT	SELECT	SELECT			SELECT		SELECT	SELECT	
	SELECT	SELECT	SELECT	24.75%		SELECT		SELECT	SELECT	

*trigger values may be agreed by the Agency outside of licence conditions

Table W2 Visual inspections-Please only enter details where contamination was observed.

Location Reference	Date of inspection	Description of contamination	Source of contamination	Corrective action	Comments
			SELECT		
			SELECT		

Licensed Emissions to water and /or wastewater(sewer)-periodic monitoring (non-continuous)

3	Was there any result in breach of licence requirements? If yes please provide brief details in the comment section of Table W3 below	SELECT	Additional information
4	Was all monitoring carried out in accordance with EPA guidance and checklists for Quality of Aqueous Monitoring Data Reported to the EPA? If no please detail what areas require improvement in additional information box	SELECT	

[External/Internal Lab Quality Assessment of results checklist](#)

AER Monitoring returns summary template-WATER/WASTEWATER(SEWER)

Lic No:

W0027

Year

2017

Table W3: Licensed Emissions to water and /or wastewater (sewer)-periodic monitoring (non-continuous)

Emission reference no:	Emission released to	Parameter/ Substance ^{Note 1}	Type of sample	Frequency of monitoring	Averaging period	ELV or trigger values in licence or any revision thereof ^{Note 2}	Licence Compliance criteria	Measured value	Unit of measurement	Compliant with licence	Method of analysis	Procedural reference source	Procedural reference standard number	Annual mass load (kg)	Comments
SW1	Water	Dissolved Oxygen	discrete	Quarterly, Q1 2017	Monthly	>60% Saturation	All values < ELV	5.87	%	no (if no please enter details in comments box)	DISCRETE METHODS	SELECT			Exceedance Noted
SW3	Water	Dissolved Oxygen	discrete	Quarterly, Q1 2017	Monthly	>60% Saturation	All values < ELV	10.55	%	no (if no please enter details in comments box)	DISCRETE METHODS	SELECT			Exceedance Noted
SW4	Water	Dissolved Oxygen	discrete	Quarterly, Q1 2017	Monthly	>60% Saturation	All values < ELV	10.09	%	no (if no please enter details in comments box)	DISCRETE METHODS	SELECT			Exceedance Noted
SW6	Water	Dissolved Oxygen	discrete	Quarterly, Q1 2017	Monthly	>60% Saturation	All values < ELV	5.84	%	no (if no please enter details in comments box)	DISCRETE METHODS	SELECT			Exceedance Noted
SW8	Water	Dissolved Oxygen	discrete	Quarterly, Q1 2017	Monthly	>60% Saturation	All values < ELV	8.65	%	no (if no please enter details in comments box)	DISCRETE METHODS	SELECT			Exceedance Noted
SW1	Water	Dissolved Oxygen	discrete	Quarterly, Q2 2017	Monthly	>60% Saturation	All values < ELV	49.06	%	no (if no please enter details in comments box)	DISCRETE METHODS	SELECT			Exceedance Noted
SW6	Water	Dissolved Oxygen	discrete	Quarterly, Q2 2017	Monthly	>60% Saturation	All values < ELV	48.17	%	no (if no please enter details in comments box)	DISCRETE METHODS	SELECT			Exceedance Noted
SW8	Water	Dissolved Oxygen	discrete	Quarterly, Q2 2017	Monthly	>60% Saturation	All values < ELV	27.97	%	no (if no please enter details in comments box)	DISCRETE METHODS	SELECT			Exceedance Noted
SW1	Water	Dissolved Oxygen	discrete	Quarterly, Q3 2017	Monthly	>60% Saturation	All values < ELV	4.44	%	no (if no please enter details in comments box)	DISCRETE METHODS	SELECT			Exceedance Noted
SW3	Water	Dissolved Oxygen	discrete	Quarterly, Q3 2017	Monthly	>60% Saturation	All values < ELV	8.47	%	no (if no please enter details in comments box)	DISCRETE METHODS	SELECT			Exceedance Noted
SW4	Water	Dissolved Oxygen	discrete	Quarterly, Q3 2017	Monthly	>60% Saturation	All values < ELV	9.31	%	no (if no please enter details in comments box)	DISCRETE METHODS	SELECT			Exceedance Noted
SW6	Water	Dissolved Oxygen	discrete	Quarterly, Q3 2017	Monthly	>60% Saturation	All values < ELV	3.6	%	no (if no please enter details in comments box)	DISCRETE METHODS	SELECT			Exceedance Noted
SW8	Water	Dissolved Oxygen	discrete	Quarterly, Q3 2017	Monthly	>60% Saturation	All values < ELV	3.69	%	no (if no please enter details in comments box)	DISCRETE METHODS	SELECT			Exceedance Noted
SW1	Water	Dissolved Oxygen	discrete	Quarterly, Q4 2017	Monthly	>60% Saturation	All values < ELV	6.68	%	no (if no please enter details in comments box)	DISCRETE METHODS	SELECT			Exceedance Noted
SW3	Water	Dissolved Oxygen	discrete	Quarterly, Q4 2017	Monthly	>60% Saturation	All values < ELV	10.99	%	no (if no please enter details in comments box)	DISCRETE METHODS	SELECT			Exceedance Noted
SW4	Water	Dissolved Oxygen	discrete	Quarterly, Q4 2017	Monthly	>60% Saturation	All values < ELV	11.72	%	no (if no please enter details in comments box)	DISCRETE METHODS	SELECT			Exceedance Noted
SW6	Water	Dissolved Oxygen	discrete	Quarterly, Q4 2017	Monthly	>60% Saturation	All values < ELV	6.46	%	no (if no please enter details in comments box)	DISCRETE METHODS	SELECT			Exceedance Noted
SW8	Water	Dissolved Oxygen	discrete	Quarterly, Q4 2017	Monthly	>60% Saturation	All values < ELV	4.71	%	no (if no please enter details in comments box)	DISCRETE METHODS	SELECT			Exceedance Noted
SW1	Water	COD	discrete	Quarterly, Q1 2017	Monthly	<40mg/l	All values < ELV	64	mg/L	no (if no please enter details in comments box)	DISCRETE METHODS	SELECT			Exceedance Noted
SW6	Water	COD	discrete	Quarterly, Q1 2017	Monthly	<40mg/l	All values < ELV	68	mg/L	no (if no please enter details in comments box)	DISCRETE METHODS	SELECT			Exceedance Noted
SW8	Water	COD	discrete	Quarterly, Q1 2017	Monthly	<40mg/l	All values < ELV	87	mg/L	no (if no please enter details in comments box)	DISCRETE METHODS	SELECT			Exceedance Noted
SW1	Water	COD	discrete	Quarterly, Q2 2017	Monthly	<40mg/l	All values < ELV	72	mg/L	no (if no please enter details in comments box)	DISCRETE METHODS	SELECT			Exceedance Noted

AER Monitoring returns summary template-WATER/WASTEWATER(SEWER)				Lic No:	W0027	Year	2017							
SW6	Water	COD	discrete	Quarterly, Q2 2018	Monthly	<40mg/l	All values < ELV	69	mg/L	no (if no please enter details in comments box)	DISCRETE METHODS	SELECT		Exceedance Noted
SW8	Water	COD	discrete	Quarterly, Q2 2019	Monthly	<40mg/l	All values < ELV	84	mg/L	no (if no please enter details in comments box)	DISCRETE METHODS	SELECT		Exceedance Noted
SW1	Water	COD	discrete	Quarterly, Q3 2017	Monthly	<40mg/l	All values < ELV	55	mg/L	no (if no please enter details in comments box)	DISCRETE METHODS	SELECT		Exceedance Noted
SW6	Water	COD	discrete	Quarterly, Q3 2017	Monthly	<40mg/l	All values < ELV	54	mg/L	no (if no please enter details in comments box)	DISCRETE METHODS	SELECT		Exceedance Noted
SW8	Water	COD	discrete	Quarterly, Q3 2017	Monthly	<40mg/l	All values < ELV	107	mg/L	no (if no please enter details in comments box)	DISCRETE METHODS	SELECT		Exceedance Noted
SW1	Water	COD	discrete	Quarterly, Q4 2017	Monthly	<40mg/l	All values < ELV	91	mg/L	no (if no please enter details in comments box)	DISCRETE METHODS	SELECT		Exceedance Noted
SW6	Water	COD	discrete	Quarterly, Q4 2017	Monthly	<40mg/l	All values < ELV	90	mg/L	no (if no please enter details in comments box)	DISCRETE METHODS	SELECT		Exceedance Noted
SW8	Water	COD	discrete	Quarterly, Q4 2017	Monthly	<40mg/l	All values < ELV	116	mg/L	no (if no please enter details in comments box)	DISCRETE METHODS	SELECT		Exceedance Noted
SW1	Water	Ammonia (as N)	discrete	Quarterly, Q1 2017	Monthly	0.2	All values < ELV	1.21	mg/L	no (if no please enter details in comments box)	DISCRETE METHODS	SELECT		Exceedance Noted
SW6	Water	Ammonia (as N)	discrete	Quarterly, Q1 2017	Monthly	0.2	All values < ELV	0.96	mg/L	no (if no please enter details in comments box)	DISCRETE METHODS	SELECT		Exceedance Noted
SW1	Water	Ammonia (as N)	discrete	Quarterly, Q2 2017	Monthly	0.2	All values < ELV	1.74	mg/L	no (if no please enter details in comments box)	DISCRETE METHODS	SELECT		Exceedance Noted
SW6	Water	Ammonia (as N)	discrete	Quarterly, Q2 2017	Monthly	0.2	All values < ELV	2.69	mg/L	no (if no please enter details in comments box)	DISCRETE METHODS	SELECT		Exceedance Noted
SW8	Water	Ammonia (as N)	discrete	Quarterly, Q2 2017	Monthly	0.2	All values < ELV	0.583	mg/L	no (if no please enter details in comments box)	DISCRETE METHODS	SELECT		Exceedance Noted
SW1	Water	Ammonia (as N)	discrete	Quarterly, Q3 2017	Monthly	0.2	All values < ELV	2.14	mg/L	no (if no please enter details in comments box)	DISCRETE METHODS	SELECT		Exceedance Noted
SW6	Water	Ammonia (as N)	discrete	Quarterly, Q3 2017	Monthly	0.2	All values < ELV	2.05	mg/L	no (if no please enter details in comments box)	DISCRETE METHODS	SELECT		Exceedance Noted
SW8	Water	Ammonia (as N)	discrete	Quarterly, Q3 2017	Monthly	0.2	All values < ELV	0.661	mg/L	no (if no please enter details in comments box)	DISCRETE METHODS	SELECT		Exceedance Noted
SW1	Water	Ammonia (as N)	discrete	Quarterly, Q4 2017	Monthly	1.2	All values < ELV	0.469	mg/L	no (if no please enter details in comments box)	DISCRETE METHODS	SELECT		Exceedance Noted
SW6	Water	Ammonia (as N)	discrete	Quarterly, Q4 2017	Monthly	2.2	All values < ELV	0.39	mg/L	no (if no please enter details in comments box)	DISCRETE METHODS	SELECT		Exceedance Noted
SW8	Water	Ammonia (as N)	discrete	Quarterly, Q4 2017	Monthly	3.2	All values < ELV	0.29	mg/L	no (if no please enter details in comments box)	DISCRETE METHODS	SELECT		Exceedance Noted

Note 1: Volumetric flow shall be included as a reportable parameter

Note 2: Where Emission Limit Values (ELV) do not apply to your licence please compare results against EQS for Surface water or relevant receptor quality standards

Continuous monitoring
 5 Does your site carry out continuous emissions to water/sewer monitoring? Additional Information

If yes please summarise your continuous monitoring data below in Table W4 and compare it to its relevant Emission Limit Value (ELV)

6 Did continuous monitoring equipment experience downtime? If yes please record downtime in table W4 below

7 Do you have a proactive service contract for each piece of continuous monitoring equipment on site?

8 Did abatement system bypass occur during the reporting year? If yes please complete table W5 below

Table W4: Summary of average emissions -continuous monitoring

Emission reference no:	Emission released to	Parameter/ Substance	ELV or trigger values in licence or any revision thereof	Averaging Period	Compliance Criteria	Units of measurement	Annual Emission for current reporting year (kg)	% change +/- from previous reporting year	Monitoring Equipment downtime (hours)	Number of ELV exceedences in reporting year	Comments
	SELECT	SELECT		SELECT	SELECT	SELECT					
	SELECT	SELECT		SELECT	SELECT	SELECT					

note 1: Volumetric flow shall be included as a reportable parameter.

Table W5: Abatement system bypass reporting table

Date	Duration (hours)	Location	Resultant emissions	Reason for bypass	Corrective action*	Was a report submitted to the EPA?	When was this report submitted?
						SELECT	

*Measures taken or proposed to reduce or limit bypass frequency

Bund testing

dropdown menu click to see options

Additional information

Are you required by your licence to undertake integrity testing on bunds and containment structures? If yes please fill out table B1 below listing all **new bunds and containment structures** on site, in addition to **all bunds which failed** the integrity test - **all bunding structures which failed including mobile bunds must be listed in the table below, please include all bunds outside the licenced testing period** (mobile bunds and chemstore included)

- 1 Please provide integrity testing frequency period
- 2 Does the site maintain a register of bunds, underground pipelines (including stormwater and foul), Tanks, sumps and containers? (containers refers to "Chemstore" type units and mobile bunds)
- 3 How many bunds are on site?
- 4 How many of these bunds have been tested within the required test schedule?
- 5 How many mobile bunds are on site?
- 6 Are the mobile bunds included in the bund test schedule? 24.75%
- 7 How many of these mobile bunds have been tested within the required test schedule?
- 8 How many sumps on site are included in the integrity test schedule?
- 9 How many of these sumps are integrity tested within the test schedule?

Yes	Carried out in September 2015
3 years	
No	Leachate Lagoon only containment structure
1	Leachate Lagoon
1	Leachate Lagoon
0	
SELECT	N/A
	N/A
0	
0	
Yes	
Yes	
N/A	

Please list any sump integrity failures in table B1

- 11 Do all sumps and chambers have high level liquid alarms?
- 12 If yes to Q11 are these failsafe systems included in a maintenance and testing programme?
- 13 Is the Fire Water Retention Pond included in your integrity test programme?

Table B1: Summary details of bund /containment structure integrity test

Bund/Containment structure ID	Type	Specify Other type	Product containment	Actual capacity	Capacity required*	Type of integrity test	Other test type	Test date	Integrity reports maintained on site?	Results of test	Integrity test failure explanation <50 words	Corrective action taken	Scheduled date for retest	Results of retest (if in current reporting year)
Leachate Lagoon	other (please specify)	HDPE lined Lagoon	Leachate	420m ³		Structural assessment		7-8 th September 2015	Yes	Pass		SELECT	Sep-18	
	SELECT					SELECT			SELECT	SELECT		SELECT		

* Capacity required should comply with 25% or 110% containment rule as detailed in your licence
 Has integrity testing been carried out in accordance with licence requirements and are all structures tested in line with BS8007/EPA Guidance?

- 15 Are channels/transfer systems to remote containment systems tested?
- 16 Are channels/transfer systems compliant in both integrity and available volume?

Commentary	
Yes	in line with Condition 5.13.2 of Licence
SELECT	
SELECT	

Pipeline/underground structure testing

Are you required by your licence to undertake integrity testing* on underground structures e.g. pipelines or sumps etc? If yes please fill out table 2 below listing all

- 1 underground structures and pipelines on site **which failed the integrity test and all which have not been tested within the integrity test period as specified**
 - 2 Please provide integrity testing frequency period
- *please note integrity testing means water tightness testing of all underground pipelines (as required under your licence)

No	
SELECT	

Table B2: Summary details of pipeline/underground structures integrity test

Structure ID	Type system	Material of construction:	Does this structure have Secondary containment?	Type of secondary containment	Type integrity testing	Integrity reports maintained on site?	Results of test	Integrity test failure explanation <50 words	Corrective action taken	Scheduled date for retest	Results of retest (if in current reporting year)
	SELECT	SELECT	SELECT	SELECT	SELECT	SELECT	SELECT				SELECT

Please use commentary for additional details not answered by tables/ questions above

Groundwater/Soil monitoring template	Lic No: W0027	Year 2017
---	---------------	-----------

			Comments	
1	Are you required to carry out groundwater monitoring as part of your licence requirements?	yes	Please provide an interpretation of groundwater monitoring data in the interpretation box below or if you require additional space please include a groundwater/contaminated land monitoring results interpretation as an additional section in this AER	
2	Are you required to carry out soil monitoring as part of your licence requirements?	no		
3	Do you extract groundwater for use on site? If yes please specify use in comment section	no		
4	Do monitoring results show that groundwater generic assessment criteria such as GTVs or IGVs are exceeded or is there an upward trend in results for a substance? If yes, please complete the Groundwater Monitoring Guideline Template Report (link in cell G8) and submit separately through ALDER as a licensee return AND answer questions 5-12 below.	yes	IGV's have been exceeded.	
5	Is the contamination related to operations at the facility (either current and/or historic)	yes	IGV's have been exceeded. Correspondance with the Agency regarding the Hydrological Assessment (October 2015) is ongoing.	
6	Have actions been taken to address contamination issues? If yes please summarise remediation strategies proposed/undertaken for the site	yes		The unlined cell has been capped and a leachate management system has been installed on the unlined portion of the site.
7	Please specify the proposed time frame for the remediation strategy	SELECT		
8	Is there a licence condition to carry out/update ELRA for the site?	yes		
9	Has any type of risk assesment been carried out for the site?	no		closed landfill
10	Has a Conceptual Site Model been developed for the site?	yes		Details are provided in the Hydrological Assessment October 2015.
11	Have potential receptors been identified on and off site?	yes		Details are provided in the Hydrological Assessment October 2015.
12	Is there evidence that contamination is migrating offsite?	yes		Details are provided in the Hydrological Assessment October 2015.

Groundwater/Soil monitoring template

Lic No:

W0027

Year

2017

Table 1: Upgradient Groundwater monitoring results

Date of sampling	Sample location reference	Parameter/ Substance	Methodology	Monitoring frequency	Maximum Concentration++	Average Concentration+	unit	GTV's*	IGV	Upward trend in pollutant concentration over last 5 years of monitoring data
Q1,Q2,Q3 and Q4 2017.	MW6	Temperature	Discrete	Quarterly	11.71	9.882	°C	~	25	no
Q1,Q2,Q3 and Q4 2017.	MW6	pH	Discrete	Quarterly	6.94	6.86	pH units	~	≥6.5 and ≤9.5	no
Q1,Q2,Q3 and Q4 2017.	MW6	Conductivity	Discrete	Quarterly	1120	910.6	µS/cm	800-1875	1000	no
Q1,Q2,Q3 and Q4 2017.	MW6	Ammonia	Discrete	Quarterly	7	4.1582	mg/l	0.065-0.175	0.15	yes
Q1,Q2,Q3 and Q4 2017.	MW6	Chloride	Discrete	Quarterly	38.12	25.098	mg/l	24-187.5	30	yes
Q1,Q2,Q3 and Q4 2017.	MW6	Total Organic Carbon	Discrete	Quarterly	12.27	9.66	mg/l	No Abnormal Change	No Abnormal Change	no

.+ where average indicates arithmetic mean

.++ maximum concentration indicates the maximum measured concentration from all monitoring results produced during the reporting year

Groundwater/Soil monitoring template

Lic No:

W0027

Year

2017

Table 2: Downgradient Groundwater monitoring results

Date of sampling	Sample location reference	Parameter/ Substance	Methodology	Monitoring frequency	Maximum Concentration	Average Concentration	unit	GTV's*	IGV	Upward trend in yearly average pollutant concentration over last 5 years of monitoring data
Q1,Q2,Q3 and Q4 2017.	MW3	Temperature	Discrete	Quarterly	11.71	10.31	°C	~	25	no
Q1,Q2,Q3 and Q4 2017.	MW3	pH	Discrete	Quarterly	6.94	6.774	pH units	~	≥6.5 and ≤9.5	no
Q1,Q2,Q3 and Q4 2017.	MW3	Conductivity	Discrete	Quarterly	1120	907.8	µS/cm	800-1875	1000	no
Q1,Q2,Q3 and Q4 2017.	MW3	Ammonia	Discrete	Quarterly	7	7.718	mg/l	0.065-0.175	0.15	yes
Q1,Q2,Q3 and Q4 2017.	MW3	Chloride	Discrete	Quarterly	38.12	34.36	mg/l	24-187.5	30	yes
Q1,Q2,Q3 and Q4 2017.	MW3	Total Organic Carbon	Discrete	Quarterly	12.27	21.46	mg/l	No Abnormal Change	No Abnormal Change	yes

*please note exceedance of generic assessment criteria (GAC) such as a Groundwater Threshold Value (GTV) or an Interim Guideline Value (IGV) or an upward trend in results for a substance indicates that further interpretation of monitoring results is required. In addition to completing the above table, please complete the Groundwater Monitoring Guideline Template Report at the link provided and submit separately through ALDER as a licensee return or as otherwise instructed by the EPA.

[Groundwater monitoring template](#)

More information on the use of soil and groundwater standards/ generic assessment criteria (GAC) and risk assessment tools is available in the EPA published guidance (see the link in G31)

[Guidance on the Management of Contaminated Land and Groundwater at EPA Licensed Sites \(EPA 2013\).](#)

**Depending on location of the site and proximity to other sensitive receptors alternative Receptor based Water Quality standards should be used in addition to the GTV e.g. if the site is close to surface water compare to Surface Water Environmental Quality Standards (SWEQS), if the site is close to a drinking water supply compare results to the Drinking Water Standards (DWS)

[Drinking water](#)
[Surface water](#) [Groundwater](#) [\(private supply\)](#) [Drinking water \(public supply\) standards](#) [Interim Guideline Values \(IGV\)](#)
[EQS](#) [regulations](#) [GTV's](#) [standards](#)

Table 3: Soil results

Date of sampling	Sample location reference	Parameter/ Substance	Methodology	Monitoring frequency	Maximum Concentration	Average Concentration	unit
							SELECT
							SELECT

Where additional detail is required please enter it here in 200 words or less

Environmental Liabilities template	Lic No:	W0027	Year	2017
---	---------	-------	------	------

[Click here to access EPA guidance on Environmental Liabilities and Financial provision](#)

		Commentary	
1	ELRA initial agreement status	Required but not submitted	Landfill closed and fully restored.
2	ELRA review status	Review required and not completed;	
3	Amount of Financial Provision cover required as determined by the latest ELRA	Specify	n/a
4	Financial Provision for ELRA status	Required but not submitted	
5	Financial Provision for ELRA - amount of cover	Specify	n/a
6	Financial Provision for ELRA - type	Other please specify	Aftercare budget held by Galway County Council
7	Financial provision for ELRA expiry date	Enter expiry date	n/a
8	Closure plan initial agreement status	Closure plan submitted and agreed by EPA	
9	Closure plan review status	Review required and completed	
10	Financial Provision for Closure status	Submitted and agreed by EPA	
11	Financial Provision for Closure - amount of cover	Specify	Aftercare budget held by Galway County Council
12	Financial Provision for Closure - type	Other please specify	Aftercare budget held by Galway County Council
13	Financial provision for Closure expiry date	Enter expiry date	n/a

24.75%

Environmental Management Programme/Continuous Improvement Programme template	Lic No:	W0027	Year	2017
---	---------	-------	------	------

	Highlighted cells contain dropdown menu click to view	Additional Information
1	Do you maintain an Environmental Mangement System (EMS) for the site. If yes, please detail in additional information	Yes closed facility
2	Does the EMS reference the most significant environmental aspects and associated impacts on-site	Yes
3	Does the EMS maintain an Environmental Management Programme (EMP) as required in accordance with the licence requirements	Yes 24.75%
4	Do you maintain an environmental documentation/communication system to inform the public on environmental performance of the facility, as required by the licence	No closed facility

Environmental Management Programme (EMP) report

Objective Category	Target	Status (% completed)	How target was progressed	Responsibility	Intermediate outcomes
Landfill Gas Management	install/replace redundant landfill gas boreholes where required.	0	Installation carried out as need for new wells are identified	Individual	Installation of infrastructure
Groundwater protection	Drill 2No. New gw sampling wells downstream of the ladnfill site as recommended within the sit's hydrological report. Approval is presently being sought from the EPA in regard to the locations of these wells.	20	Wells will be installed following approval of locations from the Agency	Individual	Increased compliance with licence conditions
SELECT		SELECT		SELECT	SELECT

Noise monitoring summary report	Lic No: W0027	Year	2017
--	---------------	------	------

1 Was noise monitoring a licence requirement for the AER period?

If yes please fill in table N1 noise summary below

2 Was noise monitoring carried out using the EPA Guidance note, including completion of the "Checklist for noise measurement report" included in the guidance note as table 6?

[Noise Guidance note NG4](#)

3 Does your site have a noise reduction plan

4 When was the noise reduction plan last updated?

5 Have there been changes relevant to site noise emissions (e.g. plant or operational changes) since the last noise survey?

Table N1: Noise monitoring summary

Date of monitoring	Time period	Noise location (on site)	Noise sensitive location -NSL (if applicable)	LA _{eq}	LA ₉₀	LA ₁₀	LA _{max}	Tonal or Impulsive noise* (Y/N)	If tonal /impulsive noise was identified was 5dB penalty applied?	Comments (ex. main noise sources on site, & extraneous noise ex. road traffic)	Is <u>site</u> compliant with noise limits (day/evening/night)?
								SELECT	SELECT		SELECT

*Please ensure that a tonal analysis has been carried out as per guidance note NG4. These records must be maintained onsite for future inspection

If noise limits exceeded as a result of noise attributed to site activities, please choose the corrective action from the following options?

** please explain the reason for not taking action/resolution of noise issues?
Any additional comments? (less than 200 words)

Resource Usage/Energy efficiency summary

Lic No:

W0027

Year

2017

Additional information

- 1 When did the site carry out the most recent energy efficiency audit? Please list the recommendations in table 3 below
- Is the site a member of any accredited programmes for reducing energy usage/water conservation such as the SEAI programme linked to the right? If yes please list them in additional information
- 2 Where Fuel Oil is used in boilers on site is the sulphur content compliant with licence conditions? Please state percentage in additional information
- 3

Enter date of audit	Scheduled for 2018
SELECT	
SELECT	

Energy Use	Previous year	Current year	Production +/- % compared to previous reporting year**	Energy Consumption +/- % vs overall site production*
Total Energy Used (MWHrs)	120.25	150	+24.75%	
Total Energy Generated (MWHrs)				
Total Renewable Energy Generated (MWHrs)				
Electricity Consumption (MWHrs)				
Fossil Fuels Consumption:				
Heavy Fuel Oil (m3)				
Light Fuel Oil (m3)				
Natural gas (m3)				
Coal/Solid fuel (metric tonnes)				
Peat (metric tonnes)				
Renewable Biomass				
Renewable energy generated on site				

* where consumption of energy can be compared to overall site production please enter this information as percentage increase or decrease compared to the previous reporting year.

** where site production information is available please enter percentage increase or decrease compared to previous year

Water use	Water extracted Previous year m3/yr.	Water extracted Current year m3/yr.	Production +/- % compared to previous reporting year**	Energy Consumption +/- % vs overall site production*	Water Emissions	Water Consumption	Unaccounted for Water:
					Volume Discharged back to environment(m ³ /yr):	Volume used i.e not discharged to environment e.g. released as steam m3/yr	
Groundwater	There is no water usage onsite						
Surface water							
Public supply							
Recycled water							
Total							

* where consumption of water can be compared to overall site production please enter this information as percentage increase or decrease compared to the previous reporting year.

** where site production information is available please enter percentage increase or decrease compared to previous year

	Total	Landfill	Incineration	Recycled	Other
Hazardous (Tonnes)	No waste is generated onsite				
Non-Hazardous (Tonnes)					

Resource Usage/Energy efficiency summary Lic No: W0027 Year 2017

Table R4: Energy Audit finding recommendations								
Date of audit	Recommendations	Description of Measures proposed	Origin of measures	Predicted energy savings %	Implementation date	Responsibility	Completion date	Status and comments
Scheduled for 2018			SELECT					
			SELECT					
			SELECT					

Table R5: Power Generation: Where power is generated onsite (e.g. power generation facilities/food and drink industry) please complete the following information

	Unit ID	Unit ID	Unit ID	Unit ID	Station Total
Technology					
Primary Fuel					
Thermal Efficiency					
Unit Date of Commission					
Total Starts for year					
Total Running Time					
Total Electricity Generated (GWH)					
House Load (GWH)					
KWH per Litre of Process Water					
KWH per Litre of Total Water used on Site					

Complaints and Incidents summary template Lic No: W0027 Year 2017

Complaints		Additional information	
Have you received any environmental complaints in the current reporting year? If yes please complete summary details of complaints received on site in table 1 below		No	

24.75%

Table 1 Complaints summary							
Date	Category	Other type (please specify)	Brief description of complaint (Free txt <20 words)	Corrective action < 20 words	Resolution status	Resolution date	Further information
	SELECT				SELECT		
	SELECT				SELECT		
	SELECT				SELECT		
	SELECT				SELECT		
	SELECT				SELECT		
Total complaints open at start of reporting year							
Total new complaints received during reporting year							
Total complaints closed during reporting year							
Balance of complaints end of reporting year							

Incidents		Additional information	
Have any incidents occurred on site in the current reporting year? Please list all incidents for current reporting year in Table 2 below		Yes	

Complaints and Incidents summary template

Lic No:

W0027

Year

2017

*For information on how to report and what constitutes an incident

[What is an incident](#)

Table 2 Incidents summary

Date of occurrence	Incident nature	Location of occurrence	Incident category* please refer to guidance	Receptor	Cause of incident	Other cause(please specify)	Activity in progress at time of incident	Communication	Occurrence	Corrective action<20 words	Preventative action <20 words	Resolution status	Resolution date	Likelihood of reoccurrence
28/01/2017	Abatement equipment offline	Flare	1. Minor	No Uncontrolled release	Other (add details)	flare went out due to disconnected gas pipe	Normal activities	EPA	New	Reconnected pipe and restarted flare	Going on site to investigate	Complete	30/01/2017	Low
11/02/2017	Abatement equipment offline	Flare	1. Minor	No Uncontrolled release	Other (add details)	Flare went out due to low methane levels	Normal activities	EPA	Recurring	Restarted Flare	restarted flare	Complete	13/02/2017	Low
23/03/2017	Abatement equipment offline	Flare	1. Minor	No Uncontrolled release	Other (add details)	Temperature of flare dropped below 1000 degrees	Normal activities	EPA	New	Reconnected pipe and restarted flare	increased gas flow	Complete	29/03/2017	Low
30/08/2017	Abatement equipment offline	Flare	1. Minor	No Uncontrolled release	Other (add details)	Flare failed to ignite due to possible valve failure. Gas not reaching pilot light	Normal activities	EPA	New	Engineer on site and Flare restarted	Engineer on site and Flare restarted	Complete	03/09/2017	Low
02/10/2017	Abatement equipment offline	Flare	1. Minor	No Uncontrolled release	Other (add details)	Temperature of flare dropped below 1000 degrees	Normal activities	EPA	New	site walkover, repaired a leak	increased gas flow	Complete	10/10/2017	Low
Total number of incidents current year	5													
Total number of incidents previous year	12													
% reduction/increase	58% decrease													

WASTE SUMMARY	Lic No: W0027	Year: 2017
SECTION A-PRTR ON SITE WASTE TREATMENT AND WASTE TRANSFERS TAB- TO BE COMPLETED BY ALL IPPC AND WASTE FACILITIES	PRTR facility login	dropdown list click to see options

SECTION B- WASTE ACCEPTED ONTO SITE-TO BE COMPLETED BY ALL IPPC AND WASTE FACILITIES

Additional Information

Were any wastes accepted onto your site for recovery or disposal or treatment prior to recovery or disposal within the boundaries of your facility ?; (waste generated within your boundaries is to be captured through PRTR reporting)

1 If yes please enter details in table 1 below

Yes	Waste accepted to recycling facility only. Landfill closed.
-----	---

2 Did your site have any rejected consignments of waste in the current reporting year? If yes please give a brief explanation in the additional information

No	
----	--

3 Was waste accepted onto your site that was generated outside the Republic of Ireland? If yes please state the quantity in tonnes in additional information

No	
----	--

Table 1 Details of waste accepted onto your site for recovery, disposal or treatment (do not include wastes generated at your site, as these will have been reported in your PRTR workbook)

Licensed annual tonnage limit for your site (total tonnes/annum)	EWG code	Source of waste accepted	Description of waste accepted Please enter an accurate and detailed description - which applies to relevant EWG code	Quantity of waste accepted in current reporting year (tonnes)	Quantity of waste accepted in previous reporting year (tonnes)	Reduction/ Increase over previous year +/- %	Reason for reduction/ increase from previous reporting year	Packaging Content (%)- only applies if the waste has a packaging component	Disposal/Recovery or treatment operation carried out at your site and the description of this operation	Quantity of waste remaining on site at the end of reporting year (tonnes)	Comments -
	European Waste Catalogue EWG codes		European Waste Catalogue EWG codes								
<i>refer to PRTR for data on Civic Amenity Site</i>											

SECTION C-TO BE COMPLETED BY ALL WASTE FACILITIES (waste transfer stations, Composters, Material recovery facilities etc) EXCEPT LANDFILL SITES

4 Is all waste processing infrastructure as required by your licence and approved by the Agency in place? If no please list waste processing infrastructure required onsite

Yes	
-----	--

5 Is all waste storage infrastructure as required by your licence and approved by the Agency in place? If no please list waste storage infrastructure required on site

Yes	
-----	--

6 Does your facility have relevant nuisance controls in place?

Yes	
-----	--

7 Do you have an odour management system in place for your facility? If no why?

Yes	
-----	--

8 Do you maintain a sludge register on site?

No	
----	--

SECTION D-TO BE COMPLETED BY LANDFILL SITES ONLY

Table 2 Waste type and tonnage-landfill only

Waste types permitted for disposal	Authorised/licenced annual intake for disposal (tpa)	Actual intake for disposal in reporting year (tpa)	Remaining licensed capacity at end of reporting year (m3)	Comments
n/a				

Table 3 General information-Landfill only

Area ID	Date landfilling commenced	Date landfilling ceased	Currently landfilling	Private or Public Operated	Inert or non-hazardous	Predicted date to cease landfilling	Licence permits asbestos	Is there a separate cell for asbestos?	Accepted asbestos in reporting year	Total disposal area occupied by waste	Lined disposal area occupied by waste	Unlined area	Comments on liner type
										m2	m2	m2	
Total Landfill	Mid 1980's	2005	No	Public	Non Hazardous	n/a	No	No	No	97,400	36,000	61,400	Composite Liner System

WASTE SUMMARY	Lic No:	W0027	Year	2017
----------------------	---------	-------	------	------

Table 4 Environmental monitoring-landfill only [Landfill Manual-Monitoring Standards](#)

Was meteorological monitoring in compliance with Landfill Directive (LD) standard in reporting year +	Was leachate monitored in compliance with LD standard in reporting year	Was Landfill Gas monitored in compliance with LD standard in reporting year	Was SW monitored in compliance with LD standard in reporting year	Have GW trigger levels been established	Were emission limit values agreed with the Agency (ELVs)	Was topography of the site surveyed in reporting year	Has the statement under S53(A)(5) of WMA been submitted in reporting year	Comments
yes	yes	yes	yes	Yes	Yes	No	No	

-> please refer to Landfill Manual linked above for relevant Landfill Directive monitoring standards

Table 5 Capping-Landfill only

Area uncapped*	Area with temporary cap	Area with final cap to LD Standard m ² ha, a	Area capped other	Area with waste that should be permanently capped to date under licence	What materials are used in the cap	Comments
m ²	SELECT UNIT					
All Capped						

*please note this includes daily cover area

Table 6 Leachate-Landfill only

9 Is leachate from your site treated in a Waste Water Treatment Plant?

Yes

10 Is leachate released to surface water? If yes please complete leachate mass load information below

No

Volume of leachate in reporting year(m ³)	Leachate (BOD) mass load (kg/annum)	Leachate (COD) mass load (kg/annum)	Leachate (NH4) mass load (kg/annum)	Leachate (Chloride) mass load kg/annum	Leachate treatment on-site	Specify type of leachate treatment	Comments
35347	81-1272	3146-20925	2521-14351	8165-15199	Ballinasloe WWTP		

Please ensure that all information reported in the landfill gas section is consistent with the Landfill Gas Survey submitted in conjunction with PRTR returns

Table 7 Landfill Gas-Landfill only

Gas Captured& Treated by LFG System m ³	Power generated (MW / kWh)	Used on-site or to national grid	Was surface emissions monitoring performed during the reporting year?	Comments
316,319			Yes	316,319m ³ relates to total methane from Landfill gas survey



Environmental Protection Agency

| PRTR#: W0027 | Facility Name: Pollboy Landfill Facility - Ballinasloe Town Council |
 Filename: W0027_2017 PRTR.xls | Return Year: 2017 |

15/03/2018 10:33

[Guidance to completing the PRTR workbook](#)

PRTR Returns Workbook

Version 1.1.19

REFERENCE YEAR	2017
-----------------------	------

1. FACILITY IDENTIFICATION

Parent Company Name	Galway County Council
Facility Name	Pollboy Landfill Facility - Ballinasloe Town Council
PRTR Identification Number	W0027
Licence Number	W0027-02

Classes of Activity

No.	class_name
-	Refer to PRTR class activities below

Address 1	Pollboy
Address 2	Ballinasloe
Address 3	
Address 4	
	Galway
Country	Ireland
Coordinates of Location	-8.22343 53.3127
River Basin District	IEGBNISH
NACE Code	3821
Main Economic Activity	Treatment and disposal of non-hazardous waste
AER Returns Contact Name	Brendan Goode
AER Returns Contact Email Address	bgoode@galwaycoco.ie
AER Returns Contact Position	Facility Manager
AER Returns Contact Telephone Number	091 506086
AER Returns Contact Mobile Phone Number	0871199942
AER Returns Contact Fax Number	
Production Volume	0.0
Production Volume Units	
Number of Installations	0
Number of Operating Hours in Year	0
Number of Employees	1
User Feedback/Comments	
Web Address	

2. PRTR CLASS ACTIVITIES

Activity Number	Activity Name
5(d)	Landfills
5(c)	Installations for the disposal of non-hazardous waste
50.1	General

3. SOLVENTS REGULATIONS (S.I. No. 543 of 2002)

Is it applicable?	
Have you been granted an exemption?	
If applicable which activity class applies (as per Schedule 2 of the regulations)?	
Is the reduction scheme compliance route being used?	

4. WASTE IMPORTED/ACCEPTED ONTO SITE

[Guidance on waste imported/accepted onto site](#)

Do you import/accept waste onto your site for on-site treatment (either recovery or disposal activities)?	
---	--

This question is only applicable if you are an IPPC or Quarry site

4.1 RELEASES TO AIR

[Link to previous years emissions data](#)

| PRTR#: W0027 | Facility Name : Pollboy Landfill Facility - Ballinasloe Town Council | Filename : W0027_2017 PRTR.xls | Return Year : 2017 |

15/03/2018 10:33

SECTION A : SECTOR SPECIFIC PRTR POLLUTANTS

POLLUTANT		METHOD			Emission Point		QUANTITY		
No. Annex II	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	Emission Point 2	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
01	Methane (CH4)	E	OTH	Site data and Landfill survey	0.0	0.0	612473.48	0.0	612473.48
03	Carbon dioxide (CO2)	E	OTH	Site data	0.0	0.0	836875.78	0.0	836875.78
02	Carbon monoxide (CO)	E	OTH	Site data	0.0	0.0	200.3	0.0	200.3

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION B : REMAINING PRTR POLLUTANTS

POLLUTANT		METHOD			Emission Point		QUANTITY		
No. Annex II	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year	
15	Chlorofluorocarbons (CFCs)	E	OTH	Site data	0.0	1.2	0.0	1.2	

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION C : REMAINING POLLUTANT EMISSIONS (As required in your Licence)

POLLUTANT		METHOD			Emission Point		QUANTITY		
Pollutant No.	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year	
					0.0	0.0	0.0	0.0	

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

Additional Data Requested from Landfill operators

For the purposes of the National Inventory on Greenhouse Gases, landfill operators are requested to provide summary data on landfill gas (Methane) flared or utilised on their facilities to accompany the figures for total methane generated. Operators should only report their net methane (CH4) emission to the environment under T(total) KG/yr for Section A: Sector specific PRTR pollutants above. Please complete the table below:

Landfill: Please enter summary data on the quantities of methane flared and / or utilised	Pollboy Landfill Facility - Ballinasloe Town Council				
	T (Total) kg/Year	M/C/E	Method Code	Designation or Description	Facility Total Capacity m3 per hour
Total estimated methane generation (as per site model)	824840.5	E	OTH	Gassim Lite	N/A
Methane flared	212367.02	E	OTH	Site Data	750.0 (Total Flaring Capacity)
Methane utilised in engine/s	0.0				0.0 (Total Utilising Capacity)
Net methane emission (as reported in Section A above)	612473.48	E	OTH	Methane Generation	N/A

4.2 RELEASES TO WATERS

[Link to previous years emissions data](#)

| PRTR# : W0027 | Facility Name : Polibov Landfill Facility - Ballinastoe Town Council | Filename : W0027_2017 PRTR.xls | Return Year : 2017 |

15/03/2018 10:33

SECTION A : SECTOR SPECIFIC PRTR POLLUTANTS

Data on ambient monitoring of storm/surface water or groundwater, conducted as part of your licence requirements, should NOT be submitted under AER / PRTR Reporting as this only concerns Releases from your facility

RELEASES TO WATERS				Please enter all quantities in this section in KGs			
No. Annex II	POLLUTANT Name	M/C/E	Method Used Method Code Designation or Description	QUANTITY			
				Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
				0.0	0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION B : REMAINING PRTR POLLUTANTS

RELEASES TO WATERS				Please enter all quantities in this section in KGs			
No. Annex II	POLLUTANT Name	M/C/E	Method Used Method Code Designation or Description	QUANTITY			
				Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
				0.0	0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION C : REMAINING POLLUTANT EMISSIONS (as required in your Licence)

RELEASES TO WATERS				Please enter all quantities in this section in KGs			
Pollutant No.	POLLUTANT Name	M/C/E	Method Used Method Code Designation or Description	QUANTITY			
				Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
				0.0	0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

4.3 RELEASES TO WASTEWATER OR SEWER

[Link to previous years emissions data](#)

| PRTR# : W0027 | Facility Name : Pollboy Landfill Facility - Ballinasloe Town Council | Filename : W

15/03/2018 10:33

SECTION A : PRTR POLLUTANTS

OFFSITE TRANSFER OF POLLUTANTS DESTINED FOR WASTE-WATER TREATMENT OR SEWER					Please enter all quantities in this section in KGs			
POLLUTANT		METHOD			QUANTITY			
No. Annex II	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
					0.0	0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION B : REMAINING POLLUTANT EMISSIONS (as required in your Licence)

OFFSITE TRANSFER OF POLLUTANTS DESTINED FOR WASTE-WATER TREATMENT OR SEWER					Please enter all quantities in this section in KGs			
POLLUTANT		METHOD			QUANTITY			
Pollutant No.	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
					0.0	0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

4.4 RELEASES TO LAND

[Link to previous years emissions data](#)

| PRTR# : W0027 | Facility Name : Pollboy Landfill Facility - Ballinasloe Town Council | Filename : W0027_2017 PRTR.xls | Return Year : 2017 |

15/03/2018 10:33

SECTION A : PRTR POLLUTANTS

POLLUTANT		RELEASURES TO LAND			Please enter all quantities in this section in KGs		
POLLUTANT		METHOD			QUANTITY		
No. Annex II	Name	M/C/E	Method Code	Method Used Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year
					0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION B : REMAINING POLLUTANT EMISSIONS (as required in your Licence)

POLLUTANT		RELEASURES TO LAND			Please enter all quantities in this section in KGs		
POLLUTANT		METHOD			QUANTITY		
Pollutant No.	Name	M/C/E	Method Code	Method Used Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year
					0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

5. ONSITE TREATMENT & OFFSITE TRANSFERS OF WASTE

| PRTR# : W0027 | Facility Name : Pollboy Landfill Facility - Ballinasloe Town Council | Filename : W0027_2017 PRTR.xls | Return Year : 2017 |

15/03/2018 10:33

Please enter all quantities on this sheet in Tonnes

6

Transfer Destination	European Waste Code	Hazardous	Quantity (Tonnes per Year)	Description of Waste	Waste Treatment Operation	Method Used		Location of Treatment	Haz Waste : Name and Licence/Permit No of Next Destination Facility		Name and License / Permit No. and Address of Final Recoverer / Disposer (HAZARDOUS WASTE ONLY)	Actual Address of Final Destination i.e. Final Recovery / Disposal Site (HAZARDOUS WASTE ONLY)
						M/C/E	Method Used		Haz Waste : Name and Licence/Permit No of Recover/Disposer	Non Haz Waste : Address of Recover/Disposer		
To Other Countries	13 02 08	Yes	2.8217	other engine, gear and lubricating oils	R13	M	Weighed	Abroad	ENVA Portlaoise, .	Clonmanim Industrial Estate,Portlaoise,Laois,Ireland	Recyfuel ,BE0459.735.458,Engis, , ,Belgium	Engis, , ,Belgium
To Other Countries	20 03 07	No	112.66	bulky waste	R13	M	Weighed	Abroad	Barna Recycling Galway,w0106-02	Headford Road ,Carrowbrowne ,Galway, ,Ireland	Recyfuel ,BE0459.735.458,Engis, , ,Belgium	Engis, , ,Belgium
To Other Countries	20 03 01	No	136.78	mixed municipal waste	R4	M	Weighed	Abroad	Barna Recycling Galway,w0106-02	Headford Road ,Carrowbrowne ,Galway, ,Ireland	Recyfuel ,BE0459.735.458,Engis, , ,Belgium	Engis, , ,Belgium
Within the Country	20 01 40	No	28.43	metals discarded electrical and electronic equipment other than those mentioned in 20 01 21, 20 01 23 and 20 01 35	R13	M	Weighed	Offsite in Ireland	Galway Metal Co. Ltd.,WR-05	Oranmore, ,Co.Galway, ,Ireland	Recyfuel ,BE0459.735.458,Engis, , ,Belgium	Engis, , ,Belgium
Within the Country	20 01 36	No	70.039	discarded electrical and electronic equipment other than those mentioned in 20 01 21 and 20 01 23 containing hazardous components	D8	M	Weighed	Offsite in Ireland	KMK Metals Recycling,W013/03	Cappincur,Tullamore,Co.Offaly, ,Ireland	Cappincur,Tullamore,Co.Offaly, ,Ireland	Cappincur,Tullamore,Co.Offaly, ,Ireland
Within the Country	20 01 35	Yes	10.025	discarded electrical and electronic equipment other than those mentioned in 20 01 21 and 20 01 23 containing hazardous components	R13	M	Weighed	Offsite in Ireland	KMK Metals Recycling,W013/03	Cappincur,Tullamore,Co.Offaly, ,Ireland	Cappincur,Tullamore,Co.Offaly, ,Ireland	Cappincur,Tullamore,Co.Offaly, ,Ireland
Within the Country	20 01 10	No	0.8	clothes	R13	M	Weighed	Offsite in Ireland	Textile Recycling Ltd, WCP-DC-08-1225-01	Road,Tallaght Dublin, ,Ireland	Recyfuel ,BE0459.735.458,Engis, , ,Belgium	Engis, , ,Belgium
To Other Countries	20 01 23	Yes	0.147	discarded equipment containing chlorofluorocarbons	R4	M	Weighed	Abroad	KMK Metals Recycling,W013/03	Cappincur,Tullamore,Co.Offaly, ,Ireland	Recyfuel ,BE0459.735.458,Engis, , ,Belgium	Engis, , ,Belgium
To Other Countries	20 01 27	Yes	11.875	paint, inks, adhesives and resins containing dangerous substances	R5	M	Weighed	Abroad	ENVA Portlaoise, .	Clonmanim Industrial Estate,Portlaoise,Laois,Ireland	Recyfuel ,BE0459.735.458,Engis, , ,Belgium	Engis, , ,Belgium
To Other Countries	20 01 38	No	29.48	wood other than that mentioned in 20 01 37	R4	M	Weighed	Abroad	ENVA Portlaoise, .	Clonmanim Industrial Estate,Portlaoise,Laois,Ireland	Recyfuel ,BE0459.735.458,Engis, , ,Belgium	Engis, , ,Belgium
Within the Country	20 01 02	No	9.16	glass	R4	M	Weighed	Offsite in Ireland	MSM Recycling,WFP-TN-0003-02	Recycling,Annagh,Birr,Co.Offaly,Ireland	Recyfuel ,BE0459.735.458,Engis, , ,Belgium	Engis, , ,Belgium
Within the Country	20 01 39	No	0.3	plastics	R13	M	Weighed	Offsite in Ireland	Barna Recycling Galway,w0106-02	Headford Road ,Carrowbrowne ,Galway, ,Ireland	Recyfuel ,BE0459.735.458,Engis, , ,Belgium	Engis, , ,Belgium
Within the Country	20 02 01	No	43.4	biodegradable waste	R13	M	Weighed	Offsite in Ireland	Barna Recycling Galway,w0106-02	Headford Road ,Carrowbrowne ,Galway, ,Ireland	Recyfuel ,BE0459.735.458,Engis, , ,Belgium	Engis, , ,Belgium
Within the Country	15 01 07	No	6.153	glass packaging	R13	M	Weighed	Offsite in Ireland	Glassco Recycling,W0279-01	Unit 4 Osberstown Industrial Park ,Caragh Road ,Plooluck,Nass Co. Kildare, ,Ireland	Recyfuel ,BE0459.735.458,Engis, , ,Belgium	Engis, , ,Belgium
Within the Country	16 06 01	Yes	0.212	lead batteries	R13	M	Weighed	Offsite in Ireland	KMK Metals Recycling,W013/03	Cappincur,Tullamore,Co.Offaly, ,Ireland	Cappincur,Tullamore,Co.Offaly, ,Ireland	Cappincur,Tullamore,Co.Offaly, ,Ireland

* Select a row by double-clicking the Description of Waste then click the delete button

Transfer Destination	European Waste Code	Hazardous	Quantity (Tonnes per Year)	Description of Waste	Waste Treatment Operation	Method Used		Location of Treatment	Haz Waste: Name and Licence/Permit No of Next Destination Facility Non-Haz Waste: Name and Licence/Permit No of Recover/Disposer	Haz Waste: Address of Next Destination Facility Non-Haz Waste: Address of Recover/Disposer	Name and License / Permit No. and Address of Final Recoverer / Disposer (HAZARDOUS WASTE ONLY)	Actual Address of Final Destination i.e. Final Recovery / Disposal Site (HAZARDOUS WASTE ONLY)
						M/C/E	Method Used					

[Link to previous years waste data](#)
[Link to previous years waste summary data & percentage change](#)
[Link to Waste Guidance](#)