



# Test Report

**Lab Report Number:** 3083J01 **Analysis Number:** 99A/103883

<b>Customer ID:</b>	CONN.W1	<b>Analysis Type:</b>	Misc. Tests (99A)
<b>Contact Name:</b>	MARK DOWLING	<b>Delivery By:</b>	Customer
<b>Company Name:</b>	CONNOLLY WILLIAM + SONS	<b>Sample Card Number:</b>	120417P/7
<b>Address:</b>	RED MILLS GORESBRIDGE CO. KILKENNY.	<b>Sample Condition:</b>	Acceptable
<b>Sample Type:</b>	Effluent	<b>Date Sample Received:</b>	12/04/2017
<b>Sample Reference:</b>	EFFLUENT	<b>Date Analysis Commenced:</b>	12/04/2017
<b>Sample Description:</b>	UPSTREAM BARROW 12/4/17	<b>Date Certificate Issued:</b>	20/04/2017

Parameter	Method	Result	Unit
Biochemical Oxygen Demand	Oxygen Meter SOP 2006	1	mg/l
Chloride	Konelab Aquakem SOP 2065	22.54	mg/l
Chemical Oxygen Demand	Microdigestion and Colourimetry SOP 2005	9	mg/l
Conductivity	Electrometry SOP 2076	597	µS/cm 20°C
Copper	ICP-MS	<20	ug/l
E. Coli*	Quanti-tray SOP 2090	272.3	MPN/100ml
Iron	ICP-MS	84	ug/l
Manganese	ICPMS	<20	ug/l
Ammonia	Konelab Aquakem SOP 2057	0.01	mg/l NH3
Nitrate	Konelab Aquakem SOP 2060	21.25	mg/l NO3
Oils, Fats and Grease*	Solvent Extraction	2.3	mg/l
Total Coliforms*	Quanti-tray SOP 2090	1046.2	MPN/100ml

Consent of IAS Laboratories required for any other use.

Signed: Wendy McCall  
**Wendy McCall - Laboratory Manager**

Date: 20/04/2017

\* = not INAB Accredited    ^ = Subcontracted

This report must not be reproduced, except in full, without the prior written approval of IAS Laboratories. This report relates only to the sample submitted. Opinions and interpretations expressed herein are outside the scope of INAB accreditation. Uncertainty of Measurement has been calculated for all INAB accredited tests and is available upon request.





# Test Report

**Lab Report Number:** 3083J02

**Analysis Number:** 99A/103884

<b>Customer ID:</b>	CONN.W1	<b>Analysis Type:</b>	Misc. Tests (99A)
<b>Contact Name:</b>	MARK DOWLING	<b>Delivery By:</b>	Customer
<b>Company Name:</b>	CONNOLLY WILLIAM + SONS	<b>Sample Card Number:</b>	120417P/7
<b>Address:</b>	RED MILLS GORESBRIDGE CO. KILKENNY.	<b>Sample Condition:</b>	Acceptable
<b>Sample Type:</b>	Effluent	<b>Date Sample Received:</b>	12/04/2017
<b>Sample Reference:</b>	EFFLUENT	<b>Date Analysis Commenced:</b>	12/04/2017
<b>Sample Description:</b>	STREAM BEHIND MILL 12/4/17	<b>Date Certificate Issued:</b>	20/04/2017

Parameter	Method	Result	Unit
Biochemical Oxygen Demand	Oxygen Meter SOP 2006	2	mg/l
Chloride	Konelab Aquakem SOP 2065	22.11	mg/l
Chemical Oxygen Demand	Microdigestion and Colourimetry SOP 2005	7	mg/l
Conductivity	Electrometry SOP 2076	585	µS/cm 20°C
Copper	ICP-MS	<20	ug/l
E. Coli*	Quanti-tray SOP 2090	1119.9	MPN/100ml
Iron	ICP-MS	43	ug/l
Manganese	ICPMS	<20	ug/l
Ammonia	Konelab Aquakem SOP 2057	0.02	mg/l NH3
Nitrate	Konelab Aquakem SOP 2060	22.26	mg/l NO3
Oils, Fats and Grease*	Solvent Extraction	1.6	mg/l
Total Coliforms*	Quanti-tray SOP 2090	2419.6	MPN/100ml

Consent of copyright owner required for any other use.

Signed: Wendy McCall  
**Wendy McCall - Laboratory Manager**

Date: 20/04/2017

\* = not INAB Accredited    ^ = Subcontracted

This report must not be reproduced, except in full, without the prior written approval of IAS Laboratories. This report relates only to the sample submitted. Opinions and interpretations expressed herein are outside the scope of INAB accreditation. Uncertainty of Measurement has been calculated for all INAB accredited tests and is available upon request.





# Independent Analytical Supplies

# Test Report

**Lab Report Number:** 3083J03 **Analysis Number:** 99A/103885

<b>Customer ID:</b>	CONN.W1	<b>Analysis Type:</b>	Misc. Tests (99A)
<b>Contact Name:</b>	MARK DOWLING	<b>Delivery By:</b>	Customer
<b>Company Name:</b>	CONNOLLY WILLIAM + SONS	<b>Sample Card Number:</b>	120417P/7
<b>Address:</b>	RED MILLS GORESBRIDGE CO. KILKENNY.	<b>Sample Condition:</b>	Acceptable
<b>Sample Type:</b>	Effluent	<b>Date Sample Received:</b>	12/04/2017
<b>Sample Reference:</b>	EFFLUENT	<b>Date Analysis Commenced:</b>	12/04/2017
<b>Sample Description:</b>	WETLANDS N 12/4/17	<b>Date Certificate Issued:</b>	20/04/2017

Parameter	Method	Result	Unit
Biochemical Oxygen Demand	Oxygen Meter SOP 2006	9	mg/l
Chloride	Konelab Aquakem SOP 2065	24.24	mg/l
Chemical Oxygen Demand	Microdigestion and Colourimetry SOP 2005	25	mg/l
Conductivity	Electrometry SOP 2076	620	µS/cm 20°C
Copper	ICP-MS	<20	ug/l
E. Coli*	Quanti-tray SOP 2090	<1.0	MPN/100ml
Iron	ICP-MS	106	ug/l
Manganese	ICPMS	193	ug/l
Ammonia	Konelab Aquakem SOP 2057	0.04	mg/l NH3
Nitrate	Konelab Aquakem SOP 2060	<2.2	mg/l NO3
Oils, Fats and Grease*	Solvent Extraction	7.6	mg/l
Total Coliforms*	Quanti-tray SOP 2090	8.4	MPN/100ml

Consent of IAS for any other use required for any other use.

Signed: Wendy McCall

Date: 20/04/2017

**Wendy McCall - Laboratory Manager**

\* = not INAB Accredited    ^ = Subcontracted

This report must not be reproduced, except in full, without the prior written approval of IAS Laboratories. This report relates only to the sample submitted. Opinions and interpretations expressed herein are outside the scope of INAB accreditation. Uncertainty of Measurement has been calculated for all INAB accredited tests and is available upon request.





# Test Report

**Lab Report Number:** 3083J04      **Analysis Number:** 99A/103886

<b>Customer ID:</b>	CONN.W1	<b>Analysis Type:</b>	Misc. Tests (99A)
<b>Contact Name:</b>	MARK DOWLING	<b>Delivery By:</b>	Customer
<b>Company Name:</b>	CONNOLLY WILLIAM + SONS	<b>Sample Card Number:</b>	120417P/7
<b>Address:</b>	RED MILLS GORESBRIDGE CO. KILKENNY.	<b>Sample Condition:</b>	Acceptable
<b>Sample Type:</b>	Effluent	<b>Date Sample Received:</b>	12/04/2017
<b>Sample Reference:</b>	EFFLUENT	<b>Date Analysis Commenced:</b>	12/04/2017
<b>Sample Description:</b>	DOWNSTREAM BARROW 12/4/17	<b>Date Certificate Issued:</b>	20/04/2017

Parameter	Method	Result	Unit
Biochemical Oxygen Demand	Oxygen Meter SOP 2006	1	mg/l
Chloride	Konelab Aquakem SOP 2065	23.21	mg/l
Chemical Oxygen Demand	Microdigestion and Colourimetry SOP 2005	7	mg/l
Conductivity	Electrometry SOP 2076	598	µS/cm 20°C
Copper	ICP-MS	<20	ug/l
E. Coli*	Quanti-tray SOP 2090	275.5	MPN/100ml
Iron	ICP-MS	92	ug/l
Manganese	ICPMS	24	ug/l
Ammonia	Konelab Aquakem SOP 2057	0.01	mg/l NH3
Nitrate	Konelab Aquakem SOP 2060	21.52	mg/l NO3
Oils, Fats and Grease*	Solvent Extraction	6.0	mg/l
Total Coliforms*	Quanti-tray SOP 2090	1046.2	MPN/100ml

Consent of copy for non-commercial purposes only. Further permission is required for any other use.

Signed: Wendy McCall  
**Wendy McCall - Laboratory Manager**

Date: 20/04/2017

\* = not INAB Accredited    ^ = Subcontracted

This report must not be reproduced, except in full, without the prior written approval of IAS Laboratories. This report relates only to the sample submitted. Opinions and interpretations expressed herein are outside the scope of INAB accreditation. Uncertainty of Measurement has been calculated for all INAB accredited tests and is available upon request.





# Test Report

Lab Report Number: 3083J05

Analysis Number:

99A/103887

Customer ID: CONN.W1

Analysis Type:

Misc. Tests (99A)

Contact Name: MARK DOWLING

Delivery By:

Customer

Company Name: CONNOLLY WILLIAM + SONS

Sample Card Number:

120417P/7

Address: RED MILLS  
GORESBRIDGE  
CO. KILKENNY.

Sample Condition:

Acceptable

Sample Type: Effluent

Date Sample Received:

12/04/2017

Sample Reference: EFFLUENT

Date Analysis Commenced:

12/04/2017

Sample Description: WETLANDS S 12/4/17

Date Certificate Issued:

20/04/2017

Parameter	Method	Result	Unit
Biochemical Oxygen Demand	Oxygen Meter SOP 2006	2	mg/l
Chloride	Konelab Aquakem SOP 2065	23.71	mg/l
Chemical Oxygen Demand	Microdigestion and Colourimetry SOP 2005	7	mg/l
Conductivity	Electrometry SOP 2076	708	µS/cm 20°C
Copper	ICP-MS	<20	ug/l
E. Coli*	Quanti-tray SOP 2090	22.6	MPN/100ml
Iron	ICP-MS	<20	ug/l
Manganese	ICPMS	<20	ug/l
Ammonia	Konelab Aquakem SOP 2057	0.04	mg/l NH3
Nitrate	Konelab Aquakem SOP 2060	34.93	mg/l NO3
Oils, Fats and Grease*	Solvent Extraction	2.0	mg/l
Total Coliforms*	Quanti-tray SOP 2090	260.3	MPN/100ml

Consent of IAS Labs for any other use. For internal purposes only.

Signed:

*Wendy McCall*

Date:

20/04/2017

**Wendy McCall - Laboratory Manager**

\* = not INAB Accredited    ^ = Subcontracted

This report must not be reproduced, except in full, without the prior written approval of IAS Laboratories. This report relates only to the sample submitted. Opinions and interpretations expressed herein are outside the scope of INAB accreditation. Uncertainty of Measurement has been calculated for all INAB accredited tests and is available upon request.





# Test Report

**Lab Report Number:** 3083J06      **Analysis Number:** 99A/103888

<b>Customer ID:</b>	CONN.W1	<b>Analysis Type:</b>	Misc. Tests (99A)
<b>Contact Name:</b>	MARK DOWLING	<b>Delivery By:</b>	Customer
<b>Company Name:</b>	CONNOLLY WILLIAM + SONS	<b>Sample Card Number:</b>	120417P/7
<b>Address:</b>	RED MILLS GORESBRIDGE CO. KILKENNY.	<b>Sample Condition:</b>	Acceptable
<b>Sample Type:</b>	Effluent	<b>Date Sample Received:</b>	12/04/2017
<b>Sample Reference:</b>	EFFLUENT	<b>Date Analysis Commenced:</b>	12/04/2017
<b>Sample Description:</b>	STREAM AT FISH TANK 12/4/17	<b>Date Certificate Issued:</b>	20/04/2017

Parameter	Method	Result	Unit
Biochemical Oxygen Demand	Oxygen Meter SOP 2006	1	mg/l
Chloride	Konelab Aquakem SOP 2065	20.92	mg/l
Chemical Oxygen Demand	Microdigestion and Colourimetry SOP 2005	6	mg/l
Conductivity	Electrometry SOP 2076	594	µS/cm 20°C
Copper	ICP-MS	<20	ug/l
E. Coli*	Quanti-tray SOP 2090	1413.6	MPN/100ml
Iron	ICP-MS	80	ug/l
Manganese	ICPMS	21	ug/l
Ammonia	Konelab Aquakem SOP 2057	0.04	mg/l NH3
Nitrate	Konelab Aquakem SOP 2060	31.68	mg/l NO3
Oils, Fats and Grease*	Solvent Extraction	1.6	mg/l
Total Coliforms*	Quanti-tray SOP 2090	>2419.6	MPN/100ml

Consent of IAS Labs is required for any other use.

Signed: Wendy McCall  
**Wendy McCall - Laboratory Manager**

Date: 20/04/2017

\* = not INAB Accredited    ^ = Subcontracted

This report must not be reproduced, except in full, without the prior written approval of IAS Laboratories. This report relates only to the sample submitted. Opinions and interpretations expressed herein are outside the scope of INAB accreditation. Uncertainty of Measurement has been calculated for all INAB accredited tests and is available upon request.





# Test Report

<b>Lab Report Number:</b> 3083J07	<b>Analysis Number:</b> 99A/103889
-----------------------------------	------------------------------------

<b>Customer ID:</b> CONN.W1	<b>Analysis Type:</b> Misc. Tests (99A)
<b>Contact Name:</b> MARK DOWLING	<b>Delivery By:</b> Customer
<b>Company Name:</b> CONNOLLY WILLIAM + SONS	<b>Sample Card Number:</b> 120417P/7
<b>Address:</b> RED MILLS GORESBRIDGE CO. KILKENNY.	<b>Sample Condition:</b> Acceptable
<b>Sample Type:</b> Effluent	<b>Date Sample Received:</b> 12/04/2017
<b>Sample Reference:</b> EFFLUENT	<b>Date Analysis Commenced:</b> 12/04/2017
<b>Sample Description:</b> FISH TANK DISCHARGE PIPE 12/4	<b>Date Certificate Issued:</b> 20/04/2017

Parameter	Method	Result	Unit
Biochemical Oxygen Demand	Oxygen Meter SOP 2006	1	mg/l
Chloride	Konelab Aquakem SOP 2065	21.15	mg/l
Chemical Oxygen Demand	Microdigestion and Colourimetry SOP 2005	13	mg/l
Conductivity	Electrometry SOP 2076	581	µS/cm 20°C
Copper	ICP-MS	<20	ug/l
E. Coli*	Quanti-tray SOP 2090	579.4	MPN/100ml
Iron	ICP-MS	70	ug/l
Manganese	ICPMS	<20	ug/l
Ammonia	Konelab Aquakem SOP 2057	0.01	mg/l NH3
Nitrate	Konelab Aquakem SOP 2060	22.57	mg/l NO3
Oils, Fats and Grease*	Solvent Extraction	1.3	mg/l
Total Coliforms*	Quanti-tray SOP 2090	1553.1	MPN/100ml

Consent of IAS Labs for publication purposes only. Further consent required for any other use.

Signed: Wendy McCall  
**Wendy McCall - Laboratory Manager**

Date: 20/04/2017

\* = not INAB Accredited    ^ = Subcontracted

This report must not be reproduced, except in full, without the prior written approval of IAS Laboratories. This report relates only to the sample submitted. Opinions and interpretations expressed herein are outside the scope of INAB accreditation. Uncertainty of Measurement has been calculated for all INAB accredited tests and is available upon request.

