

Annual Environmental Report 2017



License No. W0227-01

Reporting Period: 1st January to 31st December 2017

Submission Deadline: 31st March 2018

Declaration

All the data and information presented in this report has been checked and certified as being accurate.

The quality of the information is assured to meet licence requirements.

Lawlor Brother's (Waste Disposal) Ltd. t/a Access Waste Recycling

Director

Kind Regards,	
Niall Laulo	
Niall Lawlor	

AER 2017

Table of Contents

1.	Int	roduction	. 4
2.	Env	vironmental Management - Organisational Chart	.5
3.	Sur	mmary Information	. 6
	3.1.	Facility Summary Information	. 7
	3.2.	Air	.8
	3.3.	Water & Wastewater	12
	3.4.	Bund testing	19
	3.5.	GW-Soil	21
	3.6.	ELRA	23
	3.7.	EMP	24
	3.8.	Noise	27
	3.9.	Resource-Energy	29
	3.10.	Complaints-incidents	32
	3.11.	Waste	34
	3.12.	PRTR Return 2017 Data	40

AER 2017

1. Introduction

The following information represents the environmental performance of Lawlor Brothers (Waste

Disposal) Ltd. t/a Access Waste Recycling in the period from the 1st of January 2017 to 31st of December

2017.

We welcome the Agency's AER reporting templates which have been used for this AER. All of our

emissions monitoring in 2017 was compliant. As part of our environmental management programme

for 2018, these issues will be monitored further to ensure we maintain a satisfactory level of

compliance. Also an up-to-date organisational chart is enclosed in this report which depicts the roles

and responsibilities of our environmental management team in 2017.

Since receiving our EPA license (W0227-01) in 2007, we have continued with our commitment to

minimize potential environmental impact as a result of our operations and to develop our business in

a sustainable manner. We have maintained a level of reasonable environmental compliance

throughout the year while continuing to express a desire to cooperate fully with the Agency on all

matters.

We look forward to meeting the further challenges presented to us in 2017 and working closely with

the Agency to overcome same.

Kind Regards,

Niall Lawlo

Niall Lawlor


Director

Lawlor Brother's (Waste Disposal) Ltd. t/a Access Waste Recycling

4

2. Environmental Management - Organisational Chart

Since Ms. Huijing Ling was hired as a Legislative Administration Coordinator to assist our EHSQ Manager Brian King in communicating with EPA as well as other regulatory authorities in February 2014, there has been no change in our environmental management team. The company's organisational chart in 2017 is as follows.



AER 2017

3. Summary Information

The following AER templates provided by the Agency have been completed where applicable and are enclosed;

- 3.1 Facility Summary Information
- 3.2 Air
- 3.3 Water & Wastewater
- 3.4 Bund testing
- 3.5 GW-Soil
- 3.6 ELRA
- 3.7 EMP
- 3.8 Noise
- 3.9 Resource-Energy
- 3.10 Complaints-incidents
- 3.11 Waste
- 3.12 PRTR Return for 2017 data

AFR 2017

3.1. Facility Summary Information

Facility Information	n Summary						
AER Reporting Year	2017						
Licence Register Number	W0227-01						
Name of site	Lawlor Brothers (Waste Disposal) Ltd.T/A Access Waste Recycling						
Site Location	Unit 28, JFK Industrial Estate, Naas Road, Dublin 12						
NACE Code	3832						
	Class 11,12 & 13 (Third Schedule of Waste Management Act 1996-2005) Class						
Class/Classes of Activity	2,3,4 & 13 (Fourth Schedule of waste management act 1996-2005)						
National Grid Reference (6E, 6 N)	+53° 19' 40.13", -6° 21' 24.57"						

A description of the activities/processes at the site for the reporting year. This should include information such as production increases or decreases on site, any infrastructural changes, environmental performance which was measured during the reporting year and an overview of compliance with your licence listing all exceedances of licence limits (where applicable) and what they relate to e.g. air, water, noise.

Acceptance and pre-sorting of non-hazardous household, commercial, industrial and C&D skip waste. Mechanical sorting achieved by way of trommel, screening, windshifters and picking line. Segregated fractions are then sent offsite to suitably licensed facilities for further recyling/recovery/disposal. Monitoring is carried out to measure, dust levels, stormwater and foulwater emissions. Stormwater trigger limits have been set up and approved by EPA since September 2014. Both storm and foulwater drainage are fitted with interceptors and are subject to periodic integtity test as part of our schedule. Noise monitoring was carried out annually in December 2017. All of the emissions were compliant in 2017 except storm water (Ammonia and COD levels). Four TLV exceeded of Storm Water (Ammonia week 20, 31, 40 & 41 and COD week 41) were reported to EPA as an incident. All incidents closed now. All waste entering and leaving site is subject checks and weighing at weighbridge with all records available.

Declaration:

All the data and information presented in this report has been checked and certified as being accurate. The quality of the information is assured to meet licence requirements.

30/03/2018

Signature

Date

Group/Facility manager

(or nominated, suitably qualified and experienced deputy)

3.2. Air

	AIR-summary template	Lic No:	W0227-01	Year	2017
	Answer all questions and complete all tables where relevant				
1	Does your site have licensed air emissions? If yes please complete table A1 and A2 below for the current reporting year and answer further questions. If you do not have licenced emissions and do not complete a solvent management plan (table A4 and A5) you do not need to complete the tables	No	4	Additional information	
	Periodic/Non-Continuous Monitoring				
2	Are there any results in breach of licence requirements? If yes please provide brief details in the comment section of TableA1 below	No			
3	Was all monitoring carried out in accordance with EPA guidance note AG2 and using the basic air monitoring checklist? Basic air monitoring monitoring monitoring checklist? AGN2	Yes			

Table A1: Licensed Mass Emissions/Ambient data-periodic monitoring (non-continuous)

Emission reference no:		Frequency of	ELV in licence or any revision therof	Licence Compliance criteria		Unit of measurement	Compliant with licence limit	Method of analysis	Annual mass	Comments - reason for change in % mass load from previous year if applicable
		Four times a year			105.89			Í	, 0,	
DM1	Dust	(R1)	350	Monthly average < ELV		mg/m2/day	yes	Bergerhoff Gauge		
		Four times a year			100.13					
DM2	Dust	(R1)	350	Monthly average < ELV		mg/m2/day	yes	Bergerhoff Gauge		
		Four times a year			246.91					
DM3	Dust	(R1)	350	Monthly average < ELV		mg/m2/day	yes	Bergerhoff Gauge		

AER 2017

		Four times a year			109.04					
D140	Donat	(R2)	250	Manthhaman				D		
DM2	Dust		350	Monthly average < ELV		mg/m2/day	yes	Bergerhoff Gauge		
		Four times a year			66.05					
DM3	Dust	(R2)	350	Monthly average < ELV		mg/m2/day	yes	Bergerhoff Gauge		
		Four times a year			187.2					
		(R3)								
DM1	Dust	(NO)	350	Monthly average < ELV		mg/m2/day	yes	Bergerhoff Gauge		
		Four times a year			88.6					
		(R3)								
DM2	Dust		350	Monthly average < ELV		mg/m2/day	yes	Bergerhoff Gauge		
		Four times a year			90.69					
		(R3)								
DM3	Dust		350	Monthly average < ELV		mg/m2/day	yes	Bergerhoff Gauge		
		Four times a year			196					
		(R4)								
DM1	Dust	()	350	Monthly average < ELV		mg/m2/day	yes	Bergerhoff Gauge		
		Four times a year			281					
		(R4)								
DM2	Dust	V7	350	Monthly average < ELV		mg/m2/day	yes	Bergerhoff Gauge		
		Four times a year			179					
DM3	Dust	(R4)	350	Monthly average < ELV		mg/m2/day	yes	Bergerhoff Gauge		
	SELECT			SELECT		SELECT	SELECT	SELECT		
		•			•				•	

Note 1: Volumetric flow shall be included as a reportable parameter

AER 2017

		Continuous IV	lonitoring								
4	Does your site car	ry out continuous air emiss	ions monitoring?			No					
	If yes please revie		ring data and report t relevant Emission Lim	· · · · · · · · · · · · · · · · · · ·	pelow in Table A2 and compare						
5	Did continuous mo	nitoring equipment experi	ence downtime? If ye	s please record dov	vntime in table A2 below	SELECT					
6	Do you have a proa	active service agreement fo	or each piece of contir	ort the required fields below in Table A2 and compare Limit Value (ELV) Select Intinuous monitoring equipment? SELECT SELECT SELECT Annual Emission Annual maximum Monitoring Equipment downtime in table A2 below SELECT Annual Emission Annual maximum Monitoring Equipment downtime exceedences in current reporting year SELECT SELECT							
7	Did your s	ite experience any abatemo	ent system bypasses?	If yes please detail	ow in Table A2 and compare SELECT SELECT SIDENT SELECT SIDENT SELECT SELE						
	Table A2: Sum	mary of average emi	ssions -continuo	us monitoring						•	
	Emission reference no:	Parameter/ Substance	ELV in licence or any revision therof	Averaging Period	Compliance Criteria		Annual Emission	Annual maximum	Equipment downtime (hours)	exceedences in current	Comments
		SELECT			SELECT	SELECT					
		SELECT				SELECT					
		SELECT				SELECT					
		SELECT				SELECT					
		SELECT				SELECT					

note 1: Volumetric flow shall be included as a reportable parameter.

Table A3: Abatement system bypass reporting table

Bypass protocol

Bypass protocol

Date*	Duration** (hours)	Location	Reason for bypass	Impact magnitude	Corrective action

^{*} this should include all dates that an abatement system bypass occurred

^{**} an accurate record of time bypass beginning and end should be logged on site and maintained for future Agency inspections please refer to bypass protocol link

S	olvent use and managem	ent on site						
Do you hav	e a total Emission Limit Value of	direct and fugitive emi	ssions on site? if ye	s please fill out tables A4 and A5			No	
	: Solvent Management Pl C Emission limit value	an Summary	Solvent regulations	Please refer to linked solver complete table 5				
Reporting	year Total solvent input on site (kg)	Total VOC emissions to Air from entire site (direct and fugitive)	emissions as %of solvent input	Total Emission Limit Value (ELV) in licence or any revision therof	Compliance			
					SELECT			
Tah	le A5: Solvent Mass Balar	ce summary			SELECT	1		
	(I) Inputs (kg)) Outputs (kg)			
Solve	nt (I) Inputs (kg)	Organic solvent emission in waste	Solvents lost in water (kg)		Fugitive Organic Solvent (kg)	Solvent released in other ways e.g. by-	Solvents destroyed onsite through	Total emission of Solvent to air (kg)
							Total	

3.3. Water & Wastewater

	nitoring returns su	mmary template-W	ATER/WASTEW	ATER(SEWER)		Lic No:	W0227-01		Year	20
							Additional information		т	
Does you	ur site have licensed er	missions direct to surfac	e water or direct to	o sewer? If yes						
please	complete table W2 ar	nd W3 below for the cur	rent reporting yea	r and answer						
further qu	uestions. If you do not	have licenced emission	s you <u>only</u> need to	complete table						
	W1 and or W2 for	storm water analysis ar	nd visual inspectio	ns	V					
					Yes				†	
		ence to carry out visual		-						
_		or near your site? If yes								
sumn	narising <u>only any evide</u>	ence of contamination n	oted during visual	inspections	Yes					
Ta	ble W1 Storm wat	er monitoring								
					ELV or trigger	Licence				
Location	Location relative to	PRTR Parameter	Licenced	Monitoring	level in licence	Compliance	Measured value	Unit of	Compliant with	Comments
reference	site activities		Parameter	date	or any revision	criteria		measurement	licence	
					thereof*					
	SELECT	SELECT	SELECT			SELECT		SELECT	SELECT	
	SELECT	SELECT	SELECT			SELECT		SELECT	SELECT	
*triagor unl	lues may be agreed by th	e Agency outside of licenc	e conditions							
ungger var	ides illay be agreed by ti	ie Agency outside of licenc	e contactoris							
				where contam	nination was ob	served.				
		spections-Please onl		where contam	ination was ob	served.				
1				where contam	ination was ob	Source of				
Location	Table W2 Visual ins				ination was ob		Corrective act	ion	Comr	ments
Location Referenc	Table W2 Visual ins		y enter details v			Source of	Corrective act	ion	Comi	ments
Location Referenc	Table W2 Visual ins		y enter details v			Source of contamination	Corrective act	ion	Comr	ments
Location Referenc e	Date of inspection Emissions to water		y enter details v	amination odic monitorin		Source of contamination SELECT SELECT	Corrective act	ion	Com	nents
Location Referenc e	Date of inspection Emissions to wate any result in breach of	er and /or wastewat	Description of control er(sewer)-perions	amination odic monitorin		Source of contamination SELECT SELECT	Corrective act	ion	Comr	nents
Location Referenc e	Date of inspection Emissions to wate any result in breach of	er and /or wastewat	Description of control er(sewer)-perions	amination odic monitorin	ng (non-continu	Source of contamination SELECT SELECT		ion	Comi	ments
Location Reference e Licensed	Date of inspection Emissions to wate any result in breach of	er and /or wastewat	Description of control er(sewer)-perions	amination odic monitorin	ng (non-continu	Source of contamination SELECT SELECT		ion	Comi	ments
Licensed Was then Was all guidance	Date of inspection Date of inspection Emissions to water any result in breach of commonitoring carried out in and checklists for Quality	er and /or wastewat licence requirements? If your ment section of Table W3 or accordance with EPA yof Aqueous Monitoring	Description of control er(sewer)-perions	amination odic monitorin	ng (non-continu	Source of contamination SELECT SELECT		ion	Come	ments
Licensed Was then Was all guidance a	Date of inspection I Emissions to water any result in breach of commonitoring carried out in the control of th	er and /or wastewat licence requirements? If your ment section of Table W3 in accordance with EPA y of Aqueous Monitoring please detail what areas	Description of control er(sewer)-perion es please provide brit below	amination odic monitoring of the details in the Assessment of	ng (non-continu	Source of contamination SELECT SELECT		ion	Comi	ments

AER 2017

Table W3: Licensed Emissions to water and /or wastewater (sewer)-periodic monitoring (non-continuous)

Emission reference no:	Emission released to	Parameter/ SubstanceNote 1		Frequency of monitoring	Averaging period	ELV or trigger values in licence or any revision therof Note 2	Licence Compliance criteria		Unit of measurement	Compliant with licence	Method of analysis	Procedural reference	Procedural reference standard number	Annual mass load (kg)	Comments
FW9	Wastewater/Sewer	рН	discrete	Quarterly (Q1)	Quarterly	6 to 10	No pH value shall deviate from the specified range.	7.2	pH units	yes	pH Meter (Electrode)	APHA / AWWA "Standard Methods"	Method 4500 - H+B		
FW9	Wastewater/Sewer	рН	discrete	Quarterly (Q2)	Quarterly	6 to 10	No pH value shall deviate from the specified range.	7.3	pH units	yes	pH Meter (Electrode)	APHA / AWWA "Standard Methods"	Method 4500 - H+B		
FW9	Wastewater/Sewer	рН	discrete	Quarterly (Q3)	Quarterly	6 to 10	No pH value shall deviate from the specified range.	7.8	pH units	yes	pH Meter (Electrode)	APHA / AWWA "Standard Methods"	Method 4500 - H+B		
FW9	Wastewater/Sewer	рН	discrete	Quarterly (Q4)	Quarterly	6 to 10	No pH value shall deviate from the specified range.	8	pH units	yes	pH Meter (Electrode)	APHA / AWWA "Standard Methods"	Method 4500 - H+B		
FW9	Wastewater/Sewer	COD	discrete	Quaterly (Q1)	Quarterly	3000	All results < 1.2 x ELV	108	mg/L	yes	Spectrophotometry (Colorimetry)	APHA / AWWA "Standard Methods"	Method 5220 D		
FW9	Wastewater/Sewer	COD	discrete	Quaterly (Q2)	Quarterly	3000	All results < 1.2 x ELV	338	mg/L	yes	spectrophotometry (Colorimetry)	APHA / AWWA "Standard Methods"	Method 5220 D		
FW9	Wastewater/Sewer	COD	discrete	Quaterly (Q3)	Quarterly	3000	All results < 1.2 x ELV	25	mg/L	yes	Spectrophotometry (Colorimetry)	APHA / AWWA "Standard Methods"	Method 5220 D		
FW9	Wastewater/Sewer	COD	discrete	Quaterly (Q4)	Quarterly	3000	All results < 1.2 x ELV	84	mg/L	yes	Spectrophotometry (Colorimetry)	APHA / AWWA "Standard Methods"	Method 5220 D		
FW9	Wastewater/Sewer	BOD	discrete	Quaterly (Q1)	Quarterly	1000	All results < 1.2 x ELV	15	mg/L	yes	Dissolved Oxygen Meter (Electrode)	APHA / AWWA "Standard Methods"	Method 5210 B		

AER IV	onitoring returns su	mmary template-W	ATER/WASTEW	ATER(SEWER)		Lic No:	W0227-01		Year	2017				
FW9	Wastewater/Sewer	BOD	discrete	Quaterly (Q2)	Quarterly	1000	All results < 1.2 x ELV	73	mg/L	yes	Dissolved Oxygen Meter (Electrode)	APHA / AWWA "Standard Methods"	Method 5210 B	
FW9	Wastewater/Sewer	BOD	discrete	Quaterly (Q3)	Quarterly	1000	All results < 1.2 x ELV	<2	mg/L	yes	Dissolved Oxygen Meter (Electrode)	aPHA / AWWA "Standard Methods"	Method 5210 B	
FW9	Wastewater/Sewer	BOD	discrete	Quaterly (Q4)	Quarterly	1000	All results < 1.2 x ELV	21	mg/L	yes	Dissolved Oxygen Meter (Electrode)	APHA / AWWA "Standard Methods"	Method 5210 B	
FW9	Wastewater/Sewer	Suspended Solids	discrete	Quaterly (Q1)	Quarterly	1000	All results < 1.2 x ELV	10	mg/L	yes	Gravimetric analysis	APHA / AWWA "Standard Methods"	Method 2540 D	
FW9	Wastewater/Sewer	Suspended Solids	discrete	Quaterly (Q2)	Quarterly	1000	All results < 1.2 x ELV	70	mg/L	yes	Gravimetric analysis	APHA / AWWA "Standard Methods"	Method 2540 D	
FW9	Wastewater/Sewer	Suspended Solids	discrete	Quaterly (Q3)	Quarterly	1000	All results < 1.2 x ELV	40	mg/L	yes	Gravimetric analysis	APHA / AWWA "Standard Methods"	Method 2540 D	
FW9	Wastewater/Sewer	Suspended Solids	discrete	Quaterly (Q4)	Quarterly	1000	All results < 1.2 x ELV	115	mg/L	yes	Gravimetric analysis	APHA / AWWA "Standard Methods"	Method 2540 D	
FW9	Wastewater/Sewer	Mineral oils	discrete	Quaterly (Q1)	Quarterly	10	All results < 1.2 x ELV	0.185	mg/L	yes	GC-FID	US EPA	Method 8015 B	
FW9	Wastewater/Sewer	Mineral oils	discrete	Quataerly (Q2)	Quarterly	10	All results < 1.2 x ELV	0.072	mg/L	yes	GC-FID	US EPA	Method 8015 B	
FW9	Wastewater/Sewer	Mineral oils	discrete	Quaterly (Q3)	Quarterly	10	All results < 1.2 x ELV	<2.5	mg/L	yes	GC-FID	US EPA	Method 8015 B	
FW9	Wastewater/Sewer	Mineral oils	discrete	Quaterly (Q4)	Quarterly	10	All results < 1.2 x ELV	0.192	mg/L	yes	GC-FID	US EPA	Method 8015 B	
FW9	Wastewater/Sewer	Total phosphorus	discrete	Quaterly (Q1)	Quarterly	100	All results < 1.2 x ELV	0.214	mg/L	yes	Digestion + Spectrophotometry	APHA / AWWA "Standard Methods"	Method 4500 - P E	
FW9	Wastewater/Sewer	Total phosphorus	discrete	Quaterly (Q2)	Quarterly	100	All results < 1.2 x ELV	0.472	mg/L	yes	Digestion + Spectrophotometry	APHA / AWWA "Standard Methods"	Method 4500 - P E	
FW9	Wastewater/Sewer	Total phosphorus	discrete	Quaterly (Q3)	Quarterly	100	All results < 1.2 x ELV	0.097	mg/L	yes	Digestion + Spectrophotometry	APHA / AWWA "Standard Methods"	Method 4500 - P E	
FW9	Wastewater/Sewer	Total phosphorus	discrete	Quaterly (Q4)	Quarterly	100	All results < 1.2 x ELV	0.183	mg/L	yes	Digestion + Spectrophotometry	APHA / AWWA "Standard Methods"	Method 4500 - PE	

FW9	Wastewater/Sewer	Detergents (as MBAS)	discrete	Quaterly (Q1)	Quarterly	100	All results < 1.2 x ELV	0.37	mg/L	yes	Solvent Extraction\colorimetry	aPHA / AWWA "Standard Methods"	Method 2540 D	
FW9	Wastewater/Sewer	Detergents (as MBAS)	discrete	Quaerly (Q2)	Quarterly	100	All results < 1.2 x ELV	1.291	mg/L	yes	Solvent Extraction\colorimetry	APHA / AWWA "Standard Methods"	Method 2540 D	
FW9	Wastewater/Sewer	Detergents (as MBAS)	discrete	Quaterly (Q3)	Quarterly	100	All results < 1.2 x ELV	<50	mg/L	yes	Solvent Extraction\colorimetry	APHA / AWWA "Standard Methods"	Method 2540 D	
FW9	Wastewater/Sewer	Detergents (as MBAS)	discrete	Quaterly (Q4)	Quarterly	100	All results < 1.2 x ELV	0.24	mg/L	yes	Solvent Extraction\colorimetry	aPHA / AWWA "Standard Methods"	Method 2540 D	
FW9	Wastewater/Sewer	Fats, Oils and Greases	discrete	Quaterly (Q1)	Quarterly	100	All results < 1.2 x ELV	<1	mg/L	yes	Solvent Extraction\colorimetry	APHA / AWWA "Standard Methods"	Method 5520 B	
FW9	Wastewater/Sewer	Fats, Oils and Greases	discrete	Quaterly (Q2)	Quarterly	100	All results < 1.2 x ELV	<1	mg/L	yes	Solvent Extraction\colorimetry	APHA / AWWA "Standard Methods"		
FW9	Wastewater/Sewer	Fats, Oils and Greases	discrete	Quaterly (Q3)	Quarterly	100	All results < 1.2 x ELV	<1	mg/L	yes	Solvent Extraction\colorimetry	APHA / AWWA "Standard Methods"	Method 5520 B	
FW9	Wastewater/Sewer	Fats, Oils and Greases	discrete	Quaterly (Q4)	Quarterly	100	All results < 1.2 x ELV	<1	mg/L	yes	Solvent Extraction\colorimetry	APHA / AWWA "Standard Methods"	Method 5520 B	
SW1	Water	рН	discrete	Quaterly (Q1)	Quarterly	6 to 9	No pH value shall deviate from the specified range.	7.4	pH units	yes	pH Meter (Electrode)	APHA / AWWA "Standard Methods"	Method 4500 H +B	
SW1	Water	рН	discrete	Quaterly (Q2)	Quarterly	6 to 9	No pH value shall deviate from the specified range.	7.5	pH units	yes	pH Meter (Electrode)	APHA / AWWA "Standard Methods"	Method 4500 H +B	
SW1	Water	рН	discrete	Quaterly (Q3)	Quarterly	6 to 9	No pH value shall deviate from the specified range.	7.5	pH units	yes	pH Meter (Electrode)	APHA / AWWA "Standard Methods"	Method 4500 H +B	

	AER Mo	nitoring returns su	mmary template-W	ATER/WASTEW	ATER(SEWER)		Lic No:	W0227-01		Year	2017				
	SW1	Water	рН	discrete	Quaterly (Q4)	Quarterly	6 to 9	No pH value shall deviate from the specified range.	7.8	pH units	yes	pH Meter (Electrode)	APHA / AWWA "Standard Methods"	Method 4500 H +B	
	SW1	Water	Conductivity	discrete	Quaterly (Q1)	Quarterly	not specified	All results < 1.2 x ELV	639	μS/cm @20oC	yes	Conductivity Meter (Electrode)	APHA / AWWA "Standard Methods"	Method 2510 B	
	SW1	Water	Conductivity	discrete	Quaterly (Q2)	Quarterly	not specified	All results < 1.2 x ELV	648	μS/cm @20oC	yes	Conductivity Meter (Electrode)	APHA / AWWA "Standard Methods"	Method 2510 B	
	SW1	Water	Conductivity	discrete	Quaterly (Q3)	Quarterly	not specified	All results < 1.2 x ELV	455	μS/cm @20oC	yes	Conductivity Meter (Electrode)	APHA / AWWA "Standard Methods"	Method 2510 B	
	SW1	Water	Conductivity	discrete	Quaterly (Q4)	Quarterly	not specified	All results < 1.2 x ELV	311	μS/cm @20oC	yes	Conductivity Meter (Electrode)	APHA / AWWA "Standard Methods"	Method 2510 B	
	SW1	Water	COD	discrete	Quaterly (Q1)	Quarterly	80	All results < 1.2 x ELV	48	mg/L	yes	Spectrophotometry (Colorimetry)	APHA / AWWA "Standard Methods"	Method 5220 D	
	SW1	Water	COD	discrete	Quaterly (Q2)	Quarterly	80	All results < 1.2 x ELV	48	mg/L	yes	Spectrophotometry (Colorimetry)	APHA / AWWA "Standard Methods"	Method 5220 D	
	SW1	Water	COD	discrete	Quaterly (Q3)	Quarterly	80	All results < 1.2 x ELV	29	mg/L	yes	Spectrophotometry (Colorimetry)	aPHA / AWWA "Standard Methods"	Method 5220 D	
	SW1	Water	COD	discrete	Quaterly (Q4)	Quarterly	80	All results < 1.2 x ELV	14	mg/L	yes	Spectrophotometry (Colorimetry)	APHA / AWWA "Standard Methods"	Method 5220 D	
	SW1	Water	Suspended Solids	discrete	Quaterly (Q1)	Quarterly	50	All results < 1.2 x ELV	38	mg/L	yes	Filteration/Drying @ 104 C	APHA / AWWA "Standard Methods"	Method 2540 D	
	SW1	Water	Suspended Solids	discrete	Quaterly (Q2)	Quarterly	50	All results < 1.2 x ELV	11	mg/L	yes	Filteration/Drying @ 104 C	APHA / AWWA "Standard Methods"	Method 2540 D	
	SW1	Water	Suspended Solids	discrete	Quaterly (Q3)	Quarterly	50	All results < 1.2 x ELV	17	mg/L	yes	Filteration/Drying @ 104 C	APHA / AWWA "Standard Methods"	Method 2540 D	
	SW1	Water	Suspended Solids	discrete	Quaterly (Q4)	Quarterly	50	All results < 1.2 x ELV	8	mg/L	yes	Filteration/Drying @ 104 C	APHA / AWWA "Standard Methods"	Method 2540 D	
Г					I										

AER 2017

				1										
SW1	Water	Mineral oils	discrete	Quaterly (Q1)	Quarterly	not specified	All results < 1.2 x ELV	<0.0025	mg/L	yes	GC-FID	US EPA	Method 8015 B	
SW1	Water	Mineral oils	discrete	Quaterly (Q2)	Quarterly	not specified	All results < 1.2 x ELV	<0.0025	mg/L	yes	GC-FID	US EPA	Method 8015 B	
SW1	Water	Mineral oils	discrete	Quaterly (Q3)	Quarterly	not specified	All results < 1.2 x ELV	<0.0025	mg/L	yes	GC-FID	US EPA	Method 8015 B	
SW1	Water	Mineral oils	discrete	Quaterly (Q4)	Quarterly	not specified	All results < 1.2 x ELV	0.095	mg/L	yes	GC-FID	US EPA	Method 8015 B	
SW1	Water	Ammonia (as N)	discrete	Quaterly (Q1)	Quarterly	1	All results < 1.2 x ELV	1.42	mg/L	no (if no please enter details in comments box)	Spectrophotometry (Colorimetry)	APHA / AWWA "Standard Methods"	Method 4300 NH 3	This reported to EPA as an incident INCI012274, now closed.
SW1	Water	Ammonia (as N)	discrete	Quaterly (Q2)	Quarterly	1	All results < 1.2 x ELV	0.546	mg/L	yes	Spectrophotometry (Colorimetry)	aPHA / AWWA "Standard Methods"	Method 4300 NH 3	
SW1	Water	Ammonia (as N)	discrete	Quaterly (Q3)	Quarterly	1	All results < 1.2 x ELV	0.013	mg/L	yes	Spectrophotometry (Colorimetry)	APHA / AWWA "Standard Methods"	Method 4300 NH 3	
SW1	Water	Ammonia (as N)	discrete	Quaterly (Q4)	Quarterly	1	All results < 1.2 x ELV	0.1	mg/L	yes	Spectrophotometry (Colorimetry)	APHA / AWWA "Standard Methods"	Method 4300 NH 3	

Note 1: Volumetric flow shall be included as a reportable parameter

Note 1: Volumetric flow shall be included as a reportable parameter

Note 2: Where Emission Limit Values (ELV) do not apply to your licence please compare results against EQS for Surface water or relevant receptor quality standards

AER 2017

Continuous monitoring		Additional Information
5 Does your site carry out continuous emissions to water/sewer monitoring?	No	
If yes please summarise your continuous monitoring data below in Table W4 and compare it to its relevant Emission Limit Value (ELV)		
Did continuous monitoring equipment experience downtime? If yes please record downtime in table W4 below	SELECT	
7 Do you have a proactive service contract for each piece of continuous monitoring equipment on site?	SELECT	
8 Did abatement system bypass occur during the reporting year? If yes please complete table W5 below	SELECT	

Table W4: Summary of average emissions -continuous monitoring

								% change +/-			
			ELV or trigger					from	Monitoring		
Emission			values in licence					previous	Equipment	Number of ELV	
reference			or any revision	Averaging	Compliance	Units of	Annual Emission for current	reporting	downtime	exceedences in	
no:	Emission released to	Parameter/ Substance	thereof	Period	Criteria	measurement	reporting year (kg)	year	(hours)	reporting year	Comments
	SELECT	SELECT		SELECT	SELECT	SELECT					
	SELECT	SELECT		SELECT	SELECT	SELECT					

note 1: Volumetric flow shall be included as a reportable parameter.

Table W5: Abatement system bypass reporting table

Date	Duration (hours)	Location	Resultant	Reason for	Corrective	Was a report	When was this report
	, , , , , , , , , , , , , , , , , , , ,			bypass		•	submitted?
				,,,,,,,,,		the EPA?	
						SELECT	

^{*}Measures taken or proposed to reduce or limit bypass frequency

AER 2017

3.4. Bund testing

Bund/Pipeline testing template Lic No: W0227-01 Year 2017 Bund testing dropdown menu click to see options Additional information Are you required by your licence to undertake integrity testing on bunds and containment structures? if yes please fill out table B1 below listing all new bunds and containment structures on site, in addition to all bunds which failed the integrity test-all bunding structures which failed including mobile bunds must be listed in the table below, please include all bunds outside the licenced testing period (mobile bunds and chemstore included) Yes 2 Please provide integrity testing frequency period 3 years Does the site maintain a register of bunds, underground pipelines (including stormwater and foul), Tanks, sumps and containers? (containers refers to 3 "Chemstore" type units and mobile bunds) Yes 4 How many bunds are on site? 10 5 How many of these bunds have been tested within the required test schedule? 10 6 How many mobile bunds are on site? 7 Are the mobile bunds included in the bund test schedule? N/A 8 How many of these mobile bunds have been tested within the required test schedule? N/A 9 How many sumps on site are included in the integrity test schedule? 10 How many of these sumps are integrity tested within the test schedule? Please list any sump integrity failures in table B1 11 Do all sumps and chambers have high level liquid alarms? Yes 12 If yes to Q11 are these failsafe systems included in a maintenance and testing programme? Yes 13 Is the Fire Water Retention Pond included in your integrity test programme? N/A Table B1: Summary details of bund /containment structure integrity test Results of Integrity reports Integrity test failure | Corrective retest(if in explanation <50 Bund/Containment maintained on action Scheduled current ite? Results of test words structure ID Specify Other type Capacity required* Type of integrity test Other test type Test date date for retest reporting year) Product containment Actual capacity taken SELECT * Capacity required should comply with 25% or 110% containment rule as detailed in your licence Has integrity testing been carried out in accordance with licence requirements and are all structures tested in 15 line with BS8007/EPA Guidance?

16 Are channels/transfer systems to remote containment systems tested?

17 Are channels/transfer systems compliant in both integrity and available volume?

bunding and storage guidelines

	Commentary
Yes	
Yes	
Yes	

AER 2017

Pipeline/underground structure testing

Are you required by your licence to undertake integrity testing* on underground structures e.g. pipelines or sumps etc? if yes please fill out table 2 below listing all underground structures and pipelines on site which

1 failed the integrity test and all which have not been tested withing the integrity test period as specified

Yes	
3 years	

^{*}please note integrity testing means water tightness testing for process and foul pipelines (as required under your licence)

Table B2: Summary deta	ils of pipeline/un	derground struct	ures integrity test								
			Does this structure have	_ ,				Integrity test			Results of retest(if
		Material of	Secondary	Type of secondary	Type integrity	Integrity reports		explanation	Corrective action	date for	in current
Structure ID	Type system	construction:	containment?	containment	testing	maintained on site?	Results of test	<50 words	taken	retest	reporting year)
No Failures	SELECT	SELECT	SELECT	SELECT	SELECT	SELECT	SELECT				SELECT

Please use commentary for additional details not answered by tables/ questions above

² Please provide integrity testing frequency period

Groundwater/Soil monitoring template	Lic No:	W0227-01	Year	2017	

		Comments	
1 Are you required to carry out groundwater monitoring as part of your licence requirements?	no		Please provide an interpretation of groundwater monitoring data in the
2 Are you required to carry out soil monitoring as part of your licence requirements?	no		interpretation box below or if you require additional space please
Do you extract groundwater for use on site? If yes please specify use in comment			include a groundwater/contaminated land monitoring results
³ section	no		interpretaion as an additional section in this AER
Do monitoring results show that groundwater generic assessment criteria such as GTVs or IGVs are exceeded or is there 4 an upward trend in results for a substance? If yes, please complete the Groundwater Monitoring Guideline Template Groundwater Report (link in cell G8) and submit separately through ALDER as a monitoring licensee return AND answer questions 5-12 below.	N\A		
5 Is the contamination related to operations at the facility (either current and/or historic)	N\A		
6 Have actions been taken to address contamination issues?If yes please summarise			
remediation strategies proposed/undertaken for the site	N∖A		
7 Please specify the proposed time frame for the remediation strategy	N/A		
8 Is there a licence condition to carry out/update ELRA for the site?	N/A		
9 Has any type of risk assesment been carried out for the site?	N/A		
10 Has a Conceptual Site Model been developed for the site?	N/A		
11 Have potential receptors been identified on and off site?	N/A		
12 Is there evidence that contamination is migrating offsite?	N/A		Please enter interpretation of data here

Table 1: Upgradient Groundwater monitoring results

Date of sampling	Sample location reference	Parameter/ Substance	Monitoring frequency	Maximum Concentration++	Average Concentration+	unit	GTV's*	Upward trend in pollutant concentration over last 5 years of monitoring data
						SELECT		SELECT
						SELECT		SELECT

^{.+} where average indicates arithmetic mean

^{.++} maximum concentration indicates the maximum measured concentration from all monitoring results produced during the reporting year

AER 2017

Table 2: Downgradient Groundwater monitoring results

									Upward trend in
									yearly average
									pollutant
Sample									concentration
location	Parameter/		Monitoring	Maximum	Average				over last 5 years
reference	Substance	Methodology	frequency	Concentration	Concentration	unit	GTV's*	SELECT**	of monitoring data
						SELECT			SELECT
						SELECT			SELECT
		location Parameter/	location Parameter/	location Parameter/ Monitoring	location Parameter/ Monitoring Maximum	location Parameter/ Monitoring Maximum Average	location reference Substance Methodology frequency Maximum Average Concentration unit Select Concentration Concentratio	location reference Substance Methodology frequency Maximum Average Concentration Unit GTV's*	Sample location Parameter/ reference Substance Methodology frequency Concentration Concentration unit GTV's* SELECT**

*please note exceedance of generic assessment criteria (GAC) such as a Groundwater Threshold Value (GTV) or an Interim Guideline Value (IGV) or an upward trend in results for a substance indicates that further interpretation of monitoring results is required. In addition to completing the above table, please complete the Groundwater Monitoring Guideline Template Report at the link provided and submit separately through ALDER as a licensee return or as otherwise instructed by the EPA.

Groundwater monitoring template

More information on the use of soil and groundwater standards/ generic assessment criteria (GAC) and risk assessment tools is available in the EPA published guidance (see the link in G31)

Guidance on the Management of Contaminated Land and Groundwater at EPA Licensed Sites (EPA 2013)

**Depending on location of the site and proximity to other sensitive receptors alternative Receptor based Water Quality standards should be used in addition to the GTV e.g. if the site is close to surface water compare to Surface Water Environmental Quality Standards (SWEQS), If the site is close to a drinking water supply compare results to the Drinking Water Standards (DWS)

on		Groundwater	Drinking water	Drinking water	<u>Interim</u>
er	<u>Surface</u>	<u>regulations</u>	(private supply)	(public supply)	Guideline
	water EQS	GTV's	standards	standards	Values (IGV)

Table 3: Soil results

	Date of sampling	Sample location reference	Parameter/ Substance	Methodology	Monitoring frequency	Maximum Concentration	Average Concentration	unit
į	1 3			, , , , , , , , , , , , , , , , , , , ,				SELECT
								SELECT

Where additional detail is required please enter it here in 200 words or less

3.6. ELRA

Е	nvironmental Liabilities template	Lic No:	W0227-01	Year	
Ī	Click here to access EPA guidance on Environmental Liabilities and Financial provision				
L			Commentary		
	ELRA initial agreement status				
1	ELKA IIII.da agreement status	Submitted and agreed by EPA			
r					
2	ELRA review status	Review required and completed			
3	Amount of Financial Provision cover required as determined by the latest ELRA	€725,935			
4	Financial Provision for ELRA status	Submitted and agreed by EPA			
5	Financial Provision for ELRA - amount of cover	€1,000,000 + €725,935			
6	Financial Provision for ELRA - type	Environmental Impairment Liability insurance			
7	Financial provision for ELRA expiry date	31/03/2018			
R	Closure plan initial agreement status	Closure plan submitted and agreed by EPA			
٦	Closure plan review status	Review required and completed			
٦	Financial Provision for Closure status	Submitted and agreed by EPA			
<u></u>	Financial Provision for Closure - amount of cover	€167,441			
2	Financial Provision for Closure - type	bond			
3	Financial provision for Closure expiry date	N/A			

AER 2017

3.7. EMP

Environmental Management Programme/Continuous Improvement Programme	e template	Lic No:	W0227-01	Year	2017
Highlighted cells contain dropdown menu click to view		Additional Information		_	
Do you maintain an Environmental Mangement System (EMS) for the site. If yes, please detail in additional information	Yes	Certi	ified to ISO 14001		
2 Does the EMS reference the most significant environmental aspects and associated impacts on-site	Yes				
Does the EMS maintain an Environmental Management Programme (EMP) as required in accordance with the licence requirements	Yes				
Do you maintain an environmental documentation/communication system to inform the public on environmental performance of the facility, as required by the licence	Yes				

Environmental Management Programi	me (EMP) report				
Objective Category	Target	Status (% completed)	How target was progressed	Responsibility	Intermediate outcomes
			Data and of concentrations of		
			Data set of uncontaminated		
	Review Stormwater trigger		stormwater monitoring results has		
	limits (suspended solids,		been gathered until it's sufficient t		Improved Environmental
Reduction of emissions to Water	COD and Ammonia)	80	review storm water trigger limits.	Section Head	Management Practices
			Waste Streams are stored		
			indesignated area . Waste haulier and		
	Improve waste storage on		authorised destination facilities have		
	site (wood,C&D fines, tyres,		been contracted to ensure wastes		Improved Environmental
Materials Handling/Storage/Bunding	mattresses etc.)	85	were removed offsite promptly.	Section Head	Management Practices

			Unacceptable/hazardous wastes		
			temporarily stored on-site(e.g		
			asbestos,WEEE, gas cylinders) were		
			stored securely in waste quarantine		
			area and were transported off site		
	Improve management of		promptly by authorised waste		Improved Environmental
Materials Handling/Storage/Bunding	waste quaantine area	85	collectors.	Section Head	Management Practices
			Bird gard was used to control bird		
			nuisance at the facility and the bird		
			netting around yard area was well		
			maintained and repaired where		
			necessary. Yard housekeeping ongoing		Improved Environmental
Additional improvements	Improve nuisance control	85	according to intrnal SOP.	Section Head	Management Practices

Environmental Management	Programme/Continuous Impro	ovement Programme	template	Lic No:	W0227-01	Year	201
			Plant maintenece ongoing. key				
			processing equipment and gangways				
			were cleared by trained staff bi-				
	Improve maintenance of		weekly. Weekly Plant mainteance		Increased compliance with		
Additional improvements	waste procesing plant.	80	checksheets in use.	Section Head	licence conditions		
			Netwatch CCTV system has been				
			installed around the facilkity which is				
			monitered by our staff and by				
			Netwatch remotely during non-				
			operation hour.Netwatch also fixed				
			censors at the main gate to keep				
			check if the gates are open or closed.				
			Integrity test for drainage				
			infrastructure was completed by				
			Thorntons.Site concrete surface was				
			checked weekly as part of site EHS				
			inspection and repaired if				
			damaged;SW & FW gullies and				
			manholes were painted regularly;				
			roofs and dust curtiains of waste				
			building were checked and repaired if				
	Improve facility		damaged;external and perimeter				
	infrastructure integrity &		walls were checked and repaired if		Increased compliance with		
Additional improvements	draniage maintenace	95	damaged.	Section Head	licence conditions		
			Maintenance of all waste facility			Ī	
			buildings roof, walls and dust curtains		Increased compliance with		
Additional improvements	Improve Plant Maintenance	95	in place.	Section Head	licence conditions		
						T	
			A fire risk assessment has been				
			completed by environmental				
			consultant Mr. James O'Neill of Fehily				
			Timoney & company. The fire risk				
			assessment was submitted to EPA for				
	Complete Fire Risk		review on 24/03/2017 and the		Increased compliance with		
Additional improvements	Assessment for the facility.	100	current status is "assessed".	Section Head	licence conditions		

AER 2017

3.8. Noise

Noise monitoring summary report	Lic No:	W0227-01	Year	2017
Was noise monitoring a licence requirement for the AER period? If yes please fill in table N1 noise summary below		Yes	I	
2 Was noise monitoring carried out using the EPA Guidance note, including completion of the "Checklist for noise measurement report" included in the guidance note as table 6?	Noise Guidance note NG4	Yes		
3 Does your site have a noise reduction plan 4 When was the noise reduction plan last updated?		No NA		
Have there been changes relevant to site noise emissions (e.g. plant or operational changes) since the last noi	ise survey?	No		

Table N1: No	ise monitoring s	ummary									
Date of monitoring	Time period	Noise location (on site)	Noise sensitive location -NSL (if applicable)	LA _{eq}	LA ₉₀	LA ₁₀	LA _{max}	Tonal or Impulsive noise* (Y/N)	If tonal /impulsive noise was identified was 5dB penalty applied?	Comments (ex. main noise sources on site, & extraneous noise ex. road traffic)	Is <u>site</u> compliant with noise limits (day/evening/night)?
05/12/2017	14:09 to 14:39		NSL1:Outside cottage, 5m off Killeen and approx. 150m north of AWR facility.	69.1	60.6	72.5	85.4	No	No	No audible noise from the Access waste Recyling facility during day hours. The facility doesn't operate during night time. Noise levels detected during day and night time monitoring are primarily due to road traffic on the Killeen Road with some noise detected from other industrial premises. No tonal or impulsive noise was recorded from site activities.	yes
05/12/2017	15:11 to 15:41	N\A	NSL1 as above	69.2	60.2	72.7	85.6	No	No	as above	Yes
05/12/2017	15:41 to 16:11	N\A	NSL1 as above	69	60.1	72.4	90	No	No	as above	Yes
05/12/2017	23:03 to 23:33	N\A	NSL1 as above	59.9	51.9	62.7	76.9	No	No	as above	Yes
06/12/2017	00:03 to 00:33	N\A	NSL1 as above	55.2	50.1	69.3	69.3	No	No	as above	Yes

^{*}Please ensure that a tonal analysis has been carried out as per guidance note NG4. These records must be maintained onsite for future inspection

AER 2017

If noise limits exceeded as a result of noise attributed to site activities, please choose the corrective action from the following options?

SELECT

** please explain the reason for not taking action/resolution of noise issues?

Any additional comments? (less than 200 words)

3.9. Resource-Energy

Resource Usage/Energy efficiency summary

			Additional information	1
1 When did the site carry out the most recent energy efficiency audit? Please list the recommend	lations in table 3 below	2011		
	SEAI - Large			
Is the site a member of any accredited programmes for reducing energy usage/water conservat				
2 such as the SEAI programme linked to the right? If yes please list them in additional information	n <u>Network (LIEN)</u>	No		1
Where Fuel Oil is used in boilers on site is the sulphur content compliant with licence conditions?	Please state percentage in			
3 additional information		SELECT		

Lic No:

W0227-01

Year

Table R1 Energy usag	e on site			
Energy Use	Previous year	Current year	Production +/- % compared to previous reporting year**	Energy Consumption +/- % vs overall site production*
Total Energy Used (MWHrs)	157.37	148.5		
Total Energy Generated (MWHrs)	0			
Total Renewable Energy Generated (0			
Electricity Consumption (MWHrs)	157.37	148.5		
Fossil Fuels Consumption:				
Heavy Fuel Oil (m3)	0	0		
Light Fuel Oil (m3)	1	3		
Natural gas (m3)	0			
Coal/Solid fuel (metric tonnes)	0			
Peat (metric tonnes)	0			
Renewable Biomass	0			
Renewable energy generated on site	0			

^{*} where consumption of energy can be compared to overall site production please enter this information as percentage increase or decrease compared to the previous reporting year.

2017

^{**} where site production information is available please enter percentage increase or decrease compared to previous year

Table R2 Water usag	e on site				Water Emissions	Water Consumption	
	Water extracted				Volume Discharged	Volume used i.e not discharged to environment e.g. released as steam	
Water use	Previous year m3/yr.	Current year m3/yr.	year**	production*	environment(m ³ yr):	m3/yr	Unaccounted for Water:
Groundwater							
Surface water							
Public supply	378	390					
Recycled water							
Total	378	390					

^{*} where consumption of water can be compared to overall site production please enter this information as percentage increase or decrease compared to the previous reporting year.

^{**} where site production information is available please enter percentage increase or decrease compared to previous year

Table R3 Waste Stream	Table R3 Waste Stream Summary				
	Total	Landfill	Incineration	Recycled	Other
Hazardous (Tonnes)					
Non-Hazardous (Tonnes)					

Table R4: Energy Au	Table R4: Energy Audit finding recommendations						
Date of audit	Description of Recommendations Measures proposed			Predicted energy savings %	Implementation date	Responsibility	Status and comments
			SELECT				
			SELECT				
			SELECT				

Table	R5: Power Generation: Where	power is generated onsi	te (e.g. power generati	<u>i</u> on facilities/food ar	nd drink industry)plea	se complete the follow	ing information
		Unit ID	Unit ID	Unit ID	Unit ID	Station Total	

	, , ,		•••	•
Unit ID	Unit ID	Unit ID	Unit ID	Station Total
n Site				
		Unit ID Unit ID	Unit ID Unit ID Unit ID	Unit ID Unit ID Unit ID Unit ID

AER 2017

3.10. Complaints-incidents

Complaints and Incidents summary template	Lic No:	W0227-01	Year	2017				
Complaints	Complaints							
	Additional in							
Have you received any environmental complaints in the current reporting year? If yes please complete summary								
details of complaints received on site in table 1 below	No							

Table	1 Complaints summary]				
			Brief description of				
			complaint (Free txt <20	Corrective action < 20			Further
Date	Category	Other type (please specify)	words)	words	Resolution status	Resolution date	information
	SELECT				SELECT		
	SELECT				SELECT		
	SELECT				SELECT		
	SELECT				SELECT		
	SELECT				SELECT		
Total complaints							
open at start of							
reporting year	0						
Total new		†					
complaints received							
during reporting							
year	0						
Total complaints		1					
closed during							
reporting year	0						
Balance of		1					
complaints end of							
reporting year	0						

50% reduction

AER 2017

year
Total number of incidents previous year
% reduction/

increase

	Incidents													
				_	Additional inform	ation								
Have any incidents	occurred on site in the current repor	rting year? Please list all incid	ents for current reporting			Ī								
	year in Tab	le 2 below		No										
	,		1			1								
*For information on	how to report and what constitutes													
	an incident	What is an incident]											
		•	_											
Table 2 Incidents sur	mmary]											
						Other	Activity in			Corrective	Preventative			
			Incident category*please			cause(pleas	progress at			action<20	action <20		Resolution	Likelihood of
Date of occurrence	Incident nature	Location of occurrence	refer to guidance	Receptor	Cause of incident	e specify)	time of	Communication	Occurrence	words	words	Resolution status	date	reoccurence
	SELECT	SELECT	SELECT	SELECT	SELECT		SELECT	SELECT	SELECT			SELECT		SELECT
	SELECT	SELECT	SELECT	SELECT	SELECT		SELECT	SELECT	SELECT			SELECT		SELECT
	SELECT	SELECT	SELECT	SELECT	SELECT		SELECT	SELECT	SELECT			SELECT		SELECT
	SELECT	SELECT	SELECT	SELECT	SELECT		SELECT	SELECT	SELECT			SELECT		SELECT
	SELECT	SELECT	SELECT	SELECT	SELECT		SELECT	SELECT	SELECT			SELECT		SELECT
Total number of											•			
incidents current														

AER 2017

3.11. Waste

WASTE SUMMARY	Lic No:	W0227-01	Year	2017
SECTION A-PRTR ON SITE WASTE TREATMENT AND WASTE TRANSFERS TAB- TO	BE COMPLETED BY ALL IPPC AND	WAPRTR facility logon	dropdown list click to see	options

SECTION B- WASTE ACCEPTED ONTO SITE-TO BE COMPLETED BY ALL IPPC AND WASTE FACILITIES	
	Additional Information
Were any wastes accepted onto your site for recovery or disposal or treatment prior to recovery or disposal within the boundaries of your facility?;	
1 (waste generated within your boundaries is to be captured through PRTR reporting)	Yes
If yes please enter details in table 1 below	
2 Did your site have any rejected consignments of waste in the current reporting year? If yes please give a brief explanation in the additional information	tion No.
2 DID YOU SILE HAVE ANY TEJECTED CONSIGNMENTS OF WASTE IN THE CUTTERT DEPORTING YEAR? IT YES PIEASE give a Drief explanation in the additional information	INTERPOLATION OF THE PROPERTY
Was waste accepted onto your site that was generated outside the Republic of Ireland? If yes please state the quantity in tonnes in additional	
3 information	No
Table 1 Details of waste accepted onto your site for recovery, disposal or treatment (do not include	wastes generated at your site, as these will have been reported in your PRTR workbook)

Licenced	EWC code	Source of waste accepted	Description of waste	Quantity of waste	Quantity of waste accepted in previous	Reduction/	Reason for	Packaging Content (%)-	Disposal/Recovery or treatment operation carried out at	Quantity of	Comments -
annual			accepted	accepted in current	reporting year (tonnes)	Increase over	reduction/increase	only applies if the waste	your site and the description of this operation	waste remaining	
tonnage			Please enter an accurate	reporting year (tonnes)		previous year +/ -	from previous	has a packaging		on site at the	
limit for			and detailed description -			96	reporting year	component		end of reporting	
your site			which applies to							year (tonnes)	
(total			relevant EWC code								
tonnes/an											
num)	European		European Waste								
	<u>Waste</u>		Catalogue EWC codes								
	Catalogue EWC										
l I									R12-Exchange of waste for submission to any of the		
l I									operations numbered R1 to R11 (if there is no other R code		
									appropriate, this can include preliminary operations prior		
		15- WASTE PACKAGING;							to recovery including pre-processing such as amongst		
l I		ABSORBENTS, WIPING CLOTHS,							others, dismantling, sorting, crushing, compacting,		
		FILTER MATERIALS AND							pelletising, drying, shredding, conditioning, repackaging,		
		PROTECTIVE CLOTHING NOT	Paper and Cardboard						seperating, blending or mixing prior to submission to any		
95,000	15 01 01	OTHERWISE SPECIFIED	Packaging	0.88	2.08	-58%		90%	of the operations numbered R1 to R11)	0	
									R12-Exchange of waste for submission to any of the		
l I									operations numbered R1 to R11 (if there is no other R code		
									appropriate, this can include preliminary operations prior		
		15- WASTE PACKAGING;							to recovery including pre-processing such as amongst		
		ABSORBENTS, WIPING CLOTHS,							others, dismantling, sorting, crushing, compacting,		
		FILTER MATERIALS AND							pelletising, drying, shredding, conditioning, repackaging,		
		PROTECTIVE CLOTHING NOT							seperating, blending or mixing prior to submission to any		
95,000	15 01 03	OTHERWISE SPECIFIED	Wooden Packaging	47.85	47.52	1%		95%	of the operations numbered R1 to R11)	0	

95,000	15 01 03	15- WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED	Wooden Packaging	47.85	47.52	1%	95%	R12-Exchange of waste for submission to any of the operations numbered R1 to R11 (if there is no other R code appropriate, this can include preliminary operations prior to recovery including pre-processing such as amongst others, dismantling, sorting, crushing, compacting, pelletising, drying, shredding, conditioning, repackaging, seperating, blending or mixing prior to submission to any of the operations numbered R1 to R11)	0	
95,000	15 01 06	15- WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT	Mixed Packaging	346.34		8%		R12-Exchange of waste for submission to any of the operations numbered R1 to R11 (if there is no other R code appropriate, this can include preliminary operations prior to recovery including pre-processing such as amongst others, dismantling, sorting, crushing, compacting, pelletising, drying, shredding, conditioning, repackaging, seperating, blending or mixing prior to submission to any of the operations numbered R1 to R11)	o	
95,000	17 01 07	17- CONSTRUCTION AND DEMOLITION WASTES	Mixture of concrete, Bricks, Tiles and ceramics other than mentioned in	581.88	878.62	-34%		R12-Exchange of waste for submission to any of the operations numbered R1 to R11 (if there is no other R code appropriate, this can include preliminary operations prior to recovery including pre-processing such as amongst others, dismantling, sorting, crushing, compacting, pelletising, drying, shredding, conditioning, repackaging, seperating, blending or mixing prior to submission to any of the operations numbered R1 to R11)	o	
95,000		17- CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)		301.72		3%		R12-Exchange of waste for submission to any of the operations numbered R1 to R11 (if there is no other R code appropriate, this can include preliminary operations prior to recovery including pre-processing such as amongst others, dismantling, sorting, crushing, compacting, pelletising, drying, shredding, conditioning, repackaging, seperating, blending or mixing prior to submission to any of the operations numbered R1 to R11)	0	

95,000	17 04 05	17- CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)	Iron and Steel	36.04	14.52	148%		R12-Exchange of waste for submission to any of the operations numbered R1 to R11 (if there is no other R code appropriate, this can include preliminary operations prior to recovery including pre-processing such as amongst others, dismantling, sorting, crushing, compacting, pelletising, drying, shredding, conditioning, repackaging, seperating, blending or mixing prior to submission to any of the operations numbered R1 to R11)	0	
95,000	17 05 04	17- CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)	Soil and Stons other than those mentioned in 17 05 03	3471.18	3101.68	12%		R12-Exchange of waste for submission to any of the operations numbered R1 to R11 (if there is no other R code appropriate, this can include preliminary operations prior to recovery including pre-processing such as amongst others, dismantling, sorting, crushing, compacting, pelletising, drying, shredding, conditioning, repackaging, seperating, blending or mixing prior to submission to any of the operations numbered R1 to R11)		
95,000	17 08 02	17- CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)		19.96	20.36	-2%		R13-Storage of waste pending any of the operations numbered R1 to R12 (excluding temporary storage)	0.04	
95,000	17 09 04	17- CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)	Mixed Construction and Demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 170903.	33656.8	36,035.56	-7%		R12-Exchange of waste for submission to any of the operations numbered R1 to R11 (if there is no other R code appropriate, this can include preliminary operations prior to recovery including pre-processing such as amongst others, dismantling, sorting, crushing, compacting, pelletising, drying, shredding, conditioning, repackaging, seperating, blending or mixing prior to submission to any of the operations numbered R1 to R11)	123	
95,000	18 01 04	18- WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (except kitchen and restaurant wastes not arising from immediate RESEARCH (except kitchen and restaurant wastes not arising from immediate health care)	subject to special requiurements in order to prevent infection(for example dressings, plaster casts, linen, disposable	167.26	149.36	12%		D13- Blending or mixing prior to submission to any of the operations numbered D1 to D12	0.58	

95,000	20 02 01	20- MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS	Biodegradable Garden and Park Wastes	154.21	114.97	34%		R12-Exchange of waste for submission to any of the operations numbered R1 to R11 (if there is no other R code appropriate, this can include preliminary operations prior to recovery including pre-processing such as amongst others, dismantling, sorting, crushing, compacting, pelletising, drying, shredding, conditioning, repackaging, seperating, blending or mixing prior to submission to any of the operations numbered R1 to R11)	o	
95,000	20 03 01	20- MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS	Mixed Municipal Waste	24.82	50.4		Mixed Municipal residue waste collected from household and commercialcustomer s sent to Thorntons facility directly.	D13- Blending or mixing prior to submission to any of the operations numbered D1 to D12	o	
95,000	20 03 03	20- MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS	Street-cleaning Residues	120.22	50.24	139%		R12-Exchange of waste for submission to any of the operations numbered R1 to R11 (if there is no other R code appropriate, this can include preliminary operations prior to recovery including pre-processing such as amongst others, dismantling, sorting, crushing, compacting, pelletising, drying, shredding, conditioning, repackaging, seperating, blending or mixing prior to submission to any of the operations numbered R1 to R11)	o	
95,000	20 03 07	20- MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS	Bulky Waste	1861.34	2736.62	-32%		R12-Exchange of waste for submission to any of the operations numbered R1 to R11 (if there is no other R code appropriate, this can include preliminary operations prior to recovery including pre-processing such as amongst others, dismantling, sorting, crushing, compacting, pelletising, drying, shredding, conditioning, repackaging, seperating, blending or mixing prior to submission to any of the operations numbered R1 to R11)	8	

AER 2017

SECTION C-TO BE COMPLETED BY ALL WASTE FACILITIES (waste transfer stations, Composters, Material recovery facilities etc)

Is all waste processing infrastructure as required by your licence and approved by the Agency in place? If no please list 4 waste processing infrastructure required onsite	Yes	
Is all waste storage infrastructure as required by your licence and approved by the Agency in place? If no please list waste 5 storage infrastructure required on site	Yes	
6 Does your facility have relevant nuisance controls in place?	Yes	
7 Do you have an odour management system in place for your facility? If no why?	Yes	
8 Do you maintain a sludge register on site?	N/A	

SECTION D-TO BE COMPLETED BY LANDFILL

Table 2 Waste type and tonnage-landfill only

Waste types permitted for disposal	Authorised/lic enced annual intake for disposal (tpa)	Actual intake for disposal in reporting year (tpa)	Remaining licensed capacity at end of reporting year (m3)	Comments

Table 3 General information-Landfill only

Area ID	Date landfilling commenced	Date landfilling ceased	Currently landfilling	Private or Public Operated	Inert or non- hazardous	Predicted date to cease landfilling	Licence permits asbestos	Is there a separate cell for asbestos?	Accepted asbestos in reporting year	area occupied	Lined disposal area occupied by waste	Unlined area	Comments on liner type
										SELECT UNIT	SELECT UNIT	SELECT UNIT	
Cell 8	·												

Table 4 Environmental | Landfill Manual-Monitoring Standards

meterological	Was leachate							
monitoring in	monitored in					Was	Has the statement	
compliance	compliance			Have GW	Were emission	topography of	under S53(A)(5) of	
with Landfill	with LD	Was Landfill Gas monitored in	Was SW monitored in	trigger levels	limit values	the site	WMA been	
Directive (LD)	standard in	compliance with LD standard in	compliance with LD	been	agreed with the	surveyed in	submitted in	
standard in	reporting year	reporting year	standard in reporting year	established	Agency (ELVs)	reporting year	reporting year	Comments

^{.+} please refer to Landfill Manual linked above for relevant Landfill Directive monitoring standards

Table 5 Capping-Landfill only

Table 5 cap	P 5 = a a					
uncapped*	Area with temporary cap			waste that should be permanently	What materials	
SELECT UNIT	SELECT UNIT	Area with final cap to LD Standard m2 ha, a	Area capped other	capped to date under licence	are used in the cap	Comments

^{*}please note this includes daily cover area

Table 6 Leachate-Landfill only

9 Is leachate from your site treated in a Waste Water Treatment Plant?

10 Is leachate released to surface water? If yes please complete leachate mass load information below

SELECT SELECT

Volume of	Leachate						
leachate in	(BOD) mass			Leachate	Leachate	Specify type	
reporting	load	Leachate (COD) mass load	Leachate (NH4) mass load	(Chloride) mass	treatment on-	of leachate	
year(m3)	(kg/annum)	(kg/annum)	(kg/annum)	load kg/annum	site	treatment	Comments

nsure that all information reported in the landfill gas section is consistent with the Landfill Gas Survey submitted in conjunction with PRTR

Table 7 Landfill Gas-Landfill only

Gas Captured&Tre		,	Was surface emissions	
ated by LFG	generated		monitoring performed	
System m3	(MW/KWh)	Used on-site or to national grid	during the reporting year?	Comments
			SELECT	

3.12. PRTR Return 2017 Data



| PRTR# : W0227 | Facility Name : Lawlor Brothers Waste Disposal Ltd t/a Access Skip Hire | Filename : W0227_2017.xls | Return Year : 2017 |

Guidance to completing the PRTR workbook

DRTR Returns Workhook

Environmental Protection Agency	PRIR Returns Workbook
REFERENCE YEAR	Version 1.1.1
1. FACILITY IDENTIFICATION	•
Parent Company Name	Lawlor Brothers (Waste Disposal) Limited, trading as Access Skip Hire
	Lawlor Brothers Waste Disposal Ltd t/a Access Skip Hire
PRTR Identification Number	
Licence Number	W0227-01
Classes of Activity	
No.	class_name
•	Refer to PRTR class activities below
Address 1	Unit 28
Address 2	John F Kennedy Road
	JFK Industrial Estate, Naas Road
Address 4	Dublin 12
	Dublin
Country	Ireland
Coordinates of Location	
River Basin District	IEEA
NACE Code	
Main Economic Activity	Recovery of sorted materials
AER Returns Contact Name	Brian King
AER Returns Contact Email Address	environmental@accesswaste.ie
AER Returns Contact Position	Environmental, Health and Safety Manger
AER Returns Contact Telephone Number	01 427 7707
AER Returns Contact Mobile Phone Number	
AER Returns Contact Fax Number Production Volume	
Production Volume Units	
Number of Installations	
Number of Operating Hours in Year	
Number of Employees	40
User Feedback/Comments	Mixed Municipal residual waste collected from domestic and
	commercial customers were sent directly to destination facility
	Thorntons Recycling.
Web Address	www.accesswaste.ie
PRTR CLASS ACTIVITIES	
	Activity Name
50.1	General
	Installations for the disposal of non-hazardous waste
	General
3. SOLVENTS REGULATIONS (S.I. No. 543 of 200 ls it applicable?)	
Have you been granted an exemption ?	NO .
If applicable which activity class applies (as per	
Schedule 2 of the regulations) ?	
Is the reduction scheme compliance route being	
used ?	
WASTE IMPORTED/ACCEPTED ONTO SITE	Guidance on waste imported/accepted onto site
Do you import/accept waste onto your site for on-	
site treatment (either recovery or disposal	
activities) ?	

AER 2017

4.1 RELEASES TO AIR

Link to previous years emissions data

| PRTR#: W0227 | Facility Name: Lawlor Brothers Waste Disposal Ltd t/a Access Skip Hire | Filename: W0227_2017.xls | Return Year: 2017 |

28/03/2018 12:23

SECTION A: SECTOR SPECIFIC PRTR POLLUTANTS

		RELEASES TO AIR				Please enter all quantities	in this section in KGs			
[PO	POLLUTANT			OD		QUANTITY			
[Me	thod Used					
	No. Annex II	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year		A (Accidental) KG/Year	F (Fugitive) KG/Year
,						0.0		0.0	0.0	0.0

^{*} Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION B: REMAINING PRTR POLLUTANTS

		Please enter all quantities in this section in KGs							
PO	LLUTANT		ME	THOD	QUANTITY				
			Method Used						
No. Annex II	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year	
					0.0		0.0	0.0	

^{*} Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION C: REMAINING POLLUTANT EMISSIONS (As required in your Licence)

RELEASES TO AIR					Please enter all quantities	in this section in KGs	•		
PO	POLLUTANT			THOD	QUANTITY				
			Method Used						
Pollutant No.	Name	M/C/E	Method Code Designation or Description		Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year	
					0.0		0.0	0 00	

^{*} Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

Additional Data Requested from Landfill operators

For the purposes of the National Inventory on Greenhouse Gases, landfill operators are requested to provide summary data on landfill gas (Methane) flared or utilised on their facilities to accompany the figures for total methane generated. Operators should only report their Net methane (CH4) emission to the environment under T(total) KG/yr for Section A: Sector specific PRTR pollutants above. Please complete the table below:

Landfill:	Hire

	Lawior brothers waste Disposar Ltd va Access Skip					
Landfill:	Hire				_	
Please enter summary data on the						
quantities of methane flared and / or utilised			Meth	hod Used		
				Designation or	Facility Total Capacity m3	
	T (Total) kg/Year	M/C/E	Method Code	Description	per hour	
Total estimated methane generation (as per						
site model)	0.0				N/A	
Methane flared	0.0					(Total Flaring Capacity)
Methane utilised in engine/s	0.0				0.0	(Total Utilising Capacity)
Net methane emission (as reported in Section						
A above)	0.0				N/A	

AER 2017

4.2 RELEASES TO WATERS

Link to previous years emissions data

| PRTR#: W0227 | Facility Name: Lawlor Brothers Waste Disposal Ltd t/a Access Skip Hire | Filename: W0227 _2017.xls | Return Year: 2017 |

28/03/2018 12:57

SECTION A: SECTOR SPECIFIC PRTR POLLUTANTS

Data on ambient monitoring of storm/surface water or groundwater, conducted as part of your licence requirements, should NOT be submitted under AER / PRTR Reporting as t

		Please enter all quantities in this section in KGs							
POI	LUTANT						QUANTITY		
			N.	Method Used					
No. Annex II	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year	
					0.0	0.0	0.0	0.0	

^{*} Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION B: REMAINING PRTR POLLUTANTS

RELEASES TO WATERS					Please enter all quantities in this section in KGs				
P	DLLUTANT				QUANTITY				
				Method Used					
No. Annex II	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year	
					0.0	0.0	0.0	0.0	

^{*} Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION C: REMAINING POLLUTANT EMISSIONS (as required in your Licence)

	RELEASES TO WATERS				Please enter all quantities in this section in KGs				
PO	LLUTANT				QUANTITY				
		Method Used							
Pollutant No.	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year	
					0.0	0.0	0.0	0.0	

^{*} Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

AER 2017

4.3 RELEASES TO WASTEWATER OR SEWER

Link to previous years emissions data

| PRTR# : W0227 | Facility Name : Lawlor Brothers Waste Disposal Ltd t/a Access Skip Hire | Filenar

28/03/2018 12:54

SECTION A : PRTR POLLUTANTS

OFFSITE TRANSFER OF POLLUTAN	IS DESTINED FOR WASTE-WATER TR	REATMENT OR SEV	VER	Please enter all quantities in this section in KGs				
POLLUTANT		M	ETHOD	QUANTITY				
		Method Used						
No. Annex II Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year	
				0.0	0.	0.0	0.0	

^{*} Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION B : REMAINING POLLUTANT EMISSIONS (as required in your Licence)

OLOTION D. HEMAINING POLLOTANT EMIC	oloito (as required in your Electice)									
OFFSITE TRANS	ATER TRE	ATMENT OR SEWER		Please enter all quantities in this section in KGs						
PO	LLUTANT	METHOD			QUANTITY					
			Method Used							
Pollutant No.	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	Α	(Accidental) KG/Year	F (Fugitive) KG/\	ear
					0.0		0.0	0.0		0.0

^{*} Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

AER 2017

4.4 RELEASES TO LAND

Link to previous years emissions data

PRTR#: W0227 | Facility Name: Lawlor Brothers Wasle Disposal Lld t/a Access Skip Hire | Filename: W0227_2017.xls | Return Year: 2017 |

28/03/2018 13:00

SECTION A: PRTR POLLUTANTS

		Please enter all quantities in this section in KGs						
PC	LLUTANT		METHO)D	QUANT			YTITHAUG
			Method Used					
No. Annex II	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	Į.	A (Accidental) KG/Year
					0.0		0.0	0.0

^{*} Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION B: REMAINING POLLUTANT EMISSIONS (as required in your Licence)

				Please enter all quantities	in this section in KO	is	
PO	LLUTANT		METHOD			QUANTITY	
			Method Used				
Pollutant No.	Name	M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year
					0.0		0.0 0.0

^{*} Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

5. ONSITE TREATMENT & OFFSITE TRANSFERS OF WASTE

AFR 2017

PRTR#: W0227 | Facility Name : Lawlor Brothers Waste Disposal Ltd f/a Access Skip Hire | Filename : W0227 _ 2017.xis | Return Year : 2017 |

Please enter all quantities on this sheet in Tonnes 0 Haz Waste: Name and Licence/Permit No of Next Haz Waste : Address of Next Destination Facility Name and License / Permit No. and Quantity Haz Waste: Name and Address of Final Recoverer/ Actual Address of Final Destination Destination Facility (Tonnes per Licence/Permit No of Non Haz Waste: Address of Disposer (HAZARDOUS WASTE Le. Final Recovery / Disposal Site Year) Method Used ONLY (HAZARDOUS WASTE ONLY) Recover/Disposer Recover/Disposer Waste European Waste Treatment Location of Hazardous Description of Waste M/C/E Method Used Treatment Transfer Destination Code Operation Crumbrubber Ltd.,WFP-LH-Mooretown, Dromiskin, Dunda Within the Country 16 01 03 No 5.74 end-of-life tyres R5 Weighed Offsite in Ireland 10-0005-01 lk.Co. Louth.Ireland Midland Scrap Metal Co T/A M S M ltd.(MSM),WFP-T-16-0001-Recycling, Annagh, Birr, Count Within the Country 16 01 03 No 13.12 end-of-life tyres R₅ Weighed Offsite in Ireland 01 y Offlay, Ireland gases in pressure containers other than Calor Gas Long Mile Within the Country 16 05 05 No 1.28 those mentioned in 16 05 04 R₁₃ М Offsite in Ireland Calor Teoranta... Road.....Dublin 12.Ireland Weighed mixture of concrete, bricks, tiles and Ballynagran Coolbeg and ceramics other than those mentioned in 17 Kilcandra...Co. Ballynagran Landfill Wicklow,., Ireland Within the Country 17 01 07 49.66 01 06 Weighed Offsite in Ireland Ltd,W0165-02 mixture of concrete, bricks, tiles and ceramics other than those mentioned in 17 Behans Land Blackhall.Punchestown.Naas Within the Country 17 01 07 No 6116.94 01 06 М Weighed Offsite in Ireland Restoration, W0247-01 Co Kildare, Ireland mixture of concrete, bricks, tiles and ceramics other than those mentioned in 17 Cullen Excavations Ltd, WFP- Ballygarret Kilcoole,...,Co. Within the Country 17 01 07 R₅ М Offsite in Ireland WW-13-0003-02 Nn 1042 16 01 06 Weighed Wicklow, Ireland mixture of concrete, bricks, tiles and Blackhall TipperKevin & ceramics other than those mentioned in 17 Waleshtown Restoration Bawnoge, Naas, Naas, County Within the Country 17 01 07 No R5 Offsite in Ireland Limited.W-0254-01 Kildare, Ireland 1413.56 01 06 Weighed OCR Waste Management Office 2 Roxborough,...,Co. Within the Country 17 02 01 No 86.66 wood R₁₂ М Weighed Offsite in Ireland Ltd.WFP-RN-10-0001-01 Roscommon, Ireland Thorntons Recycling Wood Chipping facility Padraic Thornton Waste Disposal Oldmilltown KillCo. Within the Country 17 02 01 No 456.14 wood R12 м Weighed Offsite in Ireland Ltd,WFP-KE-10-0061-01 Kildare, Ireland soil and stones other than those mentioned Behans Land Blackhall Punchestown Naas М Within the Country 17 05 04 No 5327.28 in 17 05 03 Weighed Offsite in Ireland Restoration,W0247-01 .Co Kildare.Ireland Rital Environmental Limited,W0192-03,Block 402 Block 402 Grants Drive Block 402 Grants Drive Grants Drive .Greenogue .Greenogue Business construction materials containing asbestos Rilta Environmental Greenogue Business Park Business Park, Rathcoole, Co. Park, Rathcoole, Co. Within the Country 17 06 05 Yes 0.62 (18) D15 М Weighed Offsite in Ireland Ltd,W0192-03 Rathcoole, Co. Dublin, Ireland Dublin, Ireland Dublin, Ireland Unit 74A. Naas Industrial gypsum-based construction materials other G&J O'Neill Enterprises Estate Naas Co. Within the Country 17 08 02 No 2.02 than those mentioned in 17 08 01 R₁₂ Weighed Offsite in Ireland Ltd.WFP-KE-15-0080-01 Kildare, Ireland Mark O'Reilly Recycling Colfix (Dublin) Ltd,WFP-DS-Bluebell Industrial Within the Country 19 12 02 No 1000.56 ferrous metal R₁₃ М Offsite in Ireland 10-0002-01 Estate,...,Dublin 12,Ireland Weighed Mark O'Reilly Recycling Colfix (Dublin) Ltd.WFP-DS-Bluebell Industrial Within the Country 19 12 03 No 31.94 aluminium R₁₃ М Weighed Offsite in Ireland 10-0002-01 Estate,...,Dublin 12,Ireland Mark O'Reilly Recycling Colfix (Dublin) Ltd,WFP-DS-Bluebell Industrial Within the Country 19 12 03 No 9.72 mixed cable R13 Weighed Offsite in Ireland 10-0002-01 Estate.....Dublin 12, Ireland Parsonstown Loughnacush Kilkeaskin Drumond Drehid Waste Management Timahoe West Coolcarrigan Facility Bord na Mona CarburyCo. Within the Country 19 12 07 No 128.98 wood other than that mentioned in 19 12 06 R11 Weighed Offsite in Ireland Plc.W0201-03 Kildare, Ireland Ballynagran Coolbeg and Ballynagran Landfill Kilcandra,,,Co. Ltd.W0165-02 Within the Country 19 12 07 No 528.44 wood other than that mentioned in 19 12 06 R11 Weighed Offsite in Ireland Wicklow...Ireland Knockharley Landfill Knockharley Navan,....Co. Within the Country 19 12 07 No 389.72 wood other than that mentioned in 19 12 06 R11 Offsite in Ireland Ltd.W0146-02 Meath, Ireland Weighed

29/03/2018 14:42

ΔFF	2017	

-										Killeen		
									Thorntons Recycling	Road.BallyfermotDublin		
M	ithin the Country	10 12 07	No	24.18 wood other than that mentioned in 19 12 06	D11	М	Weighed	Offsite in Ireland	Centre,W0044-02	10,Ireland		
•	rialin the Country	19 12 07	140	24.10 Wood other than that mentioned in 19 12 00	nii	IVI	Weighted	Official III ficially	Gentile, ** 0044-02	TO, IT CHAING		
									Waddock Composting	KillamasterCo.		
v	ithin the Country	10 12 07	No	1779.26 wood other than that mentioned in 19 12 06	Dee	М	Weighed	Officito in Iroland	Facility,WFP-CW-13-001-01	Carlow, Ireland		
•	ritiliii trie Country	19 12 07	INO	1779.26 WOOD OTHER THAIT THAT THERITIONED IN 19 12 06	BII	IVI	Weighed	Offsite III fretand	raciity,WFP-OW-13-001-01	Killeen		
									Theretone Documina	Road,Ballyfermot,,,Dublin		
	Lithin the Country	10 10 10	No	2040 79 day mixed recidual wants	R11	М	Wainhad	Officia in Iroland	Thorntons Recycling	10.lreland		
٧	lithin the Country	19 12 12	INO	2240.78 dry mixed residual waste	HII	IVI	Weighed	Offsite in fretand	Centre,W0044-02			
				minerals (for example sand, stones)					Ballynagran Landfill	Ballynagran Coolbeg and Kilcandra,Co.		
	Cibin the Country	40 40 40	N-		Dea		Water	Official in Indiana		Wicklow,,,Ireland		
v	ithin the Country	19 12 12	No	7283.44 (0-15mm)	R11	М	Weighed	Offsite in Ireland	Lid, W0 165-02			
										Parsonstown Loughnacush		
									B 12104 - 14	Kilkeaskin Drumond		
									Drehid Waste Management	Timahoe West Coolcarrigan		
				minerals (for example sand, stones)					Facility Bord na Mona	Carbury ,.,.,Co.		
v	lithin the Country	19 12 12	No	3888.66 (0-15mm)	R11	M	Weighed	Offsite in Ireland		Kildare, Ireland		
				minerals (for example sand, stones)	_				Knockharley Landfill	Knockharley Navan,,,Co.		
v	lithin the Country	19 12 12	No	1177.52 (0-15mm)	R11	M	Weighed	Offsite in Ireland	Ltd,W0146-02	Meath, Ireland		
										Parsonstown Loughnacush		
										Kilkeaskin Drumond		
									Drehid Waste Management	Timahoe West Coolcarrigan		
									Facility Bord na Mona	Carbury ,.,.,Co.		
V	lithin the Country	19 12 12	No	3545.4 clean construction rubble (15mm+)	R11	M	Weighed	Offsite in Ireland	Plc,W0201-03	Kildare, Ireland		
										Ballynagran Coolbeg and		
									Ballynagran Landfill	Kilcandra,,Co.		
V	ithin the Country	19 12 12	No	1417.22 clean construction rubble (15mm +)	R11	M	Weighed	Offsite in Ireland	Ltd,W0165-02	Wicklow,lreland		
							•		· ·	Parsonstown Loughnacush		
										Kilkeaskin Drumond		
									Drehid Waste Management	Timahoe West Coolcarrigan		
									Facility Bord na Mona	CarburyCo.		
V	ithin the Country	19 12 12	No	742.98 dry mixed general waste for landfill	D5	M	Weighed	Offsite in Ireland	Plc.W0201-03	Kildare, Ireland		
	,								,	Ballynagran Coolbeg and		
									Ballynagran Landfill	KilcandraCo.		
v	lithin the Country	19 12 12	No	2550.7 dry mixed general waste for landfill	D5	M	Weighed	Offsite in Ireland		WicklowIreland		
-	, , , , , , , , , , , , , , , , , , , ,			and the second s			Transpired .		Knockharley Landfill	Knockharley Navan,Co.		
v	ithin the Country	10 10 10	No	863,38 dry mixed general waste for landfill	D5	М	Weighed	Offsite in Ireland		Meath.Ireland		
	riami are country	15 12 12	140	005.50 dry mixed general Maste for landing	55	141	Worginou	Official III II diana	213,11014002	Killeen		
									Thorntons Recycling	Road,Ballyfermot,.,Dublin		
v	ithin the Country	10 12 12	No	22.74 dry mixed general waste for landfill	D5	м	Weighed	Officia in Iroland	Centre.W0044-02	10.lreland		
•	ritiliii the Country	19 12 12	INO	22.74 dry filixed general waste for landill	Do	IVI	Weighed	Offsite III fieldfid	Gentile, VV 0044-02	ro,ireland	Rehab Enterprise Ltd,WFP-	
				discarded electrical and electronic							DS-10-0008-03,Unit 77	
				equipment other than those mentioned in 20						Unit 77 Broomhill	Broomhill	Unit 77 Broomhill
				01 21 and and 20 01 23 containing					Rehab Enterprises Ltd.WFP-		Road,.,Tallaght,Dublin	Road,,,Tallaght,Dublin
v	ithin the Country	20.01.25	Yes	4.6 hazardous components	R4	М	Weighed	Offsite in Ireland		24.lreland	24, Ireland	24, Ireland
٧	rithin the Country	20 01 35	168	4.6 nazardous components	H4	IVI	Weighed	Offsite in fretand	D3-10-0006-03	Blackhall TipperKevin &	24,ireland	24,ireland
				soil and stones other than those mentioned					Waleshtown Restoration	Bawnoge, Naas, Naas, County		
	Dibin the Country	47.05.04	NI-		De		Watered	Official in Indiana		Kildare.lreland		
v	ithin the Country	17 05 04	No	225.96 in 17 05 03	R5	M	Weighed	Offsite in Ireland	Limited,W-0254-01			
									Hadran Caranta	Hudson Concrete		
									Hudson Concrete	Limited,New Town Upper		
				soil and stones other than those mentioned	D-			0000000	Limited,WFP-WX-10-0-116-	Coolgreany, Gorey, County		
V	lithin the Country	17 05 04	No	106.16 in 17 05 03	R5	M	Weighed	Offsite in Ireland	01	Wexford, Ireland		
										Ballynagran Coolbeg and		
					_				Ballynagran Landfill	Kilcandra,.,Co.		
V	lithin the Country	19 12 12	No	18.72 dry mixed residual waste	R11	M	Weighed	Offsite in Ireland	Ltd,W0165-02	Wicklow,.,lreland		
										Killeen		
				sludges from on-site effluent treatment other					Thorntons Recycling	Road,Ballyfermot,.,Dublin		
V	lithin the Country	19 11 06	No	9.4 than those mentioned in 19 11 05	D9	M	Weighed	Offsite in Ireland	Centre,W0044-02	10,Ireland		

Within the Country 19 12 12	No	minerals (for example stand and stone) 0- 28.44 15mm	М	Weighed	Behans Land Offsite in Ireland Restoration,W0247-01	Blackhall,Punchestown,Naas ,Co Kildare,Ireland