

Company Secretary,  
Irish Water,  
Colvill House,  
24/26 Talbot Street,  
Dublin 1



Headquarters, PO Box 3000  
Johnstown Castle Estate  
County Wexford, Ireland

Ceanncheathrú, Bosca Poist 3000  
Eastát Charleán Bhaile Sheáin  
Contae Loch Garman, Éire

T: +353 53 9160600

F: +353 53 9160699

E: [info@epa.ie](mailto:info@epa.ie)

W: [www.epa.ie](http://www.epa.ie)

LoCall: 1890 33 55 99

22<sup>nd</sup> April 2015

*Re: Request for a Technical Amendment under Regulation 33(1)(b) of the Waste Water Discharge Authorisation Regulations, 2007, as amended*

Dear Company Secretary,

I refer to your correspondence, requesting a Technical Amendment to following licences:

Request Received	Registration Number	Agglomeration
6 <sup>th</sup> January 2011	D0056-01	Midleton
25 <sup>th</sup> March 2009	D0106-01	Kilmallock
31 <sup>st</sup> May 2010	D0296-01	Baltimore
11 <sup>th</sup> September 2009	D0305-01	Kilfinane
4 <sup>th</sup> October 2013	D0526-01	Freshford

I am to advise that the Agency has decided not to amend your existing licences.

All documentation in relation to the application for these Technical Amendments is available to view online at [www.epa.ie](http://www.epa.ie).

If you have any further queries, please contact your relevant Enforcement Inspector.

Yours Sincerely,

Patrick Doyle

Programme Officer,  
Environmental Licensing Programme,  
Office of Climate, Licensing & Resource Use

