

## Eve O'Sullivan

---

**Subject:** FW: H0306-01 Carlingford Landfill  
**Attachments:** Appendix 1.pdf; Appendix 2.pdf; Appendix 3.pdf; Appendix 5.pdf; Appendix 6.pdf; Carlingford Certificatation Rev A.pdf; Carlingford town dump Risk assessment Tier 1.pdf; New Eden Message - Landfill - Valid Application Submitted - 1 EPA043304 received 14 Jan 2014.txt; Sean Moran CoP Authorisaiton.pdf

---

**From:** Pamela Dagg [mailto:pamela.dagg@louthcoco.ie]  
**Sent:** 23 July 2018 15:09  
**To:** Magnus Amajirionwu  
**Subject:** RE: H0306-01 Carlingford Landfill

Magnus

All the above information should have been on the EPA portal as the valid application was acknowledged on 14 Jan 2014. The documents were on line recently and now are not on the portal. I have some more email to come, but as some of the information was filled out on line I don't have the complete application as it wasn't possible to save same from the EPA portal.

*Kind regards*  
*Pamela*  
*Direct Line 042 9392926, local: 1890202303*

**Cuirfear fáilte roimh chomhfhreagras Gaeilge**

*Visit our website at [www.louthcoco.ie](http://www.louthcoco.ie)*

 *Think before you print.*

---

**From:** Magnus Amajirionwu [mailto:M.Amajirionwu@epa.ie]  
**Sent:** 18 July 2018 10:25  
**To:** Pamela Dagg  
**Subject:** H0306-01 Carlingford Landfill

Hi Pamela,

Thanks for taking my call earlier.

Please find following, documents I would require in relation to the CoA application:

- Application form completed for H0306-01 by the Louth CoCo.
- Tier 1, 2 and 3 Risk Assessments
- Monitoring results for:
  - Leachate
  - Surface and groundwater
  - Landfill gas
- Any other associated documents

Thanks and kind regards

Magnus

---

Dr. Magnus U. Amajirionwu  
Scientific Officer  
Office of Environmental Sustainability  
Environmental Protection Agency,  
Johnstown Castle, Wexford, Ireland

T. +353 539160600 | E. [a.magnus@epa.ie](mailto:a.magnus@epa.ie)  
[www.epa.ie](http://www.epa.ie)



\*\*\*\*\*

This email and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed. If you have received this email in error please notify the EPA postmaster - [postmaster@epa.ie](mailto:postmaster@epa.ie)

The opinions contained within are personal to the sender and do not necessarily reflect the policy of the Environmental Protection Agency.

For inspection purposes only.  
Consent of copyright owner required for any other use.

\*\*\*\*\*

---

This email has been scanned by the Symantec Email Security.cloud service. For more information please visit <http://www.symanteccloud.com>

---

The contents of this e-mail (including attachments) are private and confidential and may also be subject to legal privilege. It is intended only for the use of the addressee. If you are not the addressee, or the person responsible for delivering it to the addressee, you may not copy or deliver this e-mail or any attachments to anyone else or make any use of its contents; you should not read any part of this e-mail or any attachments. Unauthorised disclosure or communication or other use of the contents of this e-mail or any part thereof may be prohibited by

law and may constitute a criminal offence.



# Cooley Water Supply Scheme

## *Carlingford Boreholes*

### Groundwater Source Protection Zones Draft report

March 2009

***Prepared by:***

EurGeol. Dr. Robert Meehan, PGeo.  
Consultant Geologist

***In collaboration with:***

Geological Survey of Ireland

***And in Partnership with:***

Louth County Council

***With contributions from:***

Taly Hunter Williams and Monica Lee, GSI  
Coran Kelly, Tobin Consulting Engineers



## Document control

<b>Draft</b>	<b>Date</b>	<b>Author</b>	<b>Checked</b>
First draft	March 2009	R. Meehan	NHW
Second Draft			
Draft Final			

For inspection purposes only.  
Consent of copyright owner required for any other use.

## Table of Contents

<b>1</b>	<b>INTRODUCTION</b> .....	<b>1</b>
<b>2</b>	<b>LOCATION, SITE DESCRIPTION AND WELL HEAD PROTECTION</b> .....	<b>1</b>
<b>3</b>	<b>SUMMARY OF BOREHOLE DETAILS</b> .....	<b>3</b>
<b>4</b>	<b>METHODOLOGY</b> .....	<b>3</b>
<b>5</b>	<b>TOPOGRAPHY, SURFACE HYDROLOGY AND LAND USE</b> .....	<b>3</b>
<b>6</b>	<b>GEOLOGY</b> .....	<b>6</b>
6.1	INTRODUCTION.....	6
6.2	BEDROCK GEOLOGY. ....	7
6.3	SUBSOIL GEOLOGY. ....	7
<b>7</b>	<b>GROUNDWATER VULNERABILITY</b> .....	<b>9</b>
<b>8</b>	<b>HYDROGEOLOGY</b> .....	<b>10</b>
8.1	METEOROLOGY AND RECHARGE .....	11
8.2	GROUNDWATER LEVELS, FLOW DIRECTIONS AND GRADIENTS. ....	12
8.3	HYDROCHEMISTRY AND WATER QUALITY.....	12
8.4	AQUIFER CHARACTERISTICS.....	14
8.5	CONCEPTUAL MODEL. ....	14
<b>9</b>	<b>DELINEATION OF SOURCE PROTECTION AREAS</b> .....	<b>15</b>
9.1	OUTER PROTECTION AREA .....	16
9.2	INNER PROTECTION AREA.....	16
<b>10</b>	<b>GROUNDWATER PROTECTION ZONES</b> .....	<b>16</b>
<b>11</b>	<b>POTENTIAL POLLUTION SOURCES</b> .....	<b>17</b>
<b>12</b>	<b>CONCLUSIONS</b> .....	<b>17</b>
<b>13</b>	<b>RECOMMENDATIONS</b> .....	<b>18</b>
<b>14</b>	<b>REFERENCES</b> .....	<b>18</b>

## List of Figures

FIGURE 1:	LOCATION OF THE BOREHOLES, AS WELL AS THE RISING STREAM AND INTERPRETED DISCHARGE ZONE TO THEIR IMMEDIATE NORTH. THE DEEP, CLIFFED, DISUSED QUARRIES UP-SLOPE ARE ALSO SHOWN.....	2
FIGURE 2:	TOPOGRAPHY OF THE AREA AROUND CARLINGFORD. THE HIGH MOUNTAINS TO THE WEST ARE CLEARLY SEEN, AS ARE THE MAIN HYDROLOGICAL FEATURES.....	5
FIGURE 3:	LAND USE AROUND THE SOURCE. THE SEWERAGE WORKS COMPRISE THE BOUIDLINGS IMMEDIATELY NORTHEAST OF THE PUMPHOUSE. THE DOMINANCE OF WELL DRAINED PASTURE LAND TO THE SOUTH AND SOUTHWEST IS SEEN, AS ARE THE ARABLE FIELDS TO THE EAST AND THE BUILT AREA OF CARLINGFORD TO THE NORTH. MONTANE HEATH AND SCRUB IS ALSO SEEN TO THE WEST ON THE HIGH MOUNTAINS SLOPES. ...	6
FIGURE 4:	SUBSOILS GEOLOGY MAP OF THE AREA AROUND THE CARLINGFORD SOURCE. THE AREA NOW KNOWN TO BE SANDS AND GRAVELS IS ALSO SHOWN. ....	8
FIGURE 5:	DETAILS OF BOREHOLES BORED BY GSI IN SUMMER 2007 AROUND THE SOURCE. THE LOGS FROM THESE, ALONG WITH MAPPING OF EXPOSURES IN THE LOCALITY AROUND THE SOURCE, WERE USED TO DELINEATE THE AREA OF SANDS AND GRAVELS CONSTITUTING THE SOURCE AQUIFER (SHOWN AS GREEN HATCH)ERROR! BOOKMARK NOT DEFINED.....	9
FIGURE 6:	THREE-DIMENSIONAL CONCEPTUAL MODEL FOR THE CARLINGFORD BOREHOLES SOURCE, WITH GROUNDWATER BEING FED INTO THE PERMEABLE SANDS AND GRAVELS FROM THE VERTICALLY HIGHER BEDROCK TO THE WEST AND SOUTHWEST. ....	15
FIGURE 7:	SOURCE PROTECTION AREAS FOR THE CARLINGFORD BOREHOLES SOURCE .....	20

FIGURE 8: GROUNDWATER VULNERABILITY WITHIN THE SOURCE PROTECTION AREAS FOR THE CARLINGFORD BOREHOLES SOURCE..... 21  
FIGURE 9: SOURCE PROTECTION ZONES FOR THE CARLINGFORD BOREHOLES SOURCE..... 22

**List of Tables**

TABLE 1: SUMMARY HYDROCHEMICAL DATA FOR CARLINGFORD BOREHOLES, 1998 AND 2007-2008..... 13  
TABLE 2: MATRIX OF SOURCE PROTECTION ZONES AT CARLINGFORD..... 176

*For inspection purposes only.  
Consent of copyright owner required for any other use.*

## 1 Introduction

The Carlingford Boreholes, which form part of the Cooley Water Supply Scheme, are located in the southern suburbs of the town of Carlingford, at the eastern end of the Cooley Peninsula in northeast County Louth.

Louth County Council requested Source Protection Zone delineation for both the Carlingford Boreholes and the Ardtully Beg Boreholes from the Geological Survey of Ireland (GSI) in August 2006, in order to develop Source Protection Zones for the entire zone of contribution to the Cooley Water Supply. The Ardtully Beg Boreholes are considered in a separate report.

The objectives of the report are as follows:

- To delineate source protection zones for the Carlingford boreholes.
- To outline the principal hydrogeological characteristics of the Carlingford area.
- To assist Louth County Council in protecting the water supply from contamination.

The protection zones are delineated to help prioritise certain areas around the source in terms of pollution risk to the springs. This prioritisation is intended to provide a guide in the planning and regulation of development and human activities. The implications of these protection zones are further outlined in 'Groundwater Protection Schemes' (DELG/EPA/GSI, 1999).

The report forms part of the groundwater protection and source protection map/report suite for the county (GSI, 2009). The maps produced for the scheme are based largely on the readily available information in the area and on mapping techniques which use inferences and judgements based on experience at other sites. As such, the maps cannot claim to be definitively accurate across the whole area covered, and should not be used as the sole basis for site-specific decisions, which will usually require the collection of additional site-specific data.

## 2 Location, Site Description and Well Head Protection

The boreholes' pumping station and pump house compound are located on a narrow, third class road just off the Regional R173 road, approximately 0.9 km south-southeast of the centre of the town of Carlingford. The location of the site is shown in Figure 1.

The boreholes' area seems to constitute a zone of groundwater discharge upon first inspection, being situated within the footslope zone at the junction between a coastal lowland and the northeastern flank of a high ridge to its' southwest. The Ordnance Survey six inch map of the 1860's depicts a stream rising at the location of the pump house, with water emerging and flowing northwards through a marshy area, past Ghan House and into the sea in the southernmost portion of the Harbour (Figure 1). The area around the pump house is labelled 'Springfield' on this map.

The source was mooted as being a potential water supply when the adjacent sewerage treatment works were completed in the 1990's. At that time vast quantities of groundwater were encountered when constructing the works, 100m to the northeast of the now-utilised boreholes. An exploration borehole was then drilled to 13m depth in September 1998 and a pumping test carried out on the groundwater there, suggesting a minimum yield of 2,000m<sup>3</sup> per day (730,000m<sup>3</sup> per year)<sup>1</sup>. The proposal was to abstract a maximum amount of 1,200 m<sup>3</sup> per day.

The scheme was then commissioned in 1998, as part of the augmentation scheme for the Ardtullbeg Source, but did not begin until 2000. By then a second borehole had been drilled, immediately adjacent to the first<sup>2</sup>.

---

<sup>1</sup> The maximum yield is given as 4,500 m<sup>3</sup>/d, as quoted in historical Local Authority documentation on the boreholes.

<sup>2</sup> There are no logs available for this second borehole data on it have come from Louth County Council personnels' memories rather than logged records..

Currently, the two boreholes are active and are pumped at a combined rate of 50m<sup>3</sup>/hr, 24 hours a day, resulting in the combined volume of 1,200 m<sup>3</sup>/d. The groundwater is now chlorinated and fluoridated on-site and is then pumped to a reservoir with a storage capacity of approximately 2,000 m<sup>3</sup> at Rath, 3.5 km to the south-southwest, via a 200mm diameter watermain, and is then combined with water abstracted from boreholes at Ardtully Beg prior to distribution through the Cooley Water Supply piped network. The chlorination tank and chemicals are stored in the pump house and a tap is present there for raw water samples.

The pumphouse site area constitutes only c. 150 m<sup>2</sup> but is fenced off with good quality fencing, and is further surrounded by dry grassland to the east, a recently-built housing estate and the Carlingford Wastewater Treatment Works to the north, and the southern Carlingford suburbs to the west and south.

The sanitary protection of the Carlingford boreholes appears satisfactory. The bores are situated within sunken concrete chambers (c. 1.5 m x 1 m) that are securely covered by lockable, galvanised steel lids. The tops of the chambers are very slightly higher than the surrounding ground level. The chambers are situated to the immediate southeast of the pump house, in a tarmacadamed area. The pump control equipment and water treatment system is housed in the pump house, a separate, small brick building.




Figure 1: Location of the boreholes, as well as the rising stream and interpreted discharge zone to their immediate north. The deep, cliffed, disused quarries up-slope are also shown.



### 3 Summary of Borehole Details

Well Details	Well Name	
	PW1	PW2
Date Drilled	1998	1999
GSI Well Number	2929NEW123	2929NEW123
Grid Reference	319252 310894	319253 310893
Location (townland)	Liberties of Carlingford	Liberties of Carlingford
Well type	Bored	Bored
Owner	Louth Co. Co.	Louth Co. Co.
Ground elevation	7.5mAOD	7.5mAOD
Depth of borehole	13m	21.3m
Diameter of hole (mm)	250	250
Casing/screen diameter	250mm nominal	250mm nominal
Lithological Unit	Sand and Gravel	Sand and Gravel
Static water level (bgl)	3.9 mbgl	3.9 mbgl
Static water level (AOD)	3.6mAOD approx	3.6mAOD approx
Pumping water level (bgl)	6.5m approx.	6.5m approx.
Pumping water level (aOD)	1.0m approx.	1.0m approx.
Average Current Abstraction (m <sup>3</sup> /d)	1,200 combined yield	
Hours pumping	24 hours per day	24 hours per day
Depth of pump	~12 m	~19 m
Depth to bedrock	>13 m	>13 m (assumed)
Maximum Drawdown (m)	2.5m	2.5m
Estimated Safe Yield	2,000m <sup>3</sup> /day	
Treatment	Chlorinated and raw water tap available	
System	Submersible pump to mains <i>via</i> reservoir	

### 4 Methodology

Details about the borehole source such as date commissioned, historical data and outline abstraction figures were obtained from County Council personnel. As well as this, the data collection process included the following:

- Interview with the acting caretaker, 23/02/2009.
- A desk study of existing geological and hydrogeological information was completed on 18/03/2009 and 19/03/2009, procured predominantly within the relevant GSI databases and maps.
- Detailed field survey of the subsoil geology, the hydrogeology and vulnerability to contamination was carried out by walkover stream surveys, logging of outcrops and exposures, and hand augering. This was completed on 23/03 and 25/03, 2009.
- Auger drilling of 9 no. boreholes was carried out by the GSI to ascertain depth to bedrock and subsoil permeability between 28/05/2007 and 05/06/2007.
- Analysis of field study results, previously collected data and hydrogeological mapping were used to delineate protection zones around the source.

### 5 Topography, Surface Hydrology and Land Use

The boreholes are located in Hydrometric Area 6 of the Neagh-Bann River Basin District. The area's hydrology is characterised by a number of unnamed mountain streams rising high on the mount backslopes and flowing short distances into Carlingford Lough. These streams, forming a small but discrete hydrological area, occur only along the eastern flank of the Cooley Mountains between

Omeath at the north, where they are flanked by the Newry River Catchment, and the Bush at the south, where they bound the Big River Catchment. .

North of Carlingford Town the land rises steeply from the sea to the mountain summits, at an average topographic gradient of 0.33 (Figure 2). South of the town and in the vicinity of the boreholes the gradients to the west are not as steep, at an average of 0.19, and a broad coastal plain opens up to the southeast. This area is comprised of gently undulating to rolling topography, with some small pockets of relatively hummocky terrain. The general altitude here is usually 5m-25m ASL.

The natural drainage density in the immediate vicinity of the source on its' northern side is high owing to the presence of a flat, waterlogged area of alluvium/peat there (Figure 1). Further north and northwest the steep mountain slopes and associated streams also mean relatively high drainage densities where they feed surface water into the sea. A particularly long and voluminous stream flows through the centre of Carlingford Town, 850m north of the source. The artificial drainage density in the upland area to the north is low, however, as streams are relatively common and drains are not required.

To the east, south and west of the source, there are few surface drainage features, either natural or anthropogenic; only 1 no. stream is seen at Catherine's Grove, 1km to the southeast, at the base of a deep glacial meltwater channel. It is interesting to note that, 450m south of the source, 2 adjacent streams rise from a marked bedrock scarp (see section 6.3 below) but each disappears underground after a distance of 50m-100m. Cut drainage ditches are rare in this overall area.

Small ponds and pools occur every now and then at the base of marked hollows to the south and southeast of the source; these seem to be no more than areas where the water table breaks the surface, and have no inflow or outflow features.

The land in the vicinity of the source is split between two land uses; agricultural and built land. South of the source, and for several kilometres south, southeast and southwest, the land is primarily agricultural, dominated by sheep grazing, with some dairying and cattle rearing. To the east between the source and the sea, both pasture and arable land is seen. Though the lowlying area immediately north of the source comprises wet grassland and an area of improved amenity grassland in a park, to the north and northwest of the source, built land comprising buildings and artificial surfaces dominates in and around Carlingford Town. Further to the north and northwest, as the land rises into the uplands, montane heath and scrub occurs.

The area immediately adjacent to the source includes a number of new housing estates to the north and northwest, as well many older residences to the west. These connect to the Carlingford mains sewer but some of the individual houses to the southwest are served by septic tanks, particularly those higher up the hillslopes. The sewerage works themselves are situated 85m northeast of the source. A nursing home lies 100m to the west-southwest of the source, and a farmyard 75m to the east. There also occurs a cemetery 135m to the southeast of the source, and disused quarries 250m to the southwest.




Figure 2: Topography of the area around Carlingford. The high mountains to the west are clearly seen, as are the main hydrological features.



Figure 3: Land use around the source. The sewerage works comprise the bouidlings immediately northeast of the pumphouse. The dominance of well drained pasture land to the south and southwest is seen, as are the arable fields to the east and the built area of Carlingford to the north. Montane heath and scrub is also seen to the west on the high mountains slopes.

## 6 Geology

### 6.1 Introduction.

This section briefly describes the relevant characteristics of the geological materials that underlie the Carlingford boreholes source locality. It provides a framework for the assessment of groundwater flow and source protection zones that will follow in later sections. Geological information was initially taken from a desk-based survey of available data, which comprised the following:

- Geraghty, M., 1997. Geology of Monaghan-Carlingford: A geological description of Monaghan-Carlingford, to accompany the Bedrock Geology 1:100,000 Scale Map Series, Sheet 8/9, Monaghan-Carlingford.
- The Subsoils Permeability Map and Groundwater Vulnerability Map of County Louth, drawn up as part of the National Groundwater Protection Scheme (GSI, 2009).
- Meath Groundwater Protection Scheme (Woods *et al.*, 1995).
- Information from geological mapping in the nineteenth century (on record at the GSI).
- Information from Mineral Exploration Open Files, also held by the GSI.
- Data from Quaternary mapping of County Louth, carried out by the GSI (O'Connor, 1998).
- Data from the EPA/Teagasc Subsoils Map for County Louth.
- Data from the Teagasc Preliminary Reconnaissance Soil Map of County Louth.

As well as this, detailed field survey of the geology was carried out in the area around the source by walkover stream surveys, logging of outcrops and exposures, and hand augering. This was completed in February 2009.

## 6.2 Bedrock Geology.

According to the 1:100,000 bedrock sheets of the region (Geraghty, 1997), the area around the boreholes is underlain by Undifferentiated Dinantian limestones (Dinantian Mixed Sandstones, Shales and Limestones). These Dinantian rocks unconformably overlie Ordovician-Silurian age greywacke and schists of the Inishkeen Formation, which are the oldest rocks in the Cooley Peninsula. The Carboniferous and Silurian rocks have been intruded by younger Tertiary igneous rocks, exposed on the higher ground to the west and northwest where they have been folded and faulted to form the Cooley Mountains.

The Undifferentiated Dinantian limestones (Dinantian Mixed Sandstones, Shales and Limestones) have not been subdivided into discrete facies units as detailed mapping of the bedrock has not been carried out in the area. The limestone rock in this part of County Louth is however generally described as pale grey, medium to fine grained, and bedded. Some dolomite units occur in places.

Faulting has occurred in the general region around the source, with a major fault and unconformity occurring 290m to the northeast at the boundary with the Inniskeen Formation, but no faults have currently been delineated in the immediate source locality.

A relatively extensive area of bedrock outcrop occurs immediately west of the boreholes, across the road from the site. The majority of this outcrop takes the form of a 25m-35m high cliff, which has been quarried at certain localities historically and which stretches for c. 800m north-south. Small areas of outcrop and subcrop also occur further west and northwest, up-slope.

## 6.3 Subsoil Geology.

Subsoils mapping was carried out by the author in 2001 while working at Teagasc on the EPA /Teagasc Soil and Subsoil Mapping Project. Refined mapping of subsoils was carried out throughout County Louth and in the Carlingford locality for the current Groundwater Protection Scheme Project (GSI, 2009). This information forms the basis for subsoil permeability assessments of the area, also carried out for the current project. Further information was gathered from GSI boreholes drilled around the source in May and June 2007.

The subsoils around the source comprise a mixture of coarse- and fine-grained materials. Granite tills, tills derived from shales and sandstones and sand/gravel (often at depth) are the dominant subsoils in the area, with more restricted areas of sands and gravels, limestone bedrock outcrop, peat and alluvium occurring (Figure 4). In general, subsoils are relatively shallow west of the source on the hillslopes, but are considerably deeper to the east of the source on the more lowlying and gently undulating terrain.

- 'Till' or 'Boulder clay' is an unsorted mixture of coarse and fine materials laid down by glacier ice during the last Ice Age. Till is the dominant subsoil type south, west and north of the source.
- The tills are varied in their dominant lithology, being dominated by granite on the hillslopes west of the source, by limestone in pockets on the lower ground to the south and southeast and by shale to the north and east, but all of tills are classed as being of moderate permeability. The tills encountered in the boreholes drilled by GSI around the source in May and June 2007 were described using BS 5930 as either silty sandy GRAVEL or silty GRAVEL.
- The depth to bedrock in the areas where till occurs on the hillslopes west and southwest of the source is generally less than 5m, and often less than 3m. The till to the east of the hillslopes and the source, in the lowland area, is much deeper.
- It seems that, though the area east of and including the source itself is mapped on the Teagasc subsoil map as being underlain by till, from detailed mapping and associated augering for this Source Protection report much of this area is underlain by deep glaciofluvial sands and gravels derived from shales and sandstones. These were deposited by wide meltwater rivers during deglaciation, when the ice sheets of the last Ice Age melted. The depth to bedrock in the sands





Figure 4: Subsoils geology map of the area around the Carlingford Source. The area now known to be sands and gravels is also shown.

and gravels to the east of the source is generally deep at >12m, though pockets with depths <5m do occur.

- Immediately north of the source, for a distance of 750m and as far as the coastline, a narrow, flat, low-lying area of postglacial deposits occurs. These have accumulated in this lowlying area since the last Ice Age, and have been mapped as ‘Marine sands and gravels’ on the Teagasc subsoil map. From examination during field work this was seen to be the case in the northern portion of the area, but at the south close to the source the material comprises a mixture of interbedded peat and alluvium. The alluvium material is dominated by CLAY but also hosts interbedded SAND, and seems to overlie glaciofluvial sands and gravels, as seen in the source borehole logs and from mapping around the locality.
- To the west and southwest of the source, bedrock protrudes through the deep glacial and postglacial subsoils within the cliffed outcrop area mentioned in Section 6.2.
- In and around Carlingford itself, much of the subsoils have been covered by ‘Made’ ground; built land, residential gardens and concreted/tarmacadamed areas. This ‘Made’ material is underlain by till and bedrock at or close to the surface, similar to the areas immediately adjacent to it.



**Figure 5: Details of boreholes bored by GSI in summer 2007 around the source. The logs from these, along with mapping of exposures in the locality around the source, were used to delineate the area of sands and gravels constituting the source aquifer (shown as green hatch).**

## 7 Groundwater Vulnerability

Groundwater vulnerability is dictated by the nature and thickness of the material overlying the uppermost groundwater ‘target’. This means that vulnerability relates to the thickness of the unsaturated zone in the sand/gravel aquifer, and the permeability and thickness of the subsoil in areas where the sand/gravel aquifer is absent. A detailed description of the vulnerability categories can be found in the Groundwater Protection Schemes document (DELG/EPA/GSI, 1999) and in the draft GSI

Guidelines for Assessment and Mapping of Groundwater Vulnerability to Contamination (Fitzsimons *et al.*, 2003).

The groundwater supply source is the water table hosted in the sand/gravel beneath the ground surface. For the purposes of vulnerability mapping in the immediate vicinity around the boreholes, the “**water table**” is the target, as this lies above the top of the bedrock. Further west and southwest, and up-slope, where the subsoil is thin till of moderate permeability at an elevation higher than that the water table than that at the boreholes, then the “**top of the rock**” is the target<sup>3</sup>.

- North, west, south and east of the source, the permeability of the till subsoil is interpreted to be “**moderate**” (see Figure 4 for the pattern of subsoils in these areas). Immediately north of the source, the permeability of the alluvium/peat subsoil is interpreted to be “**moderate**”, and to the east and southeast the permeability of the sand/gravel subsoil is “**high**” (see Figure 4).
- Depth to bedrock varies from being greater than 13 m around and to the east of the source to zero where the rock outcrops occur along the cliffs to the west and southwest.
- At subsoil thickness of less than 3m, as indicated by the outcrop, subcrop and drilling data, bulk permeability becomes less relevant in mapping vulnerability across wide areas (as opposed to specific sites). This is because infiltration is more likely to occur through ‘bypass flow’ mechanisms such as cracks in the subsoil. Based on the general depth to bedrock, a vulnerability classification of “**extreme**” has been assigned in these areas of shallower subsoil.
- Where subsoil thickness is greater than 3m, the vulnerability classification is “**high**”, within this having various specific combinations of permeability and subsoil thickness.

Depth to rock and depth to the water table interpretations are based on the available data cited here. However, depth to rock can vary significantly over short distances. As such, the vulnerability mapping provided will not be able to anticipate all the natural variation that occurs in an area. The mapping is intended as a guide to land use planning and hazard surveys, and is not a substitute for site investigation for specific developments. Classifications may change as a result of investigations such as trial hole assessments for on-site domestic wastewater treatment systems. The potential for discrepancies between large scale vulnerability mapping and site-specific data has been anticipated and addressed in the development of groundwater protection responses (site suitability guidelines) for specific hazards. More detail can be found in ‘Groundwater Protection Schemes’ (DELG/EPA/GSI, 1999).

## 8 Hydrogeology

This section presents the current understanding of groundwater flow in the area of the source boreholes and their feeder catchment. The interpretations and conceptualisations of flow are used to delineate source protection zones around the boreholes.

Hydrogeological and hydrochemical information for this study was obtained from the following sources:

- GSI Databases.
- Fitzgerald, D. and Forrester, F. (1996) Monthly and Annual Averages of Rainfall for Ireland 1961-1990. Meteorological Service, Climatological Note No. 10, UDC 551.577.2(415).
- Historical Louth County Council hydrochemistry data.
- EPA Groundwater Monitoring Data from the Carlingford Boreholes.
- Hydrogeological and permeability mapping carried out by the author.
- A drilling programme carried out by the GSI to ascertain depth to bedrock and subsoil permeability in May and June 2007.

<sup>3</sup> In areas where the water table is below the top of the bedrock, the thickness of the unsaturated zone within the bedrock is not taken into consideration in vulnerability mapping, as fractured bedrock has high permeability regardless.



## 8.1 Meteorology and Recharge

The term ‘recharge’ refers to the amount of water replenishing the groundwater flow system. The recharge rate is generally estimated on an annual basis, and assumed to consist of input (*i.e.* annual rainfall) less water loss prior to entry into the groundwater system (*i.e.* annual evapotranspiration and runoff). The estimation of a realistic recharge rate is critical in source protection delineation, as it will dictate the size of the zone of contribution to the source (*i.e.* the outer Source Protection Area).

At Carlingford therefore, the main parameters involved in recharge rate estimation are: annual rainfall; annual evapotranspiration; and a recharge coefficient. The recharge is estimated as follows.

*Annual rainfall:* 1,067 mm.

The contoured data map of rainfall in Ireland (Met Éireann website, data averaged from 1961-1990) show that the boreholes are located between the 1000 mm and 1200 mm average annual rainfall isohyet. The closest meteorological station to the boreholes is at Carlingford, which has average annual rainfall of 1067 mm (Fitzgerald and Forrestal, 1996). Given that the topography and altitude at the Carlingford gauging station (1 km to the north-northwest) are similar, we can therefore interpret that annual rainfall is calculated as *c.* 1067 mm for the boreholes’ locality.

*Annual evapotranspiration losses:* 450 mm.

Potential evapotranspiration (P.E.) is estimated to be 475 mm yr.<sup>-1</sup> (based on data from Met Éireann). Actual evapotranspiration (A.E.) is then estimated as 95 % of P.E., to allow for seasonal soil moisture deficits.

*Annual Effective Rainfall:* 617 mm.

The annual effective rainfall is calculated by subtracting actual evapotranspiration from rainfall. Potential recharge is therefore equivalent to this, or 617 mm/year.

*Runoff losses:* 142 mm.

Runoff losses are assumed to be 23% of potential recharge. This value is based on an assumption of *c.* 20% runoff for 95% of the area<sup>4</sup> (high or moderate permeability subsoils and soils, no drains or surface streams), and 80% runoff over 5% of the area due to thicker, less permeable subsoil or shallow subsoil with less permeable bedrock, less permeable subsoil (Irish Working Group on Groundwater, 2004).

The bulk *recharge coefficient* for the area is therefore estimated to be 77%.

These calculations are summarised as follows:

Average annual rainfall (R)	1067 mm
estimated P.E.	475 mm
estimated A.E. (95% of P.E.)	450 mm
effective rainfall	617 mm
potential recharge	617 mm
recharge coefficient for moderate K	80%
recharge coefficient for low K	20%
runoff losses	23%
bulk recharge coefficient	77%
<b>Recharge</b>	<b>475 mm</b>

It should be noted that on the Draft National Recharge Map produced by CDM Ireland and Compass Informatics (ERBD, 2007), the area around the source has been classified as having a recharge rate

<sup>4</sup> The ‘area’ here is the expected, or estimated, potential zone of contribution from preliminary assessments of the topography, soils, subsoils and bedrock geology of the area.

between 51mm and 100mm per year. This was, however, calculated based on the assumption that thick, low permeability till underlies the land surface here.

The sand and gravel aquifer at Carlingford therefore receives 475mm of direct recharge from above through soils and subsoils on an annual basis, as well as indirect recharge from surface run-off/shallow groundwater flow from the higher land to the west and southwest.

## 8.2 Groundwater Levels, Flow Directions and Gradients.

The flat, lowlying area to the north effectively has water at the land surface, being a marshy area, and groundwater seems to discharge around the edges of this, as shown on the Ordnance Survey six inch map of the 1860's, where streams rise (Figure 1). The streams rise in the footslope zone at the base of the surrounding sand/gravel hills, on which the source boreholes have been drilled, and flows northwards.

Groundwater flow to the sands and gravels feeding the source area is expected to be from the hillslopes to the southwest, from southwest to northeast, within the limestone bedrock aquifer and generally following topography. With this in mind the GSI drilled a borehole up-gradient of the source in the topographically higher till/shallow bedrock area, 320m southwest (NGR 318960 310670). This did not meet the water table at 3m depth, but the water table in this area is expected to be relatively steep nonetheless, mirroring topography and fed under steep head downslope to the sands and gravels. The fact that the water at the source is very hard (see flowing section 8.3) suggests that the majority of its chemical signature is derived from the limestone, with the relatively steep groundwater gradient of the hillslopes constantly feeding water northeast towards the source.

The water that feeds into the sands and gravels area then is then expected to have a more shallow water table. A borehole drilled into these 620m south-southeast (NGR 319401 310303, and again 'up-gradient') did not meet the water table at 12m depth. The altitude of this hole at 29m ASL suggests a groundwater gradient no steeper than 0.02 between the two boreholes in the sands and gravels. The borehole records for the source show that the groundwater is unconfined in the sands and gravels, with the water table at 3.9m below ground level in the 13m deep borehole.

This suggests a relatively flat groundwater table in the area of the sands and gravels and corroborates that estimated by An Foras Forbartha/EGSI in 1982 (1:60, or 0.017).

## 8.3 Hydrochemistry and water quality.

The majority of the available water quality data for the Carlingford boreholes source is from EPA Monitoring data, which has been collected several times a year at Carlingford since 2007. As well as this, water quality results from the initial pumping test in 1998 were also utilised. The data on trends in water quality are summarised graphically in Table 2. The following key points are identified from the data.

- The water is generally "very hard" with an average total hardness of *c.* 217 mg l<sup>-1</sup> (equivalent CaCO<sub>3</sub>) calcium-bicarbonate hydrochemical signature. The values are typical of groundwater from limestone and therefore show that though the groundwater is sourced in gravels that are dominated by shales and sandstones, this has little or no effect on the hydrochemical signature derived from the bedrock to the west of, northwest of, and under the source. The hardness values are higher than the recommended EPA threshold value and Drinking Water Standard of 200mg/L CaCO<sub>3</sub>, which are however based on palatability and formation of limescale, rather than on health grounds.
- Electrical conductivity values as sampled by the EPA are of 461-521 μS cm<sup>-1</sup>, with an average of 485μs/cm. This was similar to values found at the time of initial pump testing (469 and 484 μS cm<sup>-1</sup>).

- Faecal coliforms were absent from the water on all occasions sampled. As well as this, on no occasions were ammonia values greater than the GSI threshold value ( $0.15 \text{ mg l}^{-1}$ ) recorded; ammonia levels were consistently below  $0.1 \text{ mg l}^{-1}$ .
- One 2 no. occasions, total coliforms were present in the samples taken (10 no. on 27/07/07 and 2 no. on 29/10/08). However, such low values may be due to sampling or analysis error so the results are not considered noteworthy.
- Nitrate concentrations in available samples since 2007 range from  $12.2 \text{ mg l}^{-1}$  to  $16.6 \text{ mg l}^{-1}$  (average is  $14.82 \text{ mg l}^{-1}$ ). There are no reported exceedances above the EU Drinking Water Directive maximum admissible concentration of  $50 \text{ mg l}^{-1}$ , or the GSI threshold value of  $25 \text{ mg l}^{-1}$ . The area around the source, though relatively densely populated, has a relatively low density of septic tanks owing to the presence of the sewer network to the north and west. Further from this, little tillage is practiced around the area up-gradient of the source and, excepting the cliffed outcrop localities along the scarp to the west, depths to bedrock are moderately deep. The source area itself has a CLAY cap above the sands and gravels of 10m depth. Therefore, the relatively low nitrate levels at Carlingford are probably due to a combination of the above factors. It is noteworthy, however, that nitrate levels in 2007 and 2008 are generally *c.* 3-4 times what they were in 1998: the nitrate data have therefore seem to have shown an upward trend in recent years and this chemical signature should be monitored closely in the near future.

Sample date	Conductivity $\mu\text{S/cm}$	Ammonia $\text{mg/l N}$	Chloride $\text{mg/l Cl}$	Iron $\mu\text{g/l Fe}$	Total coliforms No./100ml	Faecal coliforms No./100ml	Nitrate $\text{mg/l NO}_3$	Sodium $\text{mg/l Na}$	Potassium $\text{mg/l K}$	Total hardness $\text{mg/l CaCO}_3$
15/09/98	484	<0.01	17.7	<50	nm	nm	4.6	10.2	1.5	229
16/09/98	469	<0.01	18.1	<50	nm	nm	4.7	10.5	1.8	239
27/07/07	486	0.02	14	14	10	<1	12.6	11.5	1.7	222
30/09/07	516	0.01	16	<2	<1	<1	15.4	12	1.9	253
24/10/07	Nm	0.1	17	10	<1	<1	16.6	9.5	1.5	249
30/11/07	475	0.03	15	<2	<1	<1	16.5	11.5	1.7	261
11/01/08	414	0.02	15	<2	<1	<1	16.1	11.5	1.7	231
04/06/08	530	<0.007	16.1	<5.0	<1	<1	12.2	8.7	1.3	208
30/07/08	493	0.088	13.7	<5.0	<1	<1	14.5	10.6	1.6	218
29/10/08	504	0.059	14	<5.0	2	<1	14.9	13.1	1.9	280
11/12/08	526	0.021	16	12.6	<1	<1	14.6	11.5	1.9	233

**Table 1: Summary hydrochemical data for Carlingford Boreholes, 1998 and 2007-2008.**

- Chloride is a constituent of organic wastes and levels higher than  $25 \text{ mg l}^{-1}$  may indicate contamination, with levels higher than the  $30 \text{ mg l}^{-1}$  usually indicating significant contamination (Daly, 1996). Chloride concentrations range from  $13.7$  to  $18.1 \text{ mg l}^{-1}$  (average  $15.7 \text{ mg l}^{-1}$ ), suggesting that contamination from organic wastes does not seem to be an issue at Carlingford. The chloride levels are also interesting in that in a coastal area such as Carlingford, background concentrations of chloride are expected to be  $30\text{-}35 \text{ mg l}^{-1}$  due to rainwater enrichment by evaporating seawater, but this does not seem to be the case at the source.
- The levels of potassium are consistently well below the GSI threshold value of  $4 \text{ mg l}^{-1}$ . Again, this shows consistent levels, averaging at  $1.68 \text{ mg l}^{-1}$ , with a maximum of  $1.9 \text{ mg l}^{-1}$  (30/09/2007, 29/10/2008, 11/12/2008). The potassium:sodium (K/Na) ratio never exceeds the GSI threshold of 0.35, with the highest value at 0.165 (11/12/2008). These data suggest no organic waste sources, and the K/Na ratio again seems to rule out farmyard waste as an issue.

- The levels of iron range from  $<2$  to  $14 \mu\text{g l}^{-1}$  at Carlingford, with records showing that iron never exceeds the maximum admissible concentrations ( $0.20 \text{ mg l}^{-1}$ ). This also suggests an absence of any influence of effluent from organic wastes.
- Normal levels of trace metals were identified, safe for drinking, and the water is free of chlorinated hydrocarbons, solvents and pesticides.
- Overall, the samples from the source boreholes do not indicate significant contamination or pollution of these wells.

#### 8.4 Aquifer Characteristics.

The sands and gravels through which the borehole is drilled, though previously unmapped at adjacent localities around the Carlingford Source, have been seen as extensive following the mapping and drilling carried out for the current project. The deposit hosting the water table that the source abstracts from is therefore classed as a **Locally Important Sand & Gravel aquifer (Lg)**. The probable extent of this aquifer is depicted in Figures 4 and 5, and is also referred to in Section 6.3 above. The aquifer thickness is unknown but is at least 12m thick both 80m southeast and 630m south of the source.


Bodies of sands and gravels with similar geometries to that outlined above have previously been mapped on the southern side of the Cooley Peninsula, at Ardtully Beg, Ballynamoney and The Bush. These materials form part of the 'Dundalk Gravels' Groundwater Body of the GSI, for which some hydrogeological data are available. At Ardtully Beg, a transmissivity of about  $1000 \text{ m}^2/\text{d}^{-1}$  and a specific yield of 0.1 have been reported (An Foras Forbartha/GSI, 1982). This equates to bulk permeabilities of between  $1\text{-}40 \text{ m/d}^{-1}$  and the porosity is assumed to be in the order of 0.07, from work carried out by GSI on other sand and gravel sources around Ireland. The groundwater at Carlingford is likely to be unconfined.

Though not drawn from at the source, the underlying Undifferentiated Dinantian limestones (Dinantian Mixed Sandstones, Shales and Limestones) are classified as a **Locally Important Aquifer - bedrock which is generally moderately productive (Lm)**.

#### 8.5 Conceptual Model.

- The Carlingford pumping wells are installed in glaciofluvial sands and gravels which are classified as a **Locally important sand and gravel aquifer (Lg)**.
- The saturated aquifer thickness at the source is 15.1m.
- Owing to the presence of the water table within the sands and gravels at 3.9m bgl at the source, the aquifer seems unconfined.
- The gravel aquifer is underlain by Undifferentiated Dinantian Limestones which are classified as a **Locally important aquifer - bedrock which is generally moderately productive (Lm)**.
- Groundwater flow within the sand and gravel aquifer is intergranular, whereas in the bedrock beneath this and up-gradient of it to the southwest is through fractures and fissures in the limestone.
- The higher hillslope area to the west and southwest of the Carlingford Source is underlain by these Undifferentiated Dinantian limestones (Dinantian Mixed Sandstones, Shales and Limestones) and has few surface streams and rare drainage features. The absence of surface drainage suggests that potential recharge readily infiltrates into the groundwater system here.
- The limestone as seen in the adjacent quarries in this area to the west has a well developed fracture system, but does not seem to have undergone significant karstification. This is also shown by the absence of dolines, swallow holes, springs, dry valleys and other karst features in the area.
- The water table is interpreted to be deep in the bedrock in this area, as no seeps or springs occur in the cliffed bedrock area west of the source.
- Groundwater flow through this bedrock to the sands and gravels feeding the source area is expected to be from southwest to northeast, following topography.

- The precise pathways of groundwater flow in the limestone up-slope of the source, as well as the flow depths, are not known.
- The groundwater gradient in the limestone to the southwest is steeper than that in the sands and gravels, which has been calculated as no greater than 0.02.
- At the groundwater discharge zone suggested by the Ordnance Survey six inch map of the area, springs seem to emerge close to the borehole locality, in a low hollow at the base of a regional topographic high. The hollow is surrounded by thick sands and gravels and is fed primarily by groundwater from the limestone to the southwest.
- The bedrock is relatively close to the surface in the area to the immediate west and southwest of the source, but is deep at the source itself, with the water emerging through the permeable sand and gravel deposits which act as a 'window' for flow, as well as through a capping veneer of thick clay.
- Diffuse recharge dominates in this area. The subsoil over 95% of the area is either highly or moderately permeable, and to the west and southwest of the source is relatively thin (<5m), with much of the area to the immediate east and southeast being of thick, high permeability sands and gravels: these materials allow a very high proportion of recharge to occur through them.



**Figure 6: Three-dimensional conceptual model for the Carlingford boreholes source, with groundwater being fed into the permeable sands and gravels from the vertically higher bedrock to the west and southwest.**

- The total diffuse recharge amount occurring over the catchment is therefore estimated at an annual average recharge of 475 mm per year.
- Overall, the samples from the source boreholes do not indicate contamination or pollution of these wells.

## 9 Delineation of Source Protection Areas

This section describes the delineation of the areas around the source that are believed to contribute groundwater to it, and that therefore require protection. The areas are delineated based on the conceptualisation of the groundwater flow pattern, as described in section 8.2 and presented in Figure 7.

Two source protection areas are delineated:

- ◆ Inner Protection Area (SI), designed to give protection from microbial pollution.
- ◆ Outer Protection Area (SO), encompassing the zone of contribution (ZOC) to the springs.

### 9.1 Outer Protection Area

The Outer Protection Area (SO) is bounded by the complete catchment area to the source, i.e. **the zone of contribution (ZOC)**, which is defined-as the area required to support an abstraction from long-term recharge.

The ZOC is controlled primarily by (a) the total discharge, (b) the groundwater flow direction and gradient, (c) the subsoil and rock permeability and (d) the recharge in the area. The shape and boundaries of the ZOC were determined using hydrogeological mapping, water balance estimations, and conceptual understanding of groundwater flow. Given the limited amount of calibration data available, a full groundwater numerical model was not undertaken. The current abstraction rate + 50% ( $1800 \text{ m}^3 \text{ d}^{-1}$ ) was used to estimate the area required. This is to allow for a possible increase in abstraction and also to allow for an expansion of the ZOC during dry weather. The resulting boundaries and the uncertainties associated with them are described as follows:

The **southwestern boundary** is defined using the topographic ridge to the west/southwest at Barnavave, as well as the boundary of the Undifferentiated Dinantian limestone bedrock with the granite of the mountain. The Barnavave ridge is a surface watershed and is assumed to be a groundwater divide, and the aquifer flowpaths are assumed to begin where the limestone begins. As the bedrock is a locally important aquifer that has relatively high transmissivities it is possible that groundwater flowing from the lithological boundary divide could reach the base of the ridge where the borehole is situated even though the boundary is just over a kilometre distant. No significant divides occur between this divide and the source.

The **northeastern boundary** is on the down gradient side of the borehole. Estimates from semi-analytical equations indicate that the boreholes could draw water from up to 50m distant, however this is uncertain and it is considered that a precautionary arbitrary distance of 100m is used to allow for errors and variability in the aquifer parameters.

The **northern and southern boundaries** are based on topography, due to the relatively uniform gradients in these areas the boundaries are difficult to delineate precisely.

The boundaries delineated above cover an area of about  $1.38 \text{ km}^2$  which is far greater than the area needed to supply the boreholes.

### 9.2 Inner Protection Area

According to “Groundwater Protection Schemes” (DELG/EPA/GSI, 1999), delineation of an Inner Protection Area is required to protect the source from microbial and viral contamination and it is based on the 100-day time of travel (ToT) to the supply. Estimations of the extent of this area are made using Darcy's Law as follows:

For glaciofluvial sands and gravels, with a permeability (K) value of  $40 \text{ m d}^{-1}$ , porosity (n) of 0.07 and a gradient (i) of 0.017 the velocity (V) can be estimated as follows;

$$V = (K.i) / n$$
$$V = 9.71 \text{ m d}^{-1}$$

This means that in 100 days groundwater will move approximately 970m in the sands and gravels.

## 10 Groundwater Protection Zones

The groundwater protection zones are obtained by integrating the two elements of land surface zoning (source protection areas and vulnerability categories) – a possible total of 8 source protection zones (see Table 3). In practice, this is achieved by superimposing the vulnerability map (Figure 6) on the source protection area map. Each zone is represented by a code e.g. **SI/H**, which represents an Inner

Protection area where the groundwater is highly vulnerable to contamination. All of the hydrogeological settings represented by the zones may not be present around any given source.

Four groundwater protection zones are present around the source as illustrated in Table 2. The final groundwater protection zones are shown in Figure 9.

VULNERABILITY RATING	SOURCE PROTECTION	
	<i>Inner</i>	<i>Outer</i>
<i>Extreme (E)</i>	SI/E	SO/E
<i>High (H)</i>	SI/H	SO/H
<i>Moderate (M)</i>	Not present	Not present
<i>Low (L)</i>	Not present	Not present

**Table 2: Matrix of Source Protection Zones at Carlingford**

## 11 Potential Pollution Sources

There are a large number of houses and farmyards within the ZOC. Land use in the vicinity of the source is described in Section 5; within the ZOC, agriculture is the main land use. Disused quarries occur 250m to the southwest, the sewerage works themselves are situated 85m to the northeast, and a cemetery is situated 135m to the southeast.

The hydrochemical data do not indicate significant contamination or pollution of the boreholes at the source. However, as nitrate levels have risen fourfold in the years since the source has been in operation, these levels should be monitored closely.

The main hazards associated with the ZOC are therefore considered to be agricultural (farmyards leakage, landspreading of organic and inorganic fertilisers) and oil/petrol spills. Though domestic septic tanks and treatment systems are not a major problem as is, the installation of any new systems should be monitored closely. The location of these activities in any part of the ZOC categorised as 'extremely' vulnerable presents a potential risk, given rapid travel time through the underlying bedrock and lack of attenuation by subsoils. These are delineated as red zones on Figures 8 and 9.

Detailed assessments of hazards have not been carried out as part of this study.

## 12 Conclusions

- The boreholes at Carlingford, including the water supply source, are located in, and supplied by, a previously unmapped sand and gravel aquifer of local importance.
- The boreholes are drilled adjacent to a groundwater discharge zone which was historically mapped as having a rising stream, and was labelled 'Springfield'.
- The majority of the water pumped from the source is however fed by a locally important bedrock aquifer to the immediate southwest, which is topographically higher than and has a steeper groundwater gradient than that in the lower-lying sands and gravels.
- The ZOC has been delineated for the boreholes based on the assumption that the majority the ZOC comprises this higher bedrock area.
- Due to the rapid groundwater velocities in the sands and gravels, it is considered that groundwater in a major part of the ZOC could potentially reach the spring within 100 days. Therefore the Inner Protection Area for the Carlingford Boreholes is relatively large.
- The ZOC as delineated covers 1.38 km<sup>2</sup>.
- Available data suggests that there is little contamination at the source from organic sources, but as nitrate levels have increased fourfold in the 8 years since the source went into production, and as the groundwater is unconfined, these levels should be monitored closely.

- The groundwater in the Source Protection Area ranges in vulnerability from Extreme to High.
- The Protection Zones delineated in this report are based on the current understanding of groundwater conditions and on the available data. Additional data obtained in the future might indicate that amendments to the boundaries are necessary.

### 13 Recommendations

It is recommended that:

1. The potential hazards in the ZOC should be located and assessed, especially given the high number of farmyards and houses up-gradient of the source in the ZOC.
2. A full chemical and bacteriological analysis of the **raw** water should be carried out on a regular basis by the Local Authority.
3. Particular care should be taken when assessing the location of any activities or developments which might cause contamination at the boreholes.

### 14 References

An Foras Forbartha and Geological Survey Office. Groundwater Resources in the N.E. (R.D.O). Region. March 1982, Volumes 1 to 3.

British Standards Institution (1999) Code of practice for site investigations. British Standards Institution, London.

Collins, J.F. and Cummins, T. (1996) Agroclimatic Atlas of Ireland. AGMET – Joint working group on Applied Agricultural Meteorology, Dublin.

Daly, D. (1996) Groundwater in Ireland. Course notes for Higher Diploma in Environmental Engineering, UCC.

DELG/EPA/GSI (1999) Groundwater Protection Schemes. Department of the Environment and Local Government, Environmental Protection Agency and Geological Survey of Ireland.

Fitzgerald, D. and Forrestal, F. (1996) Monthly and Annual Averages of Rainfall for Ireland 1961-1990. Meteorological Service, Climatological Note No. 10, UDC 551.577.2(415).

Fitzsimons, V., Daly, D. and Deakin, J. (2003) GSI Guidelines for Assessment and Mapping of Groundwater Vulnerability to Contamination. Geological Survey of Ireland.

Geraghty, M. (1997). Geology of Monaghan-Carlingford: A geological description of Monaghan-Carlingford, to accompany the Bedrock Geology 1:100,000 Scale Map Series, Sheet 8/9, Monaghan-Carlingford.

GSI, (2009). County Louth Groundwater Vulnerability Map. Map produced as part of National Groundwater Protection Scheme.

Irish Working Group on Groundwater (2004) *Guidance on the assessment of the impact of groundwater abstractions (GW5)*, 23 pp. Available to download from [www.wfdireland.ie](http://www.wfdireland.ie), as well as from Groundwater Section, Geological Survey of Ireland.

O'Connor, P. (1998). Draft Quaternary Geology map: 1:50,000 scale, sheet 43. Unpublished map, Quaternary and Geotechnical Section, Geological Survey of Ireland.



Teagasc, 2006. County Louth Subsoils Map. Map produced as part of Teagasc/EPA Soils and Subsoils Mapping Project. Teagasc, Kinsealy, Dublin.

Woods, L., Wright, G. and Meehan, R.T. (1995). County Meath Groundwater Protection Scheme. Geological Survey of Ireland, 32pp.

For inspection purposes only.  
Consent of copyright owner required for any other use.




Figure 7: Source Protection Areas for the Carlingford Boreholes Source.




Figure 8: Groundwater Vulnerability within the Source Protection Areas for the Carlingford Boreholes Source.

**TO BE ADDED**

**Figure 9: Source Protection Zones for the Carlingford Boreholes Source.**

*For inspection purposes only.  
Consent of copyright owner required for any other use.*

# Log of Trial Pit: TP1

**Project:** Carlingford Sewage Works



**Site:** Carlingford

**Supervised by:** Pamela Dagg

Louth County Council  
Environment Section

**Start Time:** 0933

**Finish Time:** 1103

SUBSURFACE PROFILE				
Depth	Symbol	Description	Depth/Elev.	Notes
0		Ground Surface	0.0	Photos 1-9
		<b>TOP SOIL</b> Topsoil capping	0.0 -0.3	
		<b>FILL</b> Infill waste soil, stone, plastic, timber, concrete, brick and car part. Dry construction and demolition waste	0.3	
2			-2.2	
		<b>CLAY</b> Brown silty clay	2.2 -2.5	
		<b>END OF TRIAL PIT</b>	2.5	
4			-5.0	
			5.0	

For inspection purposes only.  
Consent of copyright owner required for any other use.

**Date of Excavation:** 22 October 2009

**Easting:** 319342

**Northing:** 311056

**Sheet:** 1 of 1

# Log of Trial Pit: TP2

**Project:** Carlingford Sewage Works

**Site:** Carlingford

**Supervised by:** Pamela Dagg

Louth County Council  
Environment Section

**Start Time:** 1153

**Finish Time:** 1240

SUBSURFACE PROFILE				
Depth	Symbol	Description	Depth/Elev.	Notes
0		Ground Surface	0.0	Photos 10-24
		<b>TOP SOIL</b> Topsoil capping	0.0	
			-0.9	Slight odour of hydrocarbon
		<b>FILL</b> Infill waste stone, concrete, plastic, glass bottle, cable, rebar, and tyre. Slight odour of hydrocarbon	0.9	
2				Water inflow
			-3.4	
		<b>END OF TRIAL PIT</b>	3.4	
4				

For inspection purposes only.  
Consent of copyright owner required for any other use.

**Date of Excavation:** 22 October 2009

**Easting:** 319275

**Northing:** 311011

**Sheet:** 1 of 1

# Log of Trial Pit: TP3

**Project:** Carlingford Sewage Works


**Site:** Carlingford

**Supervised by:** Pamela Dagg

Louth County Council  
Environment Section

**Start Time:** 1250

**Finish Time:** 1315

SUBSURFACE PROFILE				Notes
Depth	Symbol	Description	Depth/Elev.	
0		Ground Surface	0.0	Photos 25-34
		<b>TOP SOIL</b> Topsoil capping	0.0	
2		<b>FILL</b> Infill waste stone, concrete, plastic, glass bottle	-1.8 1.8	Water inflow at 2.9m
		<b>END OF TRIAL PIT</b>	-3.0 3.0	
4				

For inspection purposes only.  
Consent of copyright owner required for any other use.

**Date of Excavation:** 22 October 2009

**Easting:** 319272

**Northing:** 311036

**Sheet:** 1 of 1

# Log of Trial Pit: TP4

**Project:** Carlingford Sewage Works


**Site:** Carlingford

**Supervised by:** Pamela Dagg

Louth County Council  
Environment Section

**Start Time:** 1430

**Finish Time:** 1510

SUBSURFACE PROFILE				Notes
Depth	Symbol	Description	Depth/Elev.	
0		Ground Surface	0.0	Photos 35-44  Water inflow 0.9m
		<b>TOP SOIL</b> Topsoil capping	0.0	
2		<b>FILL</b> Infill waste stone, concrete rebar, brick, timber, glass bottle, tree branches and stone.	-1.7 1.7	
		<b>CLAY</b> Brown silty clay	-3.8 3.8	
4		<b>END OF TRIAL PIT</b>		

Consent of copyright owner required for any other use.  
For reproduction purposes only.

**Date of Excavation:** 22 October 2009

**Easting:** 319294

**Northing:** 311030

**Sheet:** 1 of 1



# Log of Trial Pit: TP5

**Project:** Carlingford Sewage Works


**Site:** Carlingford

**Supervised by:** Declan McMahon

Louth County Council  
Environment Section

**Start Time:** 1520

**Finish Time:** 1600

SUBSURFACE PROFILE				Notes
Depth	Symbol	Description	Depth/Elev.	
0		Ground Surface	0.0	Photos 46-52
		<b>TOP SOIL</b> Topsoil capping	0.0	
2		<b>FILL</b> Infill waste plastic sheting, soil, stones, rock, bottles, brick, tins, burnt waste, plastic bags, wood and clothes	-1.8 1.8	Odour of hydrocarbons at 2.4m
4		<b>END OF TRIAL PIT</b>	-4.3 4.3	
				Water inflow at 4.25

Consent of copyright owner required for any other use.  
For information purposes only.

**Date of Excavation:** 22 October 2009

**Easting:** 319300

**Northing:** 311046

**Sheet:** 1 of 1

# Log of Trial Pit: TP6

**Project:** Carlingford Sewage Works


**Site:** Carlingford

**Supervised by:** Declan McMahon

Louth County Council  
Environment Section

**Start Time:** 1607

**Finish Time:** 1640

SUBSURFACE PROFILE				
Depth	Symbol	Description	Depth/Elev.	Notes
0		Ground Surface	0.0	Photos 55-59
		<b>TOP SOIL</b> Topsoil capping	0.0	
			-1.8	
2		<b>FILL</b> Infill waste plastic sheting, soil, stones, rock, bottles, brick, tins, burnt waste, plastic bags, wood and clothes	1.8	
4			-4.3	
		<b>END OF TRIAL PIT</b>	4.3	

Consent of copyright owner required for any other use.

**Date of Excavation:** 22 October 2009

**Easting:** 319321

**Northing:** 311051

**Sheet:** 1 of 1

# Log of Trial Pit: TP7

**Project:** Carlingford Sewage Works










**Site:** Carlingford

**Supervised by:** Declan McMahon

Louth County Council  
Environment Section

**Start Time:** 0950

**Finish Time:** 1055

SUBSURFACE PROFILE				
Depth	Symbol	Description	Depth/Elev.	Notes
0		Ground Surface	0.0	Photos 60-66
		<b>TOP SOIL</b> Topsoil capping	0.0 -0.3	
		<b>FILL</b> Infill waste brick, plastic, rock, barbed wire, plastic tubs, soil, rags	0.3 -0.7	
		<b>CLAY</b> Brown silty clay	0.7 1.5	
		<b>CLAY</b> Grey silty clay	1.5	
2				
				
				
				
				
4			-4.2	
		<b>END OF TRIAL PIT</b>	4.2	

For inspection purposes only.  
Consent of copyright owner required for any other use.

**Date of Excavation:** 23 October 2009

**Easting:** 319342

**Northing:** 311056

**Sheet:** 1 of 1

# Log of Trial Pit: TP8

**Project:** Carlingford Sewage Works


**Site:** Carlingford

**Supervised by:** Rebecca Walsh

Louth County Council  
Environment Section

**Start Time:** 1140

**Finish Time:** 1210

SUBSURFACE PROFILE				
Depth	Symbol	Description	Depth/Elev.	Notes
0		Ground Surface	0.0	Photos 67-73
		<b>TOP SOIL</b> Topsoil capping	0.0 -0.3	
		<b>FILL</b> Infill waste plastic bags, stone, glass, plastic, timber, fertiliser bags, tyres, twine, pipe, electrical items(radio), ,etal, childrens bicycle, plastic sheeting, foam, red brick, rags, clothes, plastic tubing	0.3	
2		<b>CLAY</b> Brown silty clay	-2.1 2.1	
		<b>END OF TRIAL PIT</b>		
4			-5.0 5.0	

For inspection purposes only.  
Consent of copyright owner required for any other use.

**Date of Excavation:** 23 October 2009

**Easting:** 319349

**Northing:** 311023

**Sheet:** 1 of 1

# Log of Trial Pit: TP9

**Project:** Carlingford Sewage Works



**Site:** Carlingford

**Supervised by:** Rebecca Walsh

Louth County Council  
Environment Section

**Start Time:** 1216

**Finish Time:** 1240

SUBSURFACE PROFILE				
Depth	Symbol	Description	Depth/Elev.	Notes
0		Ground Surface	0.0	Photos 74-80
		<b>TOP SOIL</b> Topsoil capping	0.0 -0.3	
		<b>FILL</b> Infill waste plastic bags, stone, glass, plastic, timber, fertiliser bags, tyres, twine, pipe, bone, metal, childrens bicycle, plastic sheeting, foam, red brick, rags, clothes, plastic tubing	0.3	
2			-2.3	
		<b>CLAY</b> Brown silty clay	2.3	
		<b>END OF TRIAL PIT</b>		
4			-5.0	
			5.0	

For inspection purposes only.  
Consent of copyright owner required for any other use.

**Date of Excavation:** 23 October 2009

**Easting:** 319356

**Northing:** 310995

**Sheet:** 1 of 1

# Log of Trial Pit: TP10

**Project:** Carlingford Sewage Works



**Site:** Carlingford

**Supervised by:** Rebecca Walsh

Louth County Council  
Environment Section

**Start Time:** 1242

**Finish Time:** 1312

SUBSURFACE PROFILE				Notes
Depth	Symbol	Description	Depth/Elev.	
0		Ground Surface	0.0	Photos 81-87
		<b>TOP SOIL</b> Topsoil capping	0.0	
			-0.5	
		<b>FILL</b> Infill waste plastic bags, plastic sheeting, tyre, glassbottles, fertiliser bag, metal, rope, stone, rags, clothes, timber, twine, plastic strapping, burnt waste, canvas coal sacks, plastic containers and plastic bottles.	0.5	
2			-2.5	
		<b>CLAY</b> Brown silty clay	2.5	
			-2.8	
		<b>END OF TRIAL PIT</b>	2.8	
4			-5.0	
			5.0	

For inspection purposes only.  
Consent of copyright owner required for any other use.

**Date of Excavation:** 23 October 2009

**Easting:** 319344

**Northing:** 310992

**Sheet:** 1 of 1



# Log of Trial Pit: TP12

**Project:** Carlingford Sewage Work

**Site:** Carlingford

**Supervised by:** Pamela Dagg

Louth County Council  
Environment Section

**Start Time:** 1045

**Finish Time:** 1115

SUBSURFACE PROFILE				Notes
Depth	Symbol	Description	Depth/Elev.	
0		Ground Surface	0.0	Photos 1-6
		<b>TOPSOIL CAPPING</b> Topsoil and capping	0.0 -0.3	
		<b>FILL</b> Infill soil, stone, rag, plastic, burnt material, tyre rim, concrete axle metal and timber. Consistent with dry Construction and demolition waste	0.3	
2				
4				
		<b>END OF TRIAL PIT</b>	-4.3 4.3	

For inspection purposes only.  
Consent of copyright owner required for any other use.

**Date of Excavation:** 14th December 2009

**Easting:** 319260

**Northing:** 311106

**Sheet:** 1 of 1



# Log of Trial Pit: TP13

**Project:** Carlingford Sewage Works


**Site:** Carlingford

**Supervised by:** Pamela Dagg

Louth County Council  
Environment Section

**Start Time:** 1135

**Finish Time:** 1900

SUBSURFACE PROFILE				Notes
Depth	Symbol	Description	Depth/Elev.	
0		Ground Surface	0.0	No odour
		<b>TOP SOIL</b> Topsoil capping	0.0	
			-0.5	Photos 9-17
		<b>FILL</b> Infill soil stone concrete plastic metal and rags. timber, plastic bottle.	0.5	
2		<b>END OF TRIAL PIT</b>	-2.0	
			2.0	
4				

For inspection purposes only.  
Consent of copyright owner required for any other use.

**Date of Excavation:** 14 December 2009

**Easting:** 319280

**Northing:** 311103

**Sheet:** 1 of 1

# Log of Trial Pit: TP14

**Project:** Carlingford Sewage Works


**Site:** Carlingford

**Supervised by:** Pamela Dagg

Louth County Council  
Environment Section

**Start Time:** 1000

**Finish Time:** 11

SUBSURFACE PROFILE				Notes
Depth	Symbol	Description	Depth/Elev.	
0		Ground Surface	0.0	No odour
		<b>TOP SOIL</b> Topsoil capping	0.0 -0.3	
		<b>FILL</b> Infill soil, stone, concrete, plastic, tyre, metal.	0.3	Photos 19-24
2				
				Water visible at 2.9m
		<b>END OF TRIAL PIT</b>	-3.5 3.5	
4				

For inspection purposes only.  
Consent of copyright owner required for any other use.

**Date of Excavation:** 14 December 2009

**Easting:** 319280

**Northing:** 311103

**Sheet:** 1 of 1

# Log of Trial Pit: TP16

**Project:** Carlingford Sewage Works

**Site:** Carlingford

**Supervised by:** Pamela Dagg

Louth County Council  
Environment Section

**Start Time:** 1135

**Finish Time:** 1150

SUBSURFACE PROFILE				Notes
Depth	Symbol	Description	Depth/Elev.	
0		Ground Surface	0.0	No odour
		<b>TOP SOIL</b> Topsoil capping	0.0	
		<b>END OF TRIAL PIT</b>	-0.5 0.5	Photos 27-30
2				
4				

For inspection purposes only.  
Consent of copyright owner required for any other use.

**Date of Excavation:** 14 December 2009

**Easting:** 319248

**Northing:** 311136

**Sheet:** 1 of 1

# Log of Trial Pit: TP17

**Project:** Carlingford Sewage Works


**Site:** Carlingford

**Supervised by:** Pamela Dagg

Louth County Council  
Environment Section

**Start Time:** 1150

**Finish Time:** 1210

SUBSURFACE PROFILE				Notes
Depth	Symbol	Description	Depth/Elev.	
0		Ground Surface	0.0	No odour
		<b>TOP SOIL</b> Topsoil capping	0.0	
			-0.5	Photos 33-35
		<b>FILL</b> Soil, plastic, metal, concrete, brick, tyre	0.5	
2		<b>END OF TRIAL PIT</b>	-2.0	
			2.0	
4				

For inspection purposes only.  
Consent of copyright owner required for any other use.

**Date of Excavation:** 14 December 2009

**Easting:** 319254

**Northing:** 311039

**Sheet:** 1 of 1

# Log of Trial Pit: TP18

**Project:** Carlingford Sewage Works


**Site:** Carlingford

**Supervised by:** Pamela Dagg

Louth County Council  
Environment Section

**Start Time:** 1225

**Finish Time:** 1235

SUBSURFACE PROFILE				Notes
Depth	Symbol	Description	Depth/Elev.	
0		Ground Surface	0.0	No odour
		<b>TOP SOIL</b> Topsoil capping	0.0 -0.3	
		<b>FILL</b> Soil, plastic, metal, concrete, brick, tyre	0.3 -0.6	Photos 33-35
		<b>END OF TRIAL PIT</b>	0.6	
2				
4				

For inspection purposes only.  
Consent of copyright owner required for any other use.

**Date of Excavation:** 14 December 2009

**Easting:** 319257

**Northing:** 311008

**Sheet:** 1 of 1

# Log of Trial Pit: TP19

**Project:** Carlingford Sewage Works

**Site:** Carlingford

**Supervised by:** Pamela Dagg

Louth County Council  
Environment Section

**Start Time:** 1240

**Finish Time:** 1245

SUBSURFACE PROFILE				Notes
Depth	Symbol	Description	Depth/Elev.	
0		Ground Surface	0.0	No odour
		<b>TOP SOIL</b> Topsoil capping	0.0	
		<b>END OF TRIAL PIT</b>	-0.5 0.5	Photos 38-39
2				
4				

For inspection purposes only.  
Consent of copyright owner required for any other use.

**Date of Excavation:** 14 December 2009

**Easting:** 319253

**Northing:** 310943

**Sheet:** 1 of 1

# Log of Trial Pit: TP20

**Project:** Carlingford Sewage Works



**Site:** Carlingford

**Supervised by:** Pamela Dagg

Louth County Council  
Environment Section

**Start Time:** 1250

**Finish Time:** 1255

SUBSURFACE PROFILE				
Depth	Symbol	Description	Depth/Elev.	Notes
0		Ground Surface	0.0	No odour
		<b>TOP SOIL</b> Topsoil capping	0.0	
		<b>FILL</b> Soil, concrete rubble, brick, plastic	-0.5 0.5	Photos 40-42
		<b>END OF TRIAL PIT</b>		
2				
4				
			-5.0 5.0	

For inspection purposes only.  
Consent of copyright owner required for any other use.

**Date of Excavation:** 14 December 2009

**Easting:** 319253

**Northing:** 310943

**Sheet:** 1 of 1

# Log of Trial Pit: TP21

**Project:** Carlingford Sewage Works


**Site:** Carlingford

**Supervised by:** Pamela Dagg

Louth County Council  
Environment Section

**Start Time:** 1400

**Finish Time:** 1411

SUBSURFACE PROFILE				Notes
Depth	Symbol	Description	Depth/Elev.	
0		Ground Surface	0.0	No odour  Photos 43-44
		<b>TOP SOIL</b> Topsoil capping	0.0	
		<b>FILL</b> Soil, concrete rubble, brick, plastic	-0.8 0.8	
		<b>END OF TRIAL PIT</b>	1.5 1.5	
2				
4				

For inspection purposes only.  
Consent of copyright owner required for any other use.

**Date of Excavation:** 14 December 2009

**Easting:** 319276

**Northing:** 311015

**Sheet:** 1 of 1



# Log of Trial Pit: TP22

**Project:** Carlingford Sewage Works

**Site:** Carlingford

**Supervised by:** Pamela Dagg

Louth County Council  
Environment Section

**Start Time:** 1415

**Finish Time:** 1422

SUBSURFACE PROFILE				Notes
Depth	Symbol	Description	Depth/Elev.	
0		Ground Surface	0.0	No odour  Photos 45-47
		<b>TOP SOIL</b> Topsoil capping	0.0	
		<b>FILL</b> Soil, concrete rubble, brick, plastic	1.5 1.5	
2		<b>END OF TRIAL PIT</b>		
4				

For inspection purposes only.  
Consent of copyright owner required for any other use.

**Date of Excavation:** 14 December 2009

**Easting:** 319275

**Northing:** 311045

**Sheet:** 1 of 1

# Log of Trial Pit: TP23

**Project:** Carlingford Sewage Works


**Site:** Carlingford

**Supervised by:** Pamela Dagg

Louth County Council  
Environment Section

**Start Time:** 1427

**Finish Time:** 1435

SUBSURFACE PROFILE				Notes
Depth	Symbol	Description	Depth/Elev.	
0		Ground Surface	0.0	No odour  Photos 48-51
		<b>TOP SOIL</b> Topsoil capping	0.0	
		<b>FILL</b> Soil, concrete rubble, brick, plastic	-1.0 1.0	
2		<b>END OF TRIAL PIT</b>	-2.0 2.0	
4				

For inspection purposes only.  
Consent of copyright owner required for any other use.

**Date of Excavation:** 14 December 2009

**Easting:** 319300

**Northing:** 311035

**Sheet:** 1 of 1

# Log of Trial Pit: TP24

**Project:** Carlingford Sewage Works


**Site:** Carlingford

**Supervised by:** Pamela Dagg

Louth County Council  
Environment Section

**Start Time:** 1438

**Finish Time:** 1443

SUBSURFACE PROFILE				Notes
Depth	Symbol	Description	Depth/Elev.	
0		Ground Surface	0.0	No odour  Photos 1-9
		<b>TOP SOIL</b> Topsoil capping	0.0	
			-0.9	
		<b>FILL</b> Soil, concrete rubble, brick, plastic	0.9	For inspection purposes only. Consent of copyright owner required for any other use.
2		<b>END OF TRIAL PIT</b>	-2.0	
			2.0	
4				

**Date of Excavation:** 14 December 2009

**Easting:** 319301

**Northing:** 311052

**Sheet:** 1 of 1

# Log of Trial Pit: TP25

**Project:** Carlingford Sewage Works


**Site:** Carlingford

**Supervised by:** Pamela Dagg

Louth County Council  
Environment Section

**Start Time:** 1448

**Finish Time:** 1450

SUBSURFACE PROFILE				Notes
Depth	Symbol	Description	Depth/Elev.	
0		Ground Surface	0.0	No odour
		<b>TOP SOIL</b> Topsoil capping	0.0 -0.3	
		<b>FILL</b> Soil, concrete rubble, brick, plastic	0.3	Photos 10-24
2		<b>END OF TRIAL PIT</b>	-2.0 2.0	
4				

For inspection purposes only.  
Consent of copyright owner required for any other use.

**Date of Excavation:** 14 December 2009

**Easting:** 319324

**Northing:** 311057

**Sheet:** 1 of 1

# Log of Trial Pit: TP26

**Project:** Carlingford Sewage Works


**Site:** Carlingford

**Supervised by:** Pamela Dagg

Louth County Council  
Environment Section

**Start Time:** 1454

**Finish Time:** 1458

SUBSURFACE PROFILE				Notes
Depth	Symbol	Description	Depth/Elev.	
0		Ground Surface	0.0	No odour
		<b>FILL</b> Soil, concrete rubble, brick, plastic	0.0	
		<b>END OF TRIAL PIT</b>	-0.3	Photos 25-34
			0.3	

For inspection purposes only.  
Consent of copyright owner required for any other use.

**Date of Excavation:** 14 December 2009

**Easting:** 319348

**Northing:** 311064

**Sheet:** 1 of 1

# Log of Trial Pit: TP27

**Project:** Carlingford Sewage Works


**Site:** Carlingford

**Supervised by:** Pamela Dagg

Louth County Council  
Environment Section

**Start Time:** 1500

**Finish Time:** 1503

SUBSURFACE PROFILE				Notes
Depth	Symbol	Description	Depth/Elev.	
0		Ground Surface	0.0	No odour
		<b>FILL</b> Soil, concrete rubble, brick,plastic	0.0	
		<b>END OF TRIAL PIT</b>	-0.3	Photos 35-44
			0.3	
			-0.3	
			0.3	

For inspection purposes only.  
Consent of copyright owner required for any other use.

**Date of Excavation:** 14 December 2009

**Easting:** 319353

**Northing:** 31044

**Sheet:** 1 of 1

# Log of Trial Pit: TP28

**Project:** Carlingford Sewage Works


**Site:** Carlingford

**Supervised by:** Pamela Dagg

Louth County Council  
Environment Section

**Start Time:** 1505

**Finish Time:** 1515

SUBSURFACE PROFILE				Notes
Depth	Symbol	Description	Depth/Elev.	
0		Ground Surface	0.0	No odour
		<b>FILL</b> Soil, concrete rubble, brick, plastic	0.0	
		<b>END OF TRIAL PIT</b>	-0.4 0.4	Photos 35-44

For inspection purposes only.  
Consent of copyright owner required for any other use.

**Date of Excavation:** 14 December 2009

**Easting:** 319357

**Northing:** 311028

**Sheet:** 1 of 1

# Log of Trial Pit: TP29

**Project:** Carlingford Sewage Works


**Site:** Carlingford

**Supervised by:** Pamela Dagg

Louth County Council  
Environment Section

**Start Time:** 1523

**Finish Time:** 1530

SUBSURFACE PROFILE				Notes
Depth	Symbol	Description	Depth/Elev.	
0		Ground Surface	0.0	No odour
		<b>TOPSOIL</b> Topsoil and Capping	0.0	
			-0.6	Photos 10-24
		<b>FILL</b> Soil, concrete rubble, brick, plastic	0.6	
		<b>END OF TRIAL PIT</b>	-1.0	
2			1.0	
4				

For inspection purposes only.  
Consent of copyright owner required for any other use.

**Date of Excavation:** 14 December 2009

**Easting:** 319362

**Northing:** 310993

**Sheet:** 1 of 1



# Log of Trial Pit: TP30

**Project:** Carlingford Sewage Works


**Site:** Carlingford

**Supervised by:** Pamela Dagg

Louth County Council  
Environment Section

**Start Time:** 1531

**Finish Time:** 1535

SUBSURFACE PROFILE				Notes
Depth	Symbol	Description	Depth/Elev.	
0		Ground Surface	0.0	No odour
		<b>TOPSOIL</b> Topsoil and Capping	0.0	
			-0.6	Photos 25-34
		<b>FILL</b> Soil, concrete rubble, brick, plastic	0.6	
		<b>END OF TRIAL PIT</b>	-1.0	
2			1.0	
4				

For inspection purposes only.  
Consent of copyright owner required for any other use.

**Date of Excavation:** 14 December 2009

**Easting:** 319346

**Northing:** 310989

**Sheet:** 1 of 1

# Log of Trial Pit: TP31

**Project:** Carlingford Sewage Works


**Site:** Carlingford

**Supervised by:** Pamela Dagg

Louth County Council  
Environment Section

**Start Time:** 1538

**Finish Time:** 1540

SUBSURFACE PROFILE				Notes
Depth	Symbol	Description	Depth/Elev.	
0		Ground Surface	0.0	Photos 35-44
		<b>TOPSOIL</b> Topsoil and Capping	0.0	
			-0.4	
		<b>FILL</b> Soil, concrete rubble, brick,plastic	0.4	
		<b>END OF TRIAL PIT</b>	-1.0	
2			1.0	
4				

For inspection purposes only.  
Consent of copyright owner required for any other use.

**Date of Excavation:** 14 December 2009

**Easting:** 319341

**Northing:** 310014

**Sheet:** 1 of 1

# Log of Trial Pit: TP32

**Project:** Carlingford Sewage Works


**Site:** Carlingford

**Supervised by:** Pamela Dagg

Louth County Council  
Environment Section

**Start Time:** 1540

**Finish Time:** 1543

SUBSURFACE PROFILE				Notes
Depth	Symbol	Description	Depth/Elev.	
0		Ground Surface	0.0	No odour
		<b>TOPSOIL</b> Topsoil and Capping	0.0 -0.3	
		<b>FILL</b> Soil, concrete, rubble, brick, plastic	0.3	Photos 1-9
		<b>END OF TRIAL PIT</b>	-1.0 1.0	
2				
4				

For inspection purposes only.  
Consent of copyright owner required for any other use.

**Date of Excavation:** 14 December 2009

**Easting:** 319329

**Northing:** 311030

**Sheet:** 1 of 1

# Log of Trial Pit: TP33

**Project:** Carlingford Sewage Works


**Site:** Carlingford

**Supervised by:** Pamela Dagg

Louth County Council  
Environment Section

**Start Time:** 1547

**Finish Time:** 1550

SUBSURFACE PROFILE				Notes
Depth	Symbol	Description	Depth/Elev.	
0		Ground Surface	0.0	Photos 10-24
		<b>TOPSOIL</b> Topsoil and Capping	0.0	
			-0.5	
		<b>FILL</b> Soil, concrete, rubble, brick, plastic	0.5	
		<b>END OF TRIAL PIT</b>	-1.0 1.0	
2				
4				

For inspection purposes only.  
Consent of copyright owner required for any other use.

**Date of Excavation:** 14 December 2009

**Easting:** 319342

**Northing:** 311037

**Sheet:** 1 of 1

<b>Customer</b>	Pamela Dagg Louth Co Co Enforcement Section Louth County Council Millenium Centre , Dundalk County Louth	<b>Lab Report Ref. No.</b>	2710/081/01
<b>Customer PO</b>	4/113765	<b>Date of Receipt</b>	23/10/2009
<b>Customer Ref</b>	Carlingford Groundwater borehole 23/10/09	<b>Date Testing Commenced</b>	23/10/2009
		<b>Received or Collected</b>	Collected by Euro
		<b>Condition on Receipt</b>	Acceptable
		<b>Date of Report</b>	20/11/2009
		<b>Sample Type</b>	Groundwater

## CERTIFICATE OF ANALYSIS

Test Parameter	SOP	Analytical Technique	Result	Units	Acc.
Alkalinity (Ground Water)	102	Colorimetry	48	mg/L CaCO <sub>3</sub>	UKAS
Ammonia (Ground Water)	114	Colorimetry	1.11	mg/L as N	UKAS
Arsenic (Ground Water)	177	ICPMS	<0.1	ug/L	UKAS
Atrazine	191	HPLC	<0.01	ug/L	
Boron (Ground Water)	177	ICPMS	112.9	ug/L	UKAS
Cadmium (Ground Water)	177	ICPMS	<0.09	ug/L	UKAS
Calcium	184	ICPMS	12.10	mg/L	
Chloride (Ground Water)	100	Colorimetry	17.55	mg/L	UKAS
Chromium (Ground Water)	177	ICPMS	2.7	ug/L	UKAS
Coliforms (Faecal)	140	Filtration/Incubation 44C/ 24	0	no/ 100ml	
Coliforms (Total)	140	Filtration/Incubation 37C/ 24	3	no/ 100ml	
Conductivity (Ground Water)	112	Electrometry	162	usc <sub>m</sub> -1 @25C	UKAS
Copper (Ground Water)	177	ICPMS	1.7	ug/L	UKAS
Cyanide	138	Colorimetry	<5	ug/L	
Dichloromethane	154	GCMS	<1	ug/L	
Fluoride (Ground Water)	115	Colorimetry	<0.02	mg/L	UKAS
Iron (Ground Water)	177	ICPMS	1435	ug/L	
Lead (Ground Water)	177	ICPMS	1.2	ug/L	UKAS
m- & p-Xylene	179	GCMS	<0.73	ug/L	
Magnesium	184	ICPMS	0.60	mg/L	
Manganese (Ground Water)	177	ICPMS	228.1	ug/L	UKAS
Mercury	178	ICPMS	<0.03	ug/L	
Nickel (Ground Water)	177	ICPMS	1.6	ug/L	UKAS
Nitrogen (Total Oxidised) (Ground	151	Colorimetry	<0.28	mg/L as N	UKAS
o-Xylene	179	GCMS	<0.35	ug/L	

**Web Certificate**

**Date : 20/11/2009**

**Donna Heslin - Laboratory Manager**

Acc. : Accredited Parameters by ISO 17025:2005

All organic results are analysed as received and all results are corrected for dry weight at 104 C  
Results shall not be reproduced, except in full, without the approval of EURO environmental services  
Results contained in this report relate only to the samples tested

Page 1 of 2



**EURO**  
environmental  
services

Environmental Science & Management  
Water, Soil & Air Testing

Unit 35,  
Boyne Business Park,  
Drogheda,  
Co. Louth  
Ireland

Tel: +353 41 9845440

Fax: +353 41 9846171

Web: [www.euroenv.ie](http://www.euroenv.ie)

email: [info@euroenv.ie](mailto:info@euroenv.ie)

<b>Customer</b>	Pamela Dagg Louth Co Co Enforcement Section Louth County Council Millenium Centre , Dundalk County Louth	<b>Lab Report Ref. No.</b>	2710/081/01
<b>Customer PO</b>	4/113765	<b>Date of Receipt</b>	23/10/2009
<b>Customer Ref</b>	Carlingford Groundwater borehole 23/10/09	<b>Date Testing Commenced</b>	23/10/2009
		<b>Received or Collected</b>	Collected by Euro
		<b>Condition on Receipt</b>	Acceptable
		<b>Date of Report</b>	20/11/2009
		<b>Sample Type</b>	Groundwater

## CERTIFICATE OF ANALYSIS

Test Parameter	SOP	Analytical Technique	Result	Units	Acc.
Phosphate (Ortho) Ground Water	117	Colorimetry	0.009	mg/L as P	UKAS
Potassium	184	ICPMS	1.31	mg/L	
Simazine	191	HPLC	<0.01	ug/L	
Sodium	184	ICPMS	7.64	mg/L	
Solids (Total Dissolved)	105	Filtration/ Evaporation @ 180	19	mg/L	
Sulphate	119	Colorimetry	<1.39	mg/L as SO4	
Toluene	179	GCMS	<0.28	ug/L	
Total Organic Carbon	316	TOC analyser (NPOC)	16.00	mg/L	
Tributyltin*	0	GCMS	<0.02	ug/L as Sn	
Xylene (Total)	179	GCMS	<1	ug/L	
Zinc (Ground Water)	177	ICPMS	1.4	ug/L	UKAS

Consent of copyright owner required for any other use.  
For inspection purposes only.

**Web Certificate**

**Date : 20/11/2009**

**Donna Heslin - Laboratory Manager**

Acc. : Accredited Parameters by ISO 17025:2005

All organic results are analysed as received and all results are corrected for dry weight at 104 C  
Results shall not be reproduced, except in full, without the approval of EURO environmental services  
Results contained in this report relate only to the samples tested

**Page 2 of 2**



**EURO**  
environmental  
services

Environmental Science & Management  
Water, Soil & Air Testing

Unit 35,  
Boyne Business Park,  
Drogheda,  
Co. Louth  
Ireland

Tel: +353 41 9845440  
Fax: +353 41 9846171

Web: [www.euroenv.ie](http://www.euroenv.ie)  
email: [info@euroenv.ie](mailto:info@euroenv.ie)

<b>Customer</b>	Pamela Dagg Louth Co Co Enforcement Section Louth County Council Millenium Centre , Dundalk County Louth	<b>Lab Report Ref. No.</b>	2710/081/02
<b>Customer PO</b>	4/113765	<b>Date of Receipt</b>	23/10/2009
<b>Customer Ref</b>	Carlingford Trial Hole 2 22/10/09	<b>Date Testing Commenced</b>	23/10/2009
		<b>Received or Collected</b>	Collected by Euro
		<b>Condition on Receipt</b>	Acceptable
		<b>Date of Report</b>	20/11/2009
		<b>Sample Type</b>	Water

## CERTIFICATE OF ANALYSIS

Test Parameter	SOP	Analytical Technique	Result	Units	Acc.
Ammonia	114	Colorimetry	49.31	mg/L as N	
Arsenic	177	ICPMS	2.7	ug/L	
Atrazine	191	HPLC	<0.01	ug/L	
BOD	113	Electrometry	20	mg/L	
Boron	177	ICPMS	317.5	ug/L	
Cadmium	177	ICPMS	<0.09	ug/L	
Calcium	184	ICPMS	230.20	mg/L	
Chloride	100	Colorimetry	38.36	mg/L	
Chromium	177	ICPMS	7.1	ug/L	
COD	107	Colorimetry	114	mg/L	
Copper	177	ICPMS	1.2	ug/L	
Cyanide	138	Colorimetry	<5	ug/L	
Dichloromethane	154	GCMS	<1	ug/L	
Fluoride	115	Colorimetry	0.40	mg/L	
Iron (Total)	177	ICPMS	21820.0	ug/L	
Lead	177	ICPMS	1.8	ug/L	
Magnesium	184	ICPMS	36.96	mg/L	
Manganese	177	ICPMS	2746.0	ug/L	
Mercury	178	ICPMS	<0.03	ug/L	
Nickel	177	ICPMS	3.5	ug/L	
Nitrogen (Total Oxidised)	151	Colorimetry	<0.03	mg/L as N	
Phosphate (Ortho)	117	Colorimetry	0.094	mg/L as P	
Potassium	184	ICPMS	59.70	mg/L	
Simazine	191	HPLC	<0.01	ug/L	
Sodium	184	ICPMS	24.12	mg/L	

**Web Certificate**

**Date : 20/11/2009**

Acc. : Accredited Parameters by ISO 17025:2005

All organic results are analysed as received and all results are corrected for dry weight at 104 C  
Results shall not be reproduced, except in full, without the approval of EURO environmental services  
Results contained in this report relate only to the samples tested

Page 1 of 2



**EURO**  
environmental  
services

Environmental Science & Management  
Water, Soil & Air Testing

Unit 35,  
Boyne Business Park,  
Drogheda,  
Co. Louth  
Ireland

Tel: +353 41 9845440

Fax: +353 41 9846171

Web: [www.euroenv.ie](http://www.euroenv.ie)

email: [info@euroenv.ie](mailto:info@euroenv.ie)

<b>Customer</b>	Pamela Dagg Louth Co Co Enforcement Section Louth County Council Millenium Centre , Dundalk County Louth	<b>Lab Report Ref. No.</b>	2710/081/02
<b>Customer PO</b>	4/113765	<b>Date of Receipt</b>	23/10/2009
<b>Customer Ref</b>	Carlingford Trial Hole 2 22/10/09	<b>Date Testing Commenced</b>	23/10/2009
		<b>Received or Collected</b>	Collected by Euro
		<b>Condition on Receipt</b>	Acceptable
		<b>Date of Report</b>	20/11/2009
		<b>Sample Type</b>	Water

## CERTIFICATE OF ANALYSIS

Test Parameter	SOP	Analytical Technique	Result	Units	Acc.
Solids (Total Suspended)	106	Filtration/ Drying @ 104C	162	mg/L	
Sulphate	119	Colorimetry	<1.39	mg/L as SO4	
Toluene	179	GCMS	<0.28	ug/L	
Tributyltin*	0	GCMS	<0.30	ug/L as Sn	
Xylene (Total)	179	GCMS	<1	ug/L	
Zinc	177	ICPMS	<4.6	ug/L	

For inspection purposes only.  
Consent of copyright owner required for any other use.

**Web Certificate**

**Date : 20/11/2009**

Acc. : Accredited Parameters by ISO 17025:2005

All organic results are analysed as received and all results are corrected for dry weight at 104 C  
Results shall not be reproduced, except in full, without the approval of EURO environmental services  
Results contained in this report relate only to the samples tested

**Page 2 of 2**



A copy of this certificate is available on www.fitzsci.ie

<b>Customer</b>	<b>Pamela Dagg</b>	<b>Lab Report Ref. No.</b>	<b>2710/083/02</b>
	<b>Louth Co. Co.</b>	<b>Date of Receipt</b>	<b>15/12/2009</b>
	<b>Enforcement Section</b>	<b>Sampled On</b>	<b>15/12/2009</b>
	<b>Louth County Council</b>	<b>Date Testing Commenced</b>	<b>15/12/2009</b>
	<b>Millenium Centre , Dundalk</b>	<b>Received or Collected</b>	<b>Delivered by Customer</b>
	<b>County Louth</b>	<b>Condition on Receipt</b>	<b>Acceptable</b>
<b>Customer PO</b>		<b>Date of Report</b>	<b>29/01/2013</b>
<b>Customer Ref</b>	<b>Carlingford SWTP - Trial Hole 13 14/12/09</b>	<b>Sample Type</b>	<b>Groundwater</b>
<b>Ref 2</b>			

## **CERTIFICATE OF ANALYSIS**

Test Parameter	SOP	Analytical Technique	Result	Units	Acc.
Ammonia (Ground Water)	114	Colorimetry	3.86	mg/L as N	UKAS
COD (Ground Water)	107	Colorimetry	29	mg/L	UKAS
Conductivity (Ground Water)	112	Electrometry	710	uscm -1@25C	UKAS
pH (Ground Water)	110	Electrometry	7	pH Units	UKAS
Phosphate (Total) Ground Water	166	Colorimetry	0.172	mg/L as P	UKAS

For inspection purposes only.  
 Consent of copyright owner required for any other use.

**Signed :**   
**Aoife Harmon - Technical Supervisor**

**Date : 29/01/2013**

Acc. : Accredited Parameters by ISO 17025:2005

PVL - Parametric Value Limit as per EU Drinking water Regulations (SI 278 2007)

All organic results are analysed as received and all results are corrected for dry weight at 104 C

Results shall not be reproduced, except in full, without the approval of Fitz Scientific

Results contained in this report relate only to the samples tested

\*\*The analytical result for this parameter may not be reflective of the concentration present at the time of sampling. The maximum recommended preservation time for this parameter has been exceeded.

<b>Customer</b>	<b>Pamela Dagg</b>	<b>Lab Report Ref. No.</b>	<b>2710/083/03</b>
	<b>Louth Co. Co.</b>	<b>Date of Receipt</b>	<b>15/12/2009</b>
	<b>Enforcement Section</b>	<b>Sampled On</b>	<b>15/12/2009</b>
	<b>Louth County Council</b>	<b>Date Testing Commenced</b>	<b>15/12/2009</b>
	<b>Millenium Centre , Dundalk</b>	<b>Received or Collected</b>	<b>Delivered by Customer</b>
	<b>County Louth</b>	<b>Condition on Receipt</b>	<b>Acceptable</b>
<b>Customer PO</b>		<b>Date of Report</b>	<b>29/01/2013</b>
<b>Customer Ref</b>	<b>Carlingford SWTP - Trial Hole 14 15/12/09</b>	<b>Sample Type</b>	<b>Groundwater</b>
<b>Ref 2</b>			

## **CERTIFICATE OF ANALYSIS**

Test Parameter	SOP	Analytical Technique	Result	Units	Acc.
Ammonia (Ground Water)	114	Colorimetry	28.53	mg/L as N	UKAS
Arsenic (Ground Water)	177	ICPMS	8.5	ug/L	UKAS
Atrazine	191	HPLC	<0.01	ug/L	
BOD (Ground Water)	113	Electrometry	<2	mg/L	UKAS
Boron (Ground Water)	177	ICPMS	440.5	ug/L	UKAS
Cadmium (Ground Water)	177	ICPMS	0.8	ug/L	UKAS
Calcium	184	ICPMS	176.90	mg/L	
Chloride (Ground Water)	100	Colorimetry	32.54	mg/L	UKAS
Chromium (Ground Water)	177	ICPMS	11.2	ug/L	UKAS
COD (Ground Water)	107	Colorimetry	246	mg/L	UKAS
Copper (Ground Water)	177	ICPMS	19.6	ug/L	UKAS
Cyanide	138	Colorimetry	<5	ug/L	
Dichloromethane	154	GCMS	<1	ug/L	
Fluoride (Ground Water)	115	Colorimetry	0.44	mg/L	UKAS
Iron (Ground Water)	177	ICPMS	45810	ug/L	UKAS
Lead (Ground Water)	177	ICPMS	46.4	ug/L	UKAS
m- & p-Xylene	179	GCMS	<0.73	ug/L	
Magnesium	184	ICPMS	31.34	mg/L	
Manganese (Ground Water)	177	ICPMS	3046	ug/L	UKAS
Mercury	178	ICPMS	<0.03	ug/L	
Nickel (Ground Water)	177	ICPMS	13.1	ug/L	UKAS
Nitrogen (Total Oxidised) (Ground Wat	151	Colorimetry	<0.28	mg/L as N	UKAS
o-Xylene	179	GCMS	<0.35	ug/L	
Phosphate (Ortho) Ground Water	117	Colorimetry	0.062	mg/L as P	UKAS
Potassium	184	ICPMS	43.82	mg/L	

**Signed :**   
**Aoife Harmon - Technical Supervisor**

**Date : 29/01/2013**

Acc. : Accredited Parameters by ISO 17025:2005

PVL - Parametric Value Limit as per EU Drinking water Regulations (SI 278 2007)

All organic results are analysed as received and all results are corrected for dry weight at 104 C

Results shall not be reproduced, except in full, without the approval of Fitz Scientific

Results contained in this report relate only to the samples tested

\*\*The analytical result for this parameter may not be reflective of the concentration present at the time of sampling. The maximum recommended preservation time for this parameter has been exceeded.

A copy of this certificate is available on www.fitzsci.ie

<b>Customer</b>	<b>Pamela Dagg</b>	<b>Lab Report Ref. No.</b>	<b>2710/083/03</b>
	<b>Louth Co. Co.</b>	<b>Date of Receipt</b>	<b>15/12/2009</b>
	<b>Enforcement Section</b>	<b>Sampled On</b>	<b>15/12/2009</b>
	<b>Louth County Council</b>	<b>Date Testing Commenced</b>	<b>15/12/2009</b>
	<b>Millenium Centre , Dundalk</b>	<b>Received or Collected</b>	<b>Delivered by Customer</b>
	<b>County Louth</b>	<b>Condition on Receipt</b>	<b>Acceptable</b>
<b>Customer PO</b>		<b>Date of Report</b>	<b>29/01/2013</b>
<b>Customer Ref</b>	<b>Carlingford SWTP - Trial Hole 14 15/12/09</b>	<b>Sample Type</b>	<b>Groundwater</b>
<b>Ref 2</b>			

## **CERTIFICATE OF ANALYSIS**

Test Parameter	SOP	Analytical Technique	Result	Units	Acc.
Simazine	191	HPLC	<0.01	ug/L	
Sodium	184	ICPMS	21.99	mg/L	
Solids (Total Suspended)	106	Filtration/ Drying @ 104C	4335	mg/L	
Sulphate	119	Colorimetry	<1.39	mg/L as SO4	
Toluene	179	GCMS	<0.28	ug/L	
*Tributyltin*	0	GCMS	<0.03	ug/L as Sn	
Xylene (Total)	179	GCMS	<1	ug/L	
Zinc (Ground Water)	177	ICPMS	78.9	ug/L	UKAS

For inspection purposes only.  
Consent of copyright owner required for any other use.

**Signed :**   
**Aoife Harmon - Technical Supervisor**

**Date : 29/01/2013**

Acc. : Accredited Parameters by ISO 17025:2005

PVL - Parametric Value Limit as per EU Drinking water Regulations (SI 278 2007)

All organic results are analysed as received and all results are corrected for dry weight at 104 C

Results shall not be reproduced, except in full, without the approval of Fitz Scientific

Results contained in this report relate only to the samples tested

\*\*The analytical result for this parameter may not be reflective of the concentration present at the time of sampling. The maximum recommended preservation time for this parameter has been exceeded.

\* Subcontracted

**Page 2 of 2**

<b>Customer</b>	<b>Pamela Dagg</b>	<b>Lab Report Ref. No.</b>	<b>2710/083/01</b>
	<b>Louth Co. Co.</b>	<b>Date of Receipt</b>	<b>15/12/2009</b>
	<b>Enforcement Section</b>	<b>Sampled On</b>	<b>15/12/2009</b>
	<b>Louth County Council</b>	<b>Date Testing Commenced</b>	<b>15/12/2009</b>
	<b>Millenium Centre , Dundalk</b>	<b>Received or Collected</b>	<b>Delivered by Customer</b>
	<b>County Louth</b>	<b>Condition on Receipt</b>	<b>Acceptable</b>
<b>Customer PO</b>		<b>Date of Report</b>	<b>29/01/2013</b>
<b>Customer Ref</b>	<b>Carlingford SWTP - Stream 14/12/09</b>	<b>Sample Type</b>	<b>Surface Water</b>
<b>Ref 2</b>			

## **CERTIFICATE OF ANALYSIS**

Test Parameter	SOP	Analytical Technique	Result	Units	Acc.
Ammonia (Surface Water)	114	Colorimetry	0.49	mg/L as N	UKAS
BOD (Surface Water)	113	Electrometry	<2	mg/L	UKAS
COD (Surface Water)	107	Colorimetry	28	mg/L	UKAS
Conductivity (Surface Water)	112	Electrometry	576	uscm -1 @25C	UKAS
pH (Surface Water)	110	Electrometry	7.4	pH Units	UKAS
Phosphate (Total) Surface Water	166	Colorimetry	0.188	mg/L as P	UKAS

For inspection purposes only.  
Consent of copyright owner required for any other use.

**Signed :**   
**Aoife Harmon - Technical Supervisor**

**Date : 29/01/2013**

Acc. : Accredited Parameters by ISO 17025:2005

PVL - Parametric Value Limit as per EU Drinking water Regulations (SI 278 2007)

All organic results are analysed as received and all results are corrected for dry weight at 104 C

Results shall not be reproduced, except in full, without the approval of Fitz Scientific

Results contained in this report relate only to the samples tested

\*\*The analytical result for this parameter may not be reflective of the concentration present at the time of sampling. The maximum recommended preservation time for this parameter has been exceeded.



# Jones Environmental Laboratory

Unit 3 Deeside Point  
Zone 3  
Deeside Industrial Park  
Deeside  
CH5 2UA

Tel: +44 (0) 1244 833780

Fax: +44 (0) 1244 833781

AMC  
3C Heron Wharf  
Heron Road  
Belfast  
BT3 9LE



No.4225

**Attention :** Noeleen O'Higgins  
**Date :** 31st January 2011  
**Your reference :** Carlingford  
**Our reference :** Test Report 11/141  
**Location :** Carlingford  
**Date samples received :** 14th January 2011  
**Status :** Final Report  
**Issue :** 1

Two samples were received for analysis on 14th January 2011 which was completed on 31st January 2011. Please find attached our Test Report which should be read with notes at the end of the report and should include all sections if reproduced.

All interpretations and opinions are outside the scope of any accreditation, and all results relate only to samples supplied.

All analysis is reported on a dry weight basis unless stated otherwise. Results are not surrogate corrected.

**J W Farrell- Jones CChem FRSC**  
**Chartered Chemist**





## NOTES TO ACCOMPANY ALL SCHEDULES AND REPORTS

### SOILS

Please note we are only MCERTS accredited for sand, loam and clay and any other matrix is outside our scope of accreditation.

Where an MCERTS report has been requested, you will be notified within 48 hours of any samples that have been identified as being outside our MCERTS scope. As validation has been performed on clay, sand and loam, only samples that are predominantly these matrices, or combinations of them will be within our MCERTS scope. Your final report will reflect this, with non-MCERTS results on separate pages.

It is assumed that you have taken representative samples on site and require analysis on a representative subsample. Stones will generally be included unless we are requested to remove them.

All samples will be discarded one month after the date of reporting, unless we are instructed to the contrary. If we are instructed to keep samples, a storage charge of £1 (1.5 Euros) per sample per month will be applied until we are asked to dispose of them.

If you have not already done so, please send us a purchase order if this is required by your company.

Where appropriate please make sure that our detection limits are suitable for your needs, if they are not, please notify us immediately.

All analysis is reported on a dry weight basis unless stated otherwise. Results are not surrogate corrected.

Asbestos screens where requested will be undertaken by a UKAS accredited laboratory.

### WATERS

Please note we are not a Drinking Water Inspectorate (DWI) Approved Laboratory. It is important that detection limits are carefully considered when requesting water analysis.

UKAS accreditation applies to surface water and groundwater and one other matrix which is analysis specific, any other liquids are outside our scope of accreditation

As surface waters require different sample preparation to groundwaters the laboratory must be informed of the water type when submitting samples. All samples are treated as groundwaters and analysis performed on settled samples unless we are instructed otherwise.

### DEVIATING SAMPLES

Samples must be received in a condition appropriate to the requested analyses. All samples should be submitted to the laboratory in suitable containers with sufficient ice packs to sustain an appropriate temperature for the requested analysis. If this is not the case you will be informed and any analysis that may be compromised highlighted on your schedule/ report by the use of a symbol.

*The use of any of the following symbols indicates that the sample was deviating and the test result may be unreliable:*

- \$ sample temperature on receipt considered inappropriate for analysis requested
- ^ samples exceeding recommended holding times
- & samples received in inappropriate containers (e.g. volatile samples not submitted in VOC jars/vials)
- ~ no sampling date given, unable to confirm if samples are with acceptable holding times

### ABBREVIATIONS and ACRONYMS USED

# - UKAS accredited

M - MCERTS accredited

NAD - No Asbestos Detected

ND - None Detected (usually refers to VOC and/SVOC TICs)

SS - Calibrated against a single substance

\* - analysis subcontracted to a Jones Environmental approved laboratory.

W - Results expressed on as received basis

+ Failed AQC results should be considered as indicative only and are not accredited.

++ Result outside calibration range, may be possible to re-run with higher detection limits





**EURO**  
environmental  
services

Environmental Science & Management  
Water, Soil & Air Testing

Unit 35,  
Boyne Business Park,  
Drogheda,  
Co. Louth  
Ireland  
Tel: +353 41 9845440  
Fax: +353 41 9846171  
Web: [www.euroenv.ie](http://www.euroenv.ie)  
email: [info@euroenv.ie](mailto:info@euroenv.ie)

<b>Customer</b>	Pamela Dagg Louth Co Co Enforcement Section Louth County Council Millenium Centre , Dundalk County Louth	<b>Lab Report Ref. No.</b>	2710/080/01
<b>Customer PO</b>	4/113765	<b>Date of Receipt</b>	22/10/2009
<b>Customer Ref</b>	Carlingford STP Upstream 22/10/09	<b>Date Testing Commenced</b>	23/10/2009
		<b>Received or Collected</b>	Delivered by Customer
		<b>Condition on Receipt</b>	Acceptable
		<b>Date of Report</b>	20/11/2009
		<b>Sample Type</b>	Surface Water

## CERTIFICATE OF ANALYSIS

Test Parameter	SOP	Analytical Technique	Result	Units	Acc.
Alkalinity (Surface Water)	102	Colorimetry	180	mg/L CaCO3	UKAS
Ammonia (Surface Water)	114	Colorimetry	0.069	mg/L as N	UKAS
Arsenic (Surface Water)	177	ICPMS	0.2	ug/L	UKAS
Atrazine	191	HPLC	<0.01	ug/L	
BOD (Surface Water)	113	Electrometry	<2	mg/L	UKAS
Boron (Surface Water)	177	ICPMS	272.8	ug/L	UKAS
Cadmium (Surface Water)	177	ICPMS	0.2	ug/L	UKAS
Calcium	184	ICPMS	48.47	mg/L	
Chloride (Surface Water)	100	Colorimetry	13.51	mg/L	UKAS
Chromium (Surface Water)	177	ICPMS	1.3	ug/L	UKAS
COD (Surface Water)	107	Colorimetry	<5	mg/L	UKAS
Conductivity (Surface Water)	112	Electrometry	394	usc m <sup>-1</sup> @25C	UKAS
Copper (Surface Water)	177	ICPMS	1.9	ug/L	UKAS
Dichloromethane	154	GCMS	<1	ug/L	
Fluoride (Surface Water)	115	Colorimetry	0.11	mg/L	UKAS
Iron (Surface Water)	177	ICPMS	235.4	ug/L	UKAS
Lead (Surface Water)	177	ICPMS	3.3	ug/L	UKAS
m- & p-Xylene	179	GCMS	<0.73	ug/L	
Magnesium	184	ICPMS	1.76	mg/L	
Manganese (Surface Water)	177	ICPMS	5.1	ug/L	UKAS
Mercury	178	ICPMS	<0.03	ug/L	
Nickel (Surface Water)	177	ICPMS	1.3	ug/L	UKAS
Nitrogen (Total Oxidised) (Surface)	151	Colorimetry	2.17	mg/L as N	UKAS
o-Xylene	179	GCMS	<0.35	ug/L	
pH (Surface Water)	110	Electrometry	8	pH Units	UKAS

**Web Certificate**

**Date : 20/11/2009**

**Donna Heslin - Laboratory Manager**

Acc. : Accredited Parameters by ISO 17025:2005

All organic results are analysed as received and all results are corrected for dry weight at 104 C  
Results shall not be reproduced, except in full, without the approval of EURO environmental services  
Results contained in this report relate only to the samples tested

Page 1 of 2



**EURO**  
environmental  
services

Environmental Science & Management  
Water, Soil & Air Testing

Unit 35,  
Boyne Business Park,  
Drogheda,  
Co. Louth  
Ireland  
Tel: +353 41 9845440  
Fax: +353 41 9846171  
Web: [www.euroenv.ie](http://www.euroenv.ie)  
email: [info@euroenv.ie](mailto:info@euroenv.ie)

<b>Customer</b>	Pamela Dagg Louth Co Co Enforcement Section Louth County Council Millenium Centre , Dundalk County Louth	<b>Lab Report Ref. No.</b>	2710/080/01
<b>Customer PO</b>	4/113765	<b>Date of Receipt</b>	22/10/2009
<b>Customer Ref</b>	Carlingford STP Upstream 22/10/09	<b>Date Testing Commenced</b>	23/10/2009
		<b>Received or Collected</b>	Delivered by Customer
		<b>Condition on Receipt</b>	Acceptable
		<b>Date of Report</b>	20/11/2009
		<b>Sample Type</b>	Surface Water

## CERTIFICATE OF ANALYSIS

Test Parameter	SOP	Analytical Technique	Result	Units	Acc.
Phosphate (Ortho) Surface Water	117	Colorimetry	<0.006	mg/L as P	UKAS
Potassium	184	ICPMS	1.37	mg/L	
Simazine	191	HPLC	<0.01	ug/L	
Sodium	184	ICPMS	7.69	mg/L	
Solids (Total Suspended)	106	Filtration/ Drying @ 104C	7	mg/L	
Sulphate	119	Colorimetry	11.92	mg/L as SO4	
Toluene	179	GCMS	<0.28	ug/L	
*Total Cyanide*	0	Spectrometry	<0.05	mg/L	
*Tributyltin*	0	GCMS	<0.02	ug/L as Sn	
Xylene (Total)	179	GCMS	<1	ug/L	
Zinc (Surface Water)	177	ICPMS	7.5	ug/L	UKAS

Consent of copyright owner required for any other use.  
For inspection purposes only.

**Web Certificate**

**Date : 20/11/2009**

**Donna Heslin - Laboratory Manager**

Acc. : Accredited Parameters by ISO 17025:2005

All organic results are analysed as received and all results are corrected for dry weight at 104 C  
Results shall not be reproduced, except in full, without the approval of EURO environmental services  
Results contained in this report relate only to the samples tested

\* Subcontracted

**Page 2 of 2**



**EURO**  
environmental  
services

Environmental Science & Management  
Water, Soil & Air Testing

Unit 35,  
Boyne Business Park,  
Drogheda,  
Co. Louth  
Ireland  
Tel: +353 41 9845440  
Fax: +353 41 9846171  
Web: [www.euroenv.ie](http://www.euroenv.ie)  
email: [info@euroenv.ie](mailto:info@euroenv.ie)

<b>Customer</b>	Pamela Dagg Louth Co Co Enforcement Section Louth County Council Millenium Centre , Dundalk County Louth	<b>Lab Report Ref. No.</b>	2710/080/02
<b>Customer PO</b>	4/113765	<b>Date of Receipt</b>	22/10/2009
<b>Customer Ref</b>	Carlingford STP Downstream 22/10/09	<b>Date Testing Commenced</b>	23/10/2009
		<b>Received or Collected</b>	Delivered by Customer
		<b>Condition on Receipt</b>	Acceptable
		<b>Date of Report</b>	20/11/2009
		<b>Sample Type</b>	Surface Water

## CERTIFICATE OF ANALYSIS

Test Parameter	SOP	Analytical Technique	Result	Units	Acc.
Alkalinity (Surface Water)	102	Colorimetry	198	mg/L CaCO3	UKAS
Ammonia (Surface Water)	114	Colorimetry	0.039	mg/L as N	UKAS
Arsenic (Surface Water)	177	ICPMS	0.5	ug/L	UKAS
Atrazine	191	HPLC	<0.01	ug/L	
BOD (Surface Water)	113	Electrometry	<2	mg/L	UKAS
Boron (Surface Water)	177	ICPMS	200.2	ug/L	UKAS
Cadmium (Surface Water)	177	ICPMS	0.1	ug/L	UKAS
Calcium	184	ICPMS	53.96	mg/L	
Chloride (Surface Water)	100	Colorimetry	15.39	mg/L	UKAS
Chromium (Surface Water)	177	ICPMS	0.9	ug/L	UKAS
COD (Surface Water)	107	Colorimetry	<5	mg/L	UKAS
Conductivity (Surface Water)	112	Electrometry	437	usc m <sup>-1</sup> @25C	UKAS
Copper (Surface Water)	177	ICPMS	2.2	ug/L	UKAS
Dichloromethane	154	GCMS	<1	ug/L	
Fluoride (Surface Water)	115	Colorimetry	0.11	mg/L	UKAS
Iron (Surface Water)	177	ICPMS	653.2	ug/L	UKAS
Lead (Surface Water)	177	ICPMS	1.2	ug/L	UKAS
m- & p-Xylene	179	GCMS	<0.73	ug/L	
Magnesium	184	ICPMS	2.43	mg/L	
Manganese (Surface Water)	177	ICPMS	280	ug/L	UKAS
Mercury	178	ICPMS	<0.03	ug/L	
Nickel (Surface Water)	177	ICPMS	1	ug/L	UKAS
Nitrogen (Total Oxidised) (Surface)	151	Colorimetry	1.64	mg/L as N	UKAS
o-Xylene	179	GCMS	<0.35	ug/L	
pH (Surface Water)	110	Electrometry	7.5	pH Units	UKAS

**Web Certificate**

**Date : 20/11/2009**

**Donna Heslin - Laboratory Manager**

Acc. : Accredited Parameters by ISO 17025:2005

All organic results are analysed as received and all results are corrected for dry weight at 104 C  
Results shall not be reproduced, except in full, without the approval of EURO environmental services  
Results contained in this report relate only to the samples tested

Page 1 of 2



**EURO**  
environmental  
services

Environmental Science & Management  
Water, Soil & Air Testing

Unit 35,  
Boyne Business Park,  
Drogheda,  
Co. Louth  
Ireland

Tel: +353 41 9845440

Fax: +353 41 9846171

Web: [www.euroenv.ie](http://www.euroenv.ie)

email: [info@euroenv.ie](mailto:info@euroenv.ie)

<b>Customer</b>	Pamela Dagg Louth Co Co Enforcement Section Louth County Council Millenium Centre , Dundalk County Louth	<b>Lab Report Ref. No.</b>	2710/080/02
<b>Customer PO</b>	4/113765	<b>Date of Receipt</b>	22/10/2009
<b>Customer Ref</b>	Carlingford STP Downstream 22/10/09	<b>Date Testing Commenced</b>	23/10/2009
		<b>Received or Collected</b>	Delivered by Customer
		<b>Condition on Receipt</b>	Acceptable
		<b>Date of Report</b>	20/11/2009
		<b>Sample Type</b>	Surface Water

## CERTIFICATE OF ANALYSIS

Test Parameter	SOP	Analytical Technique	Result	Units	Acc.
Phosphate (Ortho) Surface Water	117	Colorimetry	0.013	mg/L as P	UKAS
Potassium	184	ICPMS	1.75	mg/L	
Simazine	191	HPLC	<0.01	ug/L	
Sodium	184	ICPMS	8.89	mg/L	
Solids (Total Suspended)	106	Filtration/ Drying @ 104C	<2	mg/L	
Sulphate	119	Colorimetry	12.97	mg/L as SO4	
Toluene	179	GCMS	<0.28	ug/L	
*Total Cyanide*	0	Spectrometry	<0.05	mg/L	
Tributyltin*	0	GCMS	<0.02	ug/L as Sn	
Xylene (Total)	179	GCMS	<1	ug/L	
Zinc (Surface Water)	177	ICPMS	6.7	ug/L	UKAS

Consent of copyright owner required for any other use.  
For inspection purposes only.

**Web Certificate**

**Date : 20/11/2009**

**Donna Heslin - Laboratory Manager**

Acc. : Accredited Parameters by ISO 17025:2005

All organic results are analysed as received and all results are corrected for dry weight at 104 C  
Results shall not be reproduced, except in full, without the approval of EURO environmental services  
Results contained in this report relate only to the samples tested

\* Subcontracted

**Page 2 of 2**

<b>Customer</b>	Pamela Dagg Louth Co. Co. Enforcement Section Louth County Council Millenium Centre , Dundalk County Louth	<b>Lab Report Ref. No.</b>	2710/080/05
<b>Customer PO</b>	4/113765	<b>Date of Receipt</b>	22/10/2009
<b>Customer Ref</b>	Trial Hole 2 22/10/09	<b>Sampled On</b>	22/10/2009
<b>Ref 2</b>		<b>Date Testing Commenced</b>	23/10/2009
		<b>Received or Collected</b>	Delivered by Customer
		<b>Condition on Receipt</b>	Acceptable
		<b>Date of Report</b>	29/01/2013
		<b>Sample Type</b>	Soil

## CERTIFICATE OF ANALYSIS

Test Parameter	SOP	Analytical Technique	Result	Units	Acc.
% Dry Matter	302	Drying @ 104 C	86.65	%	
Acenaphthene (Soil)	200	GCMS	<0.05	mg/Kg	
Acenaphthylene (Soil)	200	GCMS	<0.05	mg/Kg	
Anthracene (Soil)	200	GCMS	<0.02	mg/Kg	
Antimony (Leachate)	128	ICPMS	24.2	ug/Kg	
Arsenic (Leachate)	128	ICPMS	96.8	ug/Kg	
Barium (Leachate)	128	ICPMS	159.4	ug/Kg	
Benzene (Soil)	198	GC-FID	<0.5	mg/Kg	
Benzo(a)anthracene (Soil)	200	GCMS	<0.05	mg/Kg	
Benzo(a)pyrene (Soil)	200	GCMS	<0.05	mg/Kg	
Benzo(b)fluoranthene (Soil)	200	GCMS	<0.05	mg/Kg	
Benzo(ghi)perylene (Soil)	200	GCMS	<0.05	mg/Kg	
Benzo(k)fluoranthene (Soil)	200	GCMS	<0.05	mg/Kg	
Cadmium (Leachate)	128	ICPMS	<0.09	ug/Kg	
Chloride (Leachate WAC)	190	IC	24.11	mg/Kg	
Chromium (Leachate)	128	ICPMS	24.5	ug/Kg	
Chrysene (Soil)	200	GCMS	<0.05	mg/Kg	
Copper (Leachate)	128	ICPMS	114	ug/Kg	
Coronene (Soil)	200	GCMS	<0.05	mg/Kg	
Dibenzo(ah)anthracene (Soil)	200	GCMS	<0.05	mg/Kg	
Dissolved Organic Carbon (Leachate)	316	TOC Analyser	165	mg/Kg	
Ethylbenzene (Soil)	198	GC-FID	<0.5	mg/Kg	
Fluoranthene (Soil)	200	GCMS	<0.05	mg/Kg	
Fluorene (Soil)	200	GCMS	<0.05	mg/Kg	
Fluoride (Leachate WAC)	190	IC	5.74	mg/Kg	

**Signed :**   
**Aoife Harmon - Technical Supervisor**

**Date : 29/01/2013**

Acc. : Accredited Parameters by ISO 17025:2005

PVL - Parametric Value Limit as per EU Drinking water Regulations (SI 278 2007)

All organic results are analysed as received and all results are corrected for dry weight at 104 C

Results shall not be reproduced, except in full, without the approval of Fitz Scientific

Results contained in this report relate only to the samples tested

\*\*The analytical result for this parameter may not be reflective of the concentration present at the time of sampling. The maximum recommended preservation time for this parameter has been exceeded.

<b>Customer</b>	Pamela Dagg Louth Co. Co. Enforcement Section Louth County Council Millenium Centre , Dundalk County Louth	<b>Lab Report Ref. No.</b>	2710/080/05
<b>Customer PO</b>	4/113765	<b>Date of Receipt</b>	22/10/2009
<b>Customer Ref</b>	Trial Hole 2 22/10/09	<b>Sampled On</b>	22/10/2009
<b>Ref 2</b>		<b>Date Testing Commenced</b>	23/10/2009
		<b>Received or Collected</b>	Delivered by Customer
		<b>Condition on Receipt</b>	Acceptable
		<b>Date of Report</b>	29/01/2013
		<b>Sample Type</b>	Soil

## CERTIFICATE OF ANALYSIS

Test Parameter	SOP	Analytical Technique	Result	Units	Acc.
Indeno(1,2,3-cd)pyrene (Soil)	200	GCMS	<0.05	mg/Kg	
Lead (Leachate)	128	ICPMS	2	ug/Kg	
Mercury (Leachate)	128	ICPMS	<0.2	ug/Kg	
Mineral oil by Calculation (solid)	327	GC-FID	121.6	mg/Kg	
Molybdenum (Leachate)	128	ICPMS	168.8	ug/Kg	
Naphthalene (Soil)	200	GCMS	<0.05	mg/Kg	
Nickel (Leachate)	128	ICPMS	57.6	ug/Kg	
PAH soil (Sum of 17)	200	GCMS	<0.05	mg/Kg	
PCBs (Soil)	323	GCMS	<0.005	mg/Kg	
Phenanthrene (Soil)	200	GCMS	<0.05	mg/Kg	
Phenol Index (Leachate)	128	Colorimetry	0.07	mg/Kg	
Pyrene (Soil)	200	GCMS	<0.05	mg/Kg	
Selenium (Leachate)	128	ICPMS	19.8	ug/Kg	
Sulphate (Leachate WAC)	190	IC	187.59	mg/Kg	
TOC (Soil)	315	TOC Analyser	5.146	%	
Total Dissolved Solids (Leachate)	128	Evaporation/ Gravimetry	1580	mg/Kg	
Total Xylene (Soil)	198	GC-FID	<1	mg/Kg	
Zinc (Leachate)	128	ICPMS	<4.6	ug/Kg	

**Signed :**   
**Aoife Harmon - Technical Supervisor**

**Date : 29/01/2013**

Acc. : Accredited Parameters by ISO 17025:2005

PVL - Parametric Value Limit as per EU Drinking water Regulations (SI 278 2007)

All organic results are analysed as received and all results are corrected for dry weight at 104 C

Results shall not be reproduced, except in full, without the approval of Fitz Scientific

Results contained in this report relate only to the samples tested

\*\*The analytical result for this parameter may not be reflective of the concentration present at the time of sampling. The maximum recommended preservation time for this parameter has been exceeded.

<b>Customer</b>	Pamela Dagg Louth Co. Co. Enforcement Section Louth County Council Millenium Centre , Dundalk County Louth	<b>Lab Report Ref. No.</b>	2710/080/03
<b>Customer PO</b>	4/113765	<b>Date of Receipt</b>	22/10/2009
<b>Customer Ref</b>	Trial Hole 1 22/10/09	<b>Sampled On</b>	22/10/2009
<b>Ref 2</b>		<b>Date Testing Commenced</b>	23/10/2009
		<b>Received or Collected</b>	Delivered by Customer
		<b>Condition on Receipt</b>	Acceptable
		<b>Date of Report</b>	29/01/2013
		<b>Sample Type</b>	Soil

## CERTIFICATE OF ANALYSIS

Test Parameter	SOP	Analytical Technique	Result	Units	Acc.
% Dry Matter	302	Drying @ 104 C	74.1	%	
Acenaphthene (Soil)	200	GCMS	<0.05	mg/Kg	
Acenaphthylene (Soil)	200	GCMS	<0.05	mg/Kg	
Anthracene (Soil)	200	GCMS	<0.02	mg/Kg	
Antimony (Leachate)	128	ICPMS	47.6	ug/Kg	
Arsenic (Leachate)	128	ICPMS	106.4	ug/Kg	
Barium (Leachate)	128	ICPMS	235.7	ug/Kg	
Benzene (Soil)	198	GC-FID	<0.5	mg/Kg	
Benzo(a)anthracene (Soil)	200	GCMS	<0.05	mg/Kg	
Benzo(a)pyrene (Soil)	200	GCMS	<0.05	mg/Kg	
Benzo(b)fluoranthene (Soil)	200	GCMS	<0.05	mg/Kg	
Benzo(ghi)perylene (Soil)	200	GCMS	<0.05	mg/Kg	
Benzo(k)fluoranthene (Soil)	200	GCMS	<0.05	mg/Kg	
Cadmium (Leachate)	128	ICPMS	0.3	ug/Kg	
Chloride (Leachate WAC)	190	IC	15.51	mg/Kg	
Chromium (Leachate)	128	ICPMS	20.5	ug/Kg	
Chrysene (Soil)	200	GCMS	<0.05	mg/Kg	
Copper (Leachate)	128	ICPMS	219.2	ug/Kg	
Coronene (Soil)	200	GCMS	<0.05	mg/Kg	
Dibenzo(ah)anthracene (Soil)	200	GCMS	<0.05	mg/Kg	
Dissolved Organic Carbon (Leachate)	316	TOC Analyser	289	mg/Kg	
Ethylbenzene (Soil)	198	GC-FID	<0.5	mg/Kg	
Fluoranthene (Soil)	200	GCMS	<0.05	mg/Kg	
Fluorene (Soil)	200	GCMS	<0.05	mg/Kg	
Fluoride (Leachate WAC)	190	IC	7.14	mg/Kg	

**Signed :**   
**Aoife Harmon - Technical Supervisor**

**Date : 29/01/2013**

Acc. : Accredited Parameters by ISO 17025:2005

PVL - Parametric Value Limit as per EU Drinking water Regulations (SI 278 2007)

All organic results are analysed as received and all results are corrected for dry weight at 104 C

Results shall not be reproduced, except in full, without the approval of Fitz Scientific

Results contained in this report relate only to the samples tested

\*\*The analytical result for this parameter may not be reflective of the concentration present at the time of sampling. The maximum recommended preservation time for this parameter has been exceeded.

<b>Customer</b>	<b>Pamela Dagg</b>	<b>Lab Report Ref. No.</b>	<b>2710/080/03</b>
	<b>Louth Co. Co.</b>	<b>Date of Receipt</b>	<b>22/10/2009</b>
	<b>Enforcement Section</b>	<b>Sampled On</b>	<b>22/10/2009</b>
	<b>Louth County Council</b>	<b>Date Testing Commenced</b>	<b>23/10/2009</b>
	<b>Millenium Centre , Dundalk</b>	<b>Received or Collected</b>	<b>Delivered by Customer</b>
	<b>County Louth</b>	<b>Condition on Receipt</b>	<b>Acceptable</b>
<b>Customer PO</b>	<b>4/113765</b>	<b>Date of Report</b>	<b>29/01/2013</b>
<b>Customer Ref</b>	<b>Trial Hole 1 22/10/09</b>	<b>Sample Type</b>	<b>Soil</b>
<b>Ref 2</b>			

## **CERTIFICATE OF ANALYSIS**

Test Parameter	SOP	Analytical Technique	Result	Units	Acc.
Indeno(1,2,3-cd)pyrene (Soil)	200	GCMS	<0.05	mg/Kg	
Lead (Leachate)	128	ICPMS	8.3	ug/Kg	
Mercury (Leachate)	128	ICPMS	<0.2	ug/Kg	
Mineral oil by Calculation (solid)	327	GC-FID	89.9	mg/Kg	
Molybdenum (Leachate)	128	ICPMS	248.9	ug/Kg	
Naphthalene (Soil)	200	GCMS	<0.05	mg/Kg	
Nickel (Leachate)	128	ICPMS	36.4	ug/Kg	
PAH soil (Sum of 17)	200	GCMS	<0.05	mg/Kg	
PCBs (Soil)	323	GCMS	<0.005	mg/Kg	
Phenanthrene (Soil)	200	GCMS	<0.05	mg/Kg	
Phenol Index (Leachate)	128	Colorimetry	0.06	mg/Kg	
Pyrene (Soil)	200	GCMS	<0.05	mg/Kg	
Selenium (Leachate)	128	ICPMS	20.1	ug/Kg	
Sulphate (Leachate WAC)	190	IC	230.94	mg/Kg	
TOC (Soil)	315	TOC Analyser	7.692	%	
Total Dissolved Solids (Leachate)	128	Evaporation/ Gravimetry	1980	mg/Kg	
Total Xylene (Soil)	198	GC-FID	<1	mg/Kg	
Zinc (Leachate)	128	ICPMS	11.8	ug/Kg	

**Signed :**   
**Aoife Harmon - Technical Supervisor**

**Date : 29/01/2013**

Acc. : Accredited Parameters by ISO 17025:2005

PVL - Parametric Value Limit as per EU Drinking water Regulations (SI 278 2007)

All organic results are analysed as received and all results are corrected for dry weight at 104 C

Results shall not be reproduced, except in full, without the approval of Fitz Scientific

Results contained in this report relate only to the samples tested

\*\*The analytical result for this parameter may not be reflective of the concentration present at the time of sampling. The maximum recommended preservation time for this parameter has been exceeded.



<b>Customer</b>	Pamela Dagg Louth Co Co Enforcement Section Louth County Council Millenium Centre , Dundalk County Louth	<b>Lab Report Ref. No.</b>	2710/080/04
<b>Customer PO</b>	4/113765	<b>Date of Receipt</b>	22/10/2009
<b>Customer Ref</b>	Trial Hole 4 22/10/09	<b>Date Testing Commenced</b>	23/10/2009
		<b>Received or Collected</b>	Delivered by Customer
		<b>Condition on Receipt</b>	Acceptable
		<b>Date of Report</b>	20/11/2009
		<b>Sample Type</b>	Water

## CERTIFICATE OF ANALYSIS

Test Parameter	SOP	Analytical Technique	Result	Units	Acc.
% Dry Matter	302	Drying @ 104 C	79.74	%	
Acenaphthene (Soil)	204	GCMS	<0.05	mg/Kg	
Acenaphthylene (Soil)	204	GCMS	<0.05	mg/Kg	
Anthracene (Soil)	200	GCMS	<0.02	mg/Kg	
Antimony (Leachate)	128	ICPMS	52.9	ug/Kg	
Arsenic (Leachate)	128	ICPMS	123.4	ug/Kg	
Barium (Leachate)	128	ICPMS	418.7	ug/Kg	
Benzene (Soil)	198	GC-FID	<0.5	mg/Kg	
Benzo(a)anthracene (Soil)	200	GCMS	<0.05	mg/Kg	
Benzo(a)pyrene (Soil)	200	GCMS	<0.05	mg/Kg	
Benzo(b)fluoranthene (Soil)	200	GCMS	<0.05	mg/Kg	
Benzo(ghi)perylene (Soil)	200	GCMS	<0.05	mg/Kg	
Benzo(k)fluoranthene (Soil)	200	GCMS	<0.05	mg/Kg	
Cadmium (Leachate)	128	ICPMS	0.2	ug/Kg	
Chloride (Leachate WAC)	190	IC	53.57	mg/Kg	
Chromium (Leachate)	128	ICPMS	12.7	ug/Kg	
Chrysene (Soil)	200	GCMS	<0.05	mg/Kg	
Copper (Leachate)	128	ICPMS	242.4	ug/Kg	
Coronene (Soil)	200	GCMS	<0.05	mg/Kg	
Dibenzo(ah)anthracene (Soil)	200	GCMS	<0.05	mg/Kg	
Dissolved Organic Carbon (Leachate)	316	TOC Analyser	374	mg/Kg	
Ethylbenzene (Soil)	198	GC-FID	<0.5	mg/Kg	
Fluoranthene (Soil)	200	GCMS	<0.05	mg/Kg	
Fluorene (Soil)	200	GCMS	<0.05	mg/Kg	
Fluoride (Leachate WAC)	190	IC	9.69	mg/Kg	

### Web Certificate

Date : 20/11/2009

**Donna Heslin - Laboratory Manager**

Acc. : Accredited Parameters by ISO 17025:2005

All organic results are analysed as received and all results are corrected for dry weight at 104 C  
Results shall not be reproduced, except in full, without the approval of EURO environmental services  
Results contained in this report relate only to the samples tested

<b>Customer</b>	Pamela Dagg Louth Co Co Enforcement Section Louth County Council Millenium Centre , Dundalk County Louth	<b>Lab Report Ref. No.</b>	2710/080/04
<b>Customer PO</b>	4/113765	<b>Date of Receipt</b>	22/10/2009
<b>Customer Ref</b>	Trial Hole 4 22/10/09	<b>Date Testing Commenced</b>	23/10/2009
		<b>Received or Collected</b>	Delivered by Customer
		<b>Condition on Receipt</b>	Acceptable
		<b>Date of Report</b>	20/11/2009
		<b>Sample Type</b>	Water

## CERTIFICATE OF ANALYSIS

Test Parameter	SOP	Analytical Technique	Result	Units	Acc.
Indeno(1,2,3-cd)pyrene (Soil)	200	GCMS	<0.05	mg/Kg	
Lead (Leachate)	128	ICPMS	5.9	ug/Kg	
Mercury (Leachate)	128	ICPMS	<0.2	ug/Kg	
Mineral oil by Calculation (solid)	327	GC-FID	13.09	mg/Kg	
Molybdenum (Leachate)	128	ICPMS	404.5	ug/Kg	
Naphthalene (Soil)	200	GCMS	<0.05	mg/Kg	
Nickel (Leachate)	128	ICPMS	74.8	ug/Kg	
PAH soil (Sum of 17)	200	GCMS	<0.05	mg/Kg	
PCBs (Soil)	323	GCMS	<0.005	mg/Kg	
Phenanthrene (Soil)	200	GCMS	<0.05	mg/Kg	
Phenol Index (Leachate)	128	Colorimetry	0.1	mg/Kg	
Pyrene (Soil)	200	GCMS	<0.05	mg/Kg	
Selenium (Leachate)	128	ICPMS	23.4	ug/Kg	
Sulphate (Leachate WAC)	190	IC	609.13	mg/Kg	
TOC (Soil)	315	TOC Analyser	6.755	%	
Total Dissolved Solids (Leachate)	128	Evaporation/ Gravimetry	3420	mg/Kg	
Total Xylene (Solid)	198	GC-FID	<1	mg/Kg	
Zinc (Leachate)	128	ICPMS	<4.6	ug/Kg	

**Web Certificate**

**Date : 20/11/2009**

**Donna Heslin - Laboratory Manager**

Acc. : Accredited Parameters by ISO 17025:2005

All organic results are analysed as received and all results are corrected for dry weight at 104 C  
Results shall not be reproduced, except in full, without the approval of EURO environmental services  
Results contained in this report relate only to the samples tested

Page 2 of 2

**AGL09301\_01**



**REPORT  
ON THE  
GEOPHYSICAL SURVEY  
AT A  
LANDFILL  
AT  
CARLINGFORD, Co. LOUTH  
FOR  
SITE INVESTIGATIONS LTD.**

*For inspection purposes only.  
Consent of copyright owner required for any other use.*

**8<sup>th</sup> January 2010**

## **PRIVATE AND CONFIDENTIAL**

THE FINDINGS OF THIS REPORT ARE THE RESULT OF A GEOPHYSICAL SURVEY USING NON-INVASIVE SURVEY TECHNIQUES CARRIED OUT AT THE GROUND SURFACE. INTERPRETATIONS CONTAINED IN THIS REPORT ARE DERIVED FROM A KNOWLEDGE OF THE GROUND CONDITIONS, THE GEOPHYSICAL RESPONSES OF GROUND MATERIALS AND THE EXPERIENCE OF THE AUTHOR. APEX GEOSERVICES LTD. HAS PREPARED THIS REPORT IN LINE WITH BEST CURRENT PRACTICE AND WITH ALL REASONABLE SKILL, CARE AND DILIGENCE IN CONSIDERATION OF THE LIMITS IMPOSED BY THE SURVEY TECHNIQUES USED AND THE RESOURCES DEVOTED TO IT BY AGREEMENT WITH THE CLIENT. THE INTERPRETATIVE BASIS OF THE CONCLUSIONS CONTAINED IN THIS REPORT SHOULD BE TAKEN INTO ACCOUNT IN ANY FUTURE USE OF THIS REPORT.

<b>PROJECT NUMBER</b>	AGL09235		
<b>AUTHOR</b>	<b>CHECKED</b>	<b>REPORT STATUS</b>	<b>DATE</b>
MALCOLM FITZELL B.A. MOD. (GEOLOGY)	EURGEOL PETER O'CONNOR P.GEO., M.Sc. (GEOPHYSICS), DIP. EIA MGMT.	V.1	8 <sup>TH</sup> JANUARY 2010

## TABLE OF CONTENTS

<b>1.</b>	<b>SUMMARY</b>	<b>1</b>
<b>2.</b>	<b>INTRODUCTION</b>	<b>2</b>
2.1	Survey Objectives	2
2.2	Site Background	2
2.3	Survey Methodology	3
<b>3.</b>	<b>INTERPRETED RESULTS</b>	<b>4</b>
3.1	EM31 Conductivity	4
3.2	2D Resistivity Profiling	4
3.3	Seismic Refraction Profiling	4
3.4	Integrated Interpretation	5
3.5	Recommendations	6
<b>4.</b>	<b>REFERENCES</b>	<b>8</b>

### APPENDICES

Appendix I	Geophysical Methodology
Appendix II	Seismic Refraction Plates

### DRAWINGS

Drawing 9301-01	Figure 1: Geophysical Survey Locations Figure 2: Electromagnetic Conductivity Contours Figure 3: Electromagnetic In Phase Contours Figure 4: Summary Interpretation Map
Drawing 9301-02	Geological Survey of Ireland Archival 6 Inch: 1 Mile Map
Drawing 9301-03	Interpreted Resistivity & Seismic Profiles

Consent of copyright owner required for any other use.  
For inspection purposes only.

## 1. SUMMARY

- APEX Geoservices Ltd. was requested by Site Investigations Ltd., on behalf of Louth County Council to carry out a geophysical survey on a landfill site at Carlingford, Co. Louth. The survey was carried out as part of an intrusive investigation to assess the extent and thickness of the waste material.
- The purpose of the survey was to identify the extent and thickness of the waste material, and to provide information on the nature of the waste mass and backfill.
- The geophysical survey comprised EM31 ground conductivity mapping, 2D resistivity profiling and seismic refraction profiling.
- The geophysical data indicated 0-4.3m soft to firm or loose to medium dense landfill waste material across most of the site, with an average thickness of 2.5-3.0m. The interpreted base of the landfill waste lies at 1-2.5mOD generally.
- The geophysical survey indicates that the landfill is 1.15 Ha in area.
- The landfill has been interpreted as having been deposited mostly on a pre-existing channel of saline estuarine deposits which are indicated by low resistivity values and, to the north of the site, by very high conductivity values.
- Some zones of possible leachate have been interpreted underlying the waste.
- Possible leachate zones extend to the west and north of the site.
- The in phase values suggest that there is relatively little metal dispersed throughout the body of the landfill. Three localised zones of elevated conductivity or in phase component suggest possible significant metal in the waste at these localities.
- The leachate concentration to the north of the site and also towards the western boundary should be investigated by the installation of monitoring wells.
- Two cable percussive boreholes and one trial pit on the landfill are proposed to investigate whether moderately low resistivity/elevated conductivity is due to saline material or leachate underlying the waste.
- The geophysical data should be reviewed on completion of any further direct investigation.

## 2. INTRODUCTION

APEX Geoservices Ltd. was requested by Site Investigations Ltd., on behalf of Louth County Council to carry out a geophysical survey on a landfill site at Carlingford, Co. Louth. . The survey was carried out as part of an intrusive investigation to assess the extent and thickness of the waste material underlying the site.

### 2.1 Survey Objectives

The objectives of the geophysical survey were:

- To identify the extent and thickness of the waste material,
- To provide information on the nature of the waste mass and backfill.



**Figure 1** Location Map

### 2.2 Site Background

The site is located approximately 600m south-east of Carlingford, Co. Louth. Most of the site is situated in a low lying area (approximately 1.2-4.0mOD) with the ground rising to the east and south-east up to approximately 8mOD and in the west to a maximum of approximately 14.5m. The site is bordered by a stream to the west. The northern portion of the site is also bordered by a small stream. These streams join at the northern limit of the site from where they drain northward to the sea at Carlingford Lough.

The site is 1.44 Ha in area (the area inside the boundary shown in red in Drawing 9301-01, Fig. 1). This includes a sewerage treatment plant surrounded by a security fence enclosing an area of 0.7 Ha, located in the southern portion of the site. Much of the northern portion of the site outside the security fence is covered by gorse. This northern portion includes a mound approximately 4-6m high. Waste (domestic and C&D) was found to be exposed in places on the slopes of this mound.

The geophysical survey described in this report was continued outside the site boundary, extending to approximately 4.3 Ha, in order to cover possible additional waste material.

The geological map for the area (Geological Survey of Ireland) indicates that the survey area is underlain by the undifferentiated Dinantian limestones which are shown as outcropping approximately 65m to the south-west of the site.

The Geological Survey of Ireland archival 6 inch:1 mile geological field map for the area indicates a "marshy flat part below high water mark" which includes much of the area of the present site (Drawing 9301-02). A small part of the south-eastern portion of the site is shown as "undulating drift". The area of marshy ground is shown as extending for over 600m to the north of the site and to include a raised beach approximately 475m NNW of the site. This map also indicates a small limestone quarry in the north-east of the sewerage works compound.

The Teagasc Soil map indicates glacial till derived from Lower Palaeozoic sandstone and shale across most of the site with a narrow strip of ground underlain by marine sands and gravels along the western boundary and which broadens out to the north of the site. Till derived from granite is shown as occurring to the west of the marine deposits.

The Geological Survey of Ireland national draft bedrock aquifer map indicates the aquifer for the area as "Locally Important Aquifer-Bedrock which is Generally Moderately Productive".

The Geological Survey of Ireland national groundwater vulnerability map indicates a vulnerability rating for most of the site as "High to Low-Only an Interim Study Took Place", with a small area in the extreme south-west of the site as having "Extreme" vulnerability.

13 trial pits were opened prior to the geophysical survey. A groundwater monitoring borehole was also drilled. Logs were received for the trial pits but not for the borehole. 11 of the trial pits were excavated in or west of the sewage treatment compound on the 22-23 October 2009 and two trial pits were dug in the gorse area north of the compound. The locations of the trial pits are indicated on Drawing 9301-01; Figure 1. The trial pits were dug to depths of approximately 1m beneath the waste. Made ground with waste material was found in all of the pits and comprised stone, concrete, plastic, glass bottle, cable, re-bar, tyre, car part, brick, timber, tree branches, wavin pipe, electrical item (radio), metal, bicycle, foam, wire, chain, straw, bones, hay bale, canvas sacks, newspapers, wheel rim, and battery casing. The thickness of the made ground/waste exposed in the trial pits varied from 0.4m to 3.95m with the base of the waste between 0.7m and 4.25m below ground level and with topsoil/capping thickness of 0.3-1.8m. Oily/hydrocarbon odour was noted from waste in two trial pits. No leachate was recorded in the trial pits.

### 2.3 Survey Methodology

The following methods were used in carrying out the geophysical survey:

- EM31 ground conductivity mapping to provide information on the lateral extent and variations in the composition of the material in the top 6m of the subsurface including waste material.
- 2D resistivity profiles across accessible parts of the site to provide information on the thickness of the waste and identify depth to and extent of possible leachate.
- Seismic refraction profiling to provide information on the stratigraphy of the overburden material and waste material and to map the bedrock surface.



### 3. INTERPRETED RESULTS

The integrated geophysical results from each of the methods used are summarized on Drawing 9301-01, Figure 4 and on the interpreted sections included on Drawing 9301-03, Figures 3-5.

#### 3.1 EM31 Conductivity

The EM31 conductivity survey locations are shown on Drawing 9301-03, Figure 1. The conductivity survey included additional readings taken outside the site boundary, as requested by Louth County Council engineer. These additional readings were taken to the north, west and east of the site.

The recorded EM31 conductivity values are contoured on Drawing 9301-01, Figure 2. The conductivity values ranged from 3 to 254 milliSiemens/metre (mS/m). The EM31 conductivity values have been broadly interpreted on the following basis:

Conductivity (mS/m)	Interpretation of 0-6m Below Ground Level
30-255	Saline Estuarine Deposits
30-60	Landfill Waste
20-30	Possible leachate
3-20	Clayey Sand/Gravel/Shallow Bedrock

During the survey an in phase component value was acquired simultaneously with the EM31 conductivity data. Variations in this component are indicative of the presence of metallic objects. The EM31 inphase values are contoured on Drawing 9301-03, Figure 3.

The EM31 in phase values ranged from 744-1482 with a background value of 744-1405 units. The in phase values have been broadly interpreted on the following basis:

In-Phase	Interpretation of 0-6m Below Ground Level
<900	Background values
>900	Indicative of Made Ground/Waste containing Dispersed Metal

#### 3.2 2D Resistivity Profiling

Five resistivity profiles were recorded across the site at accessible locations. The locations are indicated on Drawing 9301-01, Figure 1. The interpreted sections are included on Drawing 9301-03, Figures 3-5. The resistivity data have been interpreted on the following basis:

Apparent Resistivity (ohm-m)	Interpretation
90-450	Topsoil/Capping
45-450	Landfill Waste
33-90	Possible Leachate
,5-33	Saline Estuarine Deposits with Possible Leachate
33-115	Clay/Gravelly Clay
115-650	Clayey Sand/Gravel
65-650+	Limestone/Argillaceous Limestone Bedrock

#### 3.3 Seismic Refraction Profiling

One seismic refraction profile was recorded in close proximity to 2D Resistivity Profile R2. The location of this seismic profile is indicated on Drawing 9301-03, Figure 1.

The seismic data indicated 3 subsurface velocity layers which have been interpreted on the following basis:

P-wave Velocity Vp (m/s)	Interpretation
130-414	Topsoil, Capping & Soft/Loose Landfill Material
473-908	Firm/Medium Dense Soil
2348-3190	Slightly Weathered to Fresh Rock

3.4 Integrated Interpretation

The geophysical interpretation is summarized on Drawing 9301-01, Figure 4.

The combined 2D resistivity and seismic data in conjunction with the trial pit data have been interpreted (Drawing 9301-03, Figures 3-5) as indicating the following subsurface layers:

Layer	Resistivity (ohm-m)	Velocity (m/s)	Interpretation	Estimated Stiffness
1	90-450	130-414	Topsoil/Capping	Soft/Loose
	45-450		Landfill Waste	
2	33-90	473-908	Possible Leachate	Firm/Medium Dense
	<5-33		Saline Estuarine Deposits with Possible Leachate	
	33-115		Clay/Gravelly Clay	
	115-650		Clayey Sand/Gravel	
3	65-650+	2348-3190	Limestone/Argillaceous Limestone Bedrock	

The combined data has been interpreted as indicating c.0.3-2.2m soft/loose topsoil and/or capping material overlying 0-4.3m soft to firm or loose to medium dense landfill waste material. The average thickness of the waste is approximately 2.5-3.0m. The interpreted base of the landfill waste lies at 1-2.5mOD generally.

Material of low resistivity underlies much of the waste material (Resistivity Profiles R2-R5). The waste is relatively high resistivity material, probably mixed domestic and C&D which would not be expected to generate leachate of such low resistivity (<5-33 Ohm.m). Flat marshy ground has been mapped across this area and extending northwards to the coast and would be expected to be underlain by estuarine deposits. In our experience such deposits are likely to be saline and to be in this low resistivity range. A channel filled with saline estuarine deposits has been interpreted accordingly.

Moderately low resistivity material (33-90 Ohm.m) underlying the waste has been interpreted as possible leachate.

Higher resistivity material underlying the waste, as well as to the north-east, has been interpreted generally as clayey sand/gravel.

The in phase values suggest that there is relatively little metal dispersed throughout the body of the landfill.

The bedrock, which has been interpreted as limestone/argillaceous limestone, is nowhere in direct contact with the landfill waste. However zones of possible leachate have been interpreted as extending down to bedrock in places on all the Resistivity Profiles. Shallow rock has been interpreted to the west of the site (SW ends of Resistivity Profiles R1, R2 and R4) - this rock has been classed as having "Extreme" vulnerability and the extent and concentration of leachate in this direction should be established by the installation of monitoring wells.

### 3.5 Recommendations

The following site investigation programme comprising monitoring well boreholes, cable percussive boreholes and trial pits is proposed:

Borehole/Trial Pit No.	Type	Location (National Grid)	Depth (mbgl)	Objective	Priority
MW1	Monitoring well	319238,311150	12	Investigate slightly elevated conductivity zone (possible leachate) immediately north of site	1
MW2		319247,311035	14	Investigate slightly elevated conductivity zone (possible leachate) immediately west of site	2
MW3		319243,311084	17	Investigate slightly elevated conductivity zone (possible leachate) immediately west of site	3
CP1	Cable percussive borehole	319259,311091	18.5	Investigate whether moderately low resistivity/elevated conductivity is due to saline material or leachate	4
CP2		319288,311045	14.5		5
TP1	Trial pit	319256,311054	5	Investigate if elevated conductivity is due to possible metal in waste	6
TP2		319290,311045	5		7
TP3		319258,311028	5	Investigate whether moderately low resistivity/elevated conductivity is due to saline material or leachate	8
TP4		319347,311021	5	Investigate if elevated conductivity is due to possible metal in waste	9

Monitoring Well MW1 is proposed to investigate possible leachate extending north of the site. Monitoring Wells MW2 and MW3 are proposed to check for presence of leachate to the west of the site, where there is housing and the rock is shallow with extreme vulnerability rating. Boreholes CP1 and CP2 and Trial Pit TP3 are recommended to verify the interpretation of saline estuarine deposits under the waste and to check for leachate. Trial Pits TP1, TP2 and TP4 are proposed to check for metal content in the waste, as indicated by higher conductivity and/or in phase levels at these locations.

The geophysical data should be reviewed on completion of any further direct investigation.

*For inspection purposes only.  
Consent of copyright owner required for any other use.*

#### 4. REFERENCES

Bell F.G., 1993;

'Engineering Geology', Blackwell Scientific Press.

Campus Geophysical Instruments, 2000;

'RES2DINV ver. 3.4 Users Manual', Birmingham, England.

Geological Survey of Ireland 1:100,000 Series Bedrock Map Sheet 8/9, Geology of Monaghan-Carlingford.

Golden Software, 1994;

'SURFER 7 Surface Mapping System Users Manual', Golden Software, CO., USA.

Hagedoorn, J.G., 1959;

'The plus - minus method of interpreting seismic refraction sections', Geophysical Prospecting, 7, 158 - 182.

Palmer, D., 1980;

'The Generalized Reciprocal Method of seismic refraction interpretation', SEG.

Redpath, B.B., 1973;

'Seismic refraction exploration for engineering site investigations' NTIS, U.S. Dept. of Commerce

Soske, J.L., 1959;

'The blind zone problem in engineering geophysics', Geophysics, 24, pp 359-36.

For inspection purposes only.  
Consent of copyright owner required for any other use.

## APPENDIX I. GEOPHYSICAL METHODOLOGY

### M1. EM31 Conductivity Mapping

This method operates on the principle of inducing currents in conductive substrata and measuring the resultant secondary electro-magnetic field. The strength of this secondary EM field is calibrated to give apparent ground conductivity in milliSiemens/metre (mS/m). As the effective penetration of this method is around 6m below ground level the measured conductivity is a function of the different overburden layers and/or rock from 0 to 6m below ground level.

The equipment used was a GF EM31 Conductivity meter equipped with data logger. This instrument features a real time graphic display of the previous 20 measurement points to monitor data quality and results. 1470 conductivity readings were recorded on the 21<sup>st</sup> December 2009.

Conductivity and in-phase values were recorded on an approximate 2.5m x 7.5m grid which varies due to accessibility and the requirement for standoff from fences. Local conditions and variations were recorded.

The data were downloaded and plotted. Assignment of material types and possible anomaly sources was carried out, with cross-reference to other data. A scaled plot of conductivity against distance was prepared (Drawing 9301-01, Figure 2). The contoured in phase results are also shown (Drawing 9301-01, Figure 3).

### M2. 2D Resistivity Profiling

2D Resistivity profiling makes use of the Wenner resistivity array. The 2D-resistivity profiling method records a large number of resistivity readings in order to map lateral and vertical changes in material types. The 2D-resistivity profiling method in this survey involves the use of up to 32 electrodes connected to a resistivity meter, using computer software to control the process of data collection and storage

Five profiles were recorded on the 21<sup>st</sup> December 2009. The profiles were recorded using a Tigre resistivity meter, imaging software, one 32 takeout multicore cable and up to 32 stainless steel electrodes. The recorded data was processed and viewed immediately after the survey.

Length and specifications of resistivity profiles:

Profile	Length (m)	No. of electrodes	Electrode spacing (m)	Depth of penetration (m)
R1	155	32	5	30
R2	155	32	5	30
R3	93	32	3	16
R4	155	32	5	30
R5	90	31	3	16

The field readings were stored in computer files and inverted using the RES2DINV package (Campus Geophysical Instruments, 1997) with up to 5 iterations of the measured data carried out for each profile to obtain a 2D-Depth model of the resistivities.

The inverted 2D-Resistivity models and corresponding interpreted geology are displayed as Profiles R1- R5 on Drawing 9301-03, Figures 3-5. The distance is indicated along the horizontal axis of the profile. All profiles have been contoured using the same contour intervals and colour codes.

### M3. Seismic Profiling

Seismic profiling measures the velocity of refracted seismic waves through the overburden and rock material and allows an assessment of the thickness and quality of the materials present to be made. Stiffer and stronger materials usually have higher seismic velocities while soft, loose or fractured materials have lower velocities. Readings are taken using geophones connected via multi-core cable to a seismograph.

A Geode high resolution 24 channel digital seismograph with geophone spacings of 3m was used. The source of the seismic waves was a sledgehammer. One seismic spread was recorded, in close proximity to Resistivity Profile R2.

Length and specifications of seismic profile:

Profile	Length	No. of geophones	Geophone spacing (m)
S1	69	24	3


First break picking in digital format was carried out using the FIRSTPIX software program to construct p-wave ( $V_p$ ) traveltimes plots for each spread. Velocity phases were selected from these plots using the GREMIX software program and were used to calculate the thickness of individual velocity units. Topographic data were input. Material types were assigned and estimation made of material properties, cross-referenced to the 2D Resistivity data. The processed seismic data are displayed on the relevant 2D resistivity profile on Drawing 9301\_03, Figure 4.

Approximate errors for  $V_p$  velocities are estimated to be +/- 10%. Errors for the calculated layer thicknesses are of the order of +/-20%. Possible errors due to the "hidden layer" and "velocity inversion" effects may also occur (Soske, 1959).

## APPENDIX II. SEISMIC REFRACTION PLATES

For inspection purposes only.  
Consent of copyright owner required for any other use.





For inspection purposes only.  
Consent of copyright owner required for any other use.

for: Louth Co. Council		Plater: 10a	
by:	APEX Geoservices Ltd.	9301	
Data Sets:	S1	Date:	
Equipment:	Spread: S1	Carlingford Louth	
		Azimuth:	

# DRAWINGS

*For inspection purposes only.  
Consent of copyright owner required for any other use.*

FIGURE 1: GEOPHYSICAL LOCATIONS & PREVIOUS TRIAL HOLE DATA




FIGURE 2: EM CONDUCTIVITY




FIGURE 3: EM IN PHASE






FIGURE 4: INTERPRETATION



LEGEND:

+	EM31 conductivity station		Landfill waste
—	2D resistivity profile		Possible leachate
—	Seismic profile		Saline estuarine deposits
—	Watercourse		Clayey sand/gravel
—	Watercourse (approx./from archival map)		Shallow bedrock
	Site boundary		
	Boundary of sewerage treatment works compound		
	Previous trial pit		
	Proposed trial pit		
	Proposed borehole		
	MW		
	Monitoring well		
	CP		
	Cable percussive borehole		

TITLE:	GEOPHYSICAL SURVEY
PROJECT:	CARLINGFORD LANDFILL
CLIENT:	SITE INVESTIGATIONS LTD.
DRAWING:	GEOPHYSICS & INTERPRETATION
DRAWING NUMBER:	9301-01

SCALE:	1:1000		
DATE:	6 JANUARY 2010		
DRAWN:	MF	CHECKED:	POC
REVISION:	DATE:	DRAWN:	CHECKED:

**apex**  
geoservices


Kilnerin,  
Gorey,  
Co. Wexford,  
Ireland.

Unit 2, TLF Units,  
Castle Lane Industrial Estate,  
Melbourne,  
Derby,  
DE73 8DY

T +353 (0)402 21842  
F +353 (0)402 21843  
E info@apexgeoservices.ie  
www.apexgeoservices.ie

Unit 2, TLF Units,  
Castle Lane Industrial Estate,  
Melbourne,  
Derby,  
DE73 8DY

T +44 (0)844 8700 692  
E info@apexgeoservices.co.uk  
www.apexgeoservices.co.uk




For inspection purposes only.  
 Consent of copyright owner required for any other use.

INDEX MAP:



LEGEND:

 Site boundary



Kilmerin, Gorey Co. Wexford, Ireland.  
 Tel. +353 (0)40221842  
 Fax. +353 (0)40221843  
 E: info@apexgeoservices.ie  
 www.apexgeoservices.ie

PROJECT: CARLINGFORD GEOPHYSICAL SURVEY  
 DRAWING No.: GSI ARCHIVAL 6" x 1 MILE MAP  
 DATE: 6 JANUARY 2010  
 CLIENT: SITE INVESTIGATIONS LTD.

Version	Date	Drawn By	Checked
1	08.01.10	MF	POC

SCALE: 1:5,000 @ A4

FIGURE 1: LOCATION MAP



FIGURE 2: GEOPHYSICAL LOCATIONS




FIGURE 3: RESISTIVITY PROFILE R1




FIGURE 4: RESISTIVITY PROFILES R2-R3 & SEISMIC PROFILE S1





FIGURE 5: RESISTIVITY PROFILES R4 & R5



INDEX MAP



LEGEND:

- EM31 conductivity station
- 2D resistivity profile
- Seismic profile
- Watercourse
- Watercourse (approx./from archival map)
- Site boundary
- Boundary of sewerage treatment works compound
- Previous trial pit
- Topsoil/capping
- Landfill waste
- Possible leachate
- Saline estuarine deposits with possible leachate
- Clay/gravelly clay
- Clayey sand/gravel
- Limestone / argillaceous limestone bedrock
- Proposed borehole
- Proposed trial pit
- MW Monitoring well
- CP Cable protective

NOTES:

TITLE: GEOPHYSICAL SURVEY

PROJECT: CARLINGFORD LANDFILL

CLIENT: SITE INVESTIGATIONS LTD.

DRAWINGS: RESISTIVITY & SEISMIC SECTIONS

DRAWING NUMBER: 9301\_03

SCALE: As indicated

DATE: 6th January 2010

DRAWN: MF	CHECKED: POC
REVISION: DATE: DRAWN: CHECKED:	

Kilsnerth,  
 Castle Lane Industrial Estate,  
 Melbourne,  
 Derby,  
 Ireland.  
 T +353 (0)142 21842  
 F +353 (0)142 21843  
 E info@apexgeoservices.ie  
 www.apexgeoservices.ie

Unit 2, TLE Units,  
 Castle Lane Industrial Estate,  
 Melbourne,  
 Derby,  
 DE73 8DY  
 T +44 (0)144 839 892  
 E info@apexgeoservices.co.uk  
 www.apexgeoservices.co.uk

**BIOLOGICAL MONITORING OF WATER QUALITY IN  
THE VICINITY OF CARLINGFORD FORMER LANDFILL,  
COUNTY LOUTH**

**April 2010**

*For inspection purposes only.  
Consent of copyright owner is required for any other use.*



Conservation Services, Tullaha, Glenflesk, Killarney, Co. Kerry  
Tel/Fax 064 6630130 e-mail [cs@conservation-services.ie](mailto:cs@conservation-services.ie)

# CONTENTS

1	INTRODUCTION .....	3
2	METHODOLOGY.....	4
2.1	SITE LOCATIONS .....	4
2.2	HABITAT ASSESSMENT .....	5
2.3	INVERTEBRATE SAMPLING AND WATER QUALITY ASSESSMENT .....	5
3	RESULTS .....	8
3.1	SITE 1.....	8
3.2	SITE 2.....	9
4	DISCUSSION.....	10
5	CONCLUSIONS.....	11
6	REFERENCES .....	12

## APPENDIX 1                      HABITAT AT SAMPLING SITES

*For inspection purposes only.  
Consent of copyright owner required for any other use.*

# 1 INTRODUCTION

As part of the monitoring of water quality in the vicinity of the former landfill at Carlingford, Co. Louth, Conservation Services, Ecological & Environmental Consultants have been commissioned by Louth County Council to carry out biological sampling and water quality assessment in accordance with EPA Q-rating methodology at two locations on the stream adjacent to the former landfill.

Sampling was carried out on 7 April 2010.




Fig. 1 Location map




## 2 METHODOLOGY

### 2.1 SITE LOCATIONS

Biological sampling and water quality assessment was carried out at the following sites specified by Louth County Council. The locations of the sites are shown on Figs. 1 & 2.

SITE	GRID REFERENCE (GPS)
1	J 1927 1099
2	J 1924 1116



**Fig. 2 Locations of sampling sites**

Site 1 is located a short distance downstream of the upstream limit of the former landfill. A site immediately upstream of the landfill was not possible as the stream is culverted upstream of the former landfill. Site 2 is located immediately downstream of the former landfill. Grid references were recorded at all sites using a GPS.

## 2.2 HABITAT ASSESSMENT

Habitat assessment was carried out at each of the sites selected for invertebrate/water quality assessment. These sites were assessed in terms of:

- Stream width and depth
- Substrate type, listing substrate fractions in order of dominance, i.e. large rocks, cobble, gravel, sand, mud etc.
- Flow type, listing percentage of riffle, glide and pool in the sampling area
- Instream vegetation, listing plant species occurring and their percentage coverage of the stream bottom at the sampling site
- Dominant bankside vegetation, listing the main species overhanging the stream
- Estimated summer cover by bankside vegetation, giving percentage shade of the sampling site
- Rating of the site as habitat for trout adult, nursery and spawning on a scale of Poor/Fair/Good/Very Good/Excellent. This rating assesses the physical suitability of the habitat; the presence/absence/density of salmonids at the site will also depend on present and historical water quality and accessibility of the site to fish.

## 2.3 INVERTEBRATE SAMPLING AND WATER QUALITY ASSESSMENT

A sweep net invertebrate sample was taken at each site as the deep mud substrate rendered the site unsuitable for the standard kick sampling method employed by EPA. Each sample was retained in a large plastic bag at the sampling site. Sample processing and preservation was carried out under

laboratory conditions within 24 hours of sampling. Mud was removed from each sample by sieving under running water through a 500 $\mu$  sieve. Sieved samples were then live sorted for 30 minutes in a white plastic sorting tray under a bench lamp (ISO 5667-3:1994) and if necessary using a magnifying lens. Macroinvertebrates were stored in 70% alcohol. Preserved invertebrates were identified to the level required for the EPA Q-rating method (Clabby *et al*, 2006) using high-power and low-power binocular microscopes when necessary. The preserved samples were archived for future examination or verification. Based on the relative abundance of indicator species, a biotic index (Q-rating) was determined for each site in accordance with the biological assessment procedure used by the Environmental Protection Agency (Clabby *et al* 2006) and more detailed unpublished methodology (McGarrigle, Clabby and Lucey pers. comm.).

<b>Biotic Index</b>	<b>Water Framework Directive Ecological Status</b>	<b>Quality Status</b>
<b>Q5</b>	High	Unpolluted Waters
<b>Q4-5</b>	High	
<b>Q4</b>	Good	
<b>Q3-4</b>	Moderate	Slightly Polluted Waters
<b>Q3</b>	Poor	Moderately Polluted Waters
<b>Q2-3</b>	Poor	
<b>Q2</b>	Bad	Seriously Polluted Waters
<b>Q1-2</b>	Bad	
<b>Q1</b>	Bad	

The scheme mainly reflects the effects of organic pollution (i.e. deoxygenation and eutrophication) but where a toxic effect is apparent or suspected the suffix '0' is added to the biotic index (e.g. Q1/0,2/0 or 3/0). An asterisk after a Q value

indicates something worthy of attention, typically heavy siltation of the substratum.

*For inspection purposes only.  
Consent of copyright owner required for any other use.*

### 3 RESULTS

Habitat at sites is tabulated and site photographs are presented in Appendix 1.

#### 3.1 SITE 1

The macroinvertebrate fauna recorded at the site merit a Q-rating of Q3 indicating poor ecological status and moderately polluted conditions.

INDICATOR GROUP	TAXON	Number
<b>Group A</b> - Very Pollution Sensitive	None Recorded	
<b>Group B</b> - Moderately Pollution Sensitive	Sericostomatidae	2
	Limnephilidae	3
<b>Group C</b> - Moderately Pollution Tolerant	<i>Gammarus duebeni</i>	47
	Chironomidae (ex. <i>Chironomus</i> )	53
<b>Group D</b> - Very Pollution Tolerant	<i>Glossiphonia complanata</i>	2
	<i>Lymnaea peregra</i>	c.450
<b>Group E</b> - Most Pollution Tolerant	Tubificidae	63
	<i>Chironomus sp.</i>	30
Not assigned to any indicator group	Lumbricidae	8
	Lumbriculidae	1

### 3.2 SITE 2

The macroinvertebrate fauna recorded at the site merit a tentative Q-rating of Q3/0 indicating poor ecological status and moderate levels of organic pollution with a suspected additional toxic effect on invertebrates.

INDICATOR GROUP	TAXON	Number
<b>Group A</b> - Very Pollution Sensitive	Nemouridae	1
<b>Group B</b> - Moderately Pollution Sensitive	Limnephilidae	4
<b>Group C</b> - Moderately Pollution Tolerant	Dytiscidae	1
	Chironomidae (ex. <i>Chironomus</i> )	159
<b>Group D</b> - Very Pollution Tolerant	<i>Glossiphonia complanata</i>	1
	<i>Lymnaea peregra</i>	1
<b>Group E</b> - Most Pollution Tolerant	Tubificidae	4
	<i>Chironomus</i> sp.	18
Not assigned to any indicator group	Lumbricidae	10

## 4 DISCUSSION

On the basis of similar substrate conditions it would be expected that, in the absence of any impact between the upstream and downstream sites, the macroinvertebrate faunal communities would be broadly similar. The faunal communities at the two sites are in reality significantly different. Whereas gastropods (*Lymnaea peregra*) and crustaceans (*Gammarus duebeni*) are numerous at Site 1, they are virtually absent at Site 2 (a single *Lymnaea peregra* was recorded at the site). Furthermore, for a site with moderate levels of organic enrichment, the invertebrate abundance at Site 2 is abnormally low, for all groups except Chironomidae (excl. *Chironomus*) which frequently dominate the invertebrate community at sites which are suffering or are recovering from a significant perturbation.

Johnson, Wiederholm & Rosenberg (1993) state: "*Reduced total abundance and species richness and changes in macroinvertebrate dominance often occur in aquatic systems polluted by heavy metals. ...Generally, insects appear to be less sensitive than gastropods and crustaceans to metal exposure.*" Johnson, Wiederholm & Rosenberg (1993) also state: "*Crustacea as well as Mollusca (except for Sphaeriidae) are sensitive to low pH.*"

The differences between the two sites are illustrated in the following table.

**Percentage representation of faunal groups**

	<b>Site 1</b>	<b>Site 2</b>
<b>Gastropoda (Mollusca)</b>	68%	0.5%
<b>Crustacea</b>	7%	0%
<b>Insecta</b>	9%	83%

## 5 CONCLUSIONS

The results of the present survey are suggestive of, but do not prove, an impact on the stream from the Carlingford former landfill. The biological data recorded downstream of the former landfill would be characteristic of a impact such as low level heavy metals pollution or a pollutant capable of reducing stream pH.

Signed on behalf of Conservation Services

---

Bill Quirke BSc MSc MIEEM

---

Helena Twomey BA(Mod.) PhD

Date

---

For inspection purposes only.  
Consent of copyright owner required for any other use.



## 6 REFERENCES

**Johnson, R.K, T. Wiederholm & D.M. Rosenberg (1993)** Freshwater Biomonitoring using individual organisms, populations, and species assemblages of Benthic Macroinvertebrates. In Rosenberg, D.M & V.H. Resh (eds). Freshwater Biomonitoring and Benthic Macroinvertebrates. Chapman & Hall.

**McGarrigle, M. et al (2002)** Water Quality in Ireland 1998-2000. EPA.

For inspection purposes only.  
Consent of copyright owner required for any other use.

## **APPENDIX 1**

### **HABITAT ASSESSMENT AT SAMPLING SITES**

*For inspection purposes only.  
Consent of copyright owner required for any other use.*

## SITE 1

Site Code (Grid Reference)	J 1927 1099
Site Location	Just d/s culvert
Channel Width (m)	6-8
Depth (cm)	5-15
Substrate (in order of dominance)	Mud, Gravel (small amount)
Flow Type	Riffle 10% Glide 90%
Instream Vegetation	<i>Glyceria</i> sp. 20% <i>Rorippa nasturtium-aquaticum</i> agg. <5%
Dominant Bankside Vegetation	Grass, Nettle
Summer Shade of Stream by Bankside Vegetation	<5%
Trout Adult Habitat	None
Trout Nursery Habitat	Poor-None
Trout Spawning Habitat	None



Site 1

## SITE 2

Site Code (Grid Reference)	J 1924 1116
Site Location	d/s tributary on RHS
Channel Width (m)	c. 8
Depth (cm)	5 - 15
Substrate (in order of dominance)	Mud
Flow Type	Glide 100%
Instream Vegetation	<i>Apium nodiflorum</i> 15% <i>Sparganium erectum</i> <5% <i>Rorippa nasturtium-aquaticum</i> agg. <5%
Dominant Bankside Vegetation	Grass
Summer Shade of Stream by Bankside Vegetation	<5%
Trout Adult Habitat	None
Trout Nursery Habitat	None
Trout Spawning Habitat	None
Lamprey Nursery	Good
Lamprey Spawning	None



Site 2

To: Senior Engineer, Environment Section, Louth County Council  
Date: 17/12/2013...

Re: Risk assessment on an historic landfill (Carlingford Closed Landfill) in support of an application for a certificate of authorisation in accordance with regulation 7 of the Waste Management (Certification of Historic Unlicensed Waste Disposal and Recovery Activity) Regulations 2008.

Dear Director,

As a person who is qualified, trained and experienced to the standard set out in section 2.3 of *Code of Practice: Environmental Risk Assessment for Unregulated Waste Disposal Sites* (EPA, 2007), it is my opinion that the risk assessment carried out by OCM using data compiled by Louth County Council and its consultants on the closed landfill at **Carlingford Co. Louth** is adequate and complete.

The risk assessment complies with all of the requirements of the *Code of Practice* and the *EU Habitats Directive 92/43/EEC*. The local authority, in carrying out the risk assessment, has followed and completed the steps set out in the *Code of Practice* and associated guidance (Matrix 1 and Matrix 2— as published).

The following items:

- - the risk assessment,
- - the findings and conclusions of the risk assessment,
- - the remedial measures proposed
- - the monitoring proposed to be carried out to demonstrate the effectiveness of the remedial measures,


are, in my opinion, appropriate and adequate to:-

- identify the instances and risks of environmental pollution arising from the closed landfill to which this application refers,
- proportionately address any and all such instances and risks of environmental pollution,
- ensure that any future instances of environmental pollution will be detected in a timely manner.

I have advised the local authority on the following aspects of this project or have carried out or managed the following aspects of the project on behalf of the local authority

- - Tier 2 risk assessment (Yes) OCM completed Tier 2 and QRA.
- - Remedial Measures (Yes)
- - Post-Remediation Monitoring Programme (Yes).

Signed:



Sean Moran

Name

Sean Moran (P.Geol., Eur. Geol, MSc.)>  
O'Callaghan Moran & Associates  
Granary House, Rutland Street,  
Cork


For inspection purposes only.  
Consent of copyright owner required for any other use.



# Risk ranking report for Carlingford town dump - Louth County Council (S22-02452)

Date: 09/07/2009

Page 1 of 3



Grid reference of the centre of the site: 319315E, 311043N

The Environmental Protection Agency does not guarantee the accuracy of any data available on this website or this resulting report. It is the user's responsibility to independently verify and quality control any of the data used and ensure that it is fit for purpose/use. The Environmental Protection Agency does not accept responsibility for the use of any data available on this website downloaded, read or interpreted or used in any way by the user, or that is passed to a third party, and do not accept liability for any damage or loss howsoever arising out of the use or interpretation of these data.

[Click here for the walkover survey checklist](#)



## Risk ranking report for Carlingford town dump - Louth County Council (S22-02452)

Date: 09/07/2009

Page 2 of 3

Table	Points available	Rationale
1a	5.00	EITHER (Type: Industrial, Area <=1 Ha) OR (Type: Municipal, Area <=1 Ha)
1b	5.00	EITHER (Type: Industrial, Area > 1 <= 5 Ha) OR (Type: Municipal, Area <=1 Ha)
2a	3.00	Extreme Vulnerability
2b	3.00	Productive Fissured Bedrock Groundwater Bodies (Rf and Lm)
2c	0.00	No direct connection
2d	3.00	Sand and gravel, made ground, urban, karst
2e	2.00	All other tills (Including limestone, sandstone etc. - moderate permeability)
3a	3.00	On or within 50m of the waste body
3b	1.00	Greater than 250m but less than 1km of the waste body / Undesignated site within 50m of site of the waste body
3c	3.00	Locally important aquifers (LI, Lm, Lg)
3d	7.00	Within 100m of site boundary
3e	3.00	Within 50m of site boundary
3f	5.00	On Site or within 50m of site boundary

SPRLinkage	Linkage Score	Norm Score
SPR1	90.00	30.00
SPR2	30.00	10.00
SPR3	90.00	37.50
SPR4	30.00	12.50
SPR5	90.00	22.50
SPR6	210.00	37.50
SPR7	90.00	37.50
SPR8	0.00	0.00
SPR9	0.00	0.00
SPR10	75.00	50.00
SPR11	50.00	20.00

**Risk Classification: B: Moderate Risk**

The Environmental Protection Agency does not guarantee the accuracy of any data available on this website or this resulting report. It is the user's responsibility to independently verify and quality control any of the data used and ensure that it is fit for purpose/use. The Environmental Protection Agency does not accept responsibility for the use of any data available on this website downloaded, read or interpreted or used in any way by the user, or that is passed to a third party, and do not accept liability for any damage or loss howsoever arising out of the use or interpretation of these data.

[Click here for the walkover survey checklist](#)





# Risk ranking report for Carlingford town dump - Louth County Council (S22-02452)

Date: 09/07/2009

Page 3 of 3

<b>Site Summary</b>
<b>Facility Description</b>
Not Specified
<b>Receiving Environments</b>
Not Specified
<b>Known Impacts</b>
Not Specified
<b>Emissions Observed</b>
Not Specified
<b>Remediation Measures</b>
Not Specified
<b>Technical Requirements</b>
Not Specified
<b>Treatment Methods</b>
Not Specified

For inspection purposes only.  
Consent of copyright owner required for any other use.

The Environmental Protection Agency does not guarantee the accuracy of any data available on this website or this resulting report. It is the user's responsibility to independently verify and quality control any of the data used and ensure that it is fit for purpose/use. The Environmental Protection Agency does not accept responsibility for the use of any data available on this website downloaded, read or interpreted or used in any way by the user, or that is passed to a third party, and do not accept liability for any damage or loss howsoever arising out of the use or interpretation of these data.

[Click here for the walkover survey checklist](#)

RECEIVED 16 JAN 2013



EurGeol. Sean Moran, P.Geo.  
O'Callaghan Moran and Associates  
Granary House  
Rutland Street  
Cork

14<sup>th</sup> January, 2013

**Re: Credentials in accordance with section 2.3 of Code of Practice: Environmental Risk Assessment for Unregulated Waste Disposal Sites (EPA, 2007)**

Dear Sean,

The Institute of Geologists of Ireland is satisfied to state that you are a person who is qualified, trained and experienced to the standard set out in section 2.3 of Code of Practice: Environmental Risk Assessment for Unregulated Waste Disposal Sites (EPA, 2007) and have achieved chartered status with this professional regulatory body.

I can confirm that you have been formally entered to the IGI's Register of Competent Persons (in respect of environmental risk assessment for unregulated waste disposal). Please see [www.igi.ie](http://www.igi.ie) for current Register.

This letter of accreditation is valid until 31 December 2014.

Yours sincerely  
**Institute of Geologists of Ireland**

---

**Dr Deirdre Lewis**  
**BA(mod) PhD PGeo EurGeol**  
**President, IGI**

+353 87 6536405/ 01 296 4667  
[dlewis@slrconsulting.com](mailto:dlewis@slrconsulting.com)

Company number 314400. Directors: D. Lewis, G. Stanley, B. Balding, J. Derham

*A member of the European Federation of Geologists*

UCD SCHOOL OF GEOLOGICAL SCIENCES, BELFIELD, DUBLIN 4

TELEPHONE: +353 (0) 1 716 2085, FAX: +353 (0) 1 283 7733, EMAIL: [INFO@IGI.IE](mailto:INFO@IGI.IE), WEB PAGE: [WWW.IGI.IE](http://WWW.IGI.IE)

EPA Export 08-09-2018:03:51:18