

Headquarters, PO Box 3000
Johnstown Castle Estate
County Wexford, Ireland
Y35 W821

Ceanncheathrú, Bosca Poist 3000
Eastát Chaisleán Bhaile Sheáin
Contae Loch Garman, Éire
Y35 W821

T: +353 53 9160600
F: +353 53 9160699
E: info@epa.ie
W: www.epa.ie

LoCall: 1890 33 55 99

Senior Engineer,
Environment Section,
Louth County Council
County Hall
Millennium Centre
Dundalk
A91 KFW6

Attention: Dr Pamela Dagg

31 August 2018

Reg. No. H0306-01

Re: Carlingford Closed Landfill – Notice in accordance with Regulation 7(4) of the Waste Management (Certification of Historic Unlicensed Waste Disposal and Recovery Activity) Regulations, 2008

Dear Dr Dagg,

I am to refer to the above referenced application for a certificate of authorisation in relation to the above referenced historic landfill.

Having examined the foregoing, I am to advise that the Agency is of the view that the application does not comply with Regulation 7(2) of the Waste Management (Certification of Historic Unlicensed Waste Disposal and Recovery Activity) Regulations, 2008.

You are therefore requested in accordance with Regulation 7(4) of the Regulations, to take steps to supply the information detailed below:

REGULATION 7(2) COMPLIANCE REQUIREMENTS

1. Provide information on current ownership of the site.
2. Provide information on current and proposed future use of the site.
3. Provide a copy of the Application form for certificate of authorization for Carlingford closed landfill.
4. Provide a copy of the Tier 1 risk assessment.
5. Provide a map clearly marking out the boundary of the Carlingford closed landfill site.
6. The waste estimation of over 50 million cubic metres in the Tier 3 risk assessment report, is considered to be on the high side taking into consideration the waste footprint (parameters) stated in the report. Provide an explanation or provide a revised estimate.
7. Provide proposed remedial measures having regard to the current and proposed future use of the site, and in line with EPA Landfill Restoration and Aftercare Manual (1999).
8. The Agency has determined that due to:

- i. surface water drainage from the landfill site flowing into the stream along the western boundary, which then flows to the Carlingford Lough SPA [004078] and Carlingford Shore Special Area of Conservation [004078],

an Appropriate Assessment is required and notice of that determination is hereby given in accordance with Regulation 42(8)(a) of the European Communities (Birds and Natural Habitats) Regulations 2011 (S.I. No. 477 of 2011). You are thereby required to submit a Natura Impact Statement, as defined in Regulation 2(1) of the aforesaid Regulations.

You are furthermore advised to refer to the document '*Appropriate Assessment of Plans and Projects in Ireland – Guidance for Planning Authorities*', issued in 2009 by the Department of the Environment, Heritage and Local Government, and revised in 2010. This document is available at:

http://www.npws.ie/publications/archive/NPWS_2009_AA_Guidance.pdf


Your reply to this notice should include a revised non-technical summary, which reflects the information you supply in compliance with the notice, insofar as that information impinges on the non-technical summary.

In the case where any drawings already submitted are subject to revision consequent on this request, a revised drawing should be prepared in each case. It is not sufficient to annotate the original drawing with a textual correction. Where such revised drawings are submitted, provide a list of drawing titles, drawing numbers and revision status, which correlates the revised drawings with the superseded versions.

Please supply the information in the form of one original plus one copy within *four weeks* of the date of this notice. In addition, please submit one copy of the requested information in electronic searchable PDF format on a CD-ROM to the Agency. Please note that all maps/drawings should not exceed A3 in size.

Please note that the application's register number is H0306-01. Please direct all correspondence in relation to this matter to *Administration, Environmental Licensing Programme, Office of Climate, Licensing & Resource Use, Environmental Protection Agency, Headquarters, PO Box 3000, Johnstown Castle Estate, County Wexford* quoting the register number.

Yours sincerely,



~~Inspector~~
Dr. Magnus Amajirionwu
Environmental Licensing Programme
Office of Environmental Sustainability